

References

- Ansari, M. R., Agustina, R., Khusun, H., Prafiantini, E., Cahyaningrum, F., & Permadhi, I. (2016). Development and evaluation of a semiquantitative food frequency questionnaire for estimating omega-3 and omega-6 fatty acid intakes in Indonesian children. *Asia Pacific Journal of Clinical Nutrition*, 25(6), S20–S29. <http://doi.org/10.6133/apjcn.122016.s4>
- Aranceta, J., & Pérez-Rodrigo, C. (2012). Recommended dietary reference intakes, nutritional goals and dietary guidelines for fat and fatty acids: A systematic review. *British Journal of Nutrition*, 107(SUPPL. 2). <http://doi.org/10.1017/S0007114512001444>
- Bazan NG (2006) Cell survival matters: docosahexaenoic acid signaling, neuroprotection and photoreceptors. *Trends Neurosci* 29:263–271. CrossRef Medline
- Bentsen, H. (2017). Dietary polyunsaturated fatty acids, brain function and mental health. *Microbial Ecology in Health and Disease*, 28(sup1), 1281916. <http://doi.org/10.1080/16512235.2017.1281916>
- Berger, M. E., Smesny, S., Kim, S.-W., Davey, C. G., Rice, S., Sarnyai, Z., ... Amminger, G. P. (2017). Omega-6 to omega-3 polyunsaturated fatty acid ratio and subsequent mood disorders in young people with at-risk mental states: a 7-year longitudinal study. *Translational Psychiatry*, 7(8), e1220. <http://doi.org/10.1038/tp.2017.190>
- Birch, E. E., Garfield, S., Hoffman, D. R., Uauy, R., & Birch, D. G. (2000). A randomized controlled trial of early dietary supply of long-chain polyunsaturated fatty acids and mental development in term infants. *Developmental Medicine and Child Neurology*, 42(3), 174–181. <http://doi.org/10.1017/S0012162200000311>
- Blumfield, M. L., Hure, A. J., Macdonald-Wicks, L., Smith, R., & Collins, C. E. (2012). Systematic review and meta-analysis of energy and macronutrient intakes during pregnancy in developed countries. *Nutrition reviews*, 70 (6), 322-336
- Bryan, J., Osendarp, S., Hughes, D., Calvaresi, E., Baghurst, K., & Van Klinken, J.-W. (2004). Lead Review Article Nutrients for Cognitive Development in School-aged Children Nutrients for Cognitive Development in Children, 62(8), 295–306. <http://doi.org/10.1301/nr.2004.aug.295-306>
- Buchhorn, R. (2017). Improving Heart Rate Variability in Children with Short Stature by Supplementing Omega- 3-Fatty Acids iMedPub Journals Improving Heart Rate Variability in Children with Short Stature by Supplementing Omega-3-Fatty Acids Abstract, 1(January), 1–6.
- Clandinin, M. T., Chappell, J. E., Leong, S., Heim, T., Swyer, P. R., & Chance, G. W. (1980). Intrauterine fatty acid accretion rates in human brain: implications for fatty acid requirements. *Early Human Development*, 4(2), 121–129. [http://doi.org/10.1016/0378-3782\(80\)90015-8](http://doi.org/10.1016/0378-3782(80)90015-8)
- Covington, M. B. (2004). Omega-3 Fatty Acids, 70(1), 133–140. Retrieved from <https://link-springer-com.are.uab.cat/content/pdf/10.1007%2F978-3-319-40458-5.pdf>

- Dawczynski, C., Martin, L., Wagner, A., Jahreis, G. (2010). n-3 LC-PUFA-enriched dairy products are able to reduce cardiovascular risk factors: a doubleblind, cross-over study. *Clin Nutr.* 29:592–9.
- deVelasco, P. C., MendonçaHR, Borba, J. M.,AndradedaCosta, B. L.,Guedes, R. C., Navarro, D. M., Santos, G. K., Faria-MelibeuAda, C., CampelloCosta, P., Serfaty, C. A.(2012). Nutritional restriction of omega-3 fatty acids alters topographical fine tuning and leads to a delay in the critical period in the rodent visual system. *Exp Neurol* 234:220–229. CrossRef Medline
- Di Pasquale, M. G. (2009). The essentials of essential fatty acids. *Journal of Dietary Supplements*, 6(2), 143–161. <http://doi.org/10.1080/19390210902861841>
- Dunstan JA, Mitoulas LR, Dixon G, Doherty DA, Hartmann PE, Simmer K, Prescott SL. The effects of fish oil supplementation in pregnancy on breast milk fatty acid composition over the course of lactation: a randomized controlled trial. *Pediatr Res.* 2007;62:689–94
- Eickstaedt, M. (2015). Dietary intakes and food sources of omega-6 and omega-3 polyunsaturated fatty acids in pregnant women living in New Zealand. Retrieved from http://mro.massey.ac.nz/bitstream/handle/10179/7762/01_front.pdf?sequence=1&isAllowed=y
- Engler MM, Engler MB, Malloy M, Chiu E, Besio D, Paul S, et al. Docosahexaenoic acid restores endothelial function in children with hyperlipidemia: results from the EARLY study. *Int J Clin Pharmacol Ther* 2004;42: 672-9.
- Erdman, J., Oria, M., & Pillsbury, L. (2011). *Improving Acute and Subacute Health Outcomes in Military Personnel. Nutrition and Traumatic Brain Injury.*
- Forsyth, S., Willatts, P., Agostoni, C., Bissenden, J., Casaer, P., & Boehm, G. (2003). *Long chain polyunsaturated fatty acid supplementation in infant formula and blood pressure in later childhood: Follow up of a randomised controlled trial. BMJ (Clinical research ed.)* (Vol. 326). <http://doi.org/10.1136/bmj.326.7396.953>
- Gómez Candela, C., Bermejo López, L. M., & Loria Kohen, V. (2011). Importancia del equilibrio del índice omega-6/omega-3 en el mantenimiento de un buen estado de salud. recomendaciones nutricionales. *Nutricion Hospitalaria*, 26(2), 323–329. <http://doi.org/10.3305/nh.2011.26.2.5117>
- Grayson, D. S., Kroenke, C. D., Neuringer, M., & Fair, D. a. (2014). Dietary Omega-3 Fatty Acids Modulate Large-Scale Systems Organization in the Rhesus Macaque Brain. *Journal of Neuroscience*, 34(6), 2065–2074. <http://doi.org/10.1523/JNEUROSCI.3038-13.2014>
- Griffin, B. A. & Cunnane S. C. (2009). Nutrition and Metabolism of Lipids. In Gibney, M. J., Lanham-New, S. A., Cassidy, A., & Vorster, H. H. (Eds.), *Introduction to Human Nutrition. Introduction to human nutrition* (Second Ed.). United Kingdom: John Wiley & Sons Ltd.
- Hageman, J. H. J., Hooyenga, P., Diersen-Schade, D. a., Scalabrin, D. M. F., Wichers, H. J., & Birch, E. E. (2012). The impact of dietary long-chain polyunsaturated fatty acids on respiratory illness in infants and children. *Current Allergy and Asthma Reports*, 12(6), 564–573. <http://doi.org/10.1007/s11882-012-0304-1>

- Harika, R. K., Cosgrove, M. C., Osendarp, S. J. M., Verhoef, P., & Zock, P. L. (2011). Fatty acid intakes of children and adolescents are not in line with the dietary intake recommendations for future cardiovascular health: A systematic review of dietary intake data from thirty countries. *British Journal of Nutrition*, *106*(3), 307–316. <http://doi.org/10.1017/S0007114511001528>
- Harris WS, Mozaffarian D, Rimm E, et al. (2009) Omega-6 Fatty Acids and Risk for Cardiovascular Disease: A Science Advisory From the American Heart Association Nutrition Subcommittee of the Council on Nutrition, Physical Activity, and Metabolism; Council on Cardiovascular Nursing; and Council on Epidemiology and Prevention. *Circulation* *119*, 902–907.
- Helland IB, Smith L, Blomen B, Saarem K, Saugstad OD, Drevon CA. Effect of supplementing pregnant and lactating mothers with n-3 verylong-chain fatty acids on children’s IQ and body mass index at 7 years of age. *Pediatrics*. 2008;*122*:e472–9.
- Huffman, S. L., Harika, R. K., Eilander, A., & Osendarp, S. J. M. (2011). Essential fats: How do they affect growth and development of infants and young children in developing countries? A literature review. *Maternal and Child Nutrition*, *7*(SUPPL. 3), 44–65. <http://doi.org/10.1111/j.1740-8709.2011.00356.x>
- Jakobsen MU, O’Reilly EJ, Heitmann BL, et al. (2009) Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. *Am J Clin Nutr* *89*, 1425–1432.
- Jones, P. J. H., and S. Kubow. (2006). Lipids, sterols, and their metabolites. In M. E. Shils, M. Shike, A. C. Ross, B. Caballero and R. J. Cousins (Eds.), *Modern nutrition in health and disease* (10th ed.). Baltimore, MD: Lippincott Williams & Wilkins. Pp. 92–122.
- Judge, M. P., Harel, O., & Lammi-Keefe, C. J. (2007). Maternal consumption of a docosahexaenoic acid-containing functional food during pregnancy: Benefit for infant performance on problem-solving but not on recognition memory tasks at age 9 mo. *American Journal of Clinical Nutrition*, *85*(6), 1572–1577. [http://doi.org/10.1016/S1090-798X\(08\)79208-7](http://doi.org/10.1016/S1090-798X(08)79208-7)
- Krauss-Etschmann S, Hartl D, Rzehak P, Heinrich J, Shadid R, Del Carmen Ramirez-Tortosa M, Campoy C, Pardillo S, Schendel DJ, Decsi T, et al. (2008). Decreased cord blood IL-4, IL-13, and CCR4 and increased TGFbeta levels after fish oil supplementation of pregnant women. *J Allergy Clin Immunol*. *121*:464–70 e6
- Lee, J.-H. (2013). Polyunsaturated Fatty acids in children. *Pediatric Gastroenterology, Hepatology & Nutrition*, *16*(3), 153–61. <http://doi.org/10.5223/pghn.2013.16.3.153>
- Li J, Xun P, Zamora D, Sood A, Liu K, Daviglius M, et al. (2013). Intakes of long-chain omega-3 (n-3) PUFAs and fish in relation to incidence of asthma among American young adults: the CARDIA study. *Am J Clin Nutr*, *97*:173-
- MacIntyre, UE. (2009). Measuring food intake. In Gibney, M. J., Lanham-New, S. A., Cassidy, A., & Vorster, H. H. (Eds.), *Introduction to Human Nutrition. Introduction to human nutrition* (Second Ed.). United Kingdom: John Wiley & Sons Ltd.
- Mann, J. & Bingham, S. (2012). Dietary assessment. In Mann, J. & Truswell A. S. (Eds.), *Essentials of Human Nutrition* (Fourth Ed.). New York: Oxford University Press Inc.

- Mayes PA, Botham KM. Metabolism of unsaturated fatty acids & eicosanoids. In: Murray RK, Granner DK, Mayes PA, et al, eds. *Harper's illustrated biochemistry*. 26th edn. International edition. Columbus, OH: McGraw-Hill, 2003:192–6
- Ministry of Health of the Republic of Indonesia. (2013). *National Basic Health Survey (Riskesmas) 2013*. National report. Research and development department (Balitbang)
- Ministry of Health of the Republic of Indonesia. (2013). Table of Recommended Daily Allowance. Attachment of the Regulation of the Ministry of Health of the Republic of Indonesia No. 75 Year 2013
- Ministry of Health of the Republic of Indonesia. (2014). *Total Dietary Study: Individual food consumption survey 2014*. Research and development department (Balitbang)
- Minns, L. M., Kerling, E. H., Neely, M. R., Sullivan, D. K., Wampler, J. L., Harris, C. L., ... Carlson, S. E. (2010). Toddler formula supplemented with docosahexaenoic acid (DHA) improves DHA status and respiratory health in a randomized, double-blind, controlled trial of US children less than 3 years of age. *Prostaglandins Leukotrienes and Essential Fatty Acids*, 82(4-6), 287–293. <http://doi.org/10.1016/j.plefa.2010.02.009>
- Montgomery, P., Burton, J. R., Sewell, R. P., Spreckelsen, T. F., & Richardson, A. J. (2013). Low Blood Long Chain Omega-3 Fatty Acids in UK Children Are Associated with Poor Cognitive Performance and Behavior: A Cross-Sectional Analysis from the DOLAB Study. *PLoS ONE*, 8(6). <http://doi.org/10.1371/journal.pone.0066697>
- Singh, M. (2005). Essential fatty acids, DHA and human brain. *Indian Journal of Pediatrics*, 72(3), 239–242. <http://doi.org/10.1007/BF02859265>
- Neufingerl, N., Djuwita, R., Otten-Hofman, A., Nurdiani, R., Garczarek, U., Sulaeman, A., ... Eilander, A. (2016). Intake of essential fatty acids in Indonesian children: secondary analysis of data from a nationally representative survey. *The British Journal of Nutrition*, 115(4), 687–693. <http://doi.org/10.1017/S0007114515004845>
- Nordic Council of Ministers, N. C. of M. (2008). Nordic Nutrition Recommendations 2012. *Nordic Nutrition Recommendations 2012*, 5(11), 1–3. <http://doi.org/10.6027/Nord2014-002>
- Patterson, Wall, Fitzgerald, Ross, & Stanton. (2012). Enteral nutrition support in burn care: A review of current recommendations as instituted in the ross tilley burn centre. *Nutrients*, 4(11), 1554–1565. <http://doi.org/10.1155/2012/539426>
- Scagliusi FB, Ferriolli E & Lancha AH Jr. (2006). Underreporting of energy intake in developing nations. *Nutr Rev* 64, 319–330
- Schiano V, Laurenzano E, Brevetti G, De Maio JI, Lanero S, Scopacasa F, Chiariello M. (2008). Omega-3 polyunsaturated fatty acid in peripheral arterial disease: effect on lipid pattern, disease severity, inflammation profile, and endothelial function. *Clin Nutr*. 27:241–7
- Shahril, M., Sulaiman, S., Shaharudin, S., Isa, N., & Hussain, S. (2008). Semi-quantitative food frequency questionnaire for assessment of energy, total fat, fatty acids, and vitamin A, C and E intake among Malaysian women : Comparison with three days 24-Hour diet recalls. *Jurnal Sains Kesehatan Malaysia*, 6(2), 75–91.

- Sheppard, K. W., & Cheatham, C. L. (2018). Omega-6/omega-3 fatty acid intake of children and older adults in the U.S.: Dietary intake in comparison to current dietary recommendations and the Healthy Eating Index. *Lipids in Health and Disease*, 17(1), 1–12. <http://doi.org/10.1186/s12944-018-0693-9>
- Simopoulos, a. P. (2002). The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomedicine and Pharmacotherapy*, 56(8), 365–379. [http://doi.org/10.1016/S0753-3322\(02\)00253-6](http://doi.org/10.1016/S0753-3322(02)00253-6)
- Simopoulos, a P. (2009). Omega-6/omega-3 essential fatty acids: biological effects. *World Review of Nutrition and Dietetics*, 99(2), 1–16. <http://doi.org/10.1159/000192755> [doi]
- Skeaff, C. M. & Mann, J. (2012). Lipids. In Mann, J. & Truswell A. S. (Eds.), *Essentials of Human Nutrition* (Fourth Ed.). New York: Oxford University Press Inc.
- Sulaeman, A., Hardinsyah, Setiawan B., & Mulyani, R. I. (2015). Fatty Acid Content of Indonesian Food. Bogor: Community Nutrition Department, PERGIZI PANGAN Indonesia, Global Alliance Improved Nutrition, and Unilever Research and Development Center.
- Swanson, D., Block, R., & Mousa, S. a. (2012). Omega-3 Fatty Acids EPA and DHA : Health Benefits Throughout Life 1 , 2, (February), 1–7. <http://doi.org/10.3945/an.111.000893>.Downloaded
- Thienprasert A, Samuhaseneetoo S, Popplestone K, et al. (2009). Fish oil n-3 polyunsaturated fatty acids selectively affect plasma cytokines and decrease illness in Thai schoolchildren: a randomized double-blind, placebo-controlled intervention trial. *J Pediatr*. 154:391–5
- Thompson, FE and Byers, T. Dietary assessment resource manual. *J Nutr*. 1994;124(11 Suppl): 2245S-2317S
- Uauy R & Dangour AD. (2009). Fat and fatty acids requirements and recommendations for infants of 0–2 years and children of 2–18 years. *Ann Nutr Metab* 55, 76–96
- World Health Organization. (2003). Diet, Nutrition and the Prevention of Chronic Diseases. Joint WHO/FAO Expert Consultation. WHO Technical Report Series no. 916. Geneva: WHO.
- World Health Organization. (2008). *Fats and fatty acids in human nutrition. Report of an expert consultation. FAO food and nutrition paper* (Vol. 91). <http://doi.org/11953E/1/11.10>
- Yashodhara, B. M., Umakanth, S., Pappachan, J. M., Bhat, S. K., Kamath, R., & Choo, B. H. (2009). Omega-3 fatty acids: A comprehensive review of their role in health and disease. *Postgraduate Medical Journal*, 85(1000), 84–90. <http://doi.org/10.1136/pgmj.2008.073338>