

REFERENCES

- Abad, M., Hashimoto, H., Zhou, H., Morales, M. G., Chen, B., Bassel-Duby, R., & Olson, E. N. (2017). Notch Inhibition Enhances Cardiac Reprogramming by Increasing MEF2C Transcriptional Activity. *Stem Cell Reports*, 8(3), 548–560. <http://doi.org/10.1016/j.stemcr.2017.01.025>
- ABgene. (2010). SYBR® Green QPCR Troubleshooting Guide Wavy / Erratic Lines High Well-to-Well Variance. *ABgene*, 19(8), 405–393. <http://doi.org/10.1007/s00217-009-1170-5>
- Addis, R. C., Ifkovits, J. L., Pinto, F., Kellam, L. D., Esteso, P., Rentschler, S., ... Gearhart, J. D. (2013). Optimization of direct fibroblast reprogramming to cardiomyocytes using calcium activity as a functional measure of success. *Journal of Molecular and Cellular Cardiology*, 60, 97–106. <http://doi.org/10.1016/j.yjmcc.2013.04.004>
- Aso, S., Imamura, H., Sekiguchi, Y., Iwashita, T., Hirano, R., Ikeda, U., & Okamoto, K. (2011). Incidence and mortality of acute myocardial infarction. A population-based study including patients with out-of-hospital cardiac arrest. *International Heart Journal*, 52(4), 197–202. <http://doi.org/10.1536/ihj.52.197>
- Ban, K., Wile, B., Kim, S., Park, H. J., Byun, J., Cho, K. W., ... Yoon, Y. S. (2013). Purification of cardiomyocytes from differentiating pluripotent stem cells using molecular beacons that target cardiomyocyte-specific mRNA. *Circulation*, 128(17), 1897–1909. <http://doi.org/10.1161/CIRCULATIONAHA.113.004228>
- Barquinero, J., Eixarch, H., & Pérez-Melgosa, M. (2004). Retroviral vectors: new applications for an old tool. *Gene Therapy*, 11(S1), S3–S9. <http://doi.org/10.1038/sj.gt.3302363>
- Bolooki, M., & Askari Arman. (2010). Acute Myocardial Infarction. Retrieved April 5, 2018, from <http://www.clevelandclinicmeded.com/medicalpubs/diseasemanagement/cardiology/acute-myocardial-infarction/>
- Bondu, A., & Blanpain, C. (2010). Mesp1: A Key Regulator of Cardiovascular Lineage Commitment. *Circulation Research*, 107(12), 1414–1427. <http://doi.org/10.1161/CIRCRESAHA.110.227058>
- Burchfield, J. S., Xie, M., & Hill, J. A. (2013). Pathological ventricular remodeling: Mechanisms: Part 1 of 2. *Circulation*, 128(4), 388–400. <http://doi.org/10.1161/CIRCULATIONAHA.113.001878>
- Chen, J. X., Krane, M., Deutsch, M.-A., Wang, L., Rav-Acha, M., Gregoire, S., ... Wu, S. M. (2012). Inefficient Reprogramming of Fibroblasts into Cardiomyocytes Using Gata4, Mef2c, and Tbx5. *Circulation Research*, 111(1), 50–55. <http://doi.org/10.1161/CIRCRESAHA.112.270264>
- Chen, Y., Yang, Z., Zhao, Z.-A., & Shen, Z. (2017). Direct reprogramming of fibroblasts into cardiomyocytes. *Stem Cell Research & Therapy*, 8(1), 118. <http://doi.org/10.1186/s13287-017-0569-3>
- Chin, M. T. (2014). Reprogramming cell fate: a changing story. *Frontiers in Cell and Developmental Biology*, 2, 46. <http://doi.org/10.3389/fcell.2014.00046>
- Christoforou, N., Chakraborty, S., Kirkton, R. D., Adler, A. F., Addis, R. C., & Leong, K. W. (2017). Core Transcription Factors, MicroRNAs, and Small Molecules Drive Transdifferentiation of Human Fibroblasts Towards The Cardiac Cell Lineage. *Scientific Reports*, 7, 40285. <http://doi.org/10.1038/srep40285>
- Christoforou, N., Chellappan, M., Adler, A. F., Kirkton, R. D., Wu, T., Addis, R. C., ... Leong, K. W. (2013). Transcription factors MYOCD, SRF, Mesp1 and SMARCD3 enhance the cardio-inducing effect of GATA4, TBX5, and MEF2C during direct cellular reprogramming. *PloS One*, 8(5),

- e63577. <http://doi.org/10.1371/journal.pone.0063577>
- Davis RL, Weintraub H, Lassar AB. Expression of a single transfected cDNA converts fibroblasts to myoblasts. *Cell* [Internet]. 1987 Dec 24 [cited 2018 Apr 1];51(6):987–1000. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/3690668>
- Doppler, S. A., Deutsch, M.-A., Lange, R., & Krane, M. (2013). Cardiac regeneration: current therapies-future concepts. *Journal of Thoracic Disease*, 5(5), 683–97. <http://doi.org/10.3978/j.issn.2072-1439.2013.08.71>
- Forough, R., Scarcello, C., & Perkins, M. (2011). Cardiac biomarkers: A focus on cardiac regeneration. *Journal of Tehran University Heart Center*, 6(4), 179–186.
- Fu, J.-D., Stone, N. R., Liu, L., Spencer, C. I., Qian, L., Hayashi, Y., ... Srivastava, D. (2013). Direct Reprogramming of Human Fibroblasts toward a Cardiomyocyte-like State. *Stem Cell Reports*, 1(3), 235–247. <http://doi.org/10.1016/j.stemcr.2013.07.005>
- Fu, Y., Huang, C., Xu, X., Gu, H., Ye, Y., Jiang, C., ... Xie, X. (2015). Direct reprogramming of mouse fibroblasts into cardiomyocytes with chemical cocktails. *Cell Research*, 25(9), 1013–24. <http://doi.org/10.1038/cr.2015.99>
- Graf, T. (2011). Historical Origins of Transdifferentiation and Reprogramming. *Cell Stem Cell*, 9(6), 504–516. <http://doi.org/10.1016/j.stem.2011.11.012>
- Granados-Riveron, J. T., Ghosh, T. K., Pope, M., Bu'Lock, F., Thornborough, C., Eason, J., ... David Brook, J. (2010). α-Cardiac myosin heavy chain (MYH6) mutations affecting myofibril formation are associated with congenital heart defects. *Human Molecular Genetics*, 19(20), 4007–4016. <http://doi.org/10.1093/hmg/ddq315>
- Ieda, M., Fu, J.-D., Delgado-Olguin, P., Vedantham, V., Hayashi, Y., Bruneau, B. G., & Srivastava, D. (2010). Direct Reprogramming of Fibroblasts into Functional Cardiomyocytes by Defined Factors. *Cell*, 142(3), 375–386. <http://doi.org/10.1016/j.cell.2010.07.002>
- Jayawardena, T. M., Egemnazarov, B., Finch, E. A., Zhang, L., Payne, J. A., Pandya, K., ... Dzau, V. J. (2012). MicroRNA-mediated in vitro and in vivo direct reprogramming of cardiac fibroblasts to cardiomyocytes. *Circulation Research*, 110(11), 1465–73. <http://doi.org/10.1161/CIRCRESAHA.112.269035>
- Jefferson, B. K., & Topol, E. J. (2005). Molecular mechanisms of myocardial infarction. *Current Problems in Cardiology*, 30(7), 333–374. <http://doi.org/10.1016/j.cpcardiol.2005.02.002>
- Kelaini, S., Cochrane, A., & Margariti, A. (2014). Direct reprogramming of adult cells: avoiding the pluripotent state. *Stem Cells and Cloning : Advances and Applications*, 7, 19–29. <http://doi.org/10.2147/SCCAA.S38006>
- Kitamura, T., Onishi, M., Kinoshita, S., Shibuya, a, Miyajima, a, & Nolan, G. P. (1995). Efficient screening of retroviral cDNA expression libraries. *Proceedings of the National Academy of Sciences of the United States of America*, 92(20), 9146–9150. <http://doi.org/10.1073/pnas.92.20.9146>
- Laflamme, M. A., & Murry, C. E. (2011). Heart regeneration. *Nature*, 473(7347), 326–35. <http://doi.org/10.1038/nature10147>
- Lam, C. S. P. (2015). Heart failure in Southeast Asia: facts and numbers. *ESC Heart Failure*, 2(2), 46–49. <http://doi.org/10.1002/ehf2.12036>
- Lebbink, R. J., Lowe, M., Chan, T., Khine, H., Wang, X., & McManus, M. T. (2011). Polymerase II promoter strength determines efficacy of microRNA adapted shRNAs. *PLoS ONE*, 6(10). <http://doi.org/10.1371/journal.pone.0026213>
- Maxwell, S. (1999). Emergency management of acute myocardial infarction. *British Journal of Clinical Pharmacology*, 48(3), 284–98. <http://doi.org/10.1046/j.1365-2125.1999.00998.x>

- Miller, A. D., & Rosman, G. J. (1989). Improved retroviral vectors for gene transfer and expression. *BioTechniques*, 7(9), 980–2, 984–6, 989–90.
- Miyamoto, K., Akiyama, M., Tamura, F., Isomi, M., Yamakawa, H., Sadahiro, T., ... Ieda, M. (2018). Direct In Vivo Reprogramming with Sendai Virus Vectors Improves Cardiac Function after Myocardial Infarction. *Cell Stem Cell*, 22(1), 91–103.e5. <http://doi.org/10.1016/j.stem.2017.11.010>
- Mohamed, T. M. A., Stone, N. R., Berry, E. C., Radzinsky, E., Huang, Y., Pratt, K., ... Srivastava, D. (2017). Chemical Enhancement of In Vitro and In Vivo Direct Cardiac Reprogramming. *Circulation*, 135(10), 978–995. <http://doi.org/10.1161/CIRCULATIONAHA.116.024692>
- Nam, Y. J., Song, K., & Olson, E. N. (2013). Heart repair by cardiac reprogramming. *Nature Medicine*, 19(4), 413–415. <http://doi.org/10.1038/nm.3147>
- Nikfarjam, L., & Farzaneh, P. (2012). Prevention and detection of mycoplasma contamination in cell culture. *Cell Journal*, 13(4), 203–212. <http://doi.org/10.5731/pdajpst.2012.00892>
- O'Keefe, E. P. (2013). Nucleic Acid Delivery: Lentiviral and Retroviral Vectors. *Materials and Methods*, 3. <http://doi.org/10.13070/mm.en.3.174>
- Piper, H. M., Jacobson, S. L., & Schwartz, P. (1988). Determinants of cardiomyocyte development in long-term primary culture. *Journal of Molecular and Cellular Cardiology*, 20(9), 825–35.
- Singh, V. P., Mathison, M., Patel, V., Sanagasetti, D., Gibson, B. W., Yang, J., & Rosengart, T. K. (2016). MiR-590 Promotes Transdifferentiation of Porcine and Human Fibroblasts Toward a Cardiomyocyte-Like Fate by Directly Repressing Specificity Protein 1. *Journal of the American Heart Association*, 5(11). <http://doi.org/10.1161/JAHA.116.003922>
- Song, K., Nam, Y. J., Luo, X., Qi, X., Tan, W., Huang, G. N., ... Olson, E. N. (2012). Heart repair by reprogramming non-myocytes with cardiac transcription factors. *Nature*, 485(7400), 599–604. <http://doi.org/10.1038/nature11139>
- Sontheimer, E. J. (2005). Assembly and function of RNA silencing complexes. *Nature Reviews Molecular Cell Biology*, 6(2), 127–138. <http://doi.org/10.1038/nrm1568>
- Takahashi, K., & Yamanaka, S. (2006). Induction of Pluripotent Stem Cells from Mouse Embryonic and Adult Fibroblast Cultures by Defined Factors. *Cell*, 126(4), 663–676. <http://doi.org/10.1016/j.cell.2006.07.024>
- Takeuchi, J. K., & Bruneau, B. G. (2009). Directed transdifferentiation of mouse mesoderm to heart tissue by defined factors. *Nature*, 459(7247), 708–11. <http://doi.org/10.1038/nature08039>
- The Jackson Laboratory. (n.d.). 021577 - B6;D2-Tg(Myh6*-mCherry)2Mik/J.
- Travers, J. G., Kamal, F. A., Robbins, J., Yutzey, K. E., & Blaxall, B. C. (2016). Cardiac fibrosis: The fibroblast awakens. *Circulation Research*, 118(6), 1021–1040. <http://doi.org/10.1161/CIRCRESAHA.115.306565>
- Vaseghi, H., Liu, J., & Qian, L. (2017). Molecular barriers to direct cardiac reprogramming. *Protein and Cell*, 8(10), 724–734. <http://doi.org/10.1007/s13238-017-0402-x>
- Verma, S., Fedak, P. W. M., Weisel, R. D., Butany, J., Rao, V., Maitland, A., ... Yau, T. M. (2002). Fundamentals of reperfusion injury for the clinical cardiologist. *Circulation*, 105(20), 2332–6. <http://doi.org/10.1161/01.CIR.0000016602.96363.36>
- Wada, R., Muraoka, N., Inagawa, K., Yamakawa, H., Miyamoto, K., Sadahiro, T., ... Ieda, M. (2013). Induction of human cardiomyocyte-like cells from fibroblasts by defined factors. *Proceedings of the National Academy of Sciences*, 110(31), 12667–12672. <http://doi.org/10.1073/pnas.1304053110>
- Wang, H., Cao, N., Spencer, C. I., Nie, B., Ma, T., Xu, T., ... Ding, S. (2014). Small molecules enable

- cardiac reprogramming of mouse fibroblasts with a single factor, Oct4. *Cell Reports*, 6(5), 951–60. <http://doi.org/10.1016/j.celrep.2014.01.038>
- Wang, L., Liu, Z., Yin, C., Zhou, Y., Liu, J., & Qian, L. (2015). Improved Generation of Induced Cardiomyocytes Using a Polycistronic Construct Expressing Optimal Ratio of Gata4, Mef2c and Tbx5. *Journal of Visualized Experiments : JoVE*, (105). <http://doi.org/10.3791/53426>
- WHO. (2017). Cardiovascular Diseases Fact Sheet.
- Yamakawa, H., Muraoka, N., Miyamoto, K., Sadahiro, T., Isomi, M., Haginiwa, S., ... Ieda, M. (2015). Fibroblast Growth Factors and Vascular Endothelial Growth Factor Promote Cardiac Reprogramming under Defined Conditions. *Stem Cell Reports*, 5(6), 1128–1142. <http://doi.org/10.1016/j.stemcr.2015.10.019>
- Zhao, Y., Londono, P., Cao, Y., Sharpe, E. J., Proenza, C., O'Rourke, R., ... Song, K. (2015). High-efficiency reprogramming of fibroblasts into cardiomyocytes requires suppression of profibrotic signalling. *Nature Communications*, 6(1), 8243. <http://doi.org/10.1038/ncomms9243>
- Zhou, Q., Brown, J., Kanarek, A., Rajagopal, J., & Melton, D. A. (2008). In vivo reprogramming of adult pancreatic exocrine cells to β -cells. *Nature*, 455(7213), 627–632. <http://doi.org/10.1038/nature07314>