

References

- Al-Ghanayem, A. A., Alhussaini, M. S., Asad, M., & Joseph, B. (2022). Moringa oleifera Leaf Extract Promotes Healing of Infected Wounds in Diabetic Rats: Evidence of Antimicrobial, Antioxidant and Proliferative Properties. *Pharmaceuticals*, 15(5), 528. <https://doi.org/10.3390/ph15050528>
- Andrés, C. M. C., De La Lastra, J. M. P., Juan, C. A., Plou, F. J., & Pérez-Lebeña, E. (2022). Chemistry of hydrogen peroxide formation and elimination in mammalian cells, and its role in various pathologies. *Stresses*, 2(3), 256–274. <https://doi.org/10.3390/stresses2030019>
- Anwer, T., Safhi, M. M., Makeen, H. A., Alshahrani, S., Siddiqui, R., Sivakumar, S., Shaheen, E. S., & Alam, M. F. (2021). Antidiabetic potential of Moringa oleifera Lam. leaf extract in type 2 diabetic rats, and its mechanism of action. *Tropical Journal of Pharmaceutical Research*, 20(1), 95–103. <https://doi.org/10.4314/tjpr.v20i1.15>
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxidative Medicine and Cellular Longevity*, 2014, 1–31. <https://doi.org/10.1155/2014/360438>
- Aykul, S., & Martinez-Hackert, E. (2016). Determination of half-maximal inhibitory concentration using biosensor-based protein interaction analysis. *Analytical Biochemistry*, 508, 97–103. <https://doi.org/10.1016/j.ab.2016.06.025>
- Azevedo, Í. M., Araújo-Filho, I., Teixeira, M. M. A., De Carvalho Moreira, M. D. F., & Medeiros, A. C. (2018). Wound healing of diabetic rats treated with Moringa oleifera extract. *Acta Cirúrgica Brasileira*, 33(9), 799–805. <https://doi.org/10.1590/s0102-8650201800900000008>
- Baltzis, D., Eleftheriadou, I., & Veves, A. (2014). Pathogenesis and treatment of impaired wound healing in diabetes mellitus: new insights. *Advances in Therapy*, 31(8), 817–836. <https://doi.org/10.1007/s12325-014-0140-x>
- Bibi, N., Shah, M. H., Khan, N., Al-Hashimi, A., Elshikh, M. S., Iqbal, A., Ahmad, S., & Abbasi, A. M. (2022). Variations in Total Phenolic, Total Flavonoid Contents, and Free Radicals' Scavenging

- Potential of Onion Varieties Planted under Diverse Environmental Conditions. *Plants*, 11(7), 950. <https://doi.org/10.3390/plants11070950>
- Burgos-Morón, E., Abad-Jiménez, Z., De Maraño, A. M., Iannantuoni, F., Escribano-López, I., López-Domènech, S., Salom, C., Jover, A., Mora, V., Roldan, I., Solá, E., Rocha, M., & Víctor, V. M. (2019). Relationship between Oxidative Stress, ER Stress, and Inflammation in Type 2 Diabetes: The Battle Continues. *Journal of Clinical Medicine*, 8(9), 1385. <https://doi.org/10.3390/jcm8091385>
- Cetinkaya, A., Yayla, S., Hurkul, M. M., & Ozkan, S. A. (2025). The sample preparation techniques and their application in the extraction of bioactive compounds from medicinal plants. *Critical Reviews in Analytical Chemistry*, 1–36. <https://doi.org/10.1080/10408347.2025.2503437>
- Chang, M., & Nguyen, T. T. (2021). Strategy for treatment of infected diabetic foot ulcers. *Accounts of Chemical Research*, 54(5), 1080–1093. <https://doi.org/10.1021/acs.accounts.0c00864>
- Cheng, R., & Ma, J. (2015). Angiogenesis in diabetes and obesity. *Reviews in Endocrine and Metabolic Disorders*, 16, 67–75. <https://doi.org/10.1007/s11154-015-9310-7>
- Christodoulou, M. C., Palacios, J. C. O., Hesami, G., Jafarzadeh, S., Lorenzo, J. M., Domínguez, R., Moreno, A., & Hadidi, M. (2022). Spectrophotometric methods for measurement of antioxidant activity in food and pharmaceuticals. *Antioxidants*, 11(11), 2213. <https://doi.org/10.3390/antiox11112213>
- Choudhary, V., Choudhary, M., & Bollag, W. B. (2024). Exploring skin wound healing models and the impact of natural lipids on the healing process. *International Journal of Molecular Sciences*, 25(7), 3790. <https://doi.org/10.3390/ijms25073790>
- Clemente, C., Rossi, A., Angelini, L. G., Villalba, R. G., Moreno, D. A., Tomás-Barberán, F. A., & Tavarini, S. (2025). Effect of environmental conditions on seed yield and metabolomic profile of camelina (*Camelina sativa* (L.) Crantz) through on farm multilocation trials. *Journal of Agriculture and Food Research*, 101814. <https://doi.org/10.1016/j.jafr.2025.101814>

- Deng, L., Du, C., Song, P., Chen, T., Rui, S., Armstrong, D. G., & Deng, W. (2021). The role of oxidative stress and antioxidants in diabetic wound healing. *Oxidative Medicine and Cellular Longevity*, 2021(1). <https://doi.org/10.1155/2021/8852759>
- Dorgalaleh, A., Daneshi, M., Rashidpanah, J., & Yasaghi, E. R. (2018). An overview of hemostasis. In *Congenital Bleeding Disorders* (pp. 3–26). Springer. https://doi.org/10.1007/978-3-319-76723-9_1
- El-Sherbiny, G. M., Alluqmani, A. J., Elsehemy, I. A., & Kalaba, M. H. (2024). Antibacterial, antioxidant, cytotoxicity, and phytochemical screening of *Moringa oleifera* leaves. *Scientific Reports*, 14. <https://doi.org/10.1038/s41598-024-80700-y>
- Everett, E., & Mathioudakis, N. (2018). Update on management of diabetic foot ulcers. *Annals of the New York Academy of Sciences*, 1411(1), 153–165. <https://doi.org/10.1111/nyas.13569>
- Fang, W., & Lan, C. E. (2023). The epidermal keratinocyte as a therapeutic target for management of diabetic wounds. *International Journal of Molecular Sciences*, 24(5), 4290. <https://doi.org/10.3390/ijms24054290>
- Fatmawati, A., Sucianingsih, D., Kurniawati, R., & Abdurrahman, M. (2022). Microscopic Identification and Determination of Total Flavonoid Content of *Moringa* Leaves Extract and Ethyl Acetate Fraction (*Moringa oleifera* L.). *Indonesian Journal of Pharmaceutical Science and Technology*, 1, 66. <https://doi.org/10.24198/ijpst.v1i1.36337>
- Gardiner, E. E., & Andrews, R. K. (2017). Platelet adhesion. In *Platelets in Thrombotic and Non-Thrombotic Disorders* (pp. 309–319). Springer. https://doi.org/10.1007/978-3-319-47462-5_23
- Ghatak, S., Maytin, E. V., Mack, J. A., Hascall, V. C., Atanelishvili, I., Rodriguez, R. M., Markwald, R. R., & Misra, S. (2015). Roles of proteoglycans and glycosaminoglycans in wound healing and fibrosis. *International Journal of Cell Biology*, 2015, 1–20. <https://doi.org/10.1155/2015/834893>

- Gómez-Martínez, S., Díaz-Prieto, L. E., Castro, I. V. V., Jurado, C., Iturmendi, N., Martín-Ridaura, M. C., Calle, N., Dueñas, M., Picón, M. J., Marcos, A., & Nova, E. (2021). Moringa oleifera Leaf Supplementation as a Glycemic Control Strategy in Subjects with Prediabetes. *Nutrients*, 14(1), 57. <https://doi.org/10.3390/nu14010057>
- González, P., Lozano, P., Ros, G., & Solano, F. (2023). Hyperglycemia and oxidative stress: An integral, updated and critical overview of their metabolic interconnections. *International Journal of Molecular Sciences*, 24(11), 9352. <https://doi.org/10.3390/ijms24119352>
- Goren, I., Linke, A., Müller, E., Pfeilschifter, J., & Frank, S. (2005). The suppressor of cytokine signaling-3 is upregulated in impaired skin repair: Implications for keratinocyte proliferation. *Journal of Investigative Dermatology*, 126(2), 477–485. <https://doi.org/10.1038/sj.jid.5700063>
- Gothai, S., Arulselvan, P., Tan, W., & Fakurazi, S. (2016). Wound healing properties of ethyl acetate fraction of Moringa oleifera in normal human dermal fibroblasts. *Journal of Intercultural Ethnopharmacology*, 5(1), 1. <https://doi.org/10.5455/jice.20160201055629>
- Hadwan, M. H., Hussein, M. J., Mohammed, R. M., Hadwan, A. M., Al-Kawaz, H. S., Al-Obaidy, S. S. M., & Talebi, Z. a. A. (2024). An improved method for measuring catalase activity in biological samples. *Biology Methods and Protocols*, 9(1). <https://doi.org/10.1093/biomethods/bpae015>
- Hage, R. E., Knippschild, U., Arnold, T., & Hinterseher, I. (2022). Stem Cell-Based therapy: a promising treatment for diabetic foot ulcer. *Biomedicines*, 10(7), 1507. <https://doi.org/10.3390/biomedicines10071507>
- Hashim, F. J., Vichitphan, S., Boonsiri, P., & Vichitphan, K. (2021). Neuroprotective Assessment of Moringa oleifera Leaves Extract against Oxidative-Stress-Induced Cytotoxicity in SHSY5Y Neuroblastoma Cells. *Plants*, 10(5), 889. <https://doi.org/10.3390/plants10050889>
- Hu, S. C., & Lan, C. E. (2016). High-glucose environment disturbs the physiologic functions of keratinocytes: Focusing on diabetic wound healing. *Journal of Dermatological Science*, 84(2), 121–127. <https://doi.org/10.1016/j.jdermsci.2016.07.008>

- Ighodaro, O., & Akinloye, O. (2018). First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their fundamental role in the entire antioxidant defence grid. *Alexandria Journal of Medicine*, 54(4), 287–293. <https://doi.org/10.1016/j.ajme.2017.09.001>
- Jaiswal, D., Rai, P. K., Kumar, A., Mehta, S., & Watal, G. (2009). Effect of *Moringa oleifera* Lam. leaves aqueous extract therapy on hyperglycemic rats. *Journal of Ethnopharmacology*, 123(3), 392–396. <https://doi.org/10.1016/j.jep.2009.03.036>
- Javvaji, P. K., Dhali, A., Francis, J. R., Kolte, A. P., Mech, A., Roy, S. C., Mishra, A., & Bhatta, R. (2020). An efficient nitroblue tetrazolium staining and bright-field microscopy based method for detecting and quantifying intracellular reactive oxygen species in oocytes, cumulus cells and embryos. *Frontiers in Cell and Developmental Biology*, 8. <https://doi.org/10.3389/fcell.2020.00764>
- Jaya, F. B., Syamsunarno, M. R. a. A., Sahiratmadja, E., & Sulistiyorini, I. (2023). Effect of moringa leave ethanol extract on accelerating wound healing process. *Global Medical & Health Communication (GMHC)*, 11(2), 152–158. <https://doi.org/10.29313/gmhc.v11i2.11620>
- Jaya, F. B., Syamsunarno, M. R. a. A., & Sahiratmadja, E. (2023). *Moringa oleifera* Lam. to accelerate wound healing: a review. *Journal of the Medical Sciences (Berkala Ilmu Kedokteran)*, 55(3). <https://doi.org/10.19106/jmedsci005503202310>
- Johnson, K. E., & Wilgus, T. A. (2014). Vascular endothelial growth factor and angiogenesis in the regulation of cutaneous wound repair. *Advances in Wound Care*, 3(10), 647–661. <https://doi.org/10.1089/wound.2013.0517>
- Kashyap, P., Kumar, S., Riar, C. S., Jindal, N., Baniwal, P., Guiné, R. P. F., Correia, P. M. R., Mehra, R., & Kumar, H. (2022). Recent Advances in Drumstick (*Moringa oleifera*) Leaves Bioactive Compounds: Composition, Health Benefits, Bioaccessibility, and Dietary Applications. *Antioxidants*, 11(2), 402. <https://doi.org/10.3390/antiox11020402>

- Katoh, K. (2020). FAK-Dependent Cell Motility and Cell Elongation. *Cells*, 9(1), 192. <https://doi.org/10.3390/cells9010192>
- Kementerian Kesehatan RI. (2017). *Farmakope Herbal Indonesia* (2nd ed.). <https://farmalkes.kemkes.go.id/unduh/farmakope-herbal-indonesia-edisi-ii/>
- Koivisto, L., Häkkinen, L., & Larjava, H. (2011). Re-epithelialization of wounds. *Endodontic Topics*, 24(1), 59–93. <https://doi.org/10.1111/etp.12007>
- Komi, D. E. A., Khomtchouk, K., & Maria, P. L. S. (2019). A review of the contribution of mast cells in wound healing: involved molecular and cellular mechanisms. *Clinical Reviews in Allergy & Immunology*, 58(3), 298–312. <https://doi.org/10.1007/s12016-019-08729-w>
- Kumar, A., P, N., Kumar, M., Jose, A., Tomer, V., Oz, E., Proestos, C., Zeng, M., Elobeid, T., K, S., & Oz, F. (2023). Major Phytochemicals: recent advances in health benefits and extraction method. *Molecules*, 28(2), 887. <https://doi.org/10.3390/molecules28020887>
- Kumar, P., Kumar, S., Udupa, E. P., Kumar, U., Rao, P., & Honnegowda, T. (2015). Role of angiogenesis and angiogenic factors in acute and chronic wound healing. *Plastic and Aesthetic Research*, 2(5), 243. <https://doi.org/10.4103/2347-9264.165438>
- Lambole, V., & Kumar, U. (2012). Effect of Moringa oleifera Lam. on normal and dexamethasone suppressed wound healing. *Asian Pacific Journal of Tropical Biomedicine*, 2(1), S219–S223. [https://doi.org/10.1016/s2221-1691\(12\)60163-4](https://doi.org/10.1016/s2221-1691(12)60163-4)
- Lan, C., Liu, I., Fang, A., Wen, C., & Wu, C. (2008). Hyperglycaemic conditions decrease cultured keratinocyte mobility: implications for impaired wound healing in patients with diabetes. *British Journal of Dermatology*. <https://doi.org/10.1111/j.1365-2133.2008.08789.x>
- Lin, J., Shi, Y., Men, Y., Wang, X., Ye, J., & Zhang, C. (2019). Mechanical roles in formation of oriented collagen fibers. *Tissue Engineering Part B Reviews*, 26(2), 116–128. <https://doi.org/10.1089/ten.teb.2019.0243>
- Liu, H., Cheng, M., Xun, M., Zhao, Z., Zhang, Y., Tang, W., Cheng, J., Ni, J., & Wang, W. (2023). Possible mechanisms of oxidative Stress-Induced skin cellular senescence, inflammation, and cancer

- and the therapeutic potential of plant polyphenols. *International Journal of Molecular Sciences*, 24(4), 3755. <https://doi.org/10.3390/ijms24043755>
- Magliano, D. J., Boyko, E. J., & Committee, I. D. a. 1. E. S. (2021). *Global picture*. IDF DIABETES ATLAS - NCBI Bookshelf. <https://www.ncbi.nlm.nih.gov/books/NBK581940/>
- Magliano, D. J., Boyko, E. J., & IDF Diabetes Atlas 10th edition scientific committee. (2021). Chapter 3, Global Picture. In *IDF DIABETES ATLAS [Internet]* (10th ed.). International Diabetes Federation. <https://www.ncbi.nlm.nih.gov/books/NBK581940/>
- Markossian, S., Grossman, A., & Baskir, H. (2013). Cell viability assays. In *Assay Guidance Manual [Internet]*. Bethesda. <https://www.ncbi.nlm.nih.gov/books/NBK144065/>
- Martinez-Morales, F., Alonso-Castro, A. J., Zapata-Morales, J. R., Carranza-Álvarez, C., & Aragon-Martinez, O. H. (2020). Use of standardized units for a correct interpretation of IC50 values obtained from the inhibition of the DPPH radical by natural antioxidants. *Chemical Papers*, 74(10), 3325–3334. <https://doi.org/10.1007/s11696-020-01161-x>
- Masha, A., Dinatale, S., Allasia, S., & Martina, V. (2011). Role of the decreased nitric oxide bioavailability in the vascular complications of diabetes mellitus. *Current Pharmaceutical Biotechnology*, 12(9), 1354–1363. <https://doi.org/10.2174/138920111798281054>
- Mastrogiacono, M., Nardini, M., Collina, M. C., Di Campli, C., Filaci, G., Cancedda, R., & Odorisio, T. (2022). Innovative cell and platelet rich plasma therapies for diabetic foot ulcer treatment: The Allogeneic Approach. *Frontiers in Bioengineering and Biotechnology*, 10. <https://doi.org/10.3389/fbioe.2022.869408>
- Mazzucco, L., Borzini, P., & Gope, R. (2010). Platelet-Derived factors involved in tissue Repair—From signal to function. *Transfusion Medicine Reviews*, 24(3), 218–234. <https://doi.org/10.1016/j.tmr.2010.03.004>
- Mthiyane, F. T., Dlodla, P. V., Ziqubu, K., Mthembu, S. X. H., Muvhulawa, N., Hlengwa, N., Nkambule, B. B., & Mazibuko-Mbeje, S. E. (2022). A Review on the Antidiabetic Properties of Moringa

- oleifera Extracts: Focusing on Oxidative Stress and Inflammation as Main Therapeutic Targets. *Frontiers in Pharmacology*, 13. <https://doi.org/10.3389/fphar.2022.940572>
- Muhammad, A. A., Fakurazi, S., Arulselvan, P., See, C. P., & Abas, F. (2016). Evaluation of wound healing properties of bioactive aqueous fraction from *Moringa oleifera* Lam on experimentally induced diabetic animal model. *Drug Design Development and Therapy*, 1715. <https://doi.org/10.2147/dddt.s96968>
- Muhammad, A. A., Pauzi, N. a. S., Arulselvan, P., Abas, F., & Fakurazi, S. (2013). In Vitro Wound Healing potential and identification of bioactive compounds from *Moringa Oleifera* Lam. *BioMed Research International*, 2013, 1–10. <https://doi.org/10.1155/2013/974580>
- Muhtadi, W. K., Firmansyah, F., Agustini, T. T., Rahayu, P., Fitriyanti, S. A., & Ulfa, R. (2022). VALIDATION OF SPECTROPHOTOMETRIC METHOD TO QUANTIFY QUERCETIN IN THE IN VITRO DISSOLUTION STUDY OF SELF NANO-EMULSIFYING DRUG DELIVERY SYSTEM (SNEDDS). *Jurnal Farmasi Sains Dan Praktis*, 268–273. <https://doi.org/10.31603/pharmacy.v8i3.6258>
- Munu, P. S., Puspita, G., & Supu, R. S. (2023). The effect of solvent type on flavonoid levels of *Moringa* leaf extract (*Moringa oleifera* L.). *Journal of Health, Technology and Science (JHTS)*, 4(4), 45–55. <https://journals.ubmg.ac.id/index.php/JHTS/article/view/1619>
- Nair, V. M. G., & Roopalatha, U. C. (2013). Phytochemical analysis of successive reextracts of the leaves of *Moringa oleifera* Lam. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5, 629–634. <http://www.ijppsjournal.com/Vol5Suppl3/7426.pdf>
- Napolitano, G., Fasciolo, G., & Venditti, P. (2021). Mitochondrial management of reactive oxygen species. *Antioxidants*, 10(11), 1824. <https://doi.org/10.3390/antiox10111824>
- Naves, C. C. (2014). The Diabetic Foot: A Historical Overview and Gaps in current treatment. *Advances in Wound Care*, 5(5), 191–197. <https://doi.org/10.1089/wound.2013.0518>
- Ododo, A., Ojeka, S. O., & Dapper, V. D. (2019). Ameliorative Effect of Aqueous Leaf Extract of *Moringa oleifera* on Reproductive Function Following Cadmium Chloride Induced Oxidative

- Stress in Male Wistar Rats. *Notulae Scientia Biologicae*, 11(4), 352–357.
<https://doi.org/10.15835/nsb11410485>
- Pakyari, M., Farrokhi, A., Maharlooei, M. K., & Ghahary, A. (2013). Critical role of transforming growth factor Beta in different phases of wound healing. *Advances in Wound Care*, 2(5), 215–224.
<https://doi.org/10.1089/wound.2012.0406>
- Panday, S., Talreja, R., & Kavdia, M. (2020). The role of glutathione and glutathione peroxidase in regulating cellular level of reactive oxygen and nitrogen species. *Microvascular Research*, 131, 104010. <https://doi.org/10.1016/j.mvr.2020.104010>
- Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Nusbaum, A. G., Sawaya, A., Patel, S. B., Khalid, L., Isseroff, R. R., & Tomic-Canic, M. (2014). Epithelialization in Wound Healing: A Comprehensive review. *Advances in Wound Care*, 3(7), 445–464. <https://doi.org/10.1089/wound.2013.0473>
- Puspitasari, F. A., Kartikasari, N. B., Mutiyastika, S., Purnamasari, R., Lusiana, N., & Agustina, E. (2023). Effect of different solvents in the extraction process of kelor (*Moringa oleifera*) leaves on bioactive resources and phenolic acid content. *International Conference on Sustainable Health Promotion*, 3(1), 167–178.
<https://proceedings.uinsa.ac.id/index.php/ICOSHPRO/article/view/1416>
- Rizwan, H., Pal, S., Sabnam, S., & Pal, A. (2020). High glucose augments ROS generation regulates mitochondrial dysfunction and apoptosis via stress signalling cascades in keratinocytes. *Life Sciences*, 241, 117148. <https://doi.org/10.1016/j.lfs.2019.117148>
- Rodríguez-Carballo, E., Gámez, B., & Ventura, F. (2016). p38 MAPK Signaling in Osteoblast Differentiation. *Frontiers in Cell and Developmental Biology*, 4.
<https://doi.org/10.3389/fcell.2016.00040>
- Rubenstein, D. A., & Yin, W. (2018). Platelet-Activation mechanisms and vascular remodeling. *Comprehensive Physiology*, 1117–1156. <https://doi.org/10.1002/cphy.c170049>

- Rybkowska, P. (2024). Optimizing skin wound healing: The crucial role of the innate immune system and inflammatory microenvironment. *Forum Leczenia Ran*, 5(2), 77–86.
<https://doi.org/10.15374/flr2024008>
- Rybstein, M. D., Pedro, J. M. B., Kroemer, G., & Galluzzi, L. (2018). The autophagic network and cancer. *Nature Cell Biology*, 20(3), 243–251. <https://doi.org/10.1038/s41556-018-0042-2>
- Santos, A. F. S., Argolo, A. C. C., Paiva, P. M. G., & Coelho, L. C. B. B. (2012). Antioxidant Activity of Moringa oleifera Tissue Extracts. *Phytotherapy Research*, 26(9), 1366–1370.
<https://doi.org/10.1002/ptr.4591>
- Schultz, G., Chin, G., Moldawer, L., & Diegelmann, R. (2011). Principles of wound healing. In *Mechanisms of Vascular Disease: A Reference Book for Vascular Specialists [Internet]*. University of Adelaide Press. <https://www.ncbi.nlm.nih.gov/books/NBK534261/>
- Senapati, M. R., & Behera, P. C. (2023). Novel extraction conditions for phytochemicals. In *Elsevier eBooks* (pp. 27–61). <https://doi.org/10.1016/b978-0-443-19143-5.00019-0>
- Shafie, N. M., Shah, R. N. I. R. S., Krishnan, P., Haleem, N. A., & Tan, T. Y. C. (2022). Scoping Review: Evaluation of Moringa oleifera (Lam.) for Potential Wound Healing in In Vivo Studies. *Molecules*, 27(17), 5541. <https://doi.org/10.3390/molecules27175541>
- Shang, J., Zhao, Q., Yan, P., Sun, M., Sun, H., Liang, H., Zhang, D., Qian, Z., & Cui, L. (2023). Environmental factors influencing potential distribution of Schisandra sphenanthera and its accumulation of medicinal components. *Frontiers in Plant Science*, 14.
<https://doi.org/10.3389/fpls.2023.1302417>
- Shen, G. X. (2010). Oxidative stress and diabetic cardiovascular disorders: roles of mitochondria and NADPH oxidase This review is one of a selection of papers published in a Special Issue on Oxidative Stress in Health and Disease. *Canadian Journal of Physiology and Pharmacology*, 88(3), 241–248. <https://doi.org/10.1139/y10-018>

- Shi, J., Han, C., Chen, D., Trivedi, H. M., Bangash, H. I., & Chen, L. (2022). High glucose induces late differentiation and death of human oral keratinocytes. *Current Issues in Molecular Biology*, 44(9), 4015–4027. <https://doi.org/10.3390/cimb44090275>
- Singh, D., Rai, V., & Agrawal, D. K. (2023). Regulation of collagen I and collagen III in tissue injury and regeneration. *Cardiology and Cardiovascular Medicine*, 7(1), 5–16. <https://doi.org/10.26502/fccm.92920302>
- Soliman, A. M., & Barreda, D. R. (2022). Acute inflammation in tissue healing. *International Journal of Molecular Sciences*, 24(1), 641. <https://doi.org/10.3390/ijms24010641>
- Song, J., Liu, A., Liu, B., Huang, W., Jiang, Z., Bai, X., Hu, L., Zheng, S., Guo, S., Wu, J., & Chen, Q. (2022). Natural biologics accelerate healing of diabetic foot ulcers by regulating oxidative stress. *Frontiers in Bioscience-Landmark*, 27(10). <https://doi.org/10.31083/j.fbl2710285>
- Spampinato, S. F., Caruso, G. I., De Pasquale, R., Sortino, M. A., & Merlo, S. (2020). The Treatment of Impaired Wound Healing in Diabetes: Looking among Old Drugs. *Pharmaceuticals*, 13(4), 60. <https://doi.org/10.3390/ph13040060>
- Spindler, V., Hartlieb, E., Rötzer, V., & Waschke, J. (2015). Desmoglein 3 inhibits keratinocyte migration by suppressing P38MAPK activity. *The FASEB Journal*, 29(S1). https://doi.org/10.1096/fasebj.29.1_supplement.142.12
- Su, X., Lu, G., Ye, L., Shi, R., Zhu, M., Yu, X., Li, Z., Jia, X., & Feng, L. (2023). *Moringa oleifera* Lam.: a comprehensive review on active components, health benefits and application. *RSC Advances*, 13(35), 24353–24384. <https://doi.org/10.1039/d3ra03584k>
- Subramanian, P., & Anandharamakrishnan, C. (2023). Extraction of bioactive compounds. In *Elsevier eBooks* (pp. 45–87). <https://doi.org/10.1016/b978-0-12-824312-1.00002-9>
- Sukmawaty, E., Ahmad, A., Karim, A., Dwyana, Z., Karim, H., Larekeng, S., Masriany, M., Zulkarnain, Z., Armita, D., & Alir, R. (2024). Effect of geographical and agroclimatic location on phytochemicals and antioxidant activity of *Moringa oleifera* leaves. *Journal of Advanced*

<https://doi.org/10.5455/jabet.2024.d48>

- Sulastri, E., Zubair, M. S., Anas, N. I., Abidin, S., Hardani, R., Yulianti, R., & A, A. A. (2018). Total Phenolic, Total Flavonoid, Quercetin Content and Antioxidant Activity of Standardized Extract of *Moringa oleifera* Leaf from Regions with Different Elevation. *Pharmacognosy Journal*, 10(6s), s104–s108. <https://doi.org/10.5530/pj.2018.6s.20>
- Sun, T., Jiao, L., Wang, Y., Yu, Y., & Ming, L. (2018). SIRT1 induces epithelial-mesenchymal transition by promoting autophagic degradation of E-cadherin in melanoma cells. *Cell Death and Disease*, 9(2). <https://doi.org/10.1038/s41419-017-0167-4>
- Suresh, V., & Reddy, A. (2021). Dysregulation of nitric oxide synthases during early and late pathophysiological conditions of diabetes mellitus leads to amassing of microvascular impedement. *Journal of Diabetes & Metabolic Disorders*, 20, 989–1002. <https://doi.org/10.1007/s40200-021-00799-y>
- Snyder, R. J., Lantis, J., Kirsner, R. S., Shah, V., Molyneaux, M., & Carter, M. J. (2016). Macrophages: A review of their role in wound healing and their therapeutic use. *Wound Repair and Regeneration*, 24(4), 613–629. <https://doi.org/10.1111/wrr.12444>
- Terashi, H., Izumi, K., Deveci, M., Rhodes, L. M., & Marcelo, C. L. (2005). High glucose inhibits human epidermal keratinocyte proliferation for cellular studies on diabetes mellitus. *International Wound Journal*, 2(4), 298–304. <https://doi.org/10.1111/j.1742-4801.2005.00148.x>
- Tzanova, M., Atanasov, V., Yaneva, Z., Ivanova, D., & Dinev, T. (2020). Selectivity of Current Extraction Techniques for Flavonoids from Plant Materials. *Processes*, 8(10), 1222. <https://doi.org/10.3390/pr8101222>
- Vallet, S. D., & Ricard-Blum, S. (2019). Lysyl oxidases: from enzyme activity to extracellular matrix cross-links. *Essays in Biochemistry*, 63(3), 349–364. <https://doi.org/10.1042/ebc20180050>
- Villegas-Vazquez, E. Y., Gómez-Cansino, R., Marcelino-Pérez, G., Jiménez-López, D., & Quintas-Granados, L. I. (2025). Unveiling the Miracle Tree: Therapeutic Potential of *Moringa*

oleifera in Chronic Disease Management and Beyond. *Biomedicines*, 13(3), 634.
<https://doi.org/10.3390/biomedicines13030634>

Yadav, J. P., Singh, A. K., Grishina, M., Pathak, P., Verma, A., Kumar, V., Kumar, P., & Patel, D. K. (2024).

Insights into the mechanisms of diabetic wounds: pathophysiology, molecular targets, and treatment strategies through conventional and alternative therapies. *Inflammopharmacology*, 32, 149–228. <https://doi.org/10.1007/s10787-023-01407-6>

Yang, L., Rong, G., & Wu, Q. (2022). Diabetic foot ulcer: Challenges and future. *World Journal of Diabetes*, 13(12), 1014–1034. <https://doi.org/10.4239/wjd.v13.i12.1014>

Zhang, Z., Huang, Q., Zhao, D., Lian, F., Li, X., & Qi, W. (2023). The impact of oxidative stress-induced mitochondrial dysfunction on diabetic microvascular complications. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.1112363>