

References

- Agergaard, J., Justesen, T. E. H., Jespersen, S. E., Tagmose Thomsen, T., Holm, L., & van Hall, G. (2023). Even or skewed dietary protein distribution is reflected in the whole-body protein net-balance in healthy older adults: A randomized controlled trial. *Clinical Nutrition*, 42(6), 899–908. <https://doi.org/10.1016/j.clnu.2023.04.004>
- Andrade, M. S., Honorato, M. P., Vargas, J. P., Galvez, A., & Rojas, M. R. (2023). Comparison of two handgrip dynamometers in older adults before elective surgery. *Perioperative Medicine*, 12(1). <https://doi.org/10.1186/s13741-023-00334-y>
- Arvandi, M., Strasser, B., Meisinger, C., Volaklis, K., Gothe, R. M., Siebert, U., ... & Thorand, B. (2016). Gender differences in the association between grip strength and mortality in older adults: results from the KORA-age study. *BMC geriatrics*, 16, 1-8.
- Ashtary-Larky, D. (2025). Are plant-based and omnivorous diets the same for muscle hypertrophy? A narrative review of possible challenges of plant-based diets in resistance-trained athletes. *Nutrition*, 135, 112742. <https://doi.org/10.1016/j.nut.2025.112742>
- Ayoubi-Mahani, S., Eghbali-Babadi, M., Farajzadegan, Z., Keshvari, M., & Farokhzadian, J. (2023). Active aging needs from the perspectives of older adults and geriatric experts: a qualitative study. *Frontiers in Public Health*, 11. <https://doi.org/10.3389/fpubh.2023.1121761>
- Bahramnezhad, F., Chalikh, R., Bastani, F., Taherpour, M., & Navab, E. (2017). The social network among the elderly and its relationship with quality of life. *Electronic physician*, 9(5), 4306.
- Bao, W., Sun, Y., Zhang, T., Zou, L., Wu, X., Wang, D., & Chen, Z. (2020). Exercise Programs for Muscle Mass, Muscle Strength and Physical Performance in Older Adults with Sarcopenia: A Systematic Review and Meta-Analysis. *Aging and Disease*, 11(4), 863–863. <https://doi.org/10.14336/ad.2019.1012>
- Bårdstu, H. B., Andersen, V., Marius Steiro Fimland, Truls Raastad, & Atle Hole Saeterbakken. (2022). Muscle Strength Is Associated With Physical Function in Community-Dwelling Older Adults

- Receiving Home Care. A Cross-Sectional Study. *Frontiers in Public Health*, 10. <https://doi.org/10.3389/fpubh.2022.856632>
- Basrowi, R. W., Endang Mariani Rahayu, Khoe, L. C., Wasito, E., & Tonny Sundjaya. (2021). The Road to Healthy Ageing: What Has Indonesia Achieved So Far? *Nutrients*, 13(10), 3441–3441. <https://doi.org/10.3390/nu13103441>
- Bauer, J., Biolo, G., Cederholm, T., Cesari, M., Cruz-Jentoft, A. J., Morley, J. E., Phillips, S., Sieber, C., Stehle, P., Teta, D., Visvanathan, R., Volpi, E., & Boirie, Y. (2013). Evidence-Based Recommendations for Optimal Dietary Protein Intake in Older People: A Position Paper From the PROT-AGE Study Group. *Journal of the American Medical Directors Association*, 14(8), 542–559. <https://doi.org/10.1016/j.jamda.2013.05.021>
- Baum, J., & Wolfe, R. (2015). The Link between Dietary Protein Intake, Skeletal Muscle Function and Health in Older Adults. *Healthcare*, 3(3), 529–543. <https://doi.org/10.3390/healthcare3030529>
- Baum, J., Kim, I.-Y., & Wolfe, R. (2016). Protein Consumption and the Elderly: What Is the Optimal Level of Intake? *Nutrients*, 8(6), 359–359. <https://doi.org/10.3390/nu8060359>
- BPS. (2023). *Statistics of Aging Population 2023* (Vol. 20). Badan Pusat Statistik Indonesia. <https://www.bps.go.id/en/publication/2023/12/29/5d308763ac29278dd5860fad/statistics-of-aging-population-2023.html>
- BPS. (2024). *Statistics of Aging Population 2024*. Badan Pusat Statistik Indonesia. <https://www.bps.go.id/en/publication/2024/12/31/a00d4477490caaf0716b711d/statistics-of-aging-population-2024.html>
- Carbone, J. W., & Pasiakos, S. M. (2019). Dietary Protein and Muscle Mass: Translating Science to Application and Health Benefit. *Nutrients*, 11(5), 1136–1136. <https://doi.org/10.3390/nu11051136>

- Carbone, J. W., & Pasiakos, S. M. (2022). The role of dietary plant and animal protein intakes on mitigating sarcopenia risk. *Current Opinion in Clinical Nutrition & Metabolic Care*, 25(6), 425–429. <https://doi.org/10.1097/mco.0000000000000855>
- CDC. (2024, November 7). *Physical Activity Benefits for Adults 65 or Older*. Physical Activity Basics. <https://www.cdc.gov/physical-activity-basics/health-benefits/older-adults.html>
- Choi, E. Y. (2023). Association of Protein Intake with Handgrip Strength and Its Relation to Strength Exercise in Korean Adults Aged over 60 Years in the KNHANES (2014-18). *Nutrients*, 15(4), 1014–1014. <https://doi.org/10.3390/nu15041014>
- Cruz-Jentoft, A. J., Hughes, B. D., Scott, D., Sanders, K. M., & Rizzoli, R. (2019). Nutritional strategies for maintaining muscle mass and strength from middle age to later life: A narrative review. *Maturitas*, 132, 57–64. <https://doi.org/10.1016/j.maturitas.2019.11.007>
- Cunningham, C., Sullivan, R. O., Paolo Caserotti, & Tully, M. A. (2020). Consequences of physical inactivity in older adults: A systematic review of reviews and meta-analyses. *Scandinavian Journal of Medicine and Science in Sports*, 30(5), 816–827. <https://doi.org/10.1111/sms.13616>
- Day, L., Cakebread, J. A., & Loveday, S. M. (2021). Food proteins from animals and plants: Differences in the nutritional and functional properties. *Trends in Food Science & Technology*, 119, 428–442. <https://doi.org/10.1016/j.tifs.2021.12.020>
- de, A., Carlos, A., Bezerra, T. S., Fabrícia França, Soares, N. S., & Brito, D. (2019). The Five Times Sit-to-Stand Test: safety and reliability with older intensive care unit patients at discharge. *Revista Brasileira de Terapia Intensiva*, 31(1). <https://doi.org/10.5935/0103-507x.20190006>
- Deer, R. R., & Volpi, E. (2015). Protein intake and muscle function in older adults. *Current Opinion in Clinical Nutrition & Metabolic Care*, 18(3), 248–253. <https://doi.org/10.1097/mco.0000000000000162>
- Deutz, N. E. P., Bauer, J. M., Barazzoni, R., Gianni Biolo, Yves Boirie, Bosy-Westphal, A., Cederholm, T., Cruz-Jentoft, A., Zeljko Krznarić, Nair, K. S., Singer, P., Teta, D., Tipton, K., & Calder, P. C. (2014). Protein

- intake and exercise for optimal muscle function with aging: Recommendations from the ESPEN Expert Group. *Clinical Nutrition*, 33(6), 929–936. <https://doi.org/10.1016/j.clnu.2014.04.007>
- Distefano, G., & Goodpaster, B. H. (2017). Effects of Exercise and Aging on Skeletal Muscle. *Cold Spring Harbor Perspectives in Medicine*, 8(3), a029785–a029785. <https://doi.org/10.1101/cshperspect.a029785>
- Dwipayana, D., & Ayu, R. (2025). The Happiness of the Older Individuals in Indonesia and Its Associated Factors. *Jurnal Ilmu Sosial Dan Ilmu Politik*, 28(1), 55–55. <https://doi.org/10.22146/jsp.93998>
- Espinosa-Salas, S., & Gonzalez-Arias, M. (2023, August 8). *Nutrition: Macronutrient Intake, Imbalances, and Interventions*. Nih.gov; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK594226/>
- Fanelli, N. S., Juliana, & Stein, H. H. (2024). The digestible indispensable amino acid score (DIAAS) in eggs and egg-containing breakfast meals is greater than in toast breads or hash browns served without eggs. *Journal of Nutritional Science*, 13. <https://doi.org/10.1017/jns.2024.71>
- Fong, J. H. (2019). Disability incidence and functional decline among older adults with major chronic diseases. *BMC Geriatrics*, 19(1). <https://doi.org/10.1186/s12877-019-1348-z>
- Gauvain, J-B., S Mandigout, M Pambet, M Monseu, P Gillain, Gautier, J., C Annweiler, & F Puisieux. (2024). Correlation between Muscle Mass and Physical Activity Level in Older Adults at Risk of Falling: The FITNESS Study. *The Journal of Frailty & Aging*. <https://doi.org/10.14283/jfa.2024.53>
- Gaytán-González, A., de, M., Torres-Naranjo, F., González-Mendoza, R. G., Gil-Barreiro, M., Arroniz-Rivera, M., & López-Taylor, J. R. (2020). Dietary Protein Intake Patterns and Inadequate Protein Intake in Older Adults from Four Countries. *Nutrients*, 12(10), 3156–3156. <https://doi.org/10.3390/nu12103156>
- Gomes, M., Figueiredo, D., Teixeira, L., Poveda, V., Paúl, C., Santos-Silva, A., & Costa, E. (2016). Physical inactivity among older adults across Europe based on the SHARE database. *Age and Ageing*, 46(1), 71–77. <https://doi.org/10.1093/ageing/afw165>

- Groenendijk, I., Lisette, Tetens, I., & Pol Grootswagers. (2024). Discussion on protein recommendations for supporting muscle and bone health in older adults: a mini review. *Frontiers in Nutrition*, 11. <https://doi.org/10.3389/fnut.2024.1394916>
- Hackney, K. J., Trautman, K., Johnson, N., Mcgrath, R., & Stastny, S. (2019). Protein and muscle health during aging: benefits and concerns related to animal-based protein. *Animal Frontiers*, 9(4), 12–17. <https://doi.org/10.1093/af/vfz030>
- Harimurti, K., Setiati, S., Soejono, C. H., Aryana, I. S., Sunarti, S., Budiningsih, F., ... & Marsigit, J. (2023). Sarcopenia in a multiethnic state: A cross-sectional data analysis of multicentre Indonesia longitudinal aging study. *Acta Medica Indonesiana*, 55(1), 61.
- Hayati, D. G., & Kamso, S. (2024). Analysis of Elderly Health Status through Intrinsic Capacity Assessment Using the Simple Elderly Screening (SKILAS) Instrument in the Community. *Contagion: Scientific Periodical Journal of Public Health and Coastal Health*, 6(1), 656-667.
- Henny, H., Iridiastadi, H., & Sitalaksana, I. Z. (2012). Age, gender, and muscle strength: a study based on Indonesian samples. *Makara Journal of Technology*, 16(1), 4.
- Herreman, L., Nommensen, P., Pennings, B., & Laus, M. C. (2020). Comprehensive overview of the quality of plant- And animal-sourced proteins based on the digestible indispensable amino acid score. *Food Science & Nutrition*, 8(10), 5379–5391. <https://doi.org/10.1002/fsn3.1809>
- Hettiarachchi, J., Reijnierse, E. M., Kew, N., Fetterplace, K., Tan, S. Y., & Maier, A. B. (2024). The effect of dose, frequency, and timing of protein supplementation on muscle mass in older adults: A systematic review and meta-analysis. *Ageing research reviews*, 102325.
- Hijas-Gómez, A. I., Ayala, A., Rodríguez-García, M. P., Rodríguez-Blazquez, C., Rodríguez-Rodríguez, V., Rojo-Pérez, F., ... & Forjaz, M. J. (2020). The WHO active ageing pillars and its association with survival: Findings from a population-based study in Spain. *Archives of gerontology and geriatrics*, 90, 104114.

- Isanejad, M., Mursu, J., Sirola, J., Kröger, H., Rikkinen, T., Tuppurainen, M., & Erkkilä, A. T. (2016). Dietary protein intake is associated with better physical function and muscle strength among elderly women. *British Journal of Nutrition*, 115(7), 1281-1291.
- Ishaq, I., Noreen, S., Maduabuchi Aja, P., & Atoki, A. V. (2025). Role of protein intake in maintaining muscle mass composition among elderly females suffering from sarcopenia. *Frontiers in Nutrition*, 12. <https://doi.org/10.3389/fnut.2025.1547325>
- Izquierdo, M., Merchant, R. A., Morley, J. E., Anker, S. D., Aprahamian, I., Arai, H., M. Aubertin-Leheudre, Bernabei, R., Cadore, E. L., Cesari, M., Chen, L.-K., de, P., Duque, G., Ferrucci, L., Fielding, R. A., A. García-Hermoso, L.M. Gutiérrez-Robledo, Harridge, S. D. R., Kirk, B., & S. Kritchevsky. (2021). International Exercise Recommendations in Older Adults (ICFSR): Expert Consensus Guidelines. *The Journal of Nutrition Health & Aging*, 25(7), 824–853. <https://doi.org/10.1007/s12603-021-1665-8>
- Joanisse, S., McKendry, J., Lim, C., Nunes, E. A., Stokes, T., Mcleod, J. C., & Phillips, S. M. (2021). Understanding the effects of nutrition and post-exercise nutrition on skeletal muscle protein turnover: Insights from stable isotope studies. *Clinical Nutrition Open Science*, 36, 56–77. <https://doi.org/10.1016/j.nutos.2021.01.005>
- Juanita, J., Nurhasanah, N., Jufrizal, J., & Febriana, D. (2022). Health related quality of life of Indonesian older adults living in community. *Enfermería Clínica*, 32, S71-S75.
- Kang, G. A., Shin, J., & Yoon, J. Y. (2023). Gender Differences in Older Adults' Muscle Strength and Depressive Symptoms: A Relationship Mediated Through Perceived Stress. *Research in Community and Public Health Nursing*, 34, 196–196. <https://doi.org/10.12799/rcphn.2023.00164>
- Kaur, L., Mao, B., Beniwal, A. S., Abhilasha, Kaur, R., Chian, F. M., & Singh, J. (2022). Alternative proteins vs animal proteins: The influence of structure and processing on their gastro-small intestinal

digestion. *Trends in Food Science & Technology*, 122, 275–286.

<https://doi.org/10.1016/j.tifs.2022.02.021>

Keating, X. D., Zhou, K., Liu, X., Hodges, M., Liu, J., Guan, J., Phelps, A., & Castro-Piñero, J. (2019). Reliability and Concurrent Validity of Global Physical Activity Questionnaire (GPAQ): A Systematic Review. *International Journal of Environmental Research and Public Health*, 16(21), 4128. <https://doi.org/10.3390/ijerph16214128>

Kerkman, J. N., Daffertshofer, A., Gollo, L. L., Breakspear, M., & Boonstra, T. W. (2018). Network structure of the human musculoskeletal system shapes neural interactions on multiple time scales. *Science Advances*, 4(6). <https://doi.org/10.1126/sciadv.aat0497>

Khoiriyah, N., Apriliawan, H., Maula, L. R., Sa'diyah, A. A., Forgenie, D., Susyanti, J., & Nendissa, D. R. (2024). Examining Indonesian protein consumption patterns and factors: A probit model. In *BIO Web of Conferences* (Vol. 143, p. 01003). EDP Sciences.

Kristiana, T., Widajanti, N., & Satyawati, R. (2020). Association between Muscle Mass and Muscle Strength with Physical Performance in Elderly in Surabaya. *Surabaya Physical Medicine and Rehabilitation Journal*, 2(1), 24. <https://doi.org/10.20473/spmrj.v2i1.16313>

Landi, F., Calvani, R., Tosato, M., Martone, A. M., Picca, A., Ortolani, E., Saveria, G., Salini, S., Ramaschi, M., Bernabei, R., & Marzetti, E. (2017). Animal-derived protein consumption is associated with muscle mass and strength in community-dwellers: Results from the Milan Expo survey. *The Journal of Nutrition, Health and Aging*, 21(9), 1050–1056. <https://doi.org/10.1007/s12603-017-0974-4>

Langhammer, B., Bergland, A., & Rydwick, E. (2018). The Importance of Physical Activity Exercise among Older People. *BioMed Research International*, 2018, 1–3. <https://doi.org/10.1155/2018/7856823>

- Larsson, L., Degens, H., Li, M., Salviati, L., Lee, Y. il, Thompson, W., Kirkland, J. L., & Sandri, M. (2019). Sarcopenia: Aging-Related Loss of Muscle Mass and Function. *Physiological Reviews*, 99(1), 427–511. <https://doi.org/10.1152/physrev.00061.2017>
- Leitão, C., Mignano, A., Estrela, M., Margarida Fardilha, Figueiras, A., Roque, F., & Herdeiro, M. T. (2022). The Effect of Nutrition on Aging—A Systematic Review Focusing on Aging-Related Biomarkers. *Nutrients*, 14(3), 554–554. <https://doi.org/10.3390/nu14030554>
- Li, S.-Y., Lu, Z.-H., Leung, J. C. S., & Kwok, T. C. Y. (2024). Association of dietary protein intake, inflammation with muscle mass, physical performance and incident sarcopenia in Chinese community-dwelling older adults. *The Journal of Nutrition Health & Aging*, 28(4), 100163–100163. <https://doi.org/10.1016/j.jnha.2024.100163>
- Li, Y., Wang, X., Ya, S., Huang Jiaoling, & Hua, N. (2024). The optimal cut-off value of five-time chair stand test for assessing sarcopenia among Chinese community-dwelling older adults. *Journal of Cachexia Sarcopenia and Muscle*, 15(2), 756–764. <https://doi.org/10.1002/jcsm.13441>
- Li, Z., Zhang, Z., Ren, Y., Wang, Y., Fang, J., Yue, H., Ma, S., & Guan, F. (2021). Aging and age-related diseases: from mechanisms to therapeutic strategies. *Biogerontology*, 22(2), 165–187. <https://doi.org/10.1007/s10522-021-09910-5>
- Lim, M. T., Pan, B. J., Wee, D., Sutanto, C. N., & Kim, J. E. (2021). Animal Protein versus Plant Protein in Supporting Lean Mass and Muscle Strength: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients*, 13(2), 661–661. <https://doi.org/10.3390/nu13020661>
- Lopez, M. J., & Mohiuddin, S. S. (2024, April 30). *Biochemistry, Essential Amino Acids*. Nih.gov; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK557845/>
- Mahapatra, B., & Karri, B. (2025). Prediction of hand grip strength using anthropometric indicators among older adults: Evidence from LASI data. *Journal of Bodywork and Movement Therapies*. <https://doi.org/10.1016/j.jbmt.2025.05.018>

- Makizako, H., Kiyama, R., Nakai, Y., Kawada, M., Tomioka, K., Taniguchi, Y., ... & Ohishi, M. (2022). Reference values of chair stand test and associations of chair stand performance with cognitive function in older adults. *Aging and Health Research*, 2(3), 100090.
- Mao, Z., Cawthon, P. M., Kritchevsky, S. B., Frederico, Esser, K. A., Erickson, M. L., Newman, A. B., & Samaneh Farsijani. (2023). The association between chrononutrition behaviors and muscle health among older adults: The study of muscle, mobility and aging. *Aging Cell*, 23(6). <https://doi.org/10.1111/accel.14059>
- Marzo, R. R., Praval Khanal, Shrestha, S., Mohan, D., Myint, P. K., & Su, T. T. (2023). Determinants of active aging and quality of life among older adults: systematic review. *Frontiers in Public Health*, 11. <https://doi.org/10.3389/fpubh.2023.1193789>
- Matson, A. P., Milte, C. M., Shaw, J. E., Magliano, D. J., Daly, R. M., & Torres, S. J. (2022). Association between dietary protein intake and changes in health-related quality of life in older adults: findings from the AusDiab 12-year prospective study. *BMC Geriatrics*, 22(1). <https://doi.org/10.1186/s12877-022-02894-y>
- NHS. (2016). *Health Survey for England, 2016 - NHS Digital*. NHS Digital. <https://digital.nhs.uk/data-and-information/publications/statistical/health-survey-for-england/health-survey-for-england-2016>
- Nikitas, C., Dimitris Kikidis, Athanasios Bibas, Pavlou, M., Zoi Zachou, & Doris-Eva Bamiou. (2022). Recommendations for physical activity in the elderly population: A scoping review of guidelines. *Journal of Frailty Sarcopenia and Falls*, 07(01), 18–28. <https://doi.org/10.22540/jfsf-07-018>
- Nikolov, J., Norman, K., Buchmann, N., Spranger, J., Demuth, I., Steinhagen-Thiessen, E., Spira, D., & Mai, K. (2021). Association between meal-specific daily protein intake and lean mass in older adults: results of the cross-sectional BASE-II study. *American Journal of Clinical Nutrition*, 114(3), 1141–1147. <https://doi.org/10.1093/ajcn/nqab144>

- Noto, S. (2023). Perspectives on Aging and Quality of Life. *Healthcare*, 11(15), 2131–2131. <https://doi.org/10.3390/healthcare11152131>
- Nowson, C., & O’Connell, S. (2015). Protein Requirements and Recommendations for Older People: A Review. *Nutrients*, 7(8), 6874–6899. <https://doi.org/10.3390/nu7085311>
- Papadopoulou, S. K., Paraskevi Detopoulou, Gavriela Voulgaridou, Despoina Tsoumana, Spanoudaki, M., Sadikou, F., Papadopoulou, V. G., Zidrou, C., Chatziprodromidou, I. P., Constantinos Giaginis, & Nikolaidis, P. (2023). Mediterranean Diet and Sarcopenia Features in Apparently Healthy Adults over 65 Years: A Systematic Review. *Nutrients*, 15(5), 1104–1104. <https://doi.org/10.3390/nu15051104>
- Pengpid, S., & Peltzer, K. (2018). Hand grip strength and its sociodemographic and health correlates among older adult men and women (50 years and older) in Indonesia. *Current Gerontology and Geriatrics Research*, 2018(1), 3265041.
- Phillips, S. M., Fulgoni, V. L., Heaney, R. P., Nicklas, T. A., Slavin, J. L., & Weaver, C. M. (2015). Commonly consumed protein foods contribute to nutrient intake, diet quality, and nutrient adequacy. *American Journal of Clinical Nutrition*, 101(6), 1346S1352S. <https://doi.org/10.3945/ajcn.114.084079>
- Putra, C., Konow, N., Gage, M., York, C., & Mangano, K. (2021). Protein Source and Muscle Health in Older Adults: A Literature Review. *Nutrients*, 13(3), 743–743. <https://doi.org/10.3390/nu13030743>
- Rai, P. (2023). Role of Essential Amino Acids in Protein Synthesis and Muscle Growth. *Journal of Biochemistry Research*, 6(4), 1–4. [https://doi.org/10.37532/%20oabr.2023.6\(4\).92-96](https://doi.org/10.37532/%20oabr.2023.6(4).92-96)
- Reid-McCann, R. J., Brennan, S. F., McKinley, M. C., & McEvoy, C. T. (2022). The effect of animal versus plant protein on muscle mass, muscle strength, physical performance and sarcopenia in adults: protocol for a systematic review. *Systematic Reviews*, 11(1). <https://doi.org/10.1186/s13643-022-01951-2>

- Riviati, N., & Indra, B. (2023). Relationship between muscle mass and muscle strength with physical performance in older adults: A systematic review. *SAGE Open Medicine*, 11. <https://doi.org/10.1177/20503121231214650>
- Rocha, S. V., Souza, S., Carneiro, R., & Alves, C. (2016). Strength and ability to implement the activities of daily living in elderly resident in rural areas. *Colombia Médica : CM*, 47(3), 167. <https://pmc.ncbi.nlm.nih.gov/articles/PMC5091276/>
- Rostron, Z. P., Green, R. A., Kingsley, M., & Zacharias, A. (2021). Associations Between Measures of Physical Activity and Muscle Size and Strength: A Systematic Review. *Archives of Rehabilitation Research and Clinical Translation*, 3(2), 100124–100124. <https://doi.org/10.1016/j.arrct.2021.100124>
- Sahni, S., Mangano, K. M., Hannan, M. T., Kiel, D. P., & McLean, R. R. (2015). Higher Protein Intake Is Associated with Higher Lean Mass and Quadriceps Muscle Strength in Adult Men and Women. *Journal of Nutrition*, 145(7), 1569–1575. <https://doi.org/10.3945/jn.114.204925>
- Sari, N. K., Stepvia Stepvia, Ilyas, M. F., Siti Setiati, Kuntjoro Harimurti, & Ika Fitriana. (2025). Handgrip strength as a potential indicator of aging: insights from its association with aging-related laboratory parameters. *Frontiers in Medicine*, 12. <https://doi.org/10.3389/fmed.2025.1491584>
- Seo, J. H., & Lee, Y. (2022). Association of physical activity with sarcopenia evaluated based on muscle mass and strength in older adults: 2008–2011 and 2014 – 2018 Korea National Health and Nutrition Examination Surveys. *BMC Geriatrics*, 22(1). <https://doi.org/10.1186/s12877-022-02900-3>
- Shiferaw, K. B., Yalew, E. S., Zemed, A., Yitayal, M. M., Belay, G. J., Alie, M., ... & Gashaw, M. (2024). Prevalence of physical inactivity and associated factors among older adults in Gondar town, Northwest Ethiopia: a community-based cross-sectional study. *BMC geriatrics*, 24(1), 106.
- Shinto, T., Makino, S., Tahara, Y., Nitta, L., Kuwahara, M., Tada, A., Abe, N., Michie, M., & Shibata, S. (2022). Relationship Between Protein Intake in Each Traditional Meal and Physical Activity: Cross-

- sectional Study. *JMIR Public Health and Surveillance*, 8(7), e35898.
<https://doi.org/10.2196/35898>
- Suey, & Woo, J. (2022). Association of Plant Protein Intake with Change in Physical Performance in Chinese Community-Dwelling Older Adults. *Nutrients*, 14(21), 4534–4534.
<https://doi.org/10.3390/nu14214534>
- Susanti, Y., & Livana, P. H. (2019). Overview Independence and Cognitive Function of Elderly. *Indonesian Journal of Global Health Research*, 1(1), 81-86.
- Tagawa, R., Watanabe, D., Ito, K., Takeru Otsuyama, Nakayama, K., Chiaki Sanbongi, & Motohiko Miyachi. (2022). Synergistic Effect of Increased Total Protein Intake and Strength Training on Muscle Strength: A Dose-Response Meta-analysis of Randomized Controlled Trials. *Sports Medicine - Open*, 8(1). <https://doi.org/10.1186/s40798-022-00508-w>
- Traylor, D. A., Gorissen, S. H. M., & Phillips, S. M. (2018). Perspective: Protein Requirements and Optimal Intakes in Aging: Are We Ready to Recommend More Than the Recommended Daily Allowance? *Advances in Nutrition*, 9(3), 171–182. <https://doi.org/10.1093/advances/nmy003>
- Villareal, D. T., Aguirre, L., Gurney, A. B., Waters, D. L., Sinacore, D. R., Colombo, E., Armamento-Villareal, R., & Qualls, C. (2017). Aerobic or Resistance Exercise, or Both, in Dieting Obese Older Adults. *New England Journal of Medicine*, 376(20), 1943–1955.
<https://doi.org/10.1056/nejmoa1616338>
- Volpi, E., Nazemi, R., & Fujita, S. (2004). Muscle tissue changes with aging. *Current Opinion in Clinical Nutrition and Metabolic Care*, 7(4), 405–410.
<https://doi.org/10.1097/01.mco.0000134362.76653.b2>
- von Haehling, S., Morley, J. E., & Anker, S. D. (2010). An overview of sarcopenia: facts and numbers on prevalence and clinical impact. *Journal of Cachexia, Sarcopenia and Muscle*, 1(2), 129–133.
<https://doi.org/10.1007/s13539-010-0014-2>

- Walston, J. D. (2012). Sarcopenia in older adults. *Current Opinion in Rheumatology*, 24(6), 623–627.
<https://doi.org/10.1097/bor.0b013e328358d59b>
- Wang, B., Wei, Y., Shao, L., Li, M., Zhang, X., Li, W., Zhao, S., Xia, X., & Liu, P. (2023). Association of dietary patterns and sarcopenia in the elderly population: a cross-sectional study. *Frontiers in Aging*, 4.
<https://doi.org/10.3389/fragi.2023.1239945>
- Wang, D. X. M., Yao, J., Yasar Zirek, Reijnierse, E. M., & Maier, A. B. (2019). Muscle mass, strength, and physical performance predicting activities of daily living: a meta-analysis. *Journal of Cachexia Sarcopenia and Muscle*, 11(1), 3–25. <https://doi.org/10.1002/jcsm.12502>
- Wang, K., Wang, X., & Wang, Y. (2024). Factors, mechanisms and improvement methods of muscle strength loss. *Frontiers in Cell and Developmental Biology*, 12.
<https://doi.org/10.3389/fcell.2024.1509519>
- Watford, M., & Wu, G. (2018). Protein. *Advances in Nutrition*, 9(5), 651–653.
<https://doi.org/10.1093/advances/nmy027>
- Wilkinson, D. J., Piasecki, M., & Atherton, P. J. (2018). The age-related loss of skeletal muscle mass and function: Measurement and physiology of muscle fibre atrophy and muscle fibre loss in humans. *Ageing Research Reviews*, 47, 123–132. <https://doi.org/10.1016/j.arr.2018.07.005>
- Yoshiko, A., Ogawa, M., Shimizu, K., Radaelli, R., Neske, R., Maeda, H., ... & Akima, H. (2021). Chair sit-to-stand performance is associated with diagnostic features of sarcopenia in older men and women. *Archives of gerontology and geriatrics*, 96, 104463.
- Yuan, M., Pickering, R. T., Bradlee, M. L., Mustafa, J., Singer, M. R., & Moore, L. L. (2020). Animal protein intake reduces risk of functional impairment and strength loss in older adults. *Clinical Nutrition*, 40(3), 919–927. <https://doi.org/10.1016/j.clnu.2020.06.019>