

References

- Abaci, N., Deniz, F. S. S., & Orhan, I. E. (2022). Kombucha – An ancient fermented beverage with desired bioactivities: A narrowed review. *Food Chemistry X*, 14, 100302. <https://doi.org/10.1016/j.fochx.2022.100302>
- Abdullah, Z., Taip, F. S., Kamal, S. M. M., & Rahman, R. Z. A. (2020). Nonlinear Model-Based inferential control of moisture content of spray dried coconut milk. *Foods*, 9(9), 1177. <https://doi.org/10.3390/foods9091177>
- Abudurehman, B., Yu, X., Fang, D., & Zhang, H. (2022). Enzymatic oxidation of tea catechins and its mechanism. *Molecules*, 27(3), 942. <https://doi.org/10.3390/molecules27030942>
- Agatha, R., Maryati, Y., Susilowati, A., Aspiyanto, A., Devi, A. F., Mulyani, H., Budiari, S., Filaila, E., Rahmawati, D., & Artanti, N. (2021). Effect of type and concentration of encapsulating agents on physicochemical, phytochemical, and antioxidant properties of red dragon fruit Kombucha powdered beverage. *Jurnal Kimia Terapan Indonesia (Indonesian Journal of Applied Chemistry)*, 23(1), 7–15. <https://doi.org/10.14203/inajac.v23i1.474>
- Ahmed, N. R., Yaakob, H., Ware, I., Soib, H. H., Husin, F., & Zaki, I. a. M. (2020). Thermal effect of spray drying process on the quality of ficus deltoidea extract. *Malaysian Journal of Medicine and Health Sciences*. <http://eprints.utm.my/id/eprint/93097/>
- Anggara, C. E. W., Haryadi, H., Putri, D. P., Cahyadi, W., & Ikhrwan, Y. (2024). Effect of maltodextrine concentration on color intensity and hygroscopic characteristics of powdered butterfly pea (*Clitoria ternatea* L.). *IOP Conference Series Earth and Environmental Science*, 1413(1), 012083. <https://doi.org/10.1088/1755-1315/1413/1/012083>
- Araujo-Díaz, S., Leyva-Porras, C., Aguirre-Bañuelos, P., Álvarez-Salas, C., & Saavedra-Leos, Z. (2017). Evaluation of the physical properties and conservation of the antioxidants content, employing inulin and maltodextrin in the spray drying of blueberry juice. *Carbohydrate Polymers*, 167, 317–325. <https://doi.org/10.1016/j.carbpol.2017.03.065>

- Batista, P., Penas, M. R., Pintado, M., & Oliveira-Silva, P. (2022). Kombucha: Perceptions and future Prospects. *Foods*, 11(13), 1977. <https://doi.org/10.3390/foods11131977>
- Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022). Chemical composition of kombucha. *Beverages*, 8(3), 45. <https://doi.org/10.3390/beverages8030045>
- Bhokarika, S, Gurumoorthi, P, & Athmaselvi, K. A. (2025). Impact of Drying Techniques and Maltodextrin as a Carrier on the Flow Properties and Reconstitution Properties of Oat “milk” Powder. *Nutr Food Sci* 2025; 13(2).
- Caicedo, R., & Caicedo, R. (2020, August 25). *Color of Black Tea*. My Japanese Green Tea. <https://www.myjapanesegreentea.com/color-of-black-tea#:~:text=highly%20polymerized%20molecules%20named%20the%20arubigins>
- Caliskan, G., & Dirim, S. N. (2016). The effect of different drying processes and the amounts of maltodextrin addition on the powder properties of sumac extract powders. *Powder technology*, 287, 308-314.
- Cardoso, R. R., Neto, R. O., D’Almeida, C. T. D. S., Nascimento, T. P. D., Presete, C. G., Azevedo, L., Martino, H. S. D., Cameron, L. C., Ferreira, M. S. L., & De Barros, F. a. R. (2019). Kombuchas from green and black teas have different phenolic profile, which impacts their antioxidant capacities, antibacterial and antiproliferative activities. *Food Research International*, 128, 108782. <https://doi.org/10.1016/j.foodres.2019.108782>
- Chang, L. S., Liew, K. L., & Pui, L. P. (2024). Production of plantain powder using enzyme-liquefied feed through spray drying operation. *AsPac J. Mol. Biol. Biotechnol.* 32 (3), 206-214.
- Chng, G. Y. V., Chang, L. S., & Pui, L. P. (2020). Effects of maltodextrin concentration and inlet temperature on the physicochemical properties of spray-dried kuini powder. *Asia-Pacific Journal of Molecular Biology and Biotechnology*, 117–131. <https://doi.org/10.35118/apjmbb.2020.028.4.10>

- Chou, Y., Lin, H., Wang, C., Hsieh, C., Santoso, S. P., Lin, S., & Cheng, K. (2024). Enhancing antioxidant benefits of kombucha through optimized glucuronic acid by selected symbiotic fermentation culture. *Antioxidants*, 13(11), 1323. <https://doi.org/10.3390/antiox13111323>
- Chuacharoen, T., Moolwong, J., & Chyrsirichote, T. (2021). Effects of maltodextrin on physicochemical properties of freeze-dried avocado powder. *Food Research*, 5(6), 178–186. [https://doi.org/10.26656/fr.2017.5\(6\).739](https://doi.org/10.26656/fr.2017.5(6).739)
- Coelho, R. M. D., De Almeida, A. L., Amaral, R. Q. G. D., Da Mota, R. N., & De Sousa, P. H. M. (2020). Kombucha: Review. *International Journal of Gastronomy and Food Science*, 22, 100272. <https://doi.org/10.1016/j.ijgfs.2020.100272>
- Costa, S. S., Machado, B. A. S., Martin, A. R., Bagnara, F., Ragadalli, S. A., & Alves, A. R. C. (2015). Drying by spray drying in the food industry: Micro-encapsulation, process parameters and main carriers used. *African Journal of Food Science*, 9(9), 462-470.
- De Campos Costa, M. A., De Souza Vilela, D. L., Fraiz, G. M., Lopes, I. L., Coelho, A. I. M., Castro, L. C. V., & Martin, J. G. P. (2021). Effect of kombucha intake on the gut microbiota and obesity-related comorbidities: A systematic review. *Critical Reviews in Food Science and Nutrition*, 63(19), 3851–3866. <https://doi.org/10.1080/10408398.2021.1995321>
- Delaporte, A., Duchemin, B., Grisel, M., & Gore, E. (2024). Impact of wall Material-to-Active ratio in the stability of Spray-Dried ascorbic Acid using maltodextrin and gum arabic. *Molecules*, 29(15), 3587. <https://doi.org/10.3390/molecules29153587>
- De Miranda, J. F., Ruiz, L. F., Silva, C. B., Uekane, T. M., Silva, K. A., Gonzalez, A. G. M., Fernandes, F. F., & Lima, A. R. (2022). Kombucha: A review of substrates, regulations, composition, and biological properties. *Journal of Food Science*, 87(2), 503–527. <https://doi.org/10.1111/1750-3841.16029>
- Dominici, S., Marescotti, F., Sanmartin, C., Macaluso, M., Taglieri, I., Venturi, F., Zinnai, A., & Facioni, M. S. (2022). Lactose: Characteristics, Food and Drug-Related Applications, and Its Possible Substitutions in Meeting the Needs of People with Lactose Intolerance. *Foods*, 11(10), 1486. <https://doi.org/10.3390/foods11101486>

- Dupas, J., Baldeweck, F., & Meunier, V. (2023). Experimental study on the impact of key material properties on flowability of sucrose and maltodextrin. *Journal of Food Engineering*, 364, 111802. <https://doi.org/10.1016/j.jfoodeng.2023.111802>
- Elfirta, R. R., Ferdian, P. R., Setyawan, R. H., Saskiawan, I., Mahani, N., Nurjanah, N., Pribadi, A., Anggita, S., & Manullang, E. S. D. (2023). Changes in titrable acidity, pH, and reducing sugars of ganoderma kombucha with honey after the fermentation process. *IOP Conference Series Earth and Environmental Science*, 1271(1), 012078. <https://doi.org/10.1088/1755-1315/1271/1/012078>
- ElGamal, R., Song, C., Rayan, A. M., Liu, C., Al-Rejaie, S., & ElMasry, G. (2023). Thermal Degradation of Bioactive Compounds during Drying Process of Horticultural and Agronomic Products: A Comprehensive Overview. *Agronomy*, 13(6), 1580. <https://doi.org/10.3390/agronomy13061580>
- Encina, C., Giménez, B., Márquez-Ruiz, G., Holgado, F., Vergara, C., Romero-Hasler, P., Soto-Bustamante, E., & Robert, P. (2020). Hydroxypropyl-inulin as a novel encapsulating agent of fish oil by conventional and water-free spray drying. *Food Hydrocolloids*, 113, 106518. <https://doi.org/10.1016/j.foodhyd.2020.106518>
- Ferrari, C. C., Germer, S. P. M., & de Aguirre, J. M. (2012). Effects of spray-drying conditions on the physicochemical properties of black berry powder. *Drying Technology*, 30(2), 154–163.
- Fraiz, G. M., Bonifácio, D. B., Lacerda, U. V., Cardoso, R. R., Corich, V., Giacomini, A., Martino, H. S. D., Esteban-Echeverría, S., Romo-Hualde, A., Muñoz-Prieto, D., De Barros, F. a. R., Milagro, F. I., & Bressan, J. (2024). The Impact of Green Tea Kombucha on the Intestinal Health, Gut Microbiota, and Serum Metabolome of Individuals with Excess Body Weight in a Weight Loss Intervention: A Randomized Controlled Trial. *Foods*, 13(22), 3635. <https://doi.org/10.3390/foods13223635>
- Frezzini, M.A., Castellani, F., Francesco, N. De, Ristorini, M., and Canepari, S., 2019. Application of DPPH assay for assessment of particulate matter reducing properties. *Atmosphere*, 10 (12), 816.

- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007). Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International*, 40(9), 1107–1121. <https://doi.org/10.1016/j.foodres.2007.07.004>
- Gonuldas, F., Yilmaz, K., & Ozturk, C. (2014). The effect of repeated firings on the color change and surface roughness of dental ceramics. *The Journal of Advanced Prosthodontics*, 6(4), 309. <https://doi.org/10.4047/jap.2014.6.4.309>
- Guo, M. Q., Hu, X., Wang, C., & Ai, L. (2017). Polysaccharides: Structure and Solubility. InTech. doi: 10.5772/intechopen.71570
- Hay, T. O., Nastasi, J. R., Prakash, S., & Fitzgerald, M. (2024). Comparison of gidgea gum, gum arabic, and maltodextrin in the microencapsulation and colour stabilisation of Anthocyanin-Rich powders using Freeze-Drying and Spray-Drying techniques. *Food Hydrocolloids*, 111023. <https://doi.org/10.1016/j.foodhyd.2024.111023>
- Herlina, E., Widiastuti, D., & Annissa, F. R. (2021). Addition of Maltodextrin Concentration to Anthocyanin Characteristics and Levels in the Manufacture of Natural Dyes from the Skin of Red Dragon Fruit (*Hylocereus polyrhizus*). *Helium Journal of Science and Applied Chemistry*, 1(1), 6–10. <https://doi.org/10.33751/helium.v1i1.2948>
- Hidayat, W., Qi, Y., Jang, J.H., Park, B.H., Banuwa, I.S., Febrianto, F., & Kim, N.H. (2017). Color change and consumer preferences towards color of heat-treated Korean white pine and royal paulownia woods. *Journal of the Korean Wood Science and Technology*, 45 (2), 213–222.
- Ho, C.W., Chang, L.S., Syed Muzni, S.K., Fazry, S., Lazim, A., Hj Hussain Zaki, U.K., and Lim, S.J., 2021. Functional beverage production using acetous fermentation of soursop: Physicochemical, toxicity and organoleptic properties. *Food Bioscience*, 39, 100812.
- Huang, K., Zhang, P., Hu, B., & Yu, S. (2015). The effect of spray drying on sucrose–glycine caramel powder preparation. *Journal of the Science of Food and Agriculture*, 96(7), 2319–2327. <https://doi.org/10.1002/jsfa.7347>

- Iesa, N. B., Chaipoot, S., Phongphisutthinant, R., Wiriacharee, P., Lim, B. G., Sringarm, K., Burgett, M., & Chuttong, B. (2023). Effects of maltodextrin and gum arabic composition on the physical and antioxidant activities of dewaxed stingless bee cerumen. *Foods*, 12(20), 3740. <https://doi.org/10.3390/foods12203740>
- Jakubczyk, K., Kałduńska, J., Kochman, J., & Janda, K. (2020). Chemical Profile and Antioxidant Activity of the Kombucha Beverage Derived from White, Green, Black and Red Tea. *Antioxidants*, 9(5), 447. <https://doi.org/10.3390/antiox9050447>
- Janiszewska-Turak, E., Dellarosa, N., Tylewicz, U., Laghi, L., Romani, S., Rosa, M. D., & Witrowa-Rajchert, D. (2017). The influence of carrier material on some physical and structural properties of carrot juice microcapsules. *Food Chemistry*, 236, 134–141. <https://doi.org/10.1016/j.foodchem.2017.03.134>
- Kapp, J. M., & Sumner, W. (2018). Kombucha: a systematic review of the empirical evidence of human health benefit. *Annals of Epidemiology*, 30, 66–70. <https://doi.org/10.1016/j.annepidem.2018.11.001>
- Kim, J., & Adhikari, K. (2020). Current trends in Kombucha: marketing perspectives and the need for improved sensory research. *Beverages*, 6(1), 15. <https://doi.org/10.3390/beverages6010015>
- Kitwetcharoen, H., Phung, L. T., Klanrit, P., Thanonkeo, S., Tippayawat, P., Yamada, M., & Thanonkeo, P. (2023). Kombucha Healthy Drink—Recent advances in production, chemical composition and health benefits. *Fermentation*, 9(1), 48. <https://doi.org/10.3390/fermentation9010048>
- Laavanya, D., Shirkole, S., & Balasubramanian, P. (2021). Current challenges, applications and future perspectives of SCOBY cellulose of Kombucha fermentation. *Journal of Cleaner Production*, 295, 126454. <https://doi.org/10.1016/j.jclepro.2021.126454>
- Lacerda, U. V., Da Costa, C. V. P., Cardoso, R. R., D’Almeida, C. T. D. S., Carmo, M. a. V. D., Lima, A. D. S., Da Silva Cruz, L., De Souza, A. B., Fernandes, P. O., Maltarollo, V. G., Ferreira, M. S. L., Azevedo, L., Eller, M. R., Corich, V., Giacomini, A., & De Barros, F. a. R. (2024). Antioxidant,

- antiproliferative, antibacterial, and antimalarial effects of Phenolic-Rich green tea kombucha. *Beverages*, 11(1), 7. <https://doi.org/10.3390/beverages11010007>
- La Torre, C., Fazio, A., Caputo, P., Plastina, P., Caroleo, M. C., Cannataro, R., & Cione, E. (2021). Effects of Long-Term Storage on Radical Scavenging Properties and Phenolic Content of Kombucha from Black Tea. *Molecules*, 26(18), 5474. <https://doi.org/10.3390/molecules26185474>
- Leal, J. M., Suárez, L. V., Jayabalan, R., Oros, J. H., & Escalante-Aburto, A. (2018). A review on health benefits of kombucha nutritional compounds and metabolites. *CyTA - Journal of Food*, 16(1), 390–399. <https://doi.org/10.1080/19476337.2017.1410499>
- Lechanteur, A., & Evrard, B. (2020). Influence of Composition and Spray-Drying Process Parameters on Carrier-Free DPI Properties and Behaviors in the Lung: A review. *Pharmaceutics*, 12(1), 55. <https://doi.org/10.3390/pharmaceutics12010055>
- Lee, Y., Tang, T., Phuah, E., Alitheen, N. B. M., Tan, C., & Lai, O. (2016). New functionalities of Maillard reaction products as emulsifiers and encapsulating agents, and the processing parameters: a brief review. *Journal of the Science of Food and Agriculture*, 97(5), 1379–1385. <https://doi.org/10.1002/jsfa.8124>
- Lestario, L. N., Melanie, M., & Rahardjo, M. (2023). Effect of maltodextrin concentration on anthocyanin content and antioxidant activity of Rukem Fruits extract powder. *Jurnal Teknologi Dan Industri Pangan*, 34(2), 142–151. <https://doi.org/10.6066/jtip.2023.34.2.142>
- Li, R., Xu, Y., Chen, J., Wang, F., Zou, C., & Yin, J. (2022). Enhancing the proportion of gluconic acid with a microbial community reconstruction method to improve the taste quality of Kombucha. *Lwt*, 155, 112937. <https://doi.org/10.1016/j.lwt.2021.112937>
- Ling, A.J.W., Chang, L.S., Babji, A.S., Latip, J., Koketsu, M., and Lim, S.J., 2022. Review of sialic acid's biochemistry, sources, extraction and functions with special reference to edible bird's nest. *Food Chemistry*, 367, 130755.

- Medina-Jaramillo, C., & López-Córdoba, A. (2025). Enhancing the physicochemical, thermal, and technological properties of Freeze-Dried Welsh onion leaf juice: influence of maltodextrin and gum arabic as carrier agents. *Polymers*, 17(6), 801. <https://doi.org/10.3390/polym17060801>
- Mohammed, N. K., Tan, C. P., Manap, Y. A., Muhiaddin, B. J., & Hussin, A. S. M. (2020). Spray Drying for the Encapsulation of Oils—A Review. *Molecules*, 25(17), 3873. <https://doi.org/10.3390/molecules25173873>
- Mohsin, A. Z., Nor, N. a. M., Muhiaddin, B. J., Roby, B. H. M., Abadi, M. M., Marzlan, A. A., Hussain, N., & Hussin, A. S. M. (2022). The effects of encapsulation process involving arabic gum on the metabolites, antioxidant and antibacterial activity of kombucha (fermented sugared tea). *Food Hydrocolloids for Health*, 2, 100072. <https://doi.org/10.1016/j.fhfh.2022.100072>
- Murphy, T. E., Walia, K., & Farber, J. M. (2018). Safety Aspects and Guidance for Consumers on the Safe Preparation, Handling and Storage of Kombucha--A Fermented Tea Beverage. *Food Protection Trends*, 38(5).
- Nafisah, Raihana & Agustina, Eva. (2023). The Effect of Fermentation Time on Phenolic Levels of Vanilla (*Vanilla planifolia*) Leaf Kombucha Tea.
- Nanda, A., Mohapatra, Dr.B.B., Mahapatra, A.P.K., Mahapatra, A.P.K., and Mahapatra, A.P.K. (2021). Multiple comparison test by Tukey's honestly significant difference (HSD): Do the confident level control type I error. *International Journal of Statistics and Applied Mathematics*, 6 (1), 59–65.
- Nurhadi, B., Roos, Y. H., & Maidannyk, V. (2015). Physical properties of maltodextrin DE 10: Water sorption, water plasticization and enthalpy relaxation. *Journal of Food Engineering*, 174, 68–74. <https://doi.org/10.1016/j.jfoodeng.2015.11.018>
- Nguyen, N. K., Dong, N. T. N., Nguyen, H. T., & Le, P. H. (2015). Lactic acid bacteria: promising supplements for enhancing the biological activities of kombucha. *SpringerPlus*, 4(1). <https://doi.org/10.1186/s40064-015-0872-3>
- Nguyen, T., Nguyen, T., Huynh, Q., & Nguyen, P. (2023). Effect of Maltodextrin on Drying Rate of Avocado (*Persea Americana* Mill.) Pulp by Refractance Window Technique, and on Color

- and Functional Properties of Powder. *Polish Journal of Food and Nutrition Sciences*, 187–195.
<https://doi.org/10.31883/pjfn/163982>
- Nyhan, L. M., Lynch, K. M., Sahin, A. W., & Arendt, E. K. (2022). Advances in Kombucha Tea Fermentation: A review. *Applied Microbiology*, 2(1), 73–103.
<https://doi.org/10.3390/applmicrobiol2010005>
- Oancea, S. (2021). A review of the current knowledge of thermal stability of anthocyanins and approaches to their stabilization to heat. *Antioxidants*, 10(9), 1337.
<https://doi.org/10.3390/antiox10091337>
- Ozcelik, M., & Kulozik, U. (2023). The role of maltodextrin concentration in maintaining storage stability of dried fruit foams texturized using plant Protein–Polysaccharide blends. *Foods*, 12(8), 1673.
<https://doi.org/10.3390/foods12081673>
- Özdemir, N., & Çon, A. H. (2017). Kombucha and health. *Journal of Health Science*, 5(5).
- Parikh, A., Agarwal, S., & Raut, K. (2014). A review on applications of maltodextrin in pharmaceutical industry. *system*, 4(6), 67-74.
- Pawlik, A. K., & Norton, I. T. (2012). SPG rotating membrane technique for production of food grade emulsions. *Journal of Food Engineering*, 114(4), 530–537.
<https://doi.org/10.1016/j.jfoodeng.2012.09.008>
- Phan Van, T., Nguyen, Q. D., Nguyen, N. N., & Do, A. D. (2024). Efficiency of freeze-and spray-dried microbial preparation as active dried starter culture in kombucha fermentation. *Journal of the Science of Food and Agriculture*, 104(14), 8707-8719.
- Pino, J., Aragüez-Fortes, Y., & Bringas-Lantigua, M. (2018). Optimization of spray-drying process for concentrated orange juice. *Acta Alimentaria*, 47(4), 417–424.
<https://doi.org/10.1556/066.2018.47.4.4>
- Piñón-Balderrama, C. I., Leyva-Porras, C., Terán-Figueroa, Y., Espinosa-Solís, V., Álvarez-Salas, C., & Saavedra-Leos, M. Z. (2020). Encapsulation of active ingredients in food industry by Spray-Drying and nano Spray-Drying technologies. *Processes*, 8(8), 889. <https://doi.org/10.3390/pr8080889>

- Pisoschi, A. M., Pop, A., Negulescu, G. P., & Pisoschi, A. (2011). Determination of ascorbic acid content of some fruit juices and wine by voltammetry performed at PT and carbon paste electrodes. *Molecules*, 16(2), 1349–1365. <https://doi.org/10.3390/molecules16021349>
- Punyachareonnon, P., Deerattrakul, V., and Luepong, K., 2021. The influence of pH, temperature and time on dyeing of silk fabric by black bean anthocyanin-rich extract as colorant. *Coat*, 14, 179-186.
- Qadri, T., Naik, H. R., Hussain, S. Z., Bhat, T. A., Naseer, B., Zargar, I., & Beigh, M. A. (2023). Impact of spray drying conditions on the reconstitution, efficiency and flow properties of spray dried apple powder-optimization, sensorial and rheological assessment. *Heliyon*, 9(8), e18527. <https://doi.org/10.1016/j.heliyon.2023.e18527>
- Rahman, M. N. A., Masawal, N. V. V., Yii, R. Y. Q., Narudin, N., Kobun, N. R., Muhammad, N. H., Ng, E. Y. C., & Artasasta, N. M. A. (2024). Innovative Development of Instant Kombucha Drink and Kombucha Ice Cream Using Spray Drying Techniques. *International Journal of Advanced Research in Food Science and Agriculture Technology*, 2(1), 8–30. <https://doi.org/10.37934/fsat.2.1.830>
- Rahman, N. F. N. N. A., Zubairi, S. I., Hashim, H., & Yaakob, H. (2024). Revolutionizing Spray Drying: An In-Depth analysis of surface stickiness trends and the role of physicochemical innovations in boosting productivity. *Journal of Food Quality*, 2024(1). <https://doi.org/10.1155/2024/8929464>
- Ravichandran, K., Palaniraj, R., Saw, N. M. M. T., Gabr, A. M. M., Ahmed, A. R., Knorr, D., & Smetanska, I. (2012). Effects of different encapsulation agents and drying process on stability of betalains extract. *Journal of Food Science and Technology*, 51(9), 2216–2221. <https://doi.org/10.1007/s13197-012-0728-6>
- Saikia, S., Mahnot, N. K., & Mahanta, C. L. (2015). Effect of spray drying of four fruit juices on physicochemical, phytochemical and antioxidant properties. *Journal of food processing and preservation*, 39(6), 1656-1664.

- Samantha, S. C., Bruna, A. S. M., Adriana, R. M., Fabio, B., Sandro, A. R., & Aline, R. C. A. (2015). Drying by spray drying in the food industry: Micro-encapsulation, process parameters and main carriers used. *African Journal of Food Science*, 9(9), 462–470. <https://doi.org/10.5897/ajfs2015.1279>
- Santos, D., Maurício, A. C., Sencadas, V., Santos, J. D., Fernandes, M. H., & Gomes, P. S. (2018). Spray drying: an overview. *Biomaterials-Physics and Chemistry-New Edition*, 2, 9-35.
- Siccama, J. W., Pegiou, E., Zhang, L., Mumm, R., Hall, R. D., Boom, R. M., & Schutyser, M. A. (2021). Maltodextrin improves physical properties and volatile compound retention of spray-dried asparagus concentrate. *LWT*, 142, 111058. <https://doi.org/10.1016/j.lwt.2021.111058>
- Sidlagatta, V., Chilukuri, S. V. V., Devana, B. R., Dasi, S. D., & Rangaswamy, L. (2020c). Effect of Maltodextrin Concentration and Inlet Air Temperature on Properties of Spray Dried Powder from Reverse Osmosis Concentrated Sweet Orange Juice. *Brazilian Archives of Biology and Technology*, 63. <https://doi.org/10.1590/1678-4324-2020190538>
- Shavakhi, F., Boo, H. C., Osman, A., & Ghazali, H. M. (2012). Effects of enzymatic liquefaction, maltodextrin concentration, and spray-dryer air inlet temperature on pumpkin powder characteristics. *Food and Bioprocess Technology*, 5(7), 2837–2847.
- Su, J., Tan, Q., Wu, S., Abbas, B., & Yang, M. (2023). Application of kombucha fermentation broth for antibacterial, antioxidant, and Anti-Inflammatory processes. *International Journal of Molecular Sciences*, 24(18), 13984. <https://doi.org/10.3390/ijms241813984>
- Taştan, Ö., Sözgen, G., Baysal, T., and Kaplan Türköz, B., 2019. Production of prebiotic 6-kestose using *Zymomonas mobilis* levansucrase in carob molasses and its effect on 5-HMF levels during storage. *Food Chemistry*, 297.
- Thai, T. T. S. (2018). Application of NMR analysis to determine concentration of ethanol, acids, and sugars in kombucha beverages.
- Tkacz, K., Wojdyło, A., Michalska-Ciechanowska, A., Turkiewicz, I. P., Lech, K., & Nowicka, P. (2020). Influence carrier agents, drying methods, storage time on Physico-Chemical properties and

- bioactive Potential of encapsulated sea buckthorn juice powders. *Molecules*, 25(17), 3801.
<https://doi.org/10.3390/molecules25173801>
- Tran, T., Grandvalet, C., Verdier, F., Martin, A., Alexandre, H., & Tourdot-Maréchal, R. (2020). Microbial Dynamics between Yeasts and Acetic Acid Bacteria in Kombucha: Impacts on the Chemical Composition of the Beverage. *Foods*, 9(7), 963. <https://doi.org/10.3390/foods9070963>
- Tran, T., Roullier-Gall, C., Verdier, F., Martin, A., Schmitt-Kopplin, P., Alexandre, H., Grandvalet, C., & Tourdot-Maréchal, R. (2022). Microbial Interactions in Kombucha through the Lens of Metabolomics. *Metabolites*, 12(3), 235. <https://doi.org/10.3390/metabo12030235>
- Tyl, C. and Sadler, G.D. (2017). pH and titratable acidity. In: *Food Analysis*. Cham: Springer, 389–406.
- U.S. Food and Drug Administration. (2014). *Water activity (aw) in foods* (Inspection Technical Guide No. 39). U.S. Department of Health, Education, and Welfare, Public Health Service.
<https://www.fda.gov/iceci/inspections/inspection-guides/inspection-technical-guides>
- Van, T. P., Nguyen, Q., Nguyen, N., & Duy, A., DO. (2024). Efficiency of freeze- and spray-dried microbial preparation as active dried starter culture in kombucha fermentation. *Journal of the Science of Food and Agriculture*, 104(14), 8707–8719. <https://doi.org/10.1002/jsfa.13697>
- Vázquez-Maldonado, D., Espinosa-Solis, V., Leyva-Porras, C., Aguirre-Bañuelos, P., Martinez-Gutierrez, F., Román-Aguirre, M., & Saavedra-Leos, M. Z. (2020). Preparation of Spray-Dried Functional Food: Effect of Adding *Bacillus clausii* Bacteria as a Co-Microencapsulating Agent on the Conservation of Resveratrol. *Processes*, 8(7), 849. <https://doi.org/10.3390/pr8070849>
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J., & Taillandier, P. (2018). Understanding Kombucha tea Fermentation: A Review. *Journal of Food Science*, 83(3), 580–588.
<https://doi.org/10.1111/1750-3841.14068>
- Walston, J.D., Short, D.L., and Badar, M.A., 2022. An experimental design on coffee extraction factors impacting the measurable percent of total dissolved solids in solution. *Asia-Pacific Journal of Management Research and Innovation*, 18 (3–4), 120–130.

- Wang, B., Rutherford-Markwick, K., Zhang, X., & Mutukumira, A. N. (2022). Kombucha: Production and Microbiological research. *Foods*, 11(21), 3456. <https://doi.org/10.3390/foods11213456>
- Watson, M. A., Lea, J. M., & Bett-Garber, K. L. (2017). Spray drying of pomegranate juice using maltodextrin/cyclodextrin blends as the wall material. *Food Science & Nutrition*, 5(3), 820–826. <https://doi.org/10.1002/fsn3.467>
- Xiao, Z., Xia, J., Zhao, Q., Niu, Y., & Zhao, D. (2022). Maltodextrin as wall material for microcapsules: A review. *Carbohydrate polymers*, 298, 120113.
- Xu, S., Wang, Y., Wang, J., & Geng, W. (2022). Kombucha reduces hyperglycemia in type 2 diabetes of mice by regulating gut microbiota and its metabolites. *Foods*, 11(5), 754. <https://doi.org/10.3390/foods11050754>
- Ye, Q., Georges, N., & Selomulya, C. (2018). Microencapsulation of active ingredients in functional foods: From research stage to commercial food products. *Trends in Food Science & Technology*, 78, 167–179. <https://doi.org/10.1016/j.tifs.2018.05.025>
- Yulistiani, F., Nuraeni, A., Mardiah, N. S. a. S., Hidayatulloh, I., Elizabeth, L., & Nurcahyo, N. (2023). The effect of maltodextrin concentration and spray dryer drying temperature on the characteristics of coconut milk powder. *FLUIDA*, 16(1), 43–48. <https://doi.org/10.35313/fluida.v16i1.4006>
- Zabot, G. L., Rodrigues, F. S., Ody, L. P., Tres, M. V., Herrera, E., Palacin, H., Córdova-Ramos, J. S., Best, I., & Olivera-Montenegro, L. (2022). Encapsulation of bioactive compounds for food and agricultural applications. *Polymers*, 14(19), 4194. <https://doi.org/10.3390/polym14194194>
- Zailani, N. S., & Adnan, A. (2022). Substrates and metabolic pathways in symbiotic culture of bacteria and yeast (scoby) fermentation: A mini review. *Jurnal Teknologi*, 84(5), 155-165.