

References

- Abang Zaidel, D. N., Chin, N. L., & Yusof, Y. A. (2010). A Review on Rheological Properties and Measurements of Dough and Gluten. *Journal of Applied Sciences*, 10(20), 2478–2490. <https://doi.org/10.3923/jas.2010.2478.2490>
- Adebowale, O., & Ajibode, O. (2024). Soymilk Dreg (Okara) from a Food Waste to Valuable Ingredient for Shortbread with Improved Sensory Quality. In *Ilaro Journal of Science and Technology* (p. 2024). IJST. https://sciencetechjournal.federalpolyilaro.edu.ng/storage/article/IJT_24_R18_1729174242.pdf
- Aghalari, Z., Dahms, H.-U., & Sillanpää, M. (2022). Evaluation of nutrients in bread: a systematic review. *Journal of Health, Population and Nutrition*, 41(1). <https://doi.org/10.1186/s41043-022-00329-3>
- Aguiar, E. V., Santos, F. G., Krupa-Kozak, U., & Capriles, V. D. (2021). Nutritional Facts regarding Commercially Available gluten-free Bread worldwide: Recent Advances and Future Challenges. *Critical Reviews in Food Science and Nutrition*, 63(5), 1–13. <https://doi.org/10.1080/10408398.2021.1952403>
- Ahmed, M. A. R. H., Mustafa, A. I., Hussan, H. A. R., & Elfaki, A. E. (2016). Proximate analysis, protein and starch digestibility, specific volume, and sensory evaluation of (gluten-free) tin bread. *OALib*, 03(06), 1–8. <https://doi.org/10.4236/oalib.1102698>
- Akin, P. A., Brummer, Y., Joye, I. J., Ergün, N., Peyronel, F., Ramdath, D., & Cui, S. W. (2024). The Impact of Different Hydrocolloids on Gluten-Free Bazlama Bread Quality. *Food Hydrocolloids*, 110236–110236. <https://doi.org/10.1016/j.foodhyd.2024.110236>
- Al-Toma, A., Volta, U., Auricchio, R., Castillejo, G., Sanders, D. S., Cellier, C., Mulder, C. J., & Lundin, K. E. A. (2019). European Society for the Study of Coeliac Disease (ESsCD) guideline for coeliac

- disease and other gluten-related disorders. *United European Gastroenterology Journal*, 7(5), 583–613. <https://doi.org/10.1177/2050640619844125>
- Allen, B., & Orfila, C. (2018). The Availability and Nutritional Adequacy of Gluten-Free Bread and Pasta. *Nutrients*, 10(10), 1370. <https://doi.org/10.3390/nu10101370>
- Alpers, T., Kerpes, R., Frioli, M., Nobis, A., Hoi, K. I., Bach, A., Jekle, M., & Becker, T. (2021). Impact of Storing Condition on Staling and Microbial Spoilage Behavior of Bread and Their Contribution to Prevent Food Waste. *Foods*, 10(1), 76. <https://doi.org/10.3390/foods10010076>
- Amin, T., Naik, H. R., Hussain, S. Z., Rather, A. H., Murtaza, I., & Dar, B. N. (2016). Structural properties of high-protein, low glycaemic index (GI) rice flour. *International Journal of Food Properties*, 20(11), 2793–2804. <https://doi.org/10.1080/10942912.2016.1252391>
- Ammar, I., Sebi, H., Aloui, T., Attia, H., Hadrich, B., & Felfoul, I. (2022). Optimization of a novel, gluten-free bread's formulation based on chickpea, carob and rice flours using response surface design. *Heliyon*, 8(12), e12164. <https://doi.org/10.1016/j.heliyon.2022.e12164>
- Andiani, R., Rosida, D. F., & Kurnianto, M. A. (2023). Chemical characteristics of gluten-free noodle made from mocaf and porang flour. *AJARCADE (Asian Journal of Applied Research for Community Development and Empowerment)*, 7(3), 124–128. <https://doi.org/10.29165/ajarcde.v7i3.346>
- Angelino, D., Rosi, A., Ruggiero, E., Nucci, D., Paoletta, G., Pignone, V., Pellegrini, N., & Martini, D. (2020). Analysis of Food Labels to Evaluate the Nutritional Quality of Bread Products and Substitutes Sold in Italy: Results from the Food Labelling of Italian Products (FLIP) Study. *Foods*, 9(12), 1905. <https://doi.org/10.3390/foods9121905>
- Arnarson, A. (2022). *Soybeans 101*. Healthline. <https://www.healthline.com/nutrition/soybeans>
- Arora, K., Zein, A., Augustin, G., Grano, D., Filannino, P., Gobetti, M., & Raffaella Di Cagno. (2023). Physicochemical, nutritional, and functional characterization of gluten-free ingredients and their impact on the bread texture. *LWT*, 177, 114566–114566. <https://doi.org/10.1016/j.lwt.2023.114566>

- Attia, Y. A., Al-Harthi, M. A., Korish, M. A., & Shiboob, M. H. (2020). Protein and Amino Acid Content in Four Brands of Commercial Table Eggs in Retail Markets in Relation to Human Requirements. *Animals*, 10(3), 406. <https://doi.org/10.3390/ani10030406>
- Aussanasuwannakul, A., Boonbumrung, S., & Pantoa, T. (2023). Valorization of Soybean Residue (Okara) by Supercritical Carbon Dioxide Extraction: Compositional, Physicochemical, and Functional Properties of Oil and Defatted Powder. *Foods*, 12(14), 2698–2698. <https://doi.org/10.3390/foods12142698>
- Awulachew, M. T. (2021). A Review of Non-gluten Components in Gluten-free Bread Characteristics, Dough Baking Quality and Viscoelastic Qualities. *International Journal of Food Science and Biotechnology*, 6(4), 115. <https://doi.org/10.11648/j.ijfsb.20210604.14>
- Azizi, S., & Azizi, M. H. (2023). Evaluation of producing gluten-free bread by utilizing amaranth and lipase and protease enzymes. *Journal of Food Science and Technology*, 60(8), 2213–2222. <https://doi.org/10.1007/s13197-023-05748-6>
- Azizi, S., Azizi, M. H., Moogouei, R., & Rajaei, P. (2020). The effect of Quinoa flour and enzymes on the quality of gluten-free bread. *Food Science & Nutrition*, 8(5), 2373–2382. <https://doi.org/10.1002/fsn3.1527>
- Banu, I., & Aprodu, I. (2020). Assessing the performance of different grains in gluten-free bread applications. *Applied Sciences*, 10(24), 8772. <https://doi.org/10.3390/app10248772>
- Batubara, S. C., & Mulyana, N. H. (2023). Quality of Gluten Free Bread with the Addition of Xanthan Gum and Different Kneading Methods. *Food ScienTech Journal*, 5(2), 177. <https://doi.org/10.33512/fsj.v5i2.20829>
- Begum, R., Akter, S., Akter, S., Rahman, A., & Alim, Md. A. (2023). Physicochemical properties and storage stability of commercial breads available in Tangail, Bangladesh. *Food and Humanity*, 1, 1645–1651. <https://doi.org/10.1016/j.foohum.2023.11.014>
- Biletska, Y., Djukareva, G., Nekos, A., Husliev, A., Krivtsova, A., Bakirov, M., Polupan, V., Onyshchenko, V., & Sokolova, E. (2020). Investigation of change of quality indicators of gluten-free bread

- during storage. *Eastern-European Journal of Enterprise Technologies*, 5(11 (107)), 54–61.
<https://doi.org/10.15587/1729-4061.2020.215019>
- Bonilla, J. C., Erturk, M. Y., & Kokini, J. L. (2020). Understanding the role of gluten subunits (LMW, HMW glutenins and gliadin) in the networking behavior of a weak soft wheat dough and a strong semolina wheat flour dough and the relationship with linear and non-linear rheology. *Food Hydrocolloids*, 108, 106002. <https://doi.org/10.1016/j.foodhyd.2020.106002>
- Buerman, E. C., Worobo, R. W., & Padilla-Zakour, O. I. (2020). High pressure processing of spoilage fungi as affected by water activity in a diluted apple juice concentrate. *Food Control*, 107, 106779. <https://doi.org/10.1016/j.foodcont.2019.106779>
- Caeiro, C., Pragosa, C., Cruz, M. C., Pereira, C. D., & Pereira, S. G. (2022). The Role of Pseudocereals in Celiac Disease: Reducing Nutritional Deficiencies to Improve Well-Being and Health. *Journal of Nutrition and Metabolism*, 2022, 1–8. <https://doi.org/10.1155/2022/8502169>
- Caio, G., Volta, U., Sapone, A., Leffler, D. A., De Giorgio, R., Catassi, C., & Fasano, A. (2019). Celiac disease: a Comprehensive Current Review. *BMC Medicine*, 17(1). <https://doi.org/10.1186/s12916-019-1380-z>
- Cao, Z., Zhou, L., Gao, S., Yang, C., Meng, X., & Liu, Z. (2024). Effects of different amounts of okara on texture, digestive properties, and microstructure of noodles. *Food Science & Nutrition*, 12(5), 3433–3442. <https://doi.org/10.1002/fsn3.4007>
- Cappelli, A., Oliva, N., & Cini, E. (2020). A Systematic Review of Gluten-Free Dough and Bread: Dough Rheology, Bread Characteristics, and Improvement Strategies. *Applied Sciences*, 10(18), 6559. <https://doi.org/10.3390/app10186559>
- Capriles, V. D., de, V., Santos, F. G., Aguilar, E., Guedes, B., Tagliapietra, B. L., Scarton, M., Teresa, M., & Conti-Silva, A. C. (2023). Current status and future prospects of sensory and consumer research approaches to gluten-free bakery and pasta products. *Food Research International*, 173, 113389–113389. <https://doi.org/10.1016/j.foodres.2023.113389>

- Carini, E., Curti, E., Fattori, F., Paciulli, M., & Vittadini, E. (2016). Staling of gluten-free breads: physico-chemical properties and ¹H NMR mobility. *European Food Research and Technology*, 243(5), 867–877. <https://doi.org/10.1007/s00217-016-2801-2>
- Carvajal, S. A., & Sánchez, C. A. (2018). Temperature effect in the calibration of capacitive humidity sensors. *International Journal of Metrology and Quality Engineering*, 9, 9. <https://doi.org/10.1051/ijmqe/2018010>
- Cattelan, A. J., & Dall'Agnol, A. (2018). The rapid soybean growth in Brazil. *OCL*, 25(1), D102. <https://doi.org/10.1051/ocl/2017058>
- Ceballos-González, C., Bolívar-Monsalve, J., Ramírez-Toro, C., & Bolívar, G. A. (2017). Effect of lactic acid fermentation on quinoa dough to prepare gluten-free breads with high nutritional and sensory quality. *Journal of Food Processing and Preservation*, 42(3), e13551. <https://doi.org/10.1111/jfpp.13551>
- Chang, S., & Zhang, Y. (2017). Protein Analysis. In *Food Science Text Series* (pp. 315–331). Springer. https://doi.org/10.1007/978-3-319-45776-5_18
- Chang, Y.-H., Chang, C.-M., & Chuang, P.-T. (2023). Shelf-Life Assessment of Bread Partially Substituted with Soy Protein Isolate. *Applied Sciences*, 13(6), 3960–3960. <https://doi.org/10.3390/app13063960>
- Chen, B., Zhao, X., Yang, G., Cai, Y., Zhao, M., Zhao, Q., & Van, P. (2023). Stabilization of emulsions with high physical stability using ultrasonic autoclaving alkaline-treated insoluble soybean fiber. *Food and Bioprocess Technology*, 17(4), 1030–1044. <https://doi.org/10.1007/s11947-023-03184-0>
- Chen, Y., Eder, S., Schubert, S., Gorgerat, S., Boschet, E., Baltensperger, L., Boschet, E., Städeli, C., Kuster, S., Fischer, P., & Windhab, E. J. (2021). Influence of Amylase Addition on Bread Quality and Bread Staling. *ACS Food Science & Technology*, 1(6), 1143–1150. <https://doi.org/10.1021/acsfoodscitech.1c00158>

- Chen, Y., Gavaliatsis, T., Kuster, S., Städeli, C., Fischer, P., & Windhab, E. J. (2021). Crust treatments to reduce bread staling. *Current Research in Food Science*, 4, 182–190. <https://doi.org/10.1016/j.crfs.2021.03.004>
- Chirido, F. G., & Arranz, E. (2015). Cereal Proteins: Immunostimulatory and Toxic Peptides. *Advances in the Understanding of Gluten Related Pathology and the Evolution of Gluten-Free Foods*, 141–162. <https://doi.org/10.3926/oms.251>
- Chiş, M. S., Păucean, A., Man, S. M., Mureşan, V., Socaci, S. A., Pop, A., Stan, L., Rusu, B., & Muste, S. (2020). Textural and Sensory Features Changes of Gluten Free Muffins Based on Rice Sourdough Fermented with *Lactobacillus spicheri* DSM 15429. *Foods*, 9(3), 363. <https://doi.org/10.3390/foods9030363>
- Das, A., Rushton, P., & Rohila, J. (2017). Metabolomic profiling of soybeans (*Glycine max* L.) reveals the importance of sugar and nitrogen metabolism under drought and heat stress. *Plants*, 6(4), 21. <https://doi.org/10.3390/plants6020021>
- Davy, P., Kirkman, T., Scarlett, C. J., & Vuong, Q. (2022). Characterisation of a High Fibre Flour Prepared from Soy Milk By-Product and Its Potential Use in White Wheat Bread. *Foods*, 11(23), 3921. <https://doi.org/10.3390/foods11233921>
- de Sousa Fontes, V. M., Colombo Pimentel, T., Martins da Silva, A. B., Suely Madruga, M., Magnani, M., & dos Santos Lima, M. (2023). An improved method for determining free amino acids by RP-HPLC/DAD with o-phthalaldehyde derivatization: Method evaluation in beers and wines. *Food Chemistry*, 435, 137591. <https://doi.org/10.1016/j.foodchem.2023.137591>
- de Vargas, F. M., Cardoso, L. T., Didoné, A., Lima, J. P. M., Venzke, J. G., & de Oliveira, V. R. (2024). Celiac Disease: Risks of Cross-Contamination and Strategies for Gluten Removal in Food Environments. *International Journal of Environmental Research and Public Health*, 21(2), 124–124. <https://doi.org/10.3390/ijerph21020124>

- del Mercado, P. P.-V., Mojica, L., & Morales-Hernández, N. (2022). Protein Ingredients in Bread: Technological, Textural and Health Implications. *Foods*, 11(16), 2399. <https://doi.org/10.3390/foods11162399>
- Demirkesen, I., & Ozkaya, B. (2020). Recent strategies for tackling the problems in gluten-free diet and products. *Critical Reviews in Food Science and Nutrition*, 62(3), 1–27. <https://doi.org/10.1080/10408398.2020.1823814>
- Demirtaş, B., Kaya, A., Dağıstan, E., Makalesi, A., & Yazar, S. (2018). Consumers' Bread Consumption Habits and Waste Status: Hatay/Turkey . *Turkish Journal of Agriculture -Food Science and Technology*, 6(11), 1653–1661. <https://doi.org/10.24925/turjaf.v6i11.1653-1661.2181>
- Diaz-Vargas, M., Murakami, A. E., Ospina-Rojas, I. C., Zanetti, L. H., Puzotti, M., & Ana Flavia Guerra. (2016). Use of okara (aqueous extract residue) in the diet of starter broilers. *Canadian Journal of Animal Science*, 96(3), 416–424. <https://doi.org/10.1139/cjas-2015-0064>
- Ding, X.-L., Wang, L.-J., Li, T.-T., Wang, F., Quan, Z.-Y., Zhou, M., Huo, Z.-Y., & Qian, J.-Y. (2021). Pre-Gelatinisation of Rice Flour and Its Effect on the Properties of Gluten Free Rice Bread and Its Batter. *Foods*, 10(11), 2648. <https://doi.org/10.3390/foods10112648>
- Diniyah, N., Subagio, A., Lutfian Sari, R. N., & Yuwana, N. (2019). SIFAT FISILOGIS DAN FUNGSIONAL PATI DARI MOCAF (MODIFIED CASSAVA FLOUR) VARIETAS KASPRO DAN CIMANGGU. *Jurnal Penelitian Pascapanen Pertanian*, 15(2), 80. <https://doi.org/10.21082/jpasca.v15n2.2018.80-90>
- El Khoury, D., Balfour-Ducharme, S., & Joye, I. J. (2018). A Review on the Gluten-Free Diet: Technological and Nutritional Challenges. *Nutrients*, 10(10), 1410. <https://doi.org/10.3390/nu10101410>
- Emelike, N. J. T., Barber, L. I., & Deebom, M. D. (2020). Nutrient composition and sensory properties of wheat bread substituted with defatted and undefatted cashew kernel (*Anacardium occidentale* linn.) flours. *European Journal of Nutrition & Food Safety*, 12(12), 28–39. <https://doi.org/10.9734/ejnfs/2020/v12i1230332>

- Encina-Zelada, C. R., Cadavez, V., Monteiro, F., Teixeira, J. A., & Gonzales-Barron, U. (2018). Physicochemical and textural quality attributes of gluten-free bread formulated with guar gum. *European Food Research and Technology*, 245(2), 443–458. <https://doi.org/10.1007/s00217-018-3176-3>
- Espinoza-Herrera, J., Martínez, L. M., Serna-Saldívar, S. O., & Chuck-Hernández, C. (2021). Methods for the Modification and Evaluation of Cereal Proteins for the Substitution of Wheat Gluten in Dough Systems. *Foods*, 10(1), 118. <https://doi.org/10.3390/foods10010118>
- Espinoza-Tellez, T., Quevedo-León, R., & Diaz-Carrasco, O. (2024). Indicator values for food shelf life prediction: A review. *Scientia Agropecuaria*, 15(3), 429–448. <https://doi.org/10.17268/sci.agropecu.2024.032>
- Eze, O. F., Chatzifragkou, A., & Charalampopoulos, D. (2022). Properties of protein isolates extracted by ultrasonication from soybean residue (okara). *Food Chemistry*, 368, 130837. <https://doi.org/10.1016/j.foodchem.2021.130837>
- Fan, H. liang, Zhang, Y., Swallah, M. S., Wang, S., Zhang, J., Fang, J., Lu, J., & Yu, H. (2022). Structural Characteristics of Insoluble Dietary Fiber from Okara with Different Particle Sizes and Their Prebiotic Effects in Rats Fed High-Fat Diet. *Foods*, 11(9), 1298. <https://doi.org/10.3390/foods11091298>
- Farooq, M. A., Murtaza, M. A., Aadil, R. M., Arshad, R., Rahaman, A., Siddique, R., Hassan, S., Akhtar, H. M. S., Manzoor, M. F., Karrar, E., Ali, A., & Haq, A. U. (2021). Investigating the structural properties and in vitro digestion of rice flours. *Food Science & Nutrition*, 9(5), 2668–2675. <https://doi.org/10.1002/fsn3.2225>
- Farzana, T., & Mohajan, S. (2015). Effect of incorporation of soy flour to wheat flour on nutritional and sensory quality of biscuits fortified with mushroom. *Food Science & Nutrition*, 3(5), 363–369. <https://doi.org/10.1002/fsn3.228>
- FDA. (2019). *Soybeans, mature seeds, raw*. FoodData Central. <https://fdc.nal.usda.gov/food-details/174270/nutrients>

- Feng, J.-Y., Wang, R., Thakur, K., Ni, Z.-J., Zhu, Y.-Y., Hu, F., Zhang, J.-G., & Wei, Z.-J. (2021). Evolution of okara from waste to value added food ingredient: An account of its bio-valorization for improved nutritional and functional effects. *Trends in Food Science & Technology*, 116, 669–680. <https://doi.org/10.1016/j.tifs.2021.08.011>
- Filassi, M., & de Oliveira, A. L. R. (2022). Competitiveness drivers for soybean exportation and the fundamental role of the supply chain. *Revista de Economia E Sociologia Rural*, 60(3). <https://doi.org/10.1590/1806-9479.2021.235296>
- Gangakhedkar, P. S., Machewad, G. M., & Deshpande, H. W. (2021). Studies on physico-chemical characteristics and texture analysis of bread with incorporation of bitter gourd powder. ~ 850 ~ *the Pharma Innovation Journal*, 10(8), 850–854. <https://www.thepharmajournal.com/archives/2021/vol10issue8/PartL/10-7-376-756.pdf>
- Goodson, A. (2018). *The 14 Best Gluten-Free Flours*. Healthline; Healthline Media. <https://www.healthline.com/nutrition/gluten-free-flours>
- Guimarães, R. M., Silva, T. E., Lemes, A. C., Boldrin, M. C. F., da Silva, M. A. P., Silva, F. G., & Egea, M. B. (2018). Okara: A soybean by-product as an alternative to enrich vegetable paste. *LWT*, 92, 593–599. <https://doi.org/10.1016/j.lwt.2018.02.058>
- Guiné, R. P. F., & Florença, S. G. (2024). Development and characterisation of functional bakery products. *Physchem*, 4(3), 234–257. <https://doi.org/10.3390/physchem4030017>
- Gupta, R., & Gaur, S. (2023). Lecithin as a functional ingredient in cereals. In *Elsevier eBooks* (pp. 59–70). Elsevier. <https://doi.org/10.1016/b978-0-12-822887-6.00014-0>
- Hartanti, E. T. (2021). Karakteristik Kimia Keju dengan Bahan Baku Berbeda Selama Penyimpanan Dingin. *Jurnal Aplikasi Teknologi Pangan*, 10(4). <https://doi.org/10.17728/jatp.8738>
- Hassan, E., Fahmy, H., Magdy, S., & Hassan, M. (2020). Chemical composition, rheological, organoleptical and quality attributes of gluten-free fino bread. *Egyptian Journal of Chemistry*, 63(11), 4547–4563. <https://doi.org/10.21608/ejchem.2020.28290.2597>

- Hastati, D. Y., Nuraeni, A., Febrinda, A. E., Listiasari, F. R., & Kuntari, W. (2024). Composite flour with modified cassava-chicken feet flour: impact on baking quality, texture, and sensory evaluation of gluten-free cupcakes. *IOP Conference Series: Earth and Environmental Science*, 1359(1), 012030. <https://doi.org/10.1088/1755-1315/1359/1/012030>
- Hoehnel, A., Bez, J., Petersen, I., Amarowicz, R., Juśkiewicz, J., Arendt, E., & Zannini, E. (2020). *ELECTRONIC SUPPLEMENTARY INFORMATION (ESI) for Food & Function article “Enhancing the nutritional profile of regular wheat bread while maintaining technological quality and adequate sensory attributes” Microbiological Shelf Life and Water Activity of Reference Wheat Bread (RWB) and High-Protein Hybrid Bread (HPHB)*. <https://www.rsc.org/suppdata/d0/fo/d0fo00671h/d0fo00671h1.pdf>
- Hosseini, S. M., Soltanizadeh, N., Mirmoghtadaee, P., Banavand, P., Mirmoghtadaie, L., & Shojaee-Aliabadi, S. (2018). Gluten-free products in celiac disease: Nutritional and technological challenges and solutions. *Journal of Research in Medical Sciences : The Official Journal of Isfahan University of Medical Sciences*, 23(1), 109. https://doi.org/10.4103/jrms.JRMS_666_18
- Hou, Y., Huang, L., Xing, G., Yuan, X., Zhang, X., Dai, D., Yuan, X., Chen, X., & Xue, C. (2025). Structure and Functional Properties of Proteins from Different Soybean Varieties as Affected by the 11S/7S Globulin Ratio. *Foods*, 14(5), 755–755. <https://doi.org/10.3390/foods14050755>
- Huamaní-Perales, C., Vidaurre-Ruiz, J., Cabezas, D. M., Correa, M. J., Burbano, J. J., Rodríguez-Soto, J. C., & Repo-Carrasco-Valencia, R. (2025). Tarwi okara (*Lupinus mutabilis*) native and modified by high-intensity ultrasound as a gluten-free bread improver. *Food Hydrocolloids*, 163, 111131. <https://doi.org/10.1016/j.foodhyd.2025.111131>
- Ichikawa, N., Ng, L. L., Makino, S., Goh, L. L., Lim, Y. J., Ferdinandus, Sasaki, H., Shibata, S., & Lee, K. (2022). Solid-State Fermented Okara with *Aspergillus* spp. Improves Lipid Metabolism and High-Fat Diet Induced Obesity. *Current Research in Food Science*, 12(3), 198–198. <https://doi.org/10.3390/metabo12030198>

- Imamura, M., Ito, S., & Arai, E. (2021). Effects of different types of hydrocolloids on the quality improvement of gluten-free rice flour bread made with soymilk. *Food Science and Technology Research*, 27(3), 389–395. <https://doi.org/10.3136/fstr.27.389>
- Jenderal -Kementerian Pertanian, S. (2023). *STATISTICS OF FOOD CONSUMPTION 2023 PUSAT DATA DAN SISTEM INFORMASI PERTANIAN CENTER FOR AGRICULTURAL DATA AND INFORMATION SYSTEM*.
https://satudata.pertanian.go.id/assets/docs/publikasi/Buku_Statsitik_Konsumsi_Pangan_2023.pdf
- Jiang, Y., Zhao, Y., Zhu, Y., Qin, S., Deng, Y., & Zhao, Y. (2019). Effect of dietary fiber-rich fractions on texture, thermal, water distribution, and gluten properties of frozen dough during storage. *Food Chemistry*, 297, 124902. <https://doi.org/10.1016/j.foodchem.2019.05.176>
- Jnawali, P., Kumar, V., & Tanwar, B. (2016). Celiac disease: Overview and considerations for development of gluten-free foods. *Food Science and Human Wellness*, 5(4), 169–176. <https://doi.org/10.1016/j.fshw.2016.09.003>
- Karim, A., Osse, E. F., & Khalloufi, S. (2025). Innovative strategies for valorization of byproducts from soybean industry: A review on status, challenges, and sustainable approaches towards zero-waste processing systems. *Heliyon*, 11(3), e42118. <https://doi.org/10.1016/j.heliyon.2025.e42118>
- Kaswala, D., Veeraraghavan, G., Kelly, C., & Leffler, D. (2015). Celiac Disease: Diagnostic Standards and Dilemmas. *Diseases*, 3(2), 86–101. <https://doi.org/10.3390/diseases3020086>
- Kumar, V., Hasan, M., & Mangaraj, S. (2020). Dietary Fiber Extraction from Soybean and Chickpea Hull Using Acid- Alkali Digestion and Enzymatic Digestion Methods. *Int.J.Curr.Microbiol.App.Sci*, 9(12), 3458–3467. <https://doi.org/10.20546/ijcmas.2020.912.433>
- Kurek, M. A., Wyrwisz, J., Karp, S., & Wierzbicka, A. (2017). Particle size of dietary fiber preparation affects the bioaccessibility of selected vitamin B in fortified wheat bread. *Journal of Cereal Science*, 77, 166–171. <https://doi.org/10.1016/j.jcs.2017.07.016>

- Kurek, M., & Wyrwisz, J. (2015). The Application of Dietary Fiber in Bread Products. *Journal of Food Processing & Technology*, 06(05). <https://doi.org/10.4172/2157-7110.1000447>
- Lafuente, C., Nazareth, T. de M., Dopazo, V., Meca, G., & Luz, C. (2024). Enhancing Bread Quality and Extending Shelf Life Using Dried Sourdough. *Lebensmittel-Wissenschaft + Technologie/Food Science & Technology*, 203, 116379–116379. <https://doi.org/10.1016/j.lwt.2024.116379>
- Lagnika, C., Houssou, P. A. F., Dansou, V., Hotegni, A. B., AMOUSSA, A. M. O., Kpotouhedo, F. Y., Doko, S. A., & Lagnika, L. (2019). Physico-Functional and Sensory Properties of Flour and Bread Made from Composite Wheat-Cassava. *Pakistan Journal of Nutrition*, 18(6), 538–547. <https://doi.org/10.3923/pjn.2019.538.547>
- Latip, N. A. B. (2020). *moves the okara material, preventing localized overheating and promoting uniform exposure to heat. This enhances moisture evaporation from all parts of the okara, reducing drying time compared to static oven drying, where heat transfer is mainly by convection and conduction and can be less uniform* (pp. 1–83) [Thesis].
- Lebwohl, B., Cao, Y., Zong, G., Hu, F. B., Green, P. H. R., Neugut, A. I., Rimm, E. B., Sampson, L., Dougherty, L. W., Giovannucci, E., Willett, W. C., Sun, Q., & Chan, A. T. (2017). Long term gluten consumption in adults without celiac disease and risk of coronary heart disease: prospective cohort study. *BMJ*, 357, j1892. <https://doi.org/10.1136/bmj.j1892>
- Li, C. (2022). Recent progress in understanding starch gelatinization - An important property determining food quality. *Carbohydrate Polymers*, 293, 119735. <https://doi.org/10.1016/j.carbpol.2022.119735>
- Li, C., Shao, S., Yi, X., Cao, S., Yu, W., Zhang, B., Liu, H., & Gilbert, R. G. (2024). Influence of Storage Temperature on Starch Retrogradation and Digestion of Chinese Steamed Bread. *Foods*, 13(4), 517–517. <https://doi.org/10.3390/foods13040517>
- Lian, H., Luo, K., Gong, Y., Zhang, S., & Serventi, L. (2019). Okara flours from chickpea and soy are thickeners: increased dough viscosity and moisture content in gluten-free bread. *International Journal of Food Science & Technology*, 55(2), 805–812. <https://doi.org/10.1111/ijfs.14332>

- Licciardello, F., Giannone, V., Del Nobile, M. A., Muratore, G., Summo, C., Giarnetti, M., Caponio, F., Paradiso, V. M., & Pasqualone, A. (2017). Shelf life assessment of industrial durum wheat bread as a function of packaging system. *Food Chemistry*, 224, 181–190. <https://doi.org/10.1016/j.foodchem.2016.12.080>
- Lima, V., Pinto, C. A., & Saraiva, J. A. (2023). The dependence of microbial inactivation by emergent nonthermal processing technologies on pH and water activity. *Innovative Food Science and Emerging Technologies*, 89, 103460–103460. <https://doi.org/10.1016/j.ifset.2023.103460>
- Lin, S. (2022). Dietary fiber in bakery products: Source, processing, and function. *Functional Bakery Products: Novel Ingredients and Processing Technology for Personalized Nutrition*, 99, 37–100. <https://doi.org/10.1016/bs.afnr.2021.12.001>
- Liu, S., Roopesh, M. S., Tang, J., Wu, Q., & Qin, W. (2022). Recent development in low-moisture foods: microbial safety and thermal process. *Food Research International*, 155, 111072. <https://doi.org/10.1016/j.foodres.2022.111072>
- Lockyer, S., & Spiro, A. (2020). The role of bread in the UK diet: An update. *Nutrition Bulletin*, 45(2), 133–164. <https://doi.org/10.1111/nbu.12435>
- Lyu, B., Wang, Y., Fu, H., Li, J., Yang, X., Shen, Y., Swallah, M. S., Yu, Z., Li, Y., Wang, H., Yu, H., & Jiang, L. (2021). Intake of high-purity insoluble dietary fiber from Okara for the amelioration of colonic environment disturbance caused by acute ulcerative colitis. *Food & Function*, 13(1), 213–226. <https://doi.org/10.1039/d1fo02264d>
- Machine, A. P., Massingue, A. A., Balane, S. G., & Armando, E. J. (2024). Enhancing Bread Quality: Investigating the Physicochemical and Sensory Properties of Bread with Sweet Potato Flour and Okra Hydrocolloids as Substitutes for Wheat Flour. *Current Perspectives in Agriculture and Food Science Vol. 8*, 8, 28–48. <https://doi.org/10.9734/bpi/cpafs/v8/3766g>
- Magano, N., du Rand, G., & de Kock, H. (2022). Perception of gluten-free bread as influenced by information and health and taste attitudes of millennials. *Foods*, 11(4), 491. <https://doi.org/10.3390/foods11040491>

- Majeed, T., Dar, A. H., Pandey, V. K., Dash, K. K., Srivastava, S., Shams, R., Jeevarathinam, G., Singh, P., Echegaray, N., & Pandiselvam, R. (2023). Role of additives in starch-based edible films and coating: A review with current knowledge. *Progress in Organic Coatings*, 181, 107597–107597. <https://doi.org/10.1016/j.porgcoat.2023.107597>
- Martines-López, E., Cárdenas-García, D., & Cywiak-Córdova, D. (2024). Measuring model for the gravimetric method by drying in n-stages applied to materials with high moisture content. *MAPAN*, 39(2), 439–443. <https://doi.org/10.1007/s12647-023-00709-y>
- Martínez, M. M., & Gómez, M. (2017). Rheological and microstructural evolution of the most common gluten-free flours and starches during bread fermentation and baking. *Journal of Food Engineering*, 197, 78–86. <https://doi.org/10.1016/j.jfoodeng.2016.11.008>
- Matos, M. E., & Rosell, C. M. (2014). Understanding gluten-free dough for reaching breads with physical quality and nutritional balance. *Journal of the Science of Food and Agriculture*, 95(4), 653–661. <https://doi.org/10.1002/jsfa.6732>
- Mazzola, A. M., Zammarchi, I., Valerii, M. C., Spisni, E., Saracino, I. M., Lanzarotto, F., & Ricci, C. (2024). Gluten-Free Diet and Other Celiac Disease Therapies: Current Understanding and Emerging Strategies. *Nutrients*, 16(7), 1006. <https://doi.org/10.3390/nu16071006>
- MedlinePlus. (2019). *Celiac disease - nutritional considerations: MedlinePlus Medical Encyclopedia*. Medlineplus.gov. <https://medlineplus.gov/ency/article/002443.htm>
- Meybodi, N., Mohammadifar, M., & Feizollahi, E. (2015). Gluten-Free Bread Quality: A Review of the Improving Factors. *Journal of Food Quality and Hazards Control*, 2, 81–85.
- Mir, M. B., Mir, S. A., Rajput, R., & Sablania, V. (2021). Challenges in Development of Gluten-Free Breads. *Springer EBooks*, 15–28. https://doi.org/10.1007/978-3-030-73898-3_2
- Mohd Roby, B. H., Muhialdin, B. J., Abadi, M. M. T., Mat Nor, N. A., Marzlan, A. A., Lim, S. A. H., Mustapha, N. A., & Meor Hussin, A. S. (2020). Physical properties, storage stability, and consumer acceptability for sourdough bread produced using encapsulated kombucha sourdough starter culture. *Journal of Food Science*, 85(8), 2286–2295. <https://doi.org/10.1111/1750-3841.15302>

- Monteiro, J. S., Farage, P., Zandonadi, R. P., Botelho, R. B. A., de Oliveira, L. de L., Raposo, A., Shakeel, F., Alshehri, S., Mahdi, W. A., & Araújo, W. M. C. (2021). A Systematic Review on Gluten-Free Bread Formulations Using Specific Volume as a Quality Indicator. *Foods*, 10(3), 614. <https://doi.org/10.3390/foods10030614>
- Monteiro, M. L. G., Mársico, E. T., Soares Junior, M. S., Caliari, M., & Conte-Junior, C. A. (2019). Physicochemical stability of bread fortified with tilapia-waste flour. *CyTA - Journal of Food*, 17(1), 36–43. <https://doi.org/10.1080/19476337.2018.1547793>
- Moscoso, A., Lionello, M. E., Garófalo, L., Burbano, J. J., Cabezas, D. M., & Correa, M. J. (2023). Effect of ultrasonic treatment on soybean okara to be used as a gluten-free bread improver. *International Journal of Food Science & Technology*, 58(7), 3827–3837. <https://doi.org/10.1111/ijfs.16484>
- Mulyo, P. R., & Adetya, A. (2024). “Empowering the Local Agricultural Resource Management to Achieve Sustainable Development Goals 2030” Export Competitiveness and Dynamics of Indonesian Cassava to International Market.
- Nakatomi, C., Hsu, C.-C., & Ono, K. (2023). Correlations of sensations of hardness and springiness of agar and gelatin gels with mechanical properties in human participants. *Journal of Oral Biosciences*, 65(4), 316–323. <https://doi.org/10.1016/j.job.2023.09.001>
- Nielsen, S. S. (2017). Food Analysis Laboratory Manual. In *Food Science Text Series*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-44127-6>
- Nielsen, S. S., & Carpenter, C. (2017). Fat Content Determination. In *Food Analysis Laboratory Manual* (pp. 121–129). Springer, Cham. https://doi.org/10.1007/978-3-319-44127-6_12
- Noersidiq, A., Yanuario, O., Fahrullah, Maslami, V., & Hasma. (2024). Nutrient Content of Corn Straw (Crude Fibre, Crude Fat and TDN) Caused by Different Doses of Urea. *JURNAL PIJAR MIPA*, 19(4), 673–677. <https://doi.org/10.29303/jpm.v19i4.6643>
- Noroul-Asyikeen, Z., Suraya, H., Zubir, M., & Lee, H. (2018). Nutritional Value and Physicochemical Properties of White Bread Incorporated with Hevea brasiliensis (Rubber Seed) Flour. *Provided*

- by *Journal of Agrobiotechnology*, 9, 102–113.
<https://core.ac.uk/download/pdf/267943207.pdf>
- O'Toole, D. K. (2016). Soybean: Soymilk, Tofu, and Okara. In *Encyclopedia of Food Grains*. Elsevier.
- Ogilvie, O., Roberts, S., Sutton, K., Larsen, N., Gerrard, J., & Domigan, L. (2021). The use of microbial transglutaminase in a bread system: A study of gluten protein structure, deamidation state and protein digestion. *Food Chemistry*, 340, 127903.
<https://doi.org/10.1016/j.foodchem.2020.127903>
- Öncel, B., Konur, H., & Özer, M. S. (2025). Effect of Hydrocolloids on Physical, Textural and Sensory Properties of Gluten-Free Bread Produced Using Home-Type Machine. *Karadeniz Fen Bilimleri Dergisi*, 15(1), 24–40. <https://doi.org/10.31466/kfbd.1429775>
- Park, J., & Kim, H. S. (2023). Rice-Based Gluten-Free Foods and Technologies: A Review. *Foods*, 12(22), 4110–4110. <https://doi.org/10.3390/foods12224110>
- Pasqualone, A. (2019). Bread Packaging: Features and Functions. In V. R. Preedy & R. R. Watson (Eds.), *Flour and Breads and their Fortification in Health and Disease Prevention* (Vol. 2, pp. 211–222). <https://doi.org/10.1016/b978-0-12-814639-2.00017-4>
- Peleg, M. (2019). The instrumental texture profile analysis revisited. *Journal of Texture Studies*, 50(5), 362–368. <https://doi.org/10.1111/jtxs.12392>
- Peleg, M. (2022). Models of the water activity effect on microbial growth rate and initiation. *Applied Microbiology and Biotechnology*, 106(4), 1375–1382. <https://doi.org/10.1007/s00253-022-11792-7>
- Pešić, M. B., Pešić, M. M., Bezbradica, J., Stanojević, A. B., Ivković, P., Milinčić, D. D., Demin, M., Kostić, A. Ž., Dojčinović, B., & Stanojevic, S. P. (2023). Okara-Enriched Gluten-Free Bread: Nutritional, Antioxidant and Sensory Properties. *Molecules*, 28(10), 4098–4098.
<https://doi.org/10.3390/molecules28104098>

- Porcel, M. V. O., Campderrós, M. E., & Rinaldoni, A. N. (2017). Effect of Okara Flour Addition on the Physical and Sensory Quality of Wheat Bread. *MOJ Food Processing & Technology*, 4(6). <https://doi.org/10.15406/mojfpt.2017.04.00111>
- Pratama, Y., Hardiyanti, F. P., & Hintono, A. (2024). Improving Sweet Bread Properties with Diacetyl Tartaric Acid Ester of Monoglyceride (DATEM). *Journal of Applied Food Technology*, 11(1), 8–13. <https://doi.org/10.17728/jaft.23112>
- Puerta, P., Laguna, L., Villegas, B., Rizo, A., Fiszman, S., & Tarrega, A. (2020). Oral processing and dynamics of texture perception in commercial gluten-free breads. *Food Research International*, 134, 109233. <https://doi.org/10.1016/j.foodres.2020.109233>
- Putri, D. A., Komalasari, H., Ulandari, D., & Isnain, F. S. (2023). Physical and sensory characteristics of gluten free cookies prepared from black glutinous rice and MOCAF flour combination. *JITIPARI (Jurnal Ilmiah Teknologi Dan Industri Pangan UNISRI)*, 8(2), 167–183. <https://doi.org/10.33061/jitipari.v8i2.9149>
- Qi, Q., Hong, Y., Zhang, Y., Gu, Z., Cheng, L., Li, Z., & Li, C. (2021). Effect of cassava starch structure on scalding of dough and baking expansion ability. *Food Chemistry*, 352, 129350. <https://doi.org/10.1016/j.foodchem.2021.129350>
- Rahman, M., Islam, R., Hasan, S., Zzaman, W., Rana, M. R., Ahmed, S., Roy, M., Sayem, A., Matin, A., Raposo, A., Zandonadi, R. P., Botelho, R. B. A., & Sunny, A. R. (2022). A Comprehensive Review on Bio-Preservation of Bread: An Approach to Adopt Wholesome Strategies. *Foods*, 11(3), 319. <https://doi.org/10.3390/foods11030319>
- Rajput, I., Bharti, A., Patel, R., Parihar, P., & Shukla, S. S. (2024). Combined effects of hydrocolloids, frozen storage and thawing on proximate composition of frozen dough bread using response surface methodology. *International Journal of Advanced Biochemistry Research*, 8(7), 233–240. <https://doi.org/10.33545/26174693.2024.v8.i7c.1467>

- Ratnayani, K., Ratnayani, O., & Pane, I. A. (2022a). Antioxidant Activity and Amino Acid Composition of Okara Protein Hydrolysate. *First Asian PGPR Indonesian Chapter International E-Conference 2021*.
- Ratnayani, K., Ratnayani, O., & Pane, I. A. (2022b). Antioxidant Activity and Amino Acid Composition of Okara Protein Hydrolysate. *KnE Life Sciences*, 7(3). <https://doi.org/10.18502/kl.v7i3.11140>
- Roman, L., Reguilon, M. P., Martinez, M. M., & Gomez, M. (2020). The effects of starch cross-linking, stabilization and pre-gelatinization at reducing gluten-free bread staling. *LWT*, 132, 109908–109908. <https://doi.org/10.1016/j.lwt.2020.109908>
- Ronie, M. E., Mamat, H., Hazim, A., & Zainol, M. K. (2023). Proximate compositions, texture, and sensory profiles of gluten-free bario rice bread supplemented with potato starch. *Foods*, 12(6), 1172–1172. <https://doi.org/10.3390/foods12061172>
- Rossella, C., Antonio, D., Barbara, S., Angela, R., Barbara, L. G., Mariacinzia, R., Grazia, M., Benedetto, D. R., Antonella, C., Rosaria, V., Rosaria, C. M., & Carla, S. (2025). Insight into the leavening process and structural properties of buns containing okara. *Applied Food Research*, 5(1), 100961–100961. <https://doi.org/10.1016/j.afres.2025.100961>
- Rubio-Tapia, A., Hill, I. D., Semrad, C., Kelly, C. P., & Lebwohl, B. (2022). American College of Gastroenterology Guidelines Update: Diagnosis and Management of Celiac Disease. *American Journal of Gastroenterology*, 118(1), 59–76. <https://doi.org/10.14309/ajg.0000000000002075>
- Ruisi, P., Ingrassia, R., Urso, V., Giambalvo, D., Alfonzo, A., Corona, O., Settanni, L., & Frenda, A. S. (2021). Influence of grain quality, semolinas and baker's yeast on bread made from old landraces and modern genotypes of Sicilian durum wheat. *Food Research International*, 140, 110029. <https://doi.org/10.1016/j.foodres.2020.110029>
- Rybicka, I., Doba, K., & Bińczak, O. (2019). Improving the sensory and nutritional value of gluten-free bread. *International Journal of Food Science & Technology*, 54(9), 2661–2667. <https://doi.org/10.1111/ijfs.14190>

- Saito, K., Okouchi, M., Yamaguchi, M., Takechi, T., Hatanaka, Y., Kitsuda, K., Mannari, T., & Takamura, H. (2022). Quality improvement of gluten-free rice flour bread through the addition of high-temperature water during processing. *Journal of Food Science*, 87(11), 4820–4830. <https://doi.org/10.1111/1750-3841.16333>
- Sarkar, T., Salauddin, M., Kirtonia, K., Pati, S., Rebezov, M., Khayrullin, M., Panasenkov, S., Tretyak, L., Temerbayeva, M., Kapustina, N., Azimova, S., Gruzdeva, L., Makhmudov, F., Nikitin, I., Kassenov, A., Shariati, M. A., & Lorenzo, J. M. (2022). A review on the commonly used methods for analysis of physical properties of food materials. *Applied Sciences*, 12(4), 2004. <https://doi.org/10.3390/app12042004>
- Satter, M. A., Abedin, N., Jabin, S. A., Islam, M. F., Hossain, N., Ahsan, A., Sarkar, A. K., Linkon, M. R., & Farhana, J. A. (2021). Comparative assessment of nutritive values and safety characteristics of bread sold in Bangladesh. *Food Research*, 5(1), 417–425. [https://doi.org/10.26656/fr.2017.5\(1\).450](https://doi.org/10.26656/fr.2017.5(1).450)
- Sciarini, L. S., Bustos, M. C., Vignola, M. B., Paesani, C., Salinas, C. N., & Pérez, G. T. (2017). A study on fibre addition to gluten free bread: its effects on bread quality and in vitro digestibility. *Journal of Food Science and Technology*, 54(1), 244–252. <https://doi.org/10.1007/s13197-016-2456-9>
- Sempio, R., Segura Godoy, C., Nyhan, L., Sahin, A. W., Zannini, E., Walter, J., & Arendt, E. K. (2024). Closing the Fibre Gap—The Impact of Combination of Soluble and Insoluble Dietary Fibre on Bread Quality and Health Benefits. *Foods*, 13(13), 1980. <https://doi.org/10.3390/foods13131980>
- Setiawan, A. (2022, January 16). *Completely Randomized Design (CRD) Factorial*. Smartstat. <https://www.smartstat.info/en/materi/rancangan-percobaan/ral-faktorial/ral-faktorial.html>
- Singh, P., Arora, A., Strand, T. A., Leffler, D. A., Catassi, C., Green, P. H., Kelly, C. P., Ahuja, V., & Makharia, G. K. (2018). Global Prevalence of Celiac Disease: Systematic Review and Meta-analysis. *Clinical Gastroenterology and Hepatology*, 16(6), 823–836.e2. <https://doi.org/10.1016/j.cgh.2017.06.037>

- Skendi, A., Papageorgiou, M., & Varzakas, T. (2021). High Protein Substitutes for Gluten in Gluten-Free Bread. *Foods*, 10(9), 1997. <https://doi.org/10.3390/foods10091997>
- Šmídová, Z., & Rysová, J. (2022). Gluten-Free Bread and Bakery Products Technology. *Foods*, 11(3), 480. <https://doi.org/10.3390/foods11030480>
- Sun, C., Wu, X., Chen, X., Li, X., Zheng, Z., & Jiang, S. (2020). Production and characterization of okara dietary fiber produced by fermentation with *Monascus anka*. *Food Chemistry*, 316, 126243. <https://doi.org/10.1016/j.foodchem.2020.126243>
- Suzuki, A., & Banna, J. (2020). Improving Diet Quality for Chronic Disease Prevention With Okara “Food Waste.” *American Journal of Lifestyle Medicine*, 15(1), 155982762096009. <https://doi.org/10.1177/1559827620960099>
- Syam, A. F., Utari, A. F., Hasanah, N. H., Rizky, A., & Abdullah, M. (2024). Prevalence and factors associated with celiac disease in high-risk patients with functional gastrointestinal disorders. *PloS One*, 19(6), e0297605–e0297605. <https://doi.org/10.1371/journal.pone.0297605>
- Taraghikhah, N., Ashtari, S., Asri, N., Shahbazkhani, B., Al-Dulaimi, D., Rostami-Nejad, M., Rezaei-Tavirani, M., Razzaghi, M. R., & Zali, M. R. (2020). An updated overview of spectrum of gluten-related disorders: clinical and diagnostic aspects. *BMC Gastroenterology*, 20(1). <https://doi.org/10.1186/s12876-020-01390-0>
- Tarlak, F. (2023). The Use of Predictive Microbiology for the Prediction of the Shelf Life of Food Products. *Foods*, 12(24), 4461. <https://doi.org/10.3390/foods12244461>
- Tatiana, T. S., Luthère King, N. M., Kwithony, D., Noelline, S. J., Judicaël, B., & Patrice, K. L. (2021). Influence of Experimental Conditions and Size on Water Absorption Capacity and Water Solubility Index of Cassava Root Starch (*Manihotesculenta* Cranz) cv Bonoua. *International Journal of Current Microbiology and Applied Sciences*, 10(01), 1095–1107. <https://doi.org/10.20546/ijcmas.2021.1001.133>

- Taye, A., Engidawork, E., & Urga, K. (2016). An In Vitro Estimation of Glycemic Index of White Bread and Improvement of the Dietary Fiber. *Advances in Food Technology and Nutritional Sciences - Open Journal*, 2(2), 83–87. <https://doi.org/10.17140/aftnsoj-2-133>
- Tóth, M., Kaszab, T., & Lambert-Meretei, A. (2022). Case study of commercially available gluten-free bread products: Texture changes during storage and sensory analysis. *Progress in Agricultural Engineering Sciences*, 18(1). <https://doi.org/10.1556/446.2022.00039>
- Tóth, M., Kaszab, T., & Meretei, A. (2022). Texture profile analysis and sensory evaluation of commercially available gluten-free bread samples. *European Food Research and Technology*, 248. <https://doi.org/10.1007/s00217-021-03944-2>
- Triditanakiat, P. C., Hernández-Estrada, Z. J., & Rayas-Duarte, P. (2023). Modeling the Influence of Okara Flour Supplementation from Time-Temperature Drying Treatment on the Quality of Gluten-Free Roll Produced from Rice Flour. *Foods*, 12(18), 3421–3421. <https://doi.org/10.3390/foods12183421>
- Tuly, J. A., & Ma, H. (2024). Bioconversion of food industrial waste okara by microbial fermentation: Scope of omics study and possibility. *Trends in Food Science and Technology*, 146, 104391–104391. <https://doi.org/10.1016/j.tifs.2024.104391>
- Upayanti, N. W. S. D., Putra, I. N. T., Suantara, I. P. A., Pradnyana, I. B. A., Permana, K. R., Diwyarthi, N. D. M. S., & Adyatma, P. (2024). Do The Exploration Brioche, Savory Normandy Bread, Effective in Developing Appropriate Production and Marketing Strategies? *Jurnal Multidisiplin West Science*, 03(07), 865–871.
- US Department of Agriculture. (2019). *FoodData Central*. Usda.gov. <https://fdc.nal.usda.gov>
- US SOY. (2018). *SOY PRODUCT FACT SHEET: FULL-FAT SOYBEANS*. https://solutions.ussec.org/wp-content/uploads/2023/08/FF-Soybeans-Fact-Sheet-.pdf?_gl=1
- Verbeke, C., Debonne, E., Versele, S., Van Bockstaele, F., & Eeckhout, M. (2024). Technological Evaluation of Fiber Effects in Wheat-Based Dough and Bread. *Foods*, 13(16), 2582–2582. <https://doi.org/10.3390/foods13162582>

- Vong, W. C., & Liu, S.-Q. (2016). Biovalorisation of okara (soybean residue) for food and nutrition. *Trends in Food Science & Technology*, 52, 139–147. <https://doi.org/10.1016/j.tifs.2016.04.011>
- Voora, V., Larrea, C., & Bermudez, S. (2020). *Global market report: Soybeans*. JSTOR. <https://www.jstor.org/stable/resrep26554>
- Voss, G. B., Rodríguez-Alcalá, L. M., Valente, L. M. P., & Pintado, M. M. (2018). Impact of different thermal treatments and storage conditions on the stability of soybean byproduct (okara). *Journal of Food Measurement and Characterization*, 12(3), 1981–1996. <https://doi.org/10.1007/s11694-018-9813-5>
- Wang, L., Su, S., Zhao, J., He, X., Fu, S., Wang, B., Wang, Y., Wang, D., Yun, N., Chen, X., Belobrajdic, D. P., None Terigele, Li, X., Jiang, L., He, J., & Liu, Y. (2023). Effects of dietary oat supplementation on carcass traits, muscle metabolites, amino acid profiles, and its association with meat quality of Small-tail Han sheep. *Food Chemistry*, 411, 135456–135456. <https://doi.org/10.1016/j.foodchem.2023.135456>
- Wang, X., Feng, Y., Yu, L., Shu, Y., Tan, F., Gou, Y., Luo, S., Yang, W., Li, Z., & Wang, J. (2020). Sugarcane/soybean intercropping with reduced nitrogen input improves crop productivity and reduces carbon footprint in China. *Science of the Total Environment*, 719, 137517. <https://doi.org/10.1016/j.scitotenv.2020.137517>
- Wen, F., Zeng, C., Yang, Y., Xu, T., Wang, H., & Wang, S. (2023). Sensory attributes and functional properties of maillard reaction products derived from the crassosotrea gigas (Ostrea rivularis gould) enzymatic hydrolysate and xylose system. *Heliyon*, 9(4), e14774–e14774. <https://doi.org/10.1016/j.heliyon.2023.e14774>
- Widanti, Y. A., Nuraini, V., Wulandari, Y. W., & Sari, E. E. K. (2021). Gluten-Free cake formulation using mocaf and several types of flour from local food ingredients. *IOP Conference Series*, 828(1), 012033–012033. <https://doi.org/10.1088/1755-1315/828/1/012033>

- Wieser, H., Segura, V., Ruiz-Carnicer, Á., Sousa, C., & Comino, I. (2021). Food Safety and Cross-Contamination of Gluten-Free Products: A Narrative Review. *Nutrients*, 13(7), 2244. <https://doi.org/10.3390/nu13072244>
- Wu, C., Wu, F., Zhang, Y., Liu, F., & Luan, G. (2025). Effect of extruded soybean okara on the texture, rheology, and structural properties of high-fiber composite dough. *Food Chemistry*, 487, 144722–144722. <https://doi.org/10.1016/j.foodchem.2025.144722>
- Xu, J., Li, Y., Zhao, Y., Wang, D., & Wang, W. (2021). Influence of antioxidant dietary fiber on dough properties and bread qualities: A review. *Journal of Functional Foods*, 80, 104434. <https://doi.org/10.1016/j.jff.2021.104434>
- Yadav, H., & Vandana. (2023). Functional and nutritional qualities of okara and food industry applications. *The Pharma Innovation Journal*, 12(9), 2648–2650.
- Yang, S., & Cui, X. (2023). Large-scale production: A possible way to the balance between feed grain security and meat security in China. *Journal of Agriculture and Food Research*, 14, 100745–100745. <https://doi.org/10.1016/j.jafr.2023.100745>
- Yasa, I. W. S., Zainuri, Zaini, M., & Hadi, T. (2016). MUTU ROTI BERBAHAN DASAR MOCAF: “FORMULASI DAN METODE PEMBUATAN ADONAN.” *Jurnal Ilmu Dan Pangan*, 2(2). <https://media.neliti.com/media/publications/278667-mutu-roti-berbahan-dasar-mocaf-formulasi-b982294f.pdf>
- Yulianti, L. E., Afifah, N., & Ekafitri, R. (2019). Physicochemical and pasting properties of composite flours for making gluten-free bread. *AIP Conference Proceedings*, 2175, 020064. <https://doi.org/10.1063/1.5134628>
- Zang, P., Gao, Y., Chen, P., Lv, C., & Zhao, G. (2022). Recent Advances in the Study of Wheat Protein and Other Food Components Affecting the Gluten Network and the Properties of Noodles. *Foods*, 11(23), 3824–3824. <https://doi.org/10.3390/foods11233824>

- Zhang, B., Qiao, D., Zhao, S., Lin, Q., Wang, J., & Xie, F. (2021). Starch-based food matrices containing protein: Recent understanding of morphology, structure, and properties. *Trends in Food Science & Technology*, 114, 212–231. <https://doi.org/10.1016/j.tifs.2021.05.033>
- Zhang, J., Wang, S., Wang, J., Liu, W., Gong, H., Zhang, Z., Lyu, B., & Yu, H. (2023). Insoluble Dietary Fiber from Soybean Residue (Okara) Exerts Anti-Obesity Effects by Promoting Hepatic Mitochondrial Fatty Acid Oxidation. *Foods*, 12(10), 2081–2081. <https://doi.org/10.3390/foods12102081>
- Zhang, S., Kuang, Y., Xu, P., Chen, X., Bi, Y., Peng, D., & Li, J. (2023). Applications of Prolamin-Based Edible Coatings in Food Preservation: A Review. *Molecules*, 28(23), 7800–7800. <https://doi.org/10.3390/molecules28237800>
- Zhang, S., Li, H., Nie, Y., Yang, L., & Zhu, D. (2025). The aggregation characteristics of gluten proteins in whole wheat steamed buns at different thermal treatment temperature: An insight from dietary fiber. *Food Chemistry X*, 29, 102717–102717. <https://doi.org/10.1016/j.fochx.2025.102717>
- Zhang, S., Zhang, Z., Wang, M., Jia, J., & Wu, Q. (2024). Effects of rice bran soluble dietary fiber on the physicochemical properties of frozen dough and the quality of steamed bread. *LWT*, 214, 117120–117120. <https://doi.org/10.1016/j.lwt.2024.117120>
- Zhang, Y., Liu, X., Yu, J., Fu, Y., Liu, X., Li, K., Yan, D., Barba, F. J., Ferrer, E., Wang, X., & Zhou, J. (2024). Effects of Wheat Oligopeptide on the Baking and Retrogradation Properties of Bread Rolls: Evaluation of Crumb Hardness, Moisture Content, and Starch Crystallization. *Foods*, 13(3), 397–397. <https://doi.org/10.3390/foods13030397>
- Zinia, S. A., Rahim, A., Latif, Md. A. J., Begum, A. A., & Mazumder, Md. A. R. (2019). The Roles of Okara Powder on the Processing and Nutrient Content of Roti and Paratha. *SSRG International Journal of Agriculture & Environmental Science (SSRG-IJAES)*, 6(2). <https://www.internationaljournalssrg.org/IJAES/2019/Volume6-Issue2/IJAES-V6I2P104.pdf>

Ziobro, R., Juszczak, L., Witczak, M., & Korus, J. (2015). Non-gluten proteins as structure forming agents in gluten free bread. *Journal of Food Science and Technology*, 53(1), 571–580.
<https://doi.org/10.1007/s13197-015-2043-5>

Zunairah, W., Ibadullah, W., Mokhtar, F., Hanani, N., Abedin, Z., Mahmud, K., Rashid, A., Mustapha, N., Nor, A., & Mustapha. (2024). Okara-Fortified Wheat Bread: Effect on Nutritional, Physicochemical and Sensory Properties. *JOBIMB*, 12(1), 110–113.
<https://doi.org/10.54987/jobimb.v12iSP1.971>