

References

- Abellan, A., Perles, R., D., Moreno, D., A., & Viguera, C., G. (2019). Sorting out the value of cruciferous sprouts as sources of bioactive compounds for nutrition and health. *Nutrients*, 11(2), 429. <https://www.mdpi.com/2072-6643/11/2/429>
- Ahmed, T., Rana, M., R., Maisha, M., R., Sayem, A., Rahman, M., & Ara, R. (2022). Optimization of ultrasound-assisted extraction of phenolic content & antioxidant activity of hog plum (*Spondias pinnata* L. f. *kurz*) pulp by response surface methodology. *Heliyon*, 8(10), e11109. [https://pmc.ncbi.nlm.nih.gov/articles/PMC9587330/#:~:text=Ultrasonic%20assisted%20extraction%20\(UAE\),Ferric%20reducing%20antioxidant%20\(power\)%20analyses.](https://pmc.ncbi.nlm.nih.gov/articles/PMC9587330/#:~:text=Ultrasonic%20assisted%20extraction%20(UAE),Ferric%20reducing%20antioxidant%20(power)%20analyses.)
- Amarowicz, R., & Pegg, R., B. (2019). Chapter one - natural antioxidants of plant origin. *Advances in Food and Nutrition Research*, 90, 1-81. <https://www.sciencedirect.com/science/article/abs/pii/S1043452619300269>
- Asidah, N., Sari, R., K., Rafi, M., & Syafitri, U., D. (2021). Total phenolic content, antioxidant, and sunscreen activities of *Daemonorops draco* resin extracts from extraction at various ethanol concentrations and resin-solvent ratios. *IOP Conference Series: Earth and Environmental Science*, 891, 012023. <https://iopscience.iop.org/article/10.1088/1755-1315/891/1/012023/pdf>
- Awady, A., A., E., Saber, W., I., A., Hamid, N., M., A., & Hassan, H., A. (2016). Increasing antioxidant content of broccoli sprouts using essential oils during cold storage. *Agriculture (Pol'nohospodarstvo)*, 62(3), 111-126. <https://intapi.sciendo.com/pdf/10.1515/agri-2016-0012>
- Aydar, A., Y. (2018). Utilization of response surface methodology in optimization of extraction of plant materials. *InTech*. Accessed on May 28, 2025. Published on February 7, 2018. <https://www.intechopen.com/chapters/59209>
- Bacha, E., G. (2022). Response surface methodology modeling, experimental validation, and optimization of acid hydrolysis process parameters for nanocellulose extraction. *South African Journal of Chemical Engineering*, 40, 176-185. <https://www.sciencedirect.com/science/article/pii/S1026918522000178>
- Baenas, N., Jodar, I., G., Moreno, D., A., Viguera, C., G., & Periago, P., M. (2017). Broccoli and radish sprouts are safe and rich in bioactive phytochemicals. *Postharvest Biology and Technology*, 127, 60-67. https://www.researchgate.net/publication/313391683_Broccoli_and_radish_sprouts_are_safe_and_rich_in_bioactive_phytochemicals

- Baldosano, H., Y., Castillo, M., B., M., G., Elloran, C., D., H., & Bacani, F., T. (2015). Effect of particle size, solvent, and extraction time on tannin extract from *Spondias purpurea* bark through soxhlet extraction. *Proceedings of the DLSU Research Congress*, 3, FNH-I-008. https://www.dlsu.edu.ph/wp-content/uploads/pdf/conferences/research-congress-proceedings/2015/FNH/008FNH_Bacani_FT.pdf
- Bella, M., C., D., Niklas, A., Toscano, S., Picchi, V., Romano, D., Scalzo, R., L., & Branca, F. (2020). Morphometric characteristics, polyphenols and ascorbic acid variation in *Brassica oleracea* L. novel foods: sprouts, microgreens, and baby leaves. *Agronomy*, 10(6), 782. <https://www.mdpi.com/2073-4395/10/6/782>
- Bokic, J., Skrobot, D., Tomic, J., Seregelj, V., Victorio, A., A., Moreno, D., A., & Ilic, N. (2022). Broccoli sprouts as a novel food ingredient: nutritional, functional and sensory aspects of sprouts enriched pasta. *LWT*, 172, 114203. <https://www.sciencedirect.com/science/article/pii/S0023643822011380>
- Chavez, B., F., Leon, S., H., Elizalde, A., L., G., Lopez, J., E., Lopez, P., M., G. (2024). Methods for determination of antioxidant capacity of traditional and emergent crops of interest in Mexico: An overview. *Scientia Agropecuaria*, 15(4), 593-615. http://www.scielo.org.pe/scielo.php?script=sci_arttext&pid=S2077-99172024000400593
- Card, S., D., Hume, D., E., Roodi, D., McGill, C., R., Millner, J., P., & Johnson, R., D. (2015). Beneficial endophytic microorganisms of Brassica - a review. *Biological Control*, 90, 102-112. <https://www.sciencedirect.com/science/article/abs/pii/S1049964415001218>
- Cheab, D., Darra, N., E., Rajha, H., N., Maroun, R., G., & Louka, N. (2018). Systematic and empirical study of the dependence of polyphenol recovery from apricot pomace on temperature and solvent concentration levels. *The Scientific World Journal*, 2018(1), 8249184. <https://onlinelibrary.wiley.com/doi/10.1155/2018/8249184>
- Chemat, F., Rombaut, N., Sicaire, A., G., Meullemiestre, A., Tixier, A., S., F., & Vian, M., A. (2017). Ultrasonic-assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols, and applications. A review. *Ultrasonics Sonochemistry*, 34, 540-560. <https://www.sciencedirect.com/science/article/abs/pii/S1350417716302358>
- Chillon, M., T., L., Diaz, C., C., Merino, D., P., Zafrilla, P., Moreno, D., A., & Villano, D. (2018). Effects of long-term consumption of broccoli sprouts on inflammatory markers in overweight subjects. *Clinical Nutrition*, xxx, 1-8. <https://www.agpingredients.com/assets/lopez-chillon-et-al-clinical-nutrition-2018-inpress.pdf>
- Danlami, J., M., Arsad, A., Zaini, M., A., A., & Sulaiman, H. (2014). A comparative study of various oil extraction techniques from plants. *Review in Chemical Engineering*, 30(6), 605-626.

https://www.researchgate.net/publication/269074989_A_comparative_study_of_various_oil_extraction_techniques_from_plants/download?_tp=eyJjb250ZXh0Ijp7ImZpcnN0UGFnZSI6Ij9kaXJlY3QiLCJwYWdlIjoieX2RpcmVjdCJ9fQ

- Demesa, A., G., Saavala, S., Poysa, M., & Koiranen, T. (2024). Overview and toxicity assessment of ultrasound-assisted extraction of natural ingredients from plants. *Foods*, 13(19), 3066. <https://www.mdpi.com/2304-8158/13/19/3066>
- Francisco, M., Tortosa, M., Ballesta, M., D., C., M., Velasco, P., Viguera, C., G., & Moreno, D., A. (2016). Nutritional and phytochemical value of *Brassica* crops from the agri-food perspective. *Annals of Applied Biology*, 170(2), 273-285. https://www.researchgate.net/publication/310495563_Nutritional_and_phytochemical_value_of_Brassica_crops_from_the_agri-food_perspective
- Guo, J., T., Lee, H., L., Chiang, S., H., Lin, F., I., & Chang, C., Y. (2001). Antioxidant properties of the extracts from different parts of broccoli in Taiwan. *Journal of Food and Drug Analysis*, 9(2), 96-101. <https://www.jfda-online.com/cgi/viewcontent.cgi?article=2795&context=journal>
- Hao J., Wang, Z., Jia, Y., Sun, L., Fu, Z., Zhao, M., Li, Y., Yuan, N., Cong, B., Zhao, L., Ge, G. (2023). Optimization of ultrasonic-assisted extraction of flavonoids from *Lactuca indica* L. cv. Mengzao and their antioxidant properties. *Frontiers in Nutrition*, 10, 1065662. <https://www.frontiersin.org/journals/nutrition/articles/10.3389/fnut.2023.1065662/full>
- Hikmawanti, N., P., E., Fatmawati, S., & Asri, A., W. (2021). The effect of ethanol concentrations as the extraction solvent on antioxidant activity of katuk (*Sauropus androgynus* (L.) Merr.) leaves extracts. *IOP Conference Series: Earth and Environmental Science*, 755, 012060. <https://iopscience.iop.org/article/10.1088/1755-1315/755/1/012060/pdf>
- Hong, X., Li, S., Cheng, X., Zhi, H., Yin, J., & Xu, K. (2024). Searching for plant NLR immune receptors conferring resistance to potyviruses. *The Crop Journal*, 12(1), 28-44. <https://www.sciencedirect.com/science/article/pii/S2214514123001745>
- Janarny, G., Ranaweera, K., K., D., S., & Gunathilake, K., D., P., P. (2023). Extraction of phenolics from *Azadirachta indica* flowers: process optimization using response surface methodology. *Croatian Journal of Food Science and Technology*, 15(1), 37-47. <https://hrcak.srce.hr/file/438486>
- Khalid, W., Iqra, Afzal, F., Rahim, M., A., Rehman, A., A., Rasul, H., F., U., Arshad, M., S., Ambreen, S., Zubair, M., Safdar, S., Farga, A., A., & Refai, M. (2023). Industrial applications of kale (*Brassica oleracea* var. *sabellica*) as a functional ingredient: a review. *International Journal of Food Properties*, 26(1), 489-501. <https://www.tandfonline.com/doi/full/10.1080/10942912.2023.2168011#abstract>

- Kobus, Z., Osmolska, E., Wojcicka, A., S., & Krzywicka, M. (2023). Effect of high-powered ultrasound on bioactive compounds and microbiological stability of juices—review. *Applied Sciences*, 13(19), 10961. <https://www.mdpi.com/2076-3417/13/19/10961>
- Shukla, L. & Nishkam, A. (2021). Performance optimization, prediction and adequacy by response surfaces methodology with allusion to DRF technique. *ISRN Textiles*, 1-12. <https://textilelearner.net/performance-optimization-prediction-drfr-technique/>
- Siol, M., Piasecka, I., Jurkowska, D., M., Gorska, A., & Brys, J. (2025). Optimization and impact of ultrasound-assisted extraction on pomegranate seed oil quality: a comparative study of bioactive potential and oxidation parameters. *Molecules*, 30(8), 1837. <https://www.mdpi.com/1420-3049/30/8/1837>
- Le, T., N., Luong, H., Q., Li, H., P., Chiu, C., H., & Hsieh, P., C. (2019). Broccoli (*Brassica oleracea* L. var. *italica*) sprouts as the potential food source for bioactive properties: a comprehensive study on in vitro disease models. *Foods*, 8(11), 532. <https://pmc.ncbi.nlm.nih.gov/articles/PMC6915343/>
- Le, T., N., Chiu, C., H., & Hsieh, P., C. (2020). Bioactive compounds and bioactivities of *Brassica oleracea* L. var. *Italica* sprouts and microgreens: An updated overview from a nutraceutical perspective. *Plants*, 9(8), 946. https://www.researchgate.net/publication/343327515_Bioactive_Compounds_and_Bioactivities_of_Brassica_oleracea_L_var_Italica_Sprouts_and_Microgreens_An_Updated_Overview_from_a_Nutraceutical_Perspective
- Li, H., Z., Zhang, Z., J., Xue, J., Cui, L., X., Hou, T., Y., Li, X., J., & Chen, T. (2016). Optimization of ultrasound-assisted extraction of phenolic compounds, antioxidants and rosmarinic acid from perilla leaves using response surface methodology. *Food Science and Technology, Campinas*, 36(4), 686-693. <https://www.scielo.br/j/cta/a/4x8L9yFrrGmLLb754LZ6jNR/?format=pdf&lang=en>
- Licalzi, D., & Snethlage, C. (2024). Broccoli sprouts: How this cancer fighting food promotes longevity. *InsideTracker*. Accessed on April 16, 2024. Retrieved on March 8, 2025. <https://www.insidetracker.com/a/articles/broccoli-sprouts-benefits-how-this-cancer-fighting-food-promotes-longevity>
- Majid, M., F., Zaid, H., F., M., Kait, C., F., Jumbri, K., Yuan, L., C., & Rajasuriyan, S. (2020). Futuristic advance and perspective of deep eutectic solvent for extractive desulfurization of fuel oil: A review. *Journal of Molecular Liquids*, 306, 112870. <https://sci-hub.se/downloads/2020-07-11/dd/majid2020.pdf?download=true>
- Malfa, G., A., Pappalardo, F., Miceli, N., Taviano, M., F., Ronsisvalle, S., Tomasello, B., Bianchi, S., Davi, F., Spadaro, V., & Acquaviva, R. (2023). Chemical, antioxidant, and biological studies of

- Brassica incana* subsp. *raimondoi* (Brassicaceae) leaf extract. *Molecules*, 28(3), 1254. <https://www.mdpi.com/1420-3049/28/3/1254>
- Manatura, K., Chalermisinsuwan, B., Kaewtrakulchai, N., Kwon, E., E., & Chen, W., H. (2023). Machine learning and statistical analysis for biomass torrefaction: A review. *Bioresource Technology*, 369, 128504. <https://www.sciencedirect.com/science/article/pii/S0960852422018375>
- Mansour, S., S., Donn, P., Carpena, M., Chamorro, F., Barciela, P., Vazquez, A., P., Jorge, A., O., S., & Prieto, M., A. (2024). Utilization of ultrasonic-assisted extraction for bioactive compounds from floral sources. *Biology and Life Sciences Forum*, 40(1), 15. <https://www.mdpi.com/2673-9976/40/1/15>
- Mehta, N., Jeyapriya, S., Kumar, P., Verma, A., K., Umaraw, P., Khatkar, S., K., Khatkar, A., B., Pathak, D., Kaka, U., & Sazili, A., Q. (2022). Ultrasound-assisted extraction and the encapsulation of bioactive components for food applications. *Foods*, 11, 2973. https://www.researchgate.net/publication/363770576_Ultrasound-Assisted_Extraction_and_the_Encapsulation_of_Bioactive_Components_for_Food_Applications
- Minarti, M., Ariani, N., Megawati, M., Hidayat, A., Hendra, M., Primahana, G., & Darmawan, A. (2024). Potential antioxidant activity methods DPPH, ABTS, FRAP, total phenol, and total flavonoid levels of *Macaranga hypoleuca* (Reichb. f. & Zoll.) leaves extract and fractions. *E3S Web of Conferences*, 503, 07005. https://www.e3s-conferences.org/articles/e3sconf/pdf/2024/33/e3sconf_isac-iccme2023_07005.pdf
- Mojzer, E., B., Hrnčić, M., K., Skerget, M., Knez, Z., & Bren, U. (2016). Polyphenols: extraction methods, antioxidative action, bioavailability, and anticarcinogenic effects. *Molecules*, 21(7), 901. <https://pmc.ncbi.nlm.nih.gov/articles/PMC6273793/>
- Montana, R., Videla, A., R., Carsalade, N., M., Nieves, A., & Flores, S. (2023). Application of the response surface methodology for yield optimization in maize (*Zea mays* L.) *Revista de la Facultad de Agronomía, Universidad del Zulia (LUZ)*, 40(4), e234035. https://www.researchgate.net/publication/376048642_Application_of_the_response_surface_methodology_for_yield_optimization_in_maize_Zea_mays_L
- Moya, S., Q., Ibanez, P., G., Moya, F., Q., Villano, D., & Moreno, D., A. (2020). The role of *Brassica* bioactives on human health: Are we studying it the right way? *Molecules*, 25(7), 1591. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7180841/>
- Mungwari, C., P., King'ondo, C., K., Sigauke, P., & Obadele, B., A. (2025). Conventional and modern techniques for bioactive compounds recovery from plants: review. *Scientific African*, 27, e02509. <https://www.sciencedirect.com/science/article/pii/S2468227624004514>

- Neves, A. (2020). The ultimate guide to broccoli microgreens nutrition, including nutrition data, facts, info, and recipes. *Microgreens World*. Accessed on October 14, 2020. Retrieved on March 8, 2025. <https://microgreensworld.com/broccoli-microgreens-nutrition/>
- Nor, N., M., Mohamed, M., S., Loh, T., C., Foo, H., L., Rahim, R., A., Tan, J., S., & Mohamad, R. Comparative analyses on medium optimization using one-factor-at-a-time, response surface methodology, and artificial neural network for lysine-methionine biosynthesis by *Pediococcus pentosaceus* RF-1. *Biotechnology & Biotechnological Equipment*, 31(5), 1-13. https://www.researchgate.net/publication/317249208_Comparative_analyses_on_medium_optimization_using_one-factor-at-a-time_response_surface_methodology_and_artificial_neural_network_for_lysine-methionine_biosynthesis_by_Pediococcus_pentosaceus_RF-1
- Nwachukwu, I., D., Sarteshnizi, R., A., Udenigwe, C., C., & Aluko, R., E. (2021). A concise review of current in vitro chemical and cell-based antioxidant assay methods. *Molecules*, 26(16), 4865. <https://pmc.ncbi.nlm.nih.gov/articles/PMC8400447/>
- Oroian, M., Ursachi, F., & Dranca, F. (2020). Influence of ultrasonic amplitude, temperature, time, and solvent concentration on bioactive compounds extraction from propolis. *Ultrasonics Sonochemistry*, 64, 105021. <https://www.sciencedirect.com/science/article/pii/S1350417719318656#b0205>
- Pasko, P., Czochara, M., T., Galanty, A., Argasinska, J., G., Zmudzki, P., Barton, H., Zagrodzki, P., Gorinstein, S. (2018). Comparative study of predominant phytochemical compounds and proapoptotic potential of broccoli sprouts and florets. *Plant Foods Human Nutrition*, 73(2), 95-100. <https://pmc.ncbi.nlm.nih.gov/articles/PMC5956025/>
- Patino, J., C., M., Cruz, I., G., Romero, I., Gullon, B., Ruiz, E., Brncic, M., & Castro, E. (2019). Ultrasound-assisted extraction as a first step in a biorefinery strategy for valorisation of extraction olive pomace. *Energies*, 12, 2679. <https://pdfs.semanticscholar.org/8f13/89616d26acb6d03d06a68a38a883b7adeac3.pdf>
- Peng, S., Zhu, M., Li, S., Ma, X., Hu, F. (2023). Ultrasound-assisted extraction of polyphenols from chinese propolis. *Frontiers in Sustainable Food Systems*, 7. <https://www.frontiersin.org/journals/sustainable-food-systems/articles/10.3389/fsufs.2023.1131959/full>
- Pinheiro, D., R., Neves, R., D., F., & Paz, S., P., A. (2021). A sequential Box-Behnken Design (BBD) and response surface methodology (RSM) to optimize SAPO-34 synthesis from kaolin waste. *Microporous and Mesoporous Materials*, 323, 111250. <https://sci-hub.se/https://doi.org/10.1016/j.micromeso.2021.111250>
- Ranjha, M., M., A., N., Irfan, S., Lorenzo, J., M., Shafique, B., Kanwal, R., Pateiro, M., Arshad, R., N., Wang, L., Nayik, G., A., Roobab, U., Aadil, R., M. (2021). Sonication, a potential technique for

- extraction of phytoconstituents: a systematic review. *Processes*, 9(8), 1406.
<https://www.mdpi.com/2227-9717/9/8/1406>
- Reungoat, V., Chadni, M., & Ioannou, I. (2021). Response surface methodology applied to the optimisation of phenolic compound extraction from *Brassica*. *IntechOpen*. Accessed on May 25, 2025. Published on May 24, 2021. <https://www.intechopen.com/chapters/76683>
- Salehan, N., A., M., Sulaiman, A., Z., & Ajit, A. (2016). Effect of temperature and sonication on the extraction of gallic acid from *labisia pumila* (kacip fatimah). *ARP Journal of Engineering and Applied Sciences*, 11(4), 2193-2198.
https://www.researchgate.net/publication/303804439_EFFECT_OF_TEMPERATURE_AND_SONICATION_ON_THE_EXTRACTION_OF_GALLIC_ACID_FROM_LABISIA_PUMILA_KACIP_FATIMA_H
- Seitz, A., & Lang, A. (2021). What are broccoli sprouts? Nutrients, benefits, and recipes. *Healthline*. Accessed on August 27, 2021. Retrieved on March 8, 2025.
<https://www.healthline.com/nutrition/broccoli-sprouts>
- Shahzad, B., Rehman, S., U., Bajwa, A., & Hussain, S. (2019). Utilizing the allelopathic potential of *Brassica* species for sustainable crop production: A review. *Journal of Plant Growth Regulation*, 38(1).
https://www.researchgate.net/publication/324079128_Utilizing_the_Allelopathic_Potential_of_Brassica_Species_for_Sustainable_Crop_Production_A_Review
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic-assisted extraction (UAE) for bioactive components: principles, advantages, equipment, and combined technologies. *Ultrasonics Sonochemistry*, 101, 106646.
<https://www.sciencedirect.com/science/article/pii/S1350417723003589>
- Sun, J., Wang, Y., Pang, X., Tian, S., Hu, Q., Li, X., Liu, J., Wang, J., & Lu, Y. (2021). The effect of processing and cooking on glucoraphanin and sulforaphane in *Brassica* vegetables. *Food Chemistry*, 360, 130007.
<https://www.sciencedirect.com/science/article/abs/pii/S030881462101013X>
- Syafaatullah, A., Q., Variyana, Y., Rohmah, N., Mufaidah, I., & A'yun, A., Q. (2021). Optimization of ultrasound-assisted extraction parameters from *Indigofera Tinctoria* L using response surface methodology. *Journal of Research and Technology*, 7(2), 175-186.
- Torres, A., V., Tish, N., & Rodov, V. (2022). Enhancement of glucosinolate formation in broccoli sprouts by hydrogen peroxide treatment. *Foods*, 11(5), 655.
<https://www.mdpi.com/2304-8158/11/5/655>

- Veza, I., Spraggon, M., Fattah, I., M., R., & Idris, M. (2023). Response surface methodology (RSM) for optimizing engine performance and emissions fueled with biofuel: Review of RSM for sustainability energy transition. *Results in Engineering*, 18, 101213. <https://www.sciencedirect.com/science/article/pii/S2590123023003407>
- Warinhomhoun, S., Raiputta, J., Rangsee, P., N., Yang, C., S., & Chueamchaitrakun, P. (2024). Effect of ultrasound-assisted extraction and drying methods on bioactive compounds, phenolic composition, and antioxidant activity of Assam tea cultivar (*Camellia sinensis* var. *assamica*) cultivated in Thailand. *Advances in Pharmacological and Pharmaceutical Sciences*, 1, 5772961. <https://onlinelibrary.wiley.com/doi/10.1155/2024/5772961>
- Wang, L., & Weller, C., L. (2006). Recent advances in the extraction of nutraceuticals from plants. *Trends in Food Science & Technology*, 17(6), 300-312. <https://www.sciencedirect.com/science/article/abs/pii/S0924224405003559>
- Weber, C., F. (2017). Broccoli microgreens: A mineral-rich crop that can diversify food systems. *Frontiers in Nutrition*, 4, ISSN=2296-861X. <https://www.frontiersin.org/journals/nutrition/articles/10.3389/fnut.2017.00007/full>
- Westphal, A., Riedl, K., M, Cooperstone, J., L., Kamat, S., Balasubramaniam, V., M., Schwartz, S., J., & Bohm, V. (2017). High-pressure processing of broccoli sprouts: Influence on bioactivation of glucosinolates to isothiocyanates. *Journal of Agriculture Food Chemistry*, 65(39), 8578-8585. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7104659/>
- Xia, Y., Li, M., Y., Wadood, S., A., Hong, H., J., Liu, Y., Luo, Y., X., Wang, Y., Y., Liu, H., Y., & Gan, R., Y. (2024). Identification of volatile and flavor metabolites in three varieties of broccoli sprouts. *Food Chemistry*: X, 24, 101862. <https://www.sciencedirect.com/science/article/pii/S2590157524007508>
- Yusoff, I., M., Taher, Z., M., Rahmat, Z., & Chua, L., S. (2022). A review of ultrasound-assisted extraction for plant bioactive compounds: phenolics, flavonoids, thymols, saponins, and protein. *Food Research International*, 157, 111268. <https://www.sciencedirect.com/science/article/abs/pii/S0963996922003258>
- Zelman, K. (2024). Health benefits of broccoli sprouts. *WebMD*. Retrieved on March 8, 2025. Accessed on September 24, 2025. <https://www.webmd.com/diet/health-benefits-broccoli-sprouts>
- Zhang, H., & Tsao, R. (2016). Dietary polyphenols, oxidative stress, and antioxidant and anti-inflammatory effects. *Current Opinion in Food Science*, 8, 33-42. https://www.sciencedirect.com/science/article/pii/S2214799316300133?casa_token=bj4VOj_u6b4AAAAA:fc4sWHV8aer_POWzvmVIIVCnhn01Q63RK3EPsPMYDqiH0YiUhqsEOiLOD641kJVsJnds2bC0gtoW

Zhou, Y., Zhang, L., & Cheng, Z. (2015). Removal of organic pollutants from aqueous solution using agricultural wastes: A review. *Journal of Molecular Liquids*, 212, 739-762.
<https://2024.sci-hub.se/4651/81d624c90bc3a916869173b97337a6db/zhou2015.pdf?download=true>