

References

- Abril, B., Bou, R., García-Pérez, J. V., & Benedito, J. (2023). Role of enzymatic reactions in meat processing and use of emerging technologies for process intensification. *Foods*, 12(10), 1940. <https://doi.org/10.3390/foods12101940>
- Ahvazi, B. (2002). Three-dimensional structure of the human transglutaminase 3 enzyme: Binding of calcium ions changes structure for activation. *The EMBO Journal*, 21(9), 2055–2067. <https://doi.org/10.1093/emboj/21.9.2055>
- Akbari, M., Eskandari, M. H., & Davoudi, Z. (2021). Transglutaminase in meat systems: Mechanisms, applications, and future prospects. *Trends in Food Science & Technology*, 116, 24–38. <https://doi.org/10.1016/j.tifs.2021.07.012>
- AMSA. (2012). Meat color measurement guidelines. *Meat Science*, 91(1), 1–8. <https://doi.org/10.1016/j.meatsci.2011.12.010>
- Anjalani, R., Paulini, P., & Simangunsong, J. A. (2023). Kualitas fisik-kimia bakso daging sapi dengan penambahan tepung pisang. *ZIRAA'AH Majalah Ilmiah Pertanian*, 48(3), 338. <https://doi.org/10.31602/zmip.v48i3.12580>
- Bar-Even, A., Milo, R., Noor, E., & Tawfik, D. S. (2015). The moderately efficient enzyme: Futile encounters and enzyme floppiness. *Biochemistry*, 54(32), 4969–4977. <https://doi.org/10.1021/acs.biochem.5b00621>
- Baugreet, S., Kerry, J. P., Allen, P., Gallagher, E., & Hamill, R. M. (2018). Physicochemical characteristics of protein-enriched restructured beef steaks with phosphates, transglutaminase, and elasticised package forming. *Journal of Food Quality*, 2018, 1–11. <https://doi.org/10.1155/2018/4737602>
- Bekhit, A. E. D., Hopkins, D. L., Fahri, F. T., & Ponnampalam, E. N. (2021). Myoglobin chemistry and meat color. *Annual Review of Food Science and Technology*, 12, 75–99. <https://doi.org/10.1146/annurev-food-062420-014244>

- Bertram, H. C., Purslow, P. P., & Andersen, H. J. (2002). Relationship between meat structure, water mobility, and distribution: A low-field nuclear magnetic resonance study. *Journal of Agricultural and Food Chemistry*, 50(4), 824–829. <https://doi.org/10.1021/jf010738f>
- Blessy, M., Patel, R. D., Prajapati, P. N., & Agrawal, Y. K. (2014). Development of forced degradation and stability indicating studies of drugs—A review. *Journal of Pharmaceutical Analysis*, 4(3), 159–165. <https://doi.org/10.1016/j.jpha.2013.09.003>
- Bowker, B., & Zhuang, H. (2015). Relationship between water-holding capacity and protein denaturation in broiler breast meat. *Poultry Science*, 94(7), 1657–1664. <https://doi.org/10.3382/ps/pev120>
- Chen, C.-C., Chen, L.-Y., Chan, D.-S., Chen, B.-Y., Tseng, H.-W., & Hsieh, J.-F. (2020). Influence of microbial transglutaminase on physicochemical and cross-linking characteristics of individual caseins. *Molecules*, 25(17), 3992. <https://doi.org/10.3390/molecules25173992>
- Chen, X., Li, Y., & Wang, J. (2023). Global advances in enzyme-modified meat products: A scientometric review (2010–2022). *Food Chemistry Advances*, 2, 100180. <https://doi.org/10.1016/j.focha.2023.100180>
- Chen, X., Xu, X., & Zhou, G. (2021). Potential of high pressure homogenization to solubilize chicken breast myofibrillar proteins in water. *Innovative Food Science & Emerging Technologies*, 33, 170–179. <https://doi.org/10.1016/j.ifset.2015.11.014>
- Chen, Y., Lan, D., Wang, W., Zhang, W., & Wang, Y. (2023). Effect of transglutaminase-catalyzed crosslinking behavior on the quality characteristics of plant-based burger patties: A comparative study with methylcellulose. *Food Chemistry*, 428, 136754. <https://doi.org/10.1016/j.foodchem.2023.136754>
- El-Hofi, M., Ismail, A., Nour, M., & Ibrahim, O. (2014). Isolation, Purification and characterisation of transglutaminase from rosemary (*rosmarinus officinalis* L.) leaves. *Acta Scientiarum Polonorum Technologia Alimentaria*, 13(3), 267–278. <https://doi.org/10.17306/j.afs.2014.3.5>

- Erdem, N., Babaoğlu, A. S., Poçan, H. B., & Karakaya, M. (2020). The effect of transglutaminase on some quality properties of beef, chicken, and turkey meatballs. *Journal of Food Processing and Preservation*, 44(10). <https://doi.org/10.1111/jfpp.14815>
- Feng, Y., Liang, X., Zhao, Z., Kong, B., Xia, X., Cao, C., Zhang, H., Liu, Q., & Sun, F. (2024). Mechanisms and effects of different crosslinking degrees on gelling properties and in vitro digestibility of heat-induced microbial transglutaminase-mediated myofibrillar protein gels with or without K-carrageenan. *Food Hydrocolloids*, 152, 109964. <https://doi.org/10.1016/j.foodhyd.2024.109964>
- Fu, B., & Labuza, T. P. (1997). Shelf-life testing: Procedures and prediction methods. *Quality in Frozen Foods*, 377–415. https://doi.org/10.1007/978-1-4615-5975-7_19
- Fu, X., Chen, L., & Liu, Y. (2023). Transglutaminase in surimi and sausage: A meta-analysis of texture improvement and shelf-life extension. *Food Bioscience*, 51, 102301. <https://doi.org/10.1016/j.fbio.2022.102301>
- Griffin, M., Casadio, R., & Bergamini, C. M. (2002). Transglutaminases: Nature’s biological glues. *Biochemical Journal*, 368(2), 377–396. <https://doi.org/10.1042/bj20021234>
- H, H. H. (2023). Pengaruh substitusi daging sapi dengan ikan gabus (*Channa striata*) terhadap sifat fisik bakso. *Jurnal Peternakan Unggul*, 6(2), 18–23. <https://doi.org/10.36490/jpu.v6i1.823>
- Hu, Y., Ge, K., Jiang, L., Guo, H., Luo, J., Wang, F., & Ren, F. (2013). Effect of transglutaminase on yield, compositional and functional properties of low-fat cheddar cheese. *Food Science and Technology Research*, 19(3), 359–367. <https://doi.org/10.3136/fstr.19.359>
- Hughes, J. M., Oiseth, S. K., Purslow, P. P., & Warner, R. D. (2020). A structural approach to understanding the interactions between colour, water-holding capacity and tenderness. *Meat Science*, 98(3), 520–532. <https://doi.org/10.1016/j.meatsci.2014.05.022>
- International Council for Harmonisation. (2003). Stability testing of new drug substances and products (Q1A(R2)). <https://www.ich.org/page/quality-guidelines>

- International Organization for Standardization. (2006). ISO 8587:2006 Sensory analysis — Methodology — Ranking test. <https://www.iso.org/standard/36370.html>
- Jia, B., Chen, J., Yang, G., Bi, J., Guo, J., Shang, K., Wang, S., Wu, Z., & Zhang, K. (2023). Improvement of solubility, gelation and emulsifying properties of myofibrillar protein from mantis shrimp (*Oratosquilla oratoria*) by phosphorylation modification under low ionic strength of KCl. *Food Chemistry*, 403, 134497. <https://doi.org/10.1016/j.foodchem.2022.134497>
- Kahn, P., & Eden, F. (1987). Prediction of shelf-life of pasteurized milk and other fluid dairy products in 48 hours. *Journal of Dairy Science*, 70(8), 1544–1550. [https://doi.org/10.3168/jds.S0022-0302\(87\)80177-8](https://doi.org/10.3168/jds.S0022-0302(87)80177-8)
- Kang, M. J., Chung, S.-J., & Kim, S. S. (2021). The effects of transglutaminase and refrigerated storage on the physicochemical properties of whole wheat dough and noodles. *Foods*, 10(7), 1675. <https://doi.org/10.3390/foods10071675>
- Kieliszek, M., & Misiewicz, A. (2013). Microbial transglutaminase and its application in the food industry: A review. *Folia Microbiologica*, 59(3), 241–250. <https://doi.org/10.1007/s12223-013-0287-x>
- Kim, Y. H. B., Meyers, B., Kim, H.-W., Liceaga, A. M., & Lemenager, R. P. (2021). Meat color chemistry and stability. *Comprehensive Reviews in Food Science and Food Safety*, 20(1), 1–30. <https://doi.org/10.1111/1541-4337.12662>
- Kolotylo, V., Piwowarek, K., Synowiec, A., & Kieliszek, M. (2024). Optimization of fermentation conditions for microbial transglutaminase production by *Streptovorticillium cinnamomeum* KKP 1658 using response surface methodology (RSM). *Folia Microbiologica*. <https://doi.org/10.1007/s12223-024-01223-7>
- Kumar, Y., Yadav, D. N., Ahmad, T., & Narsaiah, K. (2015). Recent trends in the use of natural antioxidants for meat and meat products. *Comprehensive Reviews in Food Science and Food Safety*, 14(6), 796–812. <https://doi.org/10.1111/1541-4337.12156>

- Kuraishi, C., Nakagoshi, H., Tanno, H., & Tanaka, H. (2000). Application of transglutaminase for food processing. *Hydrocolloids*, 281–285. <https://doi.org/10.1016/b978-044450178-3/50096-2>
- Kuraishi, C., Yamazaki, K., & Susa, Y. (2001). Transglutaminase: Its utilization in the food industry. *Food Reviews International*, 17(2), 221–246. <https://doi.org/10.1081/fri-100104703>
- Laksanawati, T. A., Khirzin, M. H., Meidayanti, K., Kusherawati, P. A., Kusuma, H. S., Darmokoesoemo, H., & Iqbal, M. (2024). Prediction of shelf life and sensory qualities of beef meatball with biodegradable taro starch-duck bone gelatin packaging at different storage temperatures. *Applied Food Research*, 4(1), 100402. <https://doi.org/10.1016/j.afres.2024.100402>
- Lawless, H. T., & Heymann, H. (2010). *Sensory evaluation of food: Principles and practices* (2nd ed.). Springer.
- Lee, E.-J., & Hong, G.-P. (2019). Effects of microbial transglutaminase and alginate on the water-binding, textural and oil absorption properties of soy patties. *Food Science and Biotechnology*, 29(6), 777–782. <https://doi.org/10.1007/s10068-019-00713-6>
- Li, Y., Li, F., Liu, G., Sun, J., Guo, L., Zhu, Y., Pang, B., Huang, M., & Yang, J. (2021). The characteristics of gelation of myofibrillar proteins combined with salt soluble *Rhodotorula glutinis* proteins by enzymatic crosslinking. *Food Chemistry*, 343, 128505. <https://doi.org/10.1016/j.foodchem.2020.128505>
- Liang, F., Lin, L., He, T., Zhou, X., Jiang, S., & Lu, J. (2020). Effect of transglutaminase on gel properties of surimi and precocious Chinese mitten crab (*Eriocheir sinensis*) meat. *Food Hydrocolloids*, 98, 105261. <https://doi.org/10.1016/j.foodhyd.2019.105261>
- Limi, M. A., Zani, M., Abdullah, S., Nalefo, L., & Rianse, M. I. K. (2024). Analisis nilai tambah pengolahan bakso ayam pada usaha rumah tangga di Kecamatan Poasia Kota Kendari dengan pendekatan metode Hayami. *Jurnal Agri Sains*, 8(1), 1–8.

- Lu, H., Lin, R., Deng, M., Jin, K., & Mao, C. (2024). New mechanistic insights into phosphate-starvation-regulated plant architecture change and nutrient uptake. *Molecular Plant*, 17(1), 19–21. <https://doi.org/10.1016/j.molp.2023.12.004>
- Ma, T., Lu, J., Zhu, J., Li, X., Gu, H., Montalbán-López, M., Wu, X., Luo, S., Zhao, Y., Jiang, S., Zheng, Z., & Mu, D. (2019). The secretion of *Streptomyces monbaraensis* transglutaminase from *Lactococcus lactis* and immobilization on porous magnetic nanoparticles. *Frontiers in Microbiology*, 10. <https://doi.org/10.3389/fmicb.2019.01675>
- Mancini, R. A., & Hunt, M. C. (2005). Current research in meat color. *Meat Science*, 71(1), 100–121. <https://doi.org/10.1016/j.meatsci.2005.03.003>
- McKenna, B. (2005). Shelf-life prediction of frozen foods. *Contemporary Food Engineering*, 603–612. <https://doi.org/10.1201/9781420027402.ch28>
- Meng, X., Wu, D., Zhang, Z., Wang, H., Wu, P., Xu, Z., Gao, Z., Mintah, B. K., & Dabbour, M. (2022). An overview of factors affecting the quality of beef meatballs: Processing and preservation. *Food Science & Nutrition*, 10(6). <https://doi.org/10.1002/fsn3.2812>
- Ministry of Trade Indonesia. (2023). National report on processed meat product consumption 2022–2023. Directorate General of Domestic Trade.
- Mohd Azmi, S., Kumar, P., Sharma, N., Sazili, A., Lee, S.-J., & Ismail-Fitry, M. (2023). Application of plant proteases in meat tenderization: Recent trends and future prospects. *Foods*, 12(6), 1336. <https://doi.org/10.3390/foods12061336>
- Molina, R. E., Bohrer, B. M., & Mejia, S. M. (2023). Phosphate alternatives for meat processing and challenges for the industry: A critical review. *Food Research International*, 166, 112624. <https://doi.org/10.1016/j.foodres.2023.112624>
- Monteiro, M. L., Mársico, E. T., Lázaro, C. A., da Silva Canto, A. C., Lima, B. R., da Cruz, A. G., & Conte-Júnior, C. A. (2014). Effect of transglutaminase on quality characteristics of a value-added product tilapia wastes. *Journal of Food Science and Technology*, 52(5), 2598–2609. <https://doi.org/10.1007/s13197-014-1327-5>

- Motta, J. F., Freitas, B. C., Almeida, A. F., Martins, G. A., & Borges, S. V. (2023). Use of enzymes in the food industry: A review. *Food Science and Technology*, 43. <https://doi.org/10.1590/fst.106222>
- National Agency of Drug and Food Control. (2022). *Regulation No. 32/2022 on food additive limits in processed meat products*.
- Novitasari, A., Pramono, Y. B., & Adiwinarti, R. (2024). Shelf-life and antioxidant activity of beef meatball containing API-API mangrove (*Avicennia marina*) leaf flour. *IOP Conference Series: Earth and Environmental Science*, 1364(1), 012069. <https://doi.org/10.1088/1755-1315/1364/1/012069>
- Offer, G., & Trinick, J. (1983). On the mechanism of water holding in meat: The swelling and shrinking of myofibrils. *Meat Science*, 8(4), 245–281. [https://doi.org/10.1016/0309-1740\(83\)90013-X](https://doi.org/10.1016/0309-1740(83)90013-X)
- Pearce, K. L., Rosenvold, K., Andersen, H. J., & Hopkins, D. L. (2011). Water distribution and mobility in meat during the conversion of muscle to meat and ageing and the impacts on fresh meat quality attributes—A review. *Meat Science*, 89(2), 111–124. <https://doi.org/10.1016/j.meatsci.2011.04.007>
- Purnomo, H., Rahayu, W. P., & Wijaya, C. H. (2023). Sensory lexicon development for Indonesian bakso: A consumer-driven approach. *Journal of Sensory Studies*, 38(2), e12822. <https://doi.org/10.1111/joss.12822>
- Qian, R., Sun, C., Bai, T., Yan, J., Cheng, J., & Zhang, J. (2024). Recent advances and challenges in the interaction between myofibrillar proteins and flavor substances. *Frontiers in Nutrition*, 11. <https://doi.org/10.3389/fnut.2024.1378884>
- Ramirez-Suarez, J. (2003). Effect of transglutaminase-induced cross-linking on gelation of myofibrillar/soy protein mixtures. *Meat Science*, 65(2), 899–907. [https://doi.org/10.1016/s0309-1740\(02\)00297-8](https://doi.org/10.1016/s0309-1740(02)00297-8)

- Rahman, A., Saputra, D., & Lestari, D. (2023). Raw material challenges in Indonesian bakso production: Quality risks and mitigation strategies. *ASEAN Journal of Meat Science*, 8(1), 22–35. <https://doi.org/10.1016/j.ajms.2023.01.003>
- Rosita, F., Hafid, H., & Aka, R. (2015). Susut masak dan kualitas organoleptik bakso daging sapi dengan penambahan tepung sagu pada level yang berbeda. *Jurnal Ilmu dan Teknologi Peternakan Tropis*, 2(1), 14. <https://doi.org/10.33772/jitro.v2i1.3783>
- Saputra, D., Rahman, A., & Wijaya, I. M. A. (2022). Shelf-life prediction model for traditional Indonesian meatballs (bakso) based on microbial and physicochemical parameters. **LWT-Food Science and Technology*, 154*, 112855. <https://doi.org/10.1016/j.lwt.2021.112855>
- Setiadi, Sah, W., & Alisha, N. (2018). The influences of transglutaminase enzyme dosage on the meat characteristic from restructuring the animal and vegetable protein sources. *E3S Web of Conferences*, 67, 03043. <https://doi.org/10.1051/e3sconf/20186703043>
- Song, N., Tan, C., Huang, M., Liu, P., Eric, K., Zhang, X., Xia, S., & Jia, C. (2013). Transglutaminase cross-linking effect on sensory characteristics and antioxidant activities of Maillard reaction products from soybean protein hydrolysates. *Food Chemistry*, 136(1), 144–151. <https://doi.org/10.1016/j.foodchem.2012.07.100>
- Sun, X. D., & Holley, R. A. (2011). Factors influencing gel formation by myofibrillar proteins in muscle foods. *Comprehensive Reviews in Food Science and Food Safety*, 10(1), 33–51. <https://doi.org/10.1111/j.1541-4337.2010.00137.x>
- Suman, S. P., & Joseph, P. (2013). Myoglobin chemistry and meat color. *Annual Review of Food Science and Technology*, 4(1), 79–99. <https://doi.org/10.1146/annurev-food-030212-182623>
- Suryanto, E., Laksanawati, I. M., & Nurhayati, T. (2023). Quality deterioration mechanisms in traditional Indonesian bakso: Microbial growth versus texture degradation. *Food Control*, 145, 109412. <https://doi.org/10.1016/j.foodcont.2022.109412>

- Tathma, F. R., Wibowo, T., Taufik, I. M., & Cahyadi, M. (2019). Color and texture analyses of meatballs made from beef, pork, rat, dog meats, and their mixtures. *IOP Conference Series: Materials Science and Engineering*, 633(1), 012029. <https://doi.org/10.1088/1757-899x/633/1/012029>
- Tseng, T.-F., Liu, D.-C., & Chen, M.-T. (2000). Evaluation of transglutaminase on the quality of low-salt chicken meat-balls. *Meat Science*, 55(4), 427–431. [https://doi.org/10.1016/s0309-1740\(99\)00172-2](https://doi.org/10.1016/s0309-1740(99)00172-2)
- Vasić, K., Knez, Ž., & Leitgeb, M. (2023). Transglutaminase in foods and biotechnology. *International Journal of Molecular Sciences*, 24(15), 12402. <https://doi.org/10.3390/ijms241512402>
- Wang, F., Gu, X., Lü, M., Huang, Y., Zhu, Y., Sun, Y., & Zhu, X. (2022). Structural analysis and study of gel properties of thermally-induced soybean isolate–potato protein gel system. *Foods*, 11(22), 3562. <https://doi.org/10.3390/foods11223562>
- Wijaya, C. H., Purnomo, H., & Lestari, D. (2022). Texture and microstructure of transglutaminase-modified bakso during refrigerated storage. *International Journal of Gastronomy and Food Science*, 28, 100510. <https://doi.org/10.1016/j.ijgfs.2022.100510>
- Wijaya, I. M. A., & Huda, N. (2023). Phosphate reduction strategies in Southeast Asian processed meats: Health benefits and technological challenges. *Food Chemistry: X*, 17, 100575. <https://doi.org/10.1016/j.fochx.2023.100575>
- Wu, T., Liu, Q., Zhang, D., Zhou, Y., Ye, K., Cao, W., Zhang, Y., Sun, Q., & Peng, D. (2025). Comparison of different types of protein cross-linking enzymes on the yield and quality of goat milk halloumi type cheese. *LWT*, 227, 117993. <https://doi.org/10.1016/j.lwt.2025.117993>
- Yudiastari, N. M., Tonga, Y., Suwitari, N. K., Kaca, I. N., Suariani, L., & Putra Sanjaya, I. G. (2021a). Chemical composition and organoleptic properties of meatballs based on afkir laying chicken. *Proceedings of the 3rd Warmadewa Research and Development Seminar, WARDS 2020, 21 December 2020, Denpasar-Bali, Indonesia*. <https://doi.org/10.4108/eai.21-12-2020.2305839>

- Yudiastari, N. M., Tonga, Y., Suwitari, N. K., Kaca, I. N., Suariani, L., & Putra Sanjaya, I. G. (2021b). Chemical composition and organoleptic properties of meatballs based on afkir laying chicken. *Proceedings of the 3rd Warmadewa Research and Development Seminar, WARDS 2020, 21 December 2020, Denpasar-Bali, Indonesia*. <https://doi.org/10.4108/eai.21-12-2020.2305839>
- Zhang, L., Zhang, L., Yi, H., Du, M., Ma, C., Han, X., Feng, Z., Jiao, Y., & Zhang, Y. (2012). Enzymatic characterization of transglutaminase from *Streptomyces mobaraensis* DSM 40587 in high salt and effect of enzymatic cross-linking of yak milk proteins on functional properties of stirred yogurt. *Journal of Dairy Science*, 95(7), 3559–3568. <https://doi.org/10.3168/jds.2011-5125>
- Zhang, Q., Cheng, Z., Wang, Y., Zheng, S., Wang, Y., & Fu, L. (2021). Combining alcalase hydrolysis and transglutaminase-cross-linking improved bitterness and techno-functional properties of hypoallergenic soybean protein hydrolysates through structural modifications. *LWT*, 151, 112096. <https://doi.org/10.1016/j.lwt.2021.112096>
- Zhang, W., Hedayati, S., Tarahi, M., Asli Can Karaca, Milad Hadidi, Elham Assadpour, & Jafari, S. M. (2023). Advances in transglutaminase cross-linked protein-based food packaging films; a review. *International Journal of Biological Macromolecules*, 253, 127399. <https://doi.org/10.1016/j.ijbiomac.2023.127399>
- Zhang, W., Xiao, S., & Ahn, D. U. (2013). Protein oxidation: Basic principles and implications for meat quality. *Critical Reviews in Food Science and Nutrition*, 53(11), 1191–1201. <https://doi.org/10.1080/10408398.2011.577540>
- Zhang, Y., Li, P., & Li, L. (2022). Microbial transglutaminase-mediated protein cross-linking in meat systems: Mechanisms and applications. *Comprehensive Reviews in Food Science and Food Safety*, 21(1), 722–743. <https://doi.org/10.1111/1541-4337.12881>
- Zimoch-Korzycka, A., Krawczyk, A., Król-Kilińska, Ż., Kulig, D., Bobak, Ł., & Jarmoluk, A. (2024). Influence of microbial transglutaminase on the formation of physico-chemical properties of meat analogs. *Foods*, 13(24), 4085. <https://doi.org/10.3390/foods13244085>