

References

- Anggraini, J., & Lo, D. (2022). Health impact of carrageenan and its application in food industry: A review. *IOP Conf. Series: Earth and Environmental Science*, 1169.
- Antanaitis, R., Džermeikaitė, K., Krištolaitytė, J., Girdauskaitė, A., Arlauskaitė, S., Tolkačiovaitė, K., & Baumgartner, W. (2024). The relation between milk lactose concentration and the rumination, feeding, and locomotion behavior of early-lactation dairy cows. *Animals*, 14(6), 836.
- Atehli, D., Wang, J., Yu, J., Ali, F., & Wang, Y. (2020). Effects of mono- and diglycerides of fatty acids on the milk fat globule membrane after heat treatment. *International Journal of Dairy Technology*. doi:10.1111/1471-0307.12712
- Beekman, T. L., & Han-Seok Seo. (2024). Analytic-holistic cognitive styles affect consumer responses to food and beverage samples during sensory evaluation, *Current Research in Food Science*, Volume 8
- Ben Meir, Y. A., Nikbachat, M., Fortnik, Y., Jacoby, S., Levit, H., Adin, G., ... Miron, J. (2018). Eating behavior, milk production, rumination, and digestibility characteristics of high- and low-efficiency lactating cows fed a low-roughage diet. *Journal of Dairy Science*. doi:10.3168/jds.2018-14684
- Bitnes, J., Martens, H., Ueland, Ø., & Martens, M. (2007). Longitudinal study of taste identification of sensory panellists: Effect of Ageing, Experience and Exposure. *Food Quality and Preference*, 18(2), 230–241. doi:10.1016/j.foodqual.2005.11.003
- Blakemore, W. R., & Harpell, A. R. (n.d.). Carrageenan. *Food Stabilisers, Thickeners and Gelling Agents*, 73–94. doi:10.1002/9781444314724.ch5
- Chaffee, O. R., & Ross, C. F. (2023). Older adults' acceptance of ready-to-eat meals in relation to food choice and sensory ability. *Journal of Food Science*, 88(6), 2611–2628. <https://doi.org/10.1111/1750-3841.16573>
- Cheng, K., & Zhu, D.-M. (2005). On Calibration of pH Meters. *Sensors*, 5(4), 209–219. doi:10.3390/s5040209
- Colmenero, J. J. O., & Broderick, G. A. (2006). Effect of Dietary Crude Protein Concentration on Milk Production and Nitrogen Utilization in Lactating Dairy Cows. *Journal of Dairy Science*, 89(5), 1704–1712. doi:10.3168/jds.s0022-0302(06)72238-x
- Cook, D. J. (2003). Oral Shear Stress Predicts Flavour Perception in Viscous Solutions. *Chemical Senses*, 28(1), 11–23. doi:10.1093/chemse/28.1.11

CPKelco. (2025). *About Gellan Gum*. <https://www.cpkelco.com/aboutgellangum/>

Dash, K. K., Fayaz, U., Dar, A. H., Shams, R., Manzoor, S., Sundarsingh, A., Deka, P., & Khan, S. A. (2022). A comprehensive review on heat treatments and related impact on the quality and microbial safety of milk and milk-based products. *Food Chemistry Advances*, 1, 100041.

Delmas, H., Barthe, L., & Cleary, R. (2023). Chapter 29 – Ultrasonic mixing, homogenization, and emulsification in food processing and other applications. In J. A. Gallego-Juárez, K. F. Graff, & M. Lucas (Eds.), *Power ultrasonics* (2nd ed., pp. 665–685). Woodhead Publishing.

Doyle, C. J., Gleeson, D., Jordan, K., Beresford, T. P., Ross, R. P., Fitzgerald, G. F., & Cotter, P. D. (2015). Anaerobic spore formers and their significance with respect to milk and dairy products. *International Journal of Food Microbiology*, 197, 77-87.

Dunn, M., Barbano, D. M., & Drake, M. (2021). Viscosity changes and gel formation during storage of liquid micellar casein concentrates. *Journal of Dairy Science*, 104(12), 12263-12273

Euromonitor International. (2025). *“Indonesia Liquid Dairy Market”*. Euromonitor International.

Farahani, Z. K., Mousavi, M., Ardebili, M. S., & Bakhoda, H. (2023). Stability, physicochemical, rheological and sensory properties of beverage containing encapsulated jujube extract with sodium alginate stabilized by sodium alginate and Gellan gum. *Food Chemistry Advances*, 2, 100195. <https://doi.org/10.1016/j.focha.2023.100195>

Featherstone, S. (2015). Ingredients used in the preparation of canned foods. *A Complete Course in Canning and Related Processes*, 147–211. doi:10.1016/b978-0-85709-678-4.00008-7

Geonzon, L. C., Santoya, A. M., Jung, H., Yuson, H., Bacabac, R. G., & Matsukawa, S. (2022). Study on the heterogeneity in mixture carrageenan gels viewed by long time particle tracking. *Food Hydrocolloids*, 123, 107095. <https://doi.org/10.1016/j.foodhyd.2021.107095>

Guichard, E. (2006). Flavour retention and release from protein solutions. *Biotechnology Advances*, 24(2), 226–229. doi:10.1016/j.biotechadv.2005.11.003

Hein, K. A., Jaeger, S. R., Tom Carr, B., & Delahunty, C. M. (2008). Comparison of five common acceptance and preference methods. *Food Quality and Preference*, 19(7), 651–661. doi:10.1016/j.foodqual.2008.06.001

Henao-Ardila, A., Quintanilla-Carvajal, M. X., & Moreno, F. L. (2024). Emulsification and stabilisation technologies used for the inclusion of lipophilic functional ingredients in food systems. *Heliyon*, 10(11), e28903. <https://doi.org/10.1016/j.heliyon.2024.e28903>

Hollywood, L., Wells, L., Armstrong, G., & Farley, H. (2013). Thinking outside the carton: Attitudes towards milk packaging. *British Food Journal*, 115(6), 899–912. doi:10.1108/bfj-jul-2010-0127

- Imeson, A. (2010). *Food Stabilisers, Thickeners and Gelling Agents*. Blackwell Publishing Ltd.
- Ji, S., Corredig, M., & Goff, H. D. (2008). Aggregation of casein micelles and κ -carrageenan in reconstituted skim milk. *Food Hydrocolloids*, 22(1), 56–64. <https://doi.org/10.1016/j.foodhyd.2007.04.005>
- Jo, Y., Benoist, D. M., Barbano, D. M., & Drake, M. A. (2018). Flavor and flavor chemistry differences among milks processed by high-temperature, short-time pasteurization or ultra-pasteurization. *Journal of Dairy Science*, 101(5), 3812–3828. <https://doi.org/10.3168/jds.2017-14071>
- Jukkola, A., & Rojas, O. J. (2017). Milk fat globules and associated membranes: Colloidal properties and processing effects. *Advances in Colloid and Interface Science*, 245, 92–101. doi:10.1016/j.cis.2017.04.010
- Kohyama, K., Ishihara, S., Nakauma, M., & Funami, T. (2021). Fracture phenomena of soft gellan gum gels during compression with artificial tongues. *Food Hydrocolloids*, 112, 106283. <https://doi.org/10.1016/j.foodhyd.2020.106283>
- Krempel, M., Griffin, K., & Khouryieh, H. (2019). Hydrocolloids as emulsifiers and stabilizers in beverage preservation. *Preservatives and Preservation Approaches in Beverages*. Massachusetts: Academic Press.
- Kühn, J., Considine, T., & Singh, H. (2006). Interactions of Milk Proteins and Volatile Flavor Compounds: Implications in the Development of Protein Foods. *Journal of Food Science*, 71(5), R72–R82. doi:10.1111/j.1750-3841.2006.00051.x
- Lawless, H. and Heymann, H. (2010). *Sensory Evaluation of Food Science Principles and Practices*. Chapter 1, 2nd Edition, Ithaca, New York.
- Leal, A. R., Oliveira, L. de S., Farias, L. M., Alves, C. A. N., Costa, J. N. da, Mata, P., & Sousa, P. H. M. de. (2020). Elaboration of mixed structured fruit formulations with agar and gellan gum: Texture, physicochemical, and sensory properties. *International Journal of Gastronomy and Food Science*. Advance online publication. <https://doi.org/10.1016/j.ijgfs.2020.100294>
- Lei, Y.-c., Zhao, X., Li, D., Wang, L.-j., & Wang, Y. (2022). Effects of κ -Carrageenan and Guar Gum on the Rheological Properties and Microstructure of Phycocyanin Gel. *Foods*, 11(5), 734. <https://doi.org/10.3390/foods11050734>
- Lester, S., Cornacchia, L., Corbier, C., Hurst, K., Ayed, C., Taylor, M. A., & Fisk, I. (2021). Age group determines the acceptability of protein derived off-flavour. *Food Quality and Preference*, 91, 104212. doi:10.1016/j.foodqual.2021.104212

- Li, B., Hayes, J. E., & Ziegler, G. R. (2014). Just-about-right and ideal scaling provide similar insights into the influence of sensory attributes on liking. *Food Quality and Preference*, 37, 71–78. doi:10.1016/j.foodqual.2014.04.019
- Lim, S. H., Chin, N. L., Sulaiman, A., Tay, C. H., & Wong, T. H. (2022). Sensory analysis for cow milk product development using high pressure processing (HPP) in the dairy industry. *Foods*, 11(9), 1233.
- Lin, Q.Q., Si, Y.X., Zhou, F.S., Hao, W.S., Zhang, P., Jiang, P., & Cha, R. T. (2024). Advances in polysaccharides for probiotic delivery: Properties, methods, and applications. *Carbohydrate Polymers*, 323.
- Lindsay, D., Robertson, R., Fraser, R., Engstrom, S., & Jordan, K. (2021). Heat induced activation of microorganisms in milk and dairy products. *International Dairy Journal*, 121, 105096.
- Liu, G-C., Carøe, C., Qin, Z-H., Munk, D. M. E., Craack, M., Petersen, M. A., & Ahrné, L. (2020). Comparative study on quality of whole milk processed by high hydrostatic pressure or thermal pasteurization treatment. *LWT*, 127, 109370.
- Lo, C.G., Lee, K.D., Richter, R.L., & Dill, C.W. (1996). Influence of guar gum on the distribution of some flavor compounds in acidified milk products. *Journal of Dairy Science*.
- Loi, C. C., Eyres, G. T., & Birch, E. J. (2019). Effect of mono- and diglycerides on physical properties and stability of a protein-stabilised oil-in-water emulsion. *Journal of Food Engineering*, 240, 56–64. doi:10.1016/j.jfoodeng.2018.07.016
- McSweeney, S. L., Healy, R., & Mulvihill, D. M. (2008). Effect of lecithin and monoglycerides on the heat stability of a model infant formula emulsion. *Food Hydrocolloids*, 22(5), 888–898. doi:10.1016/j.foodhyd.2007.04.017
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2016). *Sensory Evaluation Techniques* (5th Edition). CRC Press. Taylor & Francis Group.
- Meng, F., Uniacke-Lowe, T., & Kelly, A. L. (2022). Factors affecting the creaming of raw bovine milk: A comparison of natural and accelerated methods. *LWT*, 161, 113288.
- Mintel Group Ltd. (2025). “*Flavour Components Released Between January 2020 and February 2025 under Category of Flavored Milk Type Liquid with Launch Type including New Product, New Variety, and New Formulation in Indonesia*”. Mintel.
- Morison, K. R., Phelan, J. P., & Bloore, C. G. (2013). Viscosity and Non-Newtonian Behaviour of Concentrated Milk and Cream. *International Journal of Food Properties*, 16(4), 882–894. doi:10.1080/10942912.2011.573113

- Morris, E. R., Nishinari, K., & Rinaudo, M. (2012). Gelation of gellan – A review. *Food Hydrocolloids*, 28(2), 373–411. <https://doi.org/10.1016/j.foodhyd.2012.01.004>
- Noor, H. M. (2018). Potential of carrageenan in foods and medical applications, *GHMJ*, 2, 47-63
- Norn, V. (Ed.). (2014). “*Emulsifiers in Food Technology*”. doi:10.1002/9781118921265
- Pereda, J., Ferragut, V., Quevedo, J. M., Guamis, B., & Trujillo, A. J. (2007). Effects of ultra-high pressure homogenization on microbial and physicochemical shelf life of milk. *Journal of Dairy Science*, 90(3), 1081–1093. [https://doi.org/10.3168/jds.S0022-0302\(07\)71595-3](https://doi.org/10.3168/jds.S0022-0302(07)71595-3)
- Pirsa, S., & Hafezi, K. (2023). Hydrocolloids: Structure, preparation method, and application in food industry. *Food Chemistry*, 399.
- Playford, R. J., & Weiser, M. J. (2021). Bovine Colostrum: Its Constituents and Uses. *Nutrients*, 13(1), 265. doi:10.3390/nu13010265
- Porubcan, A. R., & Vickers, Z. M. (2005). Characterizing milk aftertaste: The effects of salivation rate, PROP taster status, or small changes in acidity, fat, or sucrose on acceptability of milk to milk dislikers. *Food Quality and Preference*, 16(7), 608–620. <https://doi.org/10.1016/j.foodqual.2005.01.007>
- Preininger, M. (2005). Interactions of Flavor Components in Foods. *Ingredient Interactions*, 477–542. doi:10.1201/9781420028133.ch14
- Ricklefs-Johnson, K., & Pikosky, M. A. (2023). Perspective: The benefits of including flavored milk in healthy dietary patterns. *Advances in Nutrition*, 14(5), 959–972. <https://doi.org/10.1016/j.advnut.2023.06.002>
- Radosavljevic, M., Levic, S., Pejin, J., Mojovic, L., & Nedovic, V. (2022). Encapsulation technology of lactic acid bacteria in food fermentation. *Lactic Acid Bacteria in Food Biotechnology*, 319-347.
- Reis, M. G., Harris, P., Berry, C., Nguyen, H., Maclean, P., & Weeks, M. (2019). Tracking changes in volatile components and lipids after homogenisation and thermal processing of milk. *International Dairy Journal*, 104624. doi:10.1016/j.idairyj.2019.104624
- Rejeesh, C. R., & Anto, T. (2023). Packaging of milk and dairy products: Approaches to sustainable packaging. *Materials Today: Proceedings*, 72(6), 2946–2951. <https://doi.org/10.1016/j.matpr.2022.07.467>
- Rico, D. E., Marshall, E. R., Choi, J., Kaylegian, K. E., Dechow, C. D., & Harvatine, K. J. (2014). Within-milking variation in milk composition and fatty acid profile of Holstein dairy cows. *Journal of Dairy Science*, 97(7), 4259–4268. doi:10.3168/jds.2013-7731

- Siebert, K. J. (2009). Chapter 2 Haze in Beverages. *Advances in Food and Nutrition Research*, 53–86. doi:10.1016/s1043-4526(09)57002-7
- Singh, H., & Gallier, S. (2017). Nature’s complex emulsion: The fat globules of milk. *Food Hydrocolloids*, 68, 81–89. doi:10.1016/j.foodhyd.2016.10.011
- Sipos, L., Agoston, K. C., Biro, P., Bozoki, S., & Csato, L. (2025). How to measure consumer’s inconsistency in sensory testing?. *Current Research in Food Science*, 10.
- Spence, C., & Piqueras-Fiszman, B. (2016). Food color and its impact on taste/flavor perception. In *Multisensory Flavor Perception* (pp. 107–132). <https://doi.org/10.1016/B978-0-08-100350-3.00006-7>
- Stone, H., & Sidel, J. L. (2004). *Sensory evaluation practices* (3rd ed.). Elsevier Academic Press.
- Su, Y. F., Wang, H. Y., Wu, Z. Y., Zhao, L, Huang, W. Q., Shi, B. L., He, J., Wang, S. S., & Zhong, K. (2022). Sensory description and consumer hedonic perception of ultra-high temperature (UHT) milk. *Foods*, 11(9).
- Sun, Z., Yang, J., Hu, D., Tian, H., Ying, Y., & Xie, L. (2024). Using knowledge-guided temperature correction for online non-destructive detection of soluble solids content in pear via Vis/NIR spectroscopy. *Postharvest Biology and Technology*, 218, 113178. <https://doi.org/10.1016/j.postharvbio.2024.113178>
- Tasneem, M., Siddique, F., Ahmad, A., & Farooq, U. (2014). Stabilizers: Indispensable Substances in Dairy Products of High Rheology. *Critical Reviews in Food Science and Nutrition*, 54(7), 869–879. doi:10.1080/10408398.2011.614702
- Taylor, A. J. (2002). Release and Transport of Flavors In Vivo: Physicochemical, Physiological, and Perceptual Considerations. *Comprehensive Reviews in Food Science and Food Safety*, 1(2), 45–57. doi:10.1111/j.1541-4337.2002.tb00006.x
- Tijssen, R. L. M., Canabady-Rochelle, L. S., & Mellema, M. (2007). Gelation upon Long Storage of Milk Drinks with Carrageenan. *Journal of Dairy Science*, 90(6), 2604–2611. doi:10.3168/jds.2006-854
- Turgeon, S. L., & Laneuville, S. I. (2009). Protein + Polysaccharide Coacervates and Complexes. *Modern Biopolymer Science*, 327–363. doi:10.1016/b978-0-12-374195-0.00011-2
- Vannini, L., Lanciotti, R., Baldi, D., & Guerzoni, M. E. (2004). Interactions between high pressure homogenization and antimicrobial activity of lysozyme and lactoperoxidase. *International Journal of Food Microbiology*, 94(2), 123–135. <https://doi.org/10.1016/j.ijfoodmicro.2004.01.005>

- Velázquez-Ordoñez, V., Valladares-Carranza, B., Tenorio-Borroto, E., Talavera-Rojas, M., Antonio Varela-Guerrero, J., Acosta-Dibarrat, J., ... Pareja, L. (2019). Microbial Contamination in Milk Quality and Health Risk of the Consumers of Raw Milk and Dairy Products. *Nutrition in Health and Disease - Our Challenges Now and Forthcoming Time*. doi:10.5772/intechopen.86182
- Walstra, P., Wouters, J.T.M., Guerts, T.J., 2006. *Dairy Science and Technology*. CRC Press, Boca Raton.
- Weller, J. L., & Ezra, E. (2016). Genetic and phenotypic analysis of daily Israeli Holstein milk, fat, and protein production as determined by a real-time milk analyzer. *Journal of Dairy Science*, 99(12), 9782-9795
- Wilbey, R. A. (2016). Homogenization of Milk: Principles and Mechanism of Homogenization, Effects and Assessment of Efficiency: Valve Homogenizers. *Reference Module in Food Science*. doi:10.1016/b978-0-08-100596-5.00814-3
- Williams, P.A., Phillips, G.O., Phillips, G.O. and Williams, P.A. (2009) Introduction to Food Hydrocolloids. *Handbook of Hydrocolloids*, 70, 1-22.
- Yanes, M., Durán, L., & Costell, E. (2002). Effect of hydrocolloid type and concentration on flow behaviour and sensory properties of milk beverages model systems. *Food Hydrocolloids*, 16(6), 605–611. [https://doi.org/10.1016/S0268-005X\(02\)00023-1](https://doi.org/10.1016/S0268-005X(02)00023-1)
- Yao, D-X., Sun, L-C., Zhang, L-J., Chen, Y-L., Miao, S., Cao, M-J., & Lin, D-Q. (2024). Emulsion structural remodeling in milk and its gelling products: A review. *Gels*, 10(10), 671.
- Yuan, N., Chi, X., Ye, Q., Liu, H., & Zheng, N. (2023). Analysis of volatile organic compounds in milk during heat treatment based on E-nose, E-tongue and HS-SPME-GC-MS. *Foods*, 12(5), 1071. <https://doi.org/10.3390/foods12051071>
- Zabbia, A., Buys, E. M., & De Kock, H. L. (2012). Undesirable sulphur and carbonyl flavor compounds in UHT milk: A review. *Critical Reviews in Food Science and Nutrition*, 52(1), 21–30. <https://doi.org/10.1080/10408398.2010.487166>
- Zhu, Y., Bhandari, B., & Prakash, S. (2018). Tribo-rheology characteristics and microstructure of a protein solution with varying casein to whey protein ratios and addition of hydrocolloids. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2018.12.005>
- Ziyaina, M., Govindan, B. N., Rasco, B., Coffey, T., & Sablani, S. S. (2018). Monitoring Shelf Life of Pasteurized Whole Milk Under Refrigerated Storage Conditions: Predictive Models for Quality Loss. *Journal of Food Science*, 83(2), 409–418. doi:10.1111/1750-3841.13981