

References

- Ahmed, M., Pickova, J., Ahmad, T., Liaquat, M., Farid, A., & Jahangir, M. (2016). Oxidation of lipids in foods. *Sarhad Journal of Agriculture*, 32(3), 230–238. <https://doi.org/10.17582/journal.sja/2016.32.3.230.238>
- Avcı, S., İleri, O., & Koç, A. (2020). Determination of flower, pod and seed characteristics related to yield components in forage pea genotypes. *Turkish Journal of Agriculture - Food Science and Technology*, 8(9), 1994–1999. <https://doi.org/10.24925/turjaf.v8i9.1994-1999.3614>
- Aydogdu, A., Yildiz, E., Aydogdu, Y., Sumnu, G., Sahin, S., & Ayhan, Z. (2019). Enhancing oxidative stability of walnuts by using gallic acid loaded lentil flour based electrospun nanofibers as active packaging material. *Food Hydrocolloids*, 95, 245–255. <https://doi.org/10.1016/j.foodhyd.2019.04.020>
- Barac, M., Pesic, M., Stanojevic, S., Kostic, A., & Cabrilo, S. (2015). Techno-functional properties of PEA (*Pisum sativum*) protein isolates: A Review. *Acta Periodica Technologica*, (46), 1–18. <https://doi.org/10.2298/apt1546001b>
- Batool, R., Butt, M. S., Sultan, M. T., Saeed, F., & Naz, R. (2014). Protein–energy malnutrition: A risk factor for various ailments. *Critical Reviews in Food Science and Nutrition*, 55(2), 242–253. <https://doi.org/10.1080/10408398.2011.651543>
- Bennetau-Pelissero, C. (2018). Plant proteins from legumes. *Reference Series in Phytochemistry*, 1–43. https://doi.org/10.1007/978-3-319-54528-8_3-1
- Bessada, S. M. F., Barreira, J. C. M., & Oliveira, M. B. (2019). Pulses and food security: Dietary protein, digestibility, bioactive and functional properties. *Trends in Food Science & Technology*, 93, 53–68. <https://doi.org/10.1016/j.tifs.2019.08.022>
- Bhowmik, P., Yan, W., Hodgins, C., Polley, B., Warkentin, T., Nickerson, M., Ro, D.-K., Marsolais, F., Domoney, C., Shariati-levari, S., & Aliani, M. (2023). CRISPR/Cas9-mediated lipoxygenase gene-

- editing in yellow pea leads to major changes in fatty acid and flavor profiles. *Frontiers in Plant Science*, 14. <https://doi.org/10.3389/fpls.2023.1246905>
- Bljahhina, A., Pismennõi, D., Kriščiunaite, T., Kuhtinskaja, M., & Kobrin, E.-G. (2023). Quantitative analysis of oat (*Avena sativa* L.) and Pea (*pisum sativum* L.) saponins in plant-based food products by hydrophilic interaction liquid chromatography coupled with mass spectrometry. *Foods*, 12(5), 991. <https://doi.org/10.3390/foods12050991>
- Böttcher, S., Steinhäuser, U., & Drusch, S. (2015). Off-flavour masking of secondary lipid oxidation products by Pea Dextrin. *Food Chemistry*, 169, 492–498. <https://doi.org/10.1016/j.foodchem.2014.05.006>
- Boukid, F., Rosell, C. M., & Castellari, M. (2021). Pea protein ingredients: A mainstream ingredient to (re)formulate innovative foods and beverages. *Trends in Food Science & Technology*, 110, 729–742. <https://doi.org/10.1016/j.tifs.2021.02.040>
- Bourion, V., Laguerre, G., Depret, G., Voisin, A.-S., Salon, C., & Duc, G. (2007). Genetic variability in nodulation and root growth affects nitrogen fixation and accumulation in PEA. *Annals of Botany*, 100(3), 589–598. <https://doi.org/10.1093/aob/mcm147>
- Busto, M. (1999). Kinetics of thermal inactivation of pea seed lipoxygenases and the effect of additives on their thermostability. *Food Chemistry*, 65(3), 323–329. [https://doi.org/10.1016/s0308-8146\(98\)00216-7](https://doi.org/10.1016/s0308-8146(98)00216-7)
- Chang, S. K., & Zhang, Y. (2017). Protein analysis. *Food Science Text Series*, 315–331. https://doi.org/10.1007/978-3-319-45776-5_18
- Chen, S.-K., Lin, H.-F., Wang, X., Yuan, Y., Yin, J.-Y., & Song, X.-X. (2023). Comprehensive analysis in the nutritional composition, phenolic species and in vitro antioxidant activities of different pea cultivars. *Food Chemistry: X*, 17, 100599. <https://doi.org/10.1016/j.fochx.2023.100599>
- Chigwedere, C. M., Tadele, W. W., Yi, J., Wibowo, S., Kebede, B. T., Van Loey, A. M., Grauwet, T., & Hendrickx, M. E. (2019). Insight into the evolution of flavor compounds during cooking of

- common beans utilizing a headspace untargeted fingerprinting approach. *Food Chemistry*, 275, 224–238. <https://doi.org/10.1016/j.foodchem.2018.09.080>
- Ciurescu, G., Toncea, I., Ropotă, M., & Hăbeanu, M. (2018). Seeds composition and their nutrients quality of some pea (*Pisum sativum* L.) and lentil (*Lens culinaris* Medik.) cultivars. *Romanian Agricultural Research*, 35, 101-108.
- Cole, M. B., Augustin, M. A., Robertson, M. J., & Manners, J. M. (2018). The Science of Food Security. *Npj Science of Food*, 2(1). <https://doi.org/10.1038/s41538-018-0021-9>
- Cosson, A., Meudec, E., Ginies, C., Danel, A., Lieben, P., Descamps, N., Cheynier, V., Saint-Eve, A., & Souchon, I. (2022). Identification and quantification of key phytochemicals in peas – linking compounds with sensory attributes. *Food Chemistry*, 385, 132615. <https://doi.org/10.1016/j.foodchem.2022.132615>
- Cruz-Solis, I., Ibarra-Herrera, C. C., Rocha-Pizaña, M. del, & Luna-Vital, D. (2023). Alkaline extraction–isoelectric precipitation of plant proteins. *Green Protein Processing Technologies from Plants*, 1–29. https://doi.org/10.1007/978-3-031-16968-7_1
- Daba, S. D., & Morris, C. F. (2021). Pea proteins: Variation, composition, genetics, and functional properties. *Cereal Chemistry*, 99(1), 8–20. <https://doi.org/10.1002/cche.10439>
- Dalsgaard, T. K., Sørensen, J., Bakman, M., Vognsen, L., Nebel, C., Albrechtsen, R., & Nielsen, J. H. (2010). Light-induced protein and lipid oxidation in cheese: Dependence on fat content and packaging conditions. *Dairy Science & Technology*, 90(5), 565–577. <https://doi.org/10.1051/dst/2010019>
- Damodaran, S., & Parkin, K. L. (2017). *Fennema's Food Chemistry*. CRC Press.
- Davies, M. J. (2016). Protein oxidation and peroxidation. *Biochemical Journal*, 473(7), 805–825. <https://doi.org/10.1042/bj20151227>
- De Ron, A. M., Sparvoli, F., Pueyo, J. J., & Bazile, D. (2017). Editorial: Protein crops: Food and feed for the future. *Frontiers in Plant Science*, 8. <https://doi.org/10.3389/fpls.2017.00105>

- Dee, D. R., & Chang, S. K. (2024). Protein analysis. *Food Science Text Series*, 287–302.
https://doi.org/10.1007/978-3-031-50643-7_18
- Devi, J., Mishra, G. P., Sanwal, S. K., Dubey, R. K., Singh, P. M., & Singh, B. (2018). Development and characterization of penta-flowering and triple-flowering genotypes in garden pea (*Pisum sativum* L. var. Hortense). *PLOS ONE*, 13(7). <https://doi.org/10.1371/journal.pone.0201235>
- Diez Simon, C. (2021). *Volatile Characterization : Optimizing GC-MS Methods to Reveal the Chemistry and Aroma of Savoury Food Ingredients*. <https://doi.org/10.18174/550790>
- Dukhi, N. (2020). Global prevalence of malnutrition: evidence from literature. *Malnutrition*, 1, 1-16.
<https://doi.org/10.5772/intechopen.92006>
- Fenn, D., Wang, N., & Maximiuk, L. (2021). Physicochemical, anti-nutritional, and functional properties of air-classified protein concentrates from commercially grown Canadian yellow pea (*pisum sativum*) varieties with variable protein levels. *Cereal Chemistry*, 99(1), 157–168.
<https://doi.org/10.1002/cche.10506>
- Finley, J. W., & deMan, J. M. (2018). Lipids. *Food Science Text Series*, 39–116.
https://doi.org/10.1007/978-3-319-63607-8_2
- Fischer, E., Cachon, R., & Cayot, N. (2020). *Pisum sativum* vs Glycine Max, a comparative review of nutritional, physicochemical, and sensory properties for food uses. *Trends in Food Science & Technology*, 95, 196–204. <https://doi.org/10.1016/j.tifs.2019.11.021>
- García Arteaga, V., Kraus, S., Schott, M., Muranyi, I., Schweiggert-Weisz, U., & Eisner, P. (2021). Screening of twelve pea (*Pisum sativum* L.) cultivars and their isolates focusing on the protein characterization, functionality, and sensory profiles. *Foods*, 10(4), 758.
<https://doi.org/10.3390/foods10040758>
- Ge, J., Sun, C., Corke, H., Gul, K., Gan, R., & Fang, Y. (2020). The health benefits, functional properties, modifications, and applications of pea (*pisum sativum* L.) protein: Current status, Challenges, and perspectives. *Comprehensive Reviews in Food Science and Food Safety*, 19(4), 1835–1876.
<https://doi.org/10.1111/1541-4337.12573>

- Giebelhaus, J. D. (2023). *Gibberellin regulation of amino acid transport, metabolism, and protein accumulation in developing pea (Pisum sativum L.) seeds* [Master's thesis, University of Alberta]. <https://doi.org/10.7939/r3-xz7f-m398>
- Gläser, P., Dawid, C., Meister, S., Bader-Mittermaier, S., Schott, M., Eisner, P., & Hofmann, T. (2020). Molecularization of bitter off-taste compounds in pea-protein isolates (*pisum sativum* L.). *Journal of Agricultural and Food Chemistry*, 68(38), 10374–10387. <https://doi.org/10.1021/acs.jafc.9b06663>
- Goyal, K., Singh, N., Jindal, S., Kaur, R., Goyal, A., & Awasthi, R. (2022). Kjeldahl method. *Adv. Tech. Anal. Chem*, 1, 105.
- Gu, D., Andreev, K., & E. Dupre, M. (2021). Major trends in population growth around the world. *China CDC Weekly*, 3(28), 604–613. <https://doi.org/10.46234/ccdcw2021.160>
- Hacisalihoglu, G., Beisel, N. S., & Settles, A. M. (2021). Characterization of pea seed nutritional value within a diverse population of *Pisum sativum*. *PLOS ONE*, 16(11). <https://doi.org/10.1371/journal.pone.0259565>
- Hayward, S., Cilliers, T., & Swart, P. (2016). Lipoxygenases: From isolation to application. *Comprehensive Reviews in Food Science and Food Safety*, 16(1), 199–211. <https://doi.org/10.1111/1541-4337.12239>
- Hellwig, M. (2019). The chemistry of protein oxidation in food. *Angewandte Chemie International Edition*, 58(47), 16742–16763. <https://doi.org/10.1002/anie.201814144>
- Henchion, M., Hayes, M., Mullen, A., Fenelon, M., & Tiwari, B. (2017). Future protein supply and demand: Strategies and factors influencing a sustainable equilibrium. *Foods*, 6(7), 53. <https://doi.org/10.3390/foods6070053>
- Heshof, R., de Graaff, L. H., Villaverde, J. J., Silvestre, A. J. D., Haarmann, T., Dalsgaard, T. K., & Buchert, J. (2015). Industrial potential of lipoxygenases. *Critical Reviews in Biotechnology*, 36(4), 665–674. <https://doi.org/10.3109/07388551.2015.1004520>

- Jain, A., Jain, R., & Jain, S. (2020). Protein analysis in food. *Springer Protocols Handbooks*, 167–175.
https://doi.org/10.1007/978-1-4939-9861-6_41
- Jiang, Y., Lahlali, R., Karunakaran, C., Warkentin, T. D., Davis, A. R., & Bueckert, R. A. (2018). Pollen, ovules, and pollination in PEA: Success, failure, and resilience in heat. *Plant, Cell & Environment*, 42(1), 354–372. <https://doi.org/10.1111/pce.13427>
- Jiraungkoorskul, W., & Rungruangmaitree, R. (2017). Pea, pisum sativum, and its anticancer activity. *Pharmacognosy Reviews*, 11(21), 39. https://doi.org/10.4103/phrev.phrev_57_16
- Juul, L., Møller, A. H., & Dalsgaard, T. K. (2023). *Analyse af "grønne" Proteiner Til Fødevarer*. DCA - Nationalt Center for Fødevarer og Jordbrug.
- Karolkowski, A., Belloir, C., Briand, L., & Salles, C. (2023). Non-volatile compounds involved in bitterness and astringency of pulses: A Review. *Molecules*, 28(8), 3298.
<https://doi.org/10.3390/molecules28083298>
- Karolkowski, A., Belloir, C., Lucchi, G., Martin, C., Bouzidi, E., Levavasseur, L., Salles, C., & Briand, L. (2023). Activation of bitter taste receptors by saponins and alkaloids identified in faba beans (*vicia faba* L. minor). *Food Chemistry*, 426, 136548.
<https://doi.org/10.1016/j.foodchem.2023.136548>
- Karolkowski, A., Guichard, E., Briand, L., & Salles, C. (2021). Volatile compounds in pulses: A Review. *Foods*, 10(12), 3140. <https://doi.org/10.3390/foods10123140>
- Kim, T. D., Thanh, H. N., Thuy, D. N., Duc, L. V., Thi, T. V., Manh, H. V., Boonsiri, P., & Thanh, T. B. (2016). Anticancer effects of saponin and saponin–phospholipid complex of *Panax Notoginseng* grown in Vietnam. *Asian Pacific Journal of Tropical Biomedicine*, 6(9), 795–800.
<https://doi.org/10.1016/j.apjtb.2016.04.013>
- Kreplak, J., Madoui, M.-A., Cápal, P., Novák, P., Labadie, K., Aubert, G., Bayer, P. E., Gali, K. K., Syme, R. A., Main, D., Klein, A., Bérard, A., Vrbová, I., Fournier, C., d'Agata, L., Belser, C., Berrabah, W., Toegelová, H., Milec, Z., ... Burstín, J. (2019). A reference genome for PEA provides insight into

- legume genome evolution. *Nature Genetics*, 51(9), 1411–1422.
<https://doi.org/10.1038/s41588-019-0480-1>
- Kumar, Y., Basu, S., Goswami, D., Devi, M., Shivhare, U. S., & Vishwakarma, R. K. (2021). Anti-nutritional compounds in pulses: Implications and alleviation methods. *Legume Science*, 4(2).
<https://doi.org/10.1002/leg3.111>
- Lam, A. C., Can Karaca, A., Tyler, R. T., & Nickerson, M. T. (2016). Pea protein isolates: Structure, extraction, and functionality. *Food Reviews International*, 34(2), 126–147.
<https://doi.org/10.1080/87559129.2016.1242135>
- Lao, Y., Ye, Q., Wang, Y., & Selomulya, C. (2024). Modulating digestibility and mitigating Beany Flavor of Pea Protein. *Food Reviews International*, 40(9), 3129–3158.
<https://doi.org/10.1080/87559129.2024.2346329>
- Liburdi, K., Esti, M., Petroselli, V., Mendler-Drienyovszki, N., Radicetti, E., & Mancinelli, R. (2021). Catalytic properties of lipoxygenase extracted from different varieties of *pisum sativum* and *lens culinaris*. *Journal of Food Biochemistry*, 45(2).
<https://doi.org/10.1111/jfbc.13617>
- Loveday, S. M., & Halim, C. (2024). Protein isolates made in the laboratory versus the factory: A case study with mung bean and chickpea. *Sustainable Food Proteins*, 2(2), 89–98.
<https://doi.org/10.1002/sfp2.1027>
- Lu, Z. X., He, J. F., Zhang, Y. C., & Bing, D. J. (2019). Composition, physicochemical properties of pea protein and its application in Functional Foods. *Critical Reviews in Food Science and Nutrition*, 60(15), 2593–2605. <https://doi.org/10.1080/10408398.2019.1651248>
- Luo, J., Cai, W., Wu, T., & Xu, B. (2016). Phytochemical distribution in hull and Cotyledon of Adzuki Bean (*vigna angularis* L.) and mung bean (*vigna radiate* L.), and their contribution to antioxidant, anti-inflammatory and anti-diabetic activities. *Food Chemistry*, 201, 350–360.
<https://doi.org/10.1016/j.foodchem.2016.01.101>

- Mariotti, F., Tomé, D., & Mirand, P. P. (2008). Converting nitrogen into protein—beyond 6.25 and Jones' factors. *Critical Reviews in Food Science and Nutrition*, 48(2), 177–184. <https://doi.org/10.1080/10408390701279749>
- Martínez Noguera, P., Lantoine, J., Roux, E. L., Yang, S., Jakobi, R., Krause, S., Saint-Eve, A., Bonazzi, C., & Rega, B. (2022). saponins from pea ingredients to innovative sponge cakes and their association with perceived bitterness. *Foods*, 11(18), 2919. <https://doi.org/10.3390/foods11182919>
- Martins-de-Souza, D., Guest, P. C., Vanattou-Saifoudine, N., Harris, L. W., & Bahn, S. (2011). Proteomic Technologies for Biomarker Studies in psychiatry. *International Review of Neurobiology*, 65–94. <https://doi.org/10.1016/b978-0-12-387718-5.00004-3>
- Mc Carthy, U., Uysal, I., Badia-Melis, R., Mercier, S., O'Donnell, C., & Ktenioudaki, A. (2018). Global Food Security – issues, challenges and Technological Solutions. *Trends in Food Science & Technology*, 77, 11–20. <https://doi.org/10.1016/j.tifs.2018.05.002>
- Mehle, H., Paravisini, L., & Peterson, D. G. (2020). Impact of temperature and water activity on the aroma composition and flavor stability of pea (*Pisum sativum*) protein isolates during storage. *Food & Function*, 11(9), 8309–8319. <https://doi.org/10.1039/d0fo01100b>
- Micioni Di Bonaventura, M. V., Cecchini, C., Vila-Donat, P., Caprioli, G., Cifani, C., Coman, M. M., Cresci, A., Fiorini, D., Ricciutelli, M., Silvi, S., Vittori, S., & Sagratini, G. (2017). Evaluation of the hypocholesterolemic effect and prebiotic activity of a lentil (*Lens culinaris* Medik) extract. *Molecular Nutrition & Food Research*, 61(11). <https://doi.org/10.1002/mnfr.201700403>
- Munakata, R. (2021). Pulses without the characteristic distasteful bitterness: Pea tilling lines lacking the major β -amyrin synthase in soyasaponins biosynthesis. *Plant and Cell Physiology*, 62(5), 749–751. <https://doi.org/10.1093/pcp/pcab064>
- Münch, K. (2023). *Lipid oxidation in emulsions stabilised with plant protein ingredients: The relevance of non-protein components*. [internal PhD, WU, Wageningen University]. Wageningen University. <https://doi.org/10.18174/637104>

- Murphy, P. A. (2008). Soybean proteins. *Soybeans*, 229–267. <https://doi.org/10.1016/b978-1-893997-64-6.50011-1>
- Mustafa, A. M., Abouelenein, D., Acquaticci, L., Alessandrini, L., Angeloni, S., Borsetta, G., Caprioli, G., Nzekoue, F. K., Sagratini, G., & Vittori, S. (2022). Polyphenols, saponins and phytosterols in lentils and their health benefits: An overview. *Pharmaceuticals*, 15(10), 1225. <https://doi.org/10.3390/ph15101225>
- Pelgrom, P. J. M., Vissers, A. M., Boom, R. M., & Schutyser, M. A. I. (2013). Dry fractionation for production of functional pea protein concentrates. *Food Research International*, 53(1), 232–239. <https://doi.org/10.1016/j.foodres.2013.05.004>
- Reim, V., & Rohn, S. (2015). Characterization of saponins in peas (*Pisum sativum* L.) by HPTLC coupled to mass spectrometry and a hemolysis assay. *Food Research International*, 76, 3–10. <https://doi.org/10.1016/j.foodres.2014.06.043>
- Reinkensmeier, A., Bußler, S., Schlüter, O., Rohn, S., & Rawel, H. M. (2015). Characterization of individual proteins in pea protein isolates and air classified samples. *Food Research International*, 76, 160–167. <https://doi.org/10.1016/j.foodres.2015.05.009>
- Ritchie, H., Reay, D. S., & Higgins, P. (2018). Potential of meat substitutes for climate change mitigation and improved human health in high-income markets. *Frontiers in Sustainable Food Systems*, 2. <https://doi.org/10.3389/fsufs.2018.00016>
- Rizvi, N. B., Aleem, S., Khan, M. R., Ashraf, S., & Busquets, R. (2022). Quantitative estimation of protein in sprouts of *Vigna radiata* (mung beans), *Lens culinaris* (lentils), and *Cicer arietinum* (chickpeas) by Kjeldahl and Lowry Methods. *Molecules*, 27(3), 814. <https://doi.org/10.3390/molecules27030814>
- Roland, W. S., Pouvreau, L., Curran, J., van de Velde, F., & de Kok, P. M. (2016). Flavor aspects of pulse ingredients. *Cereal Chemistry*, 94(1), 58–65. <https://doi.org/10.1094/cchem-06-16-0161-fi>

- Semba, R. D., Ramsing, R., Rahman, N., Kraemer, K., & Bloem, M. W. (2021). Legumes as a sustainable source of protein in human diets. *Global Food Security*, 28, 100520. <https://doi.org/10.1016/j.gfs.2021.100520>
- Shen, S., Hou, H., Ding, C., Bing, D.-J., & Lu, Z.-X. (2016). Protein content correlates with starch morphology, composition and physicochemical properties in field peas. *Canadian Journal of Plant Science*, 96(3), 404–412. <https://doi.org/10.1139/cjps-2015-0231>
- Shi, Y., Mandal, R., Singh, A., & Pratap Singh, A. (2020). Legume lipoxygenase: Strategies for application in Food Industry. *Legume Science*, 2(3). <https://doi.org/10.1002/leg3.44>
- Sim, S. Y., Karwe, M. V., & Moraru, C. I. (2019). High pressure structuring of pea protein concentrates. *Journal of Food Process Engineering*, 42(7). <https://doi.org/10.1111/jfpe.13261>
- Sincik, M., Bilgili, U., Uzun, A., & Acikgoz, E. (2004). Effect of low temperatures on the germination of different field pea genotypes. *Seed Science and Technology*, 32(2), 331–339. <https://doi.org/10.15258/sst.2004.32.2.06>
- Singh, B., Singh, J. P., Singh, N., & Kaur, A. (2017). Saponins in pulses and their health promoting activities: A Review. *Food Chemistry*, 233, 540–549. <https://doi.org/10.1016/j.foodchem.2017.04.161>
- Singh, J., & Arora, S. K. (2023). Antinutritional factors in plant based foods. *International Journal of Agricultural Sciences*, 19(1), 366–375. <https://doi.org/10.15740/has/ijas/19.1/366-375>
- Singh, P., Arif, Y., Miszczuk, E., Bajguz, A., & Hayat, S. (2022). Specific roles of lipoxygenases in development and responses to stress in plants. *Plants*, 11(7), 979. <https://doi.org/10.3390/plants11070979>
- Shanthakumar, P., Klepacka, J., Bains, A., Chawla, P., Dhull, S. B., & Najda, A. (2022). The current situation of pea protein and its application in the Food Industry. *Molecules*, 27(16), 5354. <https://doi.org/10.3390/molecules27165354>
- Shi, Y., Mandal, R., Singh, A., & Pratap Singh, A. (2020). Legume lipoxygenase: Strategies for application in Food Industry. *Legume Science*, 2(3). <https://doi.org/10.1002/leg3.44>

- Shultze-Kraft, R., & Keller-Grein, G. (1999). Crop growth and development: legumes. *Forage seed production*, 2, 57-80.
- Smýkal, P., Aubert, G., Burstin, J., Coyne, C. J., Ellis, N. T., Flavell, A. J., Ford, R., Hýbl, M., Macas, J., Neumann, P., McPhee, K. E., Redden, R. J., Rubiales, D., Weller, J. L., & Warkentin, T. D. (2012). Pea (*pisum sativum* L.) in the genomic era. *Agronomy*, 2(2), 74–115. <https://doi.org/10.3390/agronomy2020074>
- Smýkal, P., Coyne, C., Redden, R., & Maxted, N. (2013). Peas. *Genetic and Genomic Resources of Grain Legume Improvement*, 41–80. <https://doi.org/10.1016/b978-0-12-397935-3.00003-7>
- Stone, A. K., Karalash, A., Tyler, R. T., Warkentin, T. D., & Nickerson, M. T. (2015). Functional attributes of pea protein isolates prepared using different extraction methods and cultivars. *Food Research International*, 76, 31–38. <https://doi.org/10.1016/j.foodres.2014.11.017>
- Subasi, B. G., Forghani, B., & Abdollahi, M. (2024). Exploring Swedish pea varieties suitable for protein isolation, focusing on antinutrients and off-flavors. *Journal of Food Composition and Analysis*, 128, 105988. <https://doi.org/10.1016/j.jfca.2024.105988>
- Tanambell, H., Danielsen, M., Devold, T. G., Møller, A. H., & Dalsgaard, T. K. (2024). In vitro protein digestibility of rubisco from Alfalfa obtained from different processing histories: Insights from free N-terminal and mass spectrometry study. *Food Chemistry*, 434, 137301. <https://doi.org/10.1016/j.foodchem.2023.137301>
- Tanambell, H., Bramsen, M. R., Danielsen, M., Nebel, C., Møller, A. H., & Dalsgaard, T. K. (2025). Saponin and Hexanal in pea (*pisum sativum*) protein isolates: A comparative study of isoelectric precipitation and Ultrafiltration. *LWT*, 223, 117772. <https://doi.org/10.1016/j.lwt.2025.117772>
- Tanger, C., Engel, J., & Kulozik, U. (2020). Influence of extraction conditions on the conformational alteration of pea protein extracted from Pea Flour. *Food Hydrocolloids*, 107, 105949. <https://doi.org/10.1016/j.foodhyd.2020.105949>

- Tao, A., Afshar, R. K., Huang, J., Mohammed, Y. A., Espe, M., & Chen, C. (2017). Variation in yield, starch, and protein of dry pea grown across Montana. *Agronomy Journal*, 109(4), 1491–1501. <https://doi.org/10.2134/agronj2016.07.0401>
- Taylor, W. G., Sutherland, D. H., Richards, K. W., & Zhang, H. (2015). Oleanane triterpenoid saponins of *Caragana arborescens* and their quantitative determination. *Industrial Crops and Products*, 77, 74–80. <https://doi.org/10.1016/j.indcrop.2015.08.034>
- Thavamani, A., Sferra, T. J., & Sankararaman, S. (2020). Meet the meat alternatives: The value of alternative protein sources. *Current Nutrition Reports*, 9(4), 346–355. <https://doi.org/10.1007/s13668-020-00341-1>
- Trindler, C., Annika Kopf-Bolanz, K., & Denkel, C. (2022). Aroma of peas, its constituents and reduction strategies – effects from breeding to processing. *Food Chemistry*, 376, 131892. <https://doi.org/10.1016/j.foodchem.2021.131892>
- Tsakalof, A., Sysoev, A. A., Vyatkina, K. V., Eganov, A. A., Eroshchenko, N. N., Kiryushin, A. N., Adamov, A. Yu., Danilova, E. Yu., & Nosyrev, A. E. (2024). Current role and potential of triple quadrupole mass spectrometry in biomedical research and clinical applications. *Molecules*, 29(23), 5808. <https://doi.org/10.3390/molecules29235808>
- Tulbek, M. C., Wang, Y. (Lindsay), & Hounjet, M. (2024). PEA—a sustainable vegetable protein crop. *Sustainable Protein Sources*, 143–162. <https://doi.org/10.1016/b978-0-323-91652-3.00027-7>
- Tyczewska, A., Woźniak, E., Gracz, J., Kuczyński, J., & Twardowski, T. (2018). Towards Food Security: Current state and future prospects of Agrobiotechnology. *Trends in Biotechnology*, 36(12), 1219–1229. <https://doi.org/10.1016/j.tibtech.2018.07.008>
- Verardo, V., Ferioli, F., Riciputi, Y., Iafelice, G., Marconi, E., & Caboni, M. F. (2009). Evaluation of lipid oxidation in spaghetti pasta enriched with long chain n–3 polyunsaturated fatty acids under different storage conditions. *Food Chemistry*, 114(2), 472–477. <https://doi.org/10.1016/j.foodchem.2008.09.074>

- Vernoud, V., Lebeigle, L., Munier, J., Marais, J., Sanchez, M., Pertuit, D., Rossin, N., Darchy, B., Aubert, G., Le Signor, C., Berdeaux, O., Lacaille-Dubois, M.-A., & Thompson, R. (2021). β -amyrin synthase1 controls the accumulation of the major saponins present in pea (*pisum sativum*). *Plant and Cell Physiology*, 62(5), 784–797. <https://doi.org/10.1093/pcp/pcab049>
- Vinarova, L., Vinarov, Z., Atanasov, V., Pantcheva, I., Tcholakova, S., Denkov, N., & Stoyanov, S. (2015). Lowering of cholesterol bioaccessibility and serum concentrations by saponins: In vitro and in vivo studies. *Food & Function*, 6(2), 501–512. <https://doi.org/10.1039/c4fo00785a>
- Walter, S., Zehring, J., Mink, K., Quendt, U., Zocher, K., & Rohn, S. (2022). Protein content of peas (*pisum sativum*) and beans (*Vicia faba*)—influence of cultivation conditions. *Journal of Food Composition and Analysis*, 105, 104257. <https://doi.org/10.1016/j.jfca.2021.104257>
- Whent, M., Ping, T., Kenworthy, W., & Yu, L. (Lucy). (2010). High-throughput assay for detection of soybean lipoxygenase-1. *Journal of Agricultural and Food Chemistry*, 58(24), 12602–12607. <https://doi.org/10.1021/jf1028784>
- Wu, D.-T., Li, W.-X., Wan, J.-J., Hu, Y.-C., Gan, R.-Y., & Zou, L. (2023). A comprehensive review of pea (*pisum sativum* L.): Chemical composition, processing, health benefits, and Food Applications. *Foods*, 12(13), 2527. <https://doi.org/10.3390/foods12132527>
- Xiang, L., Jiang, B., Xiong, Y. L., Zhou, L., Zhong, F., Zhang, R., Bin Tahir, A., & Xiao, Z. (2023). Beany flavor in pea protein: Recent advances in formation mechanism, analytical techniques and microbial fermentation mitigation strategies. *Food Bioscience*, 56, 103166. <https://doi.org/10.1016/j.fbio.2023.103166>
- Xie, J., Huang, W., & Wu, X. (2023). Effects of tea saponin on the foaming properties of Pea Protein. *Food & Function*, 14(9), 4339–4353. <https://doi.org/10.1039/d3fo00104k>
- Xiong, Y. L., & Guo, A. (2020). Animal and plant protein oxidation: Chemical and functional property significance. *Foods*, 10(1), 40. <https://doi.org/10.3390/foods10010040>

- Yildiz, E., Bayram, I., Sumnu, G., Sahin, S., & Ibis, O. I. (2021). Development of pea flour based active films produced through different homogenization methods and their effects on lipid oxidation. *Food Hydrocolloids*, 111, 106238. <https://doi.org/10.1016/j.foodhyd.2020.106238>
- Yonny, M. E., Medina, A. V., Nazareno, M. A., & Chaillou, L. L. (2018). Enhancement in the oxidative stability of green peas by *Ilex paraguariensis* addition in a blanching process before their refrigerated and frozen storage. *LWT*, 91, 315–321. <https://doi.org/10.1016/j.lwt.2018.01.063>
- Yu, B., Patterson, N., & Zaharia, L. I. (2022). Saponin biosynthesis in pulses. *Plants*, 11(24), 3505. <https://doi.org/10.3390/plants11243505>
- Zhang, C., Hua, Y., Li, X., Kong, X., & Chen, Y. (2020). Key volatile off-flavor compounds in peas (*Pisum sativum* L.) and their relations with the endogenous precursors and enzymes using soybean (glycine max) as a reference. *Food Chemistry*, 333, 127469. <https://doi.org/10.1016/j.foodchem.2020.127469>
- Zhang, K., Zhang, C., Zhuang, H., Liu, Y., Feng, T., & Nie, B. (2021). Characterization of volatile component changes in peas under different treatments by GC-IMS and GC-MS. *Journal of Food Quality*, 2021, 1–13. <https://doi.org/10.1155/2021/6533083>
- Zhang, L., Duque-Estrada, P., Li, Q., Gao, S., Lametsch, R., & Petersen, I. L. (2024). The proteomic evidence on protein oxidation in pea protein concentrate-based low-moisture extrudates and its inhibition by antioxidants derived from plant extracts. *Food Chemistry*, 451, 139435. <https://doi.org/10.1016/j.foodchem.2024.139435>
- Zhang, N., Li, Y., Wen, S., Sun, Y., Chen, J., Gao, Y., Sagymbek, A., & Yu, X. (2021). Analytical methods for determining the peroxide value of edible oils: A mini-review. *Food Chemistry*, 358, 129834. <https://doi.org/10.1016/j.foodchem.2021.129834>
- Zhao, H., Shen, C., Wu, Z., Zhang, Z., & Xu, C. (2020). Comparison of wheat, soybean, rice, and pea protein properties for effective applications in food products. *Journal of Food Biochemistry*, 44(4). <https://doi.org/10.1111/jfbc.13157>