

References

- AOAC. (2019). *Official methods of analysis of AOAC International*. AOAC International.
- Abel, M., & Andreson, H. (2020). *Effect of simultaneous inoculation of commercial yeast starter cultures on Kombucha fermentation*. Dspace.emu.ee.
<https://dspace.emu.ee/items/7bef8be3-a439-4eaa-aad5-575bf6304456>
- Adetoro, A. O., Opara, U. L., & Fawole, O. A. (2020). Effect of Carrier Agents on the Physicochemical and Technofunctional Properties and Antioxidant Capacity of Freeze-Dried Pomegranate Juice (Punica granatum) Powder. *Foods*, 9(10), 1388. <https://doi.org/10.3390/foods9101388>
- Afrin, S., Gasparrini, M., Forbes-Hernandez, T. Y., Reboredo-Rodriguez, P., Mezzetti, B., Varela-López, A., Giampieri, F., & Battino, M. (2016). Promising Health Benefits of the Strawberry: A Focus on Clinical Studies. *Journal of Agricultural and Food Chemistry*, 64(22), 4435–4449. <https://doi.org/10.1021/acs.jafc.6b00857>
- Agatha, R., Maryati, Y., Susilowati, A., Fitria, A., Budiari, S., Rahmawati, D., & Artanti, N. (2021). *Effect of Type and Concentration of Encapsulating Agents on Physicochemical, Phytochemical, and Antioxidant Properties of Red Dragon Fruit Kombucha Powdered Beverage*, Hani Mulyani, Euis Filaila. <https://media.neliti.com/media/publications/470368-effect-of-type-and-concentration-of-en-ca-c8588b69.pdf>
- Akbarbaglu, Z., Peighambardoust, S. H., Sarabandi, K., & Jafari, S. M. (2021). Spray drying encapsulation of bioactive compounds within protein-based carriers; different options and applications. *Food Chemistry*, 359, 129965. <https://doi.org/10.1016/j.foodchem.2021.129965>
- Akbarirad, H., Assadi, M. M., Pourahmad, R., & Khaneghah, A. M. (2017). Employing of the Different Fruit Juices Substrates in Vinegar Kombucha Preparation. *Current Nutrition & Food Science*, 13(4). <https://doi.org/10.2174/1573401313666170214165641>
- Alvine, N. M., Kemzeu, R., Fokom, R., Yamthe, R., Dize, D., & Fabrice, F. B. (2024). *Polyphenols Content, Antioxidant and Antileishmanial Activities of Kombucha as Affected by Fermentation Time*.

<https://doi.org/10.2139/ssrn.4784233>

- Araujo, H. C. S., Jesus, M. S., Leite Neta, M. T. S., Gualberto, N. C., Matos, C. M. S., Rajan, M., Rajkumar, G., Nogueira, J. P., & Narain, N. (2020). Effect of maltodextrin and gum arabic on antioxidant activity and phytochemical profiles of spray-dried powders of sapota (Manilkara zapota) fruit juice. *Drying Technology*, 39(3), 392–404. <https://doi.org/10.1080/07373937.2020.1839487>
- Arya, P., & Kumar, P. (2023). Effect of Carrier Agents on Quality Parameters of Spray-Dried Encapsulated Diosgenin Powder and the Optimization of Process Parameters. *Foods*, 12(12), 2330. <https://doi.org/10.3390/foods12122330>
- Azhar, M. D., Hashib, S. A., Ibrahim, U. K., & Rahman, N. A. (2021). Development of carrier material for food applications in spray drying technology: An overview. *Materials Today: Proceedings*, 47, 1371–1375. <https://doi.org/10.1016/j.matpr.2021.04.140>
- Ballesteros, L. F., Ramirez, M. J., Orrego, C. E., Teixeira, J. A., & Mussatto, S. I. (2017). Encapsulation of antioxidant phenolic compounds extracted from spent coffee grounds by freeze-drying and spray-drying using different coating materials. *Food Chemistry*, 237, 623–631. <https://doi.org/10.1016/j.foodchem.2017.05.142>
- Balthazar, C. F., Santillo, A., Guimarães, J. T., Capozzi, V., Russo, P., Caroprese, M., Marino, R., Esmerino, E. A., Raices, R. S. L., Silva, M. C., Silva, H. L. A., Freitas, M. Q., Granato, D., Cruz, A. G., & Albenzio, M. (2019). Novel milk–juice beverage with fermented sheep milk and strawberry (*Fragaria* × *ananassa*): Nutritional and functional characterization. *Journal of Dairy Science*, 102(12), 10724–10736. <https://doi.org/10.3168/jds.2019-16909>
- Bangar, S. P., Suri, S., Trif, M., & Ozogul, F. (2022). Organic acids production from lactic acid bacteria: A preservation approach. *Food Bioscience*, 46, 101615. <https://doi.org/10.1016/j.fbio.2022.101615>
- Barakat, N., Beaufort, S., Rizk, Z., Bouajila, J., Taillandier, P., & El Rayess, Y. (2022). Kombucha analogues around the world: A review. *Critical Reviews in Food Science and Nutrition*, 1–25.

<https://doi.org/10.1080/10408398.2022.2069673>

- Barbosa, C. D., Trovatti Uetanabaro, A. P., Rodrigues Santos, W. C., Caetano, R. G., Albano, H., Kato, R., Cosenza, G. P., Azeredo, A., Góes-Neto, A., Rosa, C. A., Teixeira, P., Alvarenga, V. O., & Alves Lacerda, I. C. (2021). Microbial–physicochemical integrated analysis of kombucha fermentation. *LWT*, *148*, 111788. <https://doi.org/10.1016/j.lwt.2021.111788>
- Barbosa, E. L., Netto, M. C., Bendel Junior, L., de Moura, L. F., Brasil, G. A., Bertolazi, A. A., de Lima, E. M., & Vasconcelos, C. M. (2022). Kombucha fermentation in blueberry (*Vaccinium myrtillus*) beverage and its in vivo gastroprotective effect: Preliminary study. *Future Foods*, *5*, 100129. <https://doi.org/10.1016/j.fufo.2022.100129>
- Batista, P., Penas, M. R., Pintado, M., & Oliveira-Silva, P. (2022). Kombucha: Perceptions and Future Prospects. *Foods*, *11*(13), 1977. <https://doi.org/10.3390/foods11131977>
- Bhat, R., Geppert, J., Funken, E., & Stamminger, R. (2015). Consumers Perceptions and Preference for Strawberries—A Case Study from Germany. *International Journal of Fruit Science*, *15*(4), 405–424. <https://doi.org/10.1080/15538362.2015.1021408>
- Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022). Kombucha: Biochemical and Microbiological impacts on the Chemical and Flavor Profile. *Food Chemistry Advances*, *1*(1), 100025. <https://doi.org/10.1016/j.focha.2022.100025>
- Bogdan, M., Justine, S., Filofteia, C., Cornea, C., Petruța, Gabriela, L., Roxana, U., & Florentina, M. (2018). Lactic acid bacteria strains isolated from Kombucha with potential probiotic effect. *Romanian Biotechnological Letters*, *23*(3). <https://research.kombuchabrewers.org/wp-content/uploads/kk-research-files/lactic-acid-bacteria-strains-isolated-from-kombucha-with-potential-probiotic-effect.pdf>
- Cahya, A. P., Syaflan, M., & Ngatirah, N. (2018). Probiotic (*Lactobacillus casei*) Encapsulation Using the Method of Spray Drying with Combined Prebiotic from Iles-Iles (*Amorphopallus oncophyllus*) and Protectant Agent (Skim Milk, Gum Arabic, Maltodextrin). *Indonesian Food and Nutrition Progress*, *15*(2), 61–61. <https://doi.org/10.22146/ifnp.33423>

- Câmara, G. B., Matias, G., Paulo, Viera, V. B., Casullo, W., Nascimento, R., Augusto, A., Pinto, G., Fernandes, V. B., De, L., & Morais, L. (2024). Biotransformation of Tropical Fruit By-Products for the Development of Kombucha Analogues with Antioxidant Potential. *Food Technology and Biotechnology*, 62(3), 361–372. <https://doi.org/10.17113/ftb.62.03.24.8350>
- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakraborty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal of Food Microbiology*, 220, 63–72. <https://doi.org/10.1016/j.ijfoodmicro.2015.12.015>
- Chaves, V. C., Calvete, E., & Reginatto, F. H. (2017). Quality properties and antioxidant activity of seven strawberry (*Fragaria x ananassa* Duch) cultivars. *Scientia Horticulturae*, 225, 293–298. <https://doi.org/10.1016/j.scienta.2017.07.013>
- Chegini, G. R., & Ghobadian, B. (2005). Effect of Spray-Drying Conditions on Physical Properties of Orange Juice Powder. *Drying Technology*, 23(3), 657–668. <https://doi.org/10.1081/drt-200054161>
- Chen, W., Xie, C., He, Q., Sun, J., & Bai, W. (2023). Improvement in color expression and antioxidant activity of strawberry juice fermented with lactic acid bacteria: A phenolic-based research. *Food Chemistry: X*, 17, 100535. <https://doi.org/10.1016/j.fochx.2022.100535>
- Chong, A. Q., Chin, N. L., Talib, R. A., & Basha, R. K. (2024). Modelling pH Dynamics, SCOBY Biomass Formation, and Acetic Acid Production of Kombucha Fermentation Using Black, Green, and Oolong Teas. *Processes*, 12(7), 1301–1301. <https://doi.org/10.3390/pr12071301>
- Chou, Y.-C., Lin, H.-W., Wang, C.-Y., Hsieh, C.-C., Santoso, S. P., Lin, S.-P., & Cheng, K.-C. (2024). Enhancing Antioxidant Benefits of Kombucha Through Optimized Glucuronic Acid by Selected Symbiotic Fermentation Culture. *Antioxidants*, 13(11), 1323–1323. <https://doi.org/10.3390/antiox13111323>
- Cohen, G., Sela, D. A., & Nolden, A. A. (2023). Sucrose Concentration and Fermentation Temperature Impact the Sensory Characteristics and Liking of Kombucha. *Foods*, 12(16), 3116. <https://doi.org/10.3390/foods12163116>

- Cvetković, D., Ranitović, A., Savić, D., Joković, N., Vidaković, A., Pezo, L., & Markov, S. (2019). Survival of Wild Strains of Lactobacilli During Kombucha Fermentation and Their Contribution to Functional Characteristics of Beverage. *Polish Journal of Food and Nutrition Sciences*, 69(4), 407–415. <https://doi.org/10.31883/pjfn/112276>
- De Filippis, F., Troise, A. D., Vitaglione, P., & Ercolini, D. (2018). Different temperatures select distinctive acetic acid bacteria species and promotes organic acids production during Kombucha tea fermentation. *Food Microbiology*, 73, 11–16. <https://doi.org/10.1016/j.fm.2018.01.008>
- de Noronha, M. C., Cardoso, R. R., dos Santos D’Almeida, C. T., Vieira do Carmo, M. A., Azevedo, L., Maltarollo, V. G., Júnior, J. I. R., Eller, M. R., Cameron, L. C., Ferreira, M. S. L., & Barros, F. A. R. de. (2022). Black tea kombucha: Physicochemical, microbiological and comprehensive phenolic profile changes during fermentation, and antimalarial activity. *Food Chemistry*, 384, 132515. <https://doi.org/10.1016/j.foodchem.2022.132515>
- Díaz, S. B. A., Porras, C. L., Bañuelos, P. A., Salas, C. Á., & Leos, Z. S. (2017). Evaluation of the physical properties and conservation of the antioxidants content, employing inulin and maltodextrin in the spray drying of blueberry juice. *Carbohydrate Polymers*, 167, 317–325. <https://doi.org/10.1016/j.carbpol.2017.03.065>
- Do, H. T. T., & Nguyen, H. V. H. (2018). Effects of Spray-Drying Temperatures and Ratios of Gum Arabic to Microcrystalline Cellulose on Antioxidant and Physical Properties of Mulberry Juice Powder. *Beverages*, 4(4), 101. <https://doi.org/10.3390/beverages4040101>
- Emiljanowicz, K. E., & Malinowska-Pańczyk, E. (2019). Kombucha from alternative raw materials – The review. *Critical Reviews in Food Science and Nutrition*, 60(19), 1–10. <https://doi.org/10.1080/10408398.2019.1679714>
- Esmaeili, F., Hashemiravan, M., Eshaghi, M. R., & Gandomi, H. (2022). Encapsulation of *Arctium lappa* L. root extracts by spray-drying and freeze-drying using maltodextrin and Gum Arabic as coating agents and it’s application in synbiotic orange-carrot juice. *Journal of Food*

- Measurement and Characterization*. <https://doi.org/10.1007/s11694-022-01385-3>
- Essiedu, J. A., Gonu, H., Adadi, P., & Withayagiat, U. (2023). Polyphenols and Antioxidant Activity of *Thunbergia laurifolia* Infused Tea under Drying Conditions. *Journal of Food Quality*, 2023, 1–9. <https://doi.org/10.1155/2023/5046880>
- Etzbach, L., Meinert, M., Faber, T., Klein, C., Schieber, A., & Weber, F. (2020). Effects of carrier agents on powder properties, stability of carotenoids, and encapsulation efficiency of goldenberry (*Physalis peruviana* L.) powder produced by co-current spray drying. *Current Research in Food Science*, 3, 73–81. <https://doi.org/10.1016/j.crfs.2020.03.002>
- Ferrari, C. C., Germer, S. P. M., Alvim, I. D., Vissotto, F. Z., & de Aguirre, J. M. (2012). Influence of carrier agents on the physicochemical properties of blackberry powder produced by spray drying. *International Journal of Food Science & Technology*, 47(6), 1237–1245. <https://doi.org/10.1111/j.1365-2621.2012.02964.x>
- Frolova, Y., Vorobyeva, V. M., Vorobyeva, I. S., Sarkisyan, V., Malinkin, A. D., Isakov, V., & Kochetkova, A. A. (2023). Development of Fermented Kombucha Tea Beverage Enriched with Inulin and B Vitamins. *Fermentation*, 9(6), 552–552. <https://doi.org/10.3390/fermentation9060552>
- Gaggia, F., Baffoni, L., Galiano, M., Nielsen, D., Jakobsen, R., Castro-Mejía, J., Bosi, S., Truzzi, F., Musumeci, F., Dinelli, G., & Di Gioia, D. (2018). Kombucha Beverage from Green, Black and Rooibos Teas: A Comparative Study Looking at Microbiology, Chemistry and Antioxidant Activity. *Nutrients*, 11(1), 1. <https://doi.org/10.3390/nu11010001>
- George, S., Thomas, A., Kumar, M. V. P., Kamdod, A. S., Rajput, A., T, J. J., & Abdullah, S. (2022). Impact of processing parameters on the quality attributes of spray-dried powders: a review. *European Food Research and Technology*. <https://doi.org/10.1007/s00217-022-04170-0>
- Goula, A. M., & Adamopoulos, K. G. (2004). Spray Drying of Tomato Pulp: Effect of Feed Concentration. *Drying Technology*, 22(10), 2309–2330. <https://doi.org/10.1081/drt-200040007>
- Habtegebriel, H., Dintwa, E., Motsamai, O. S., Wawire, M., Seifu, E., & Sila, D. N. (2019). The potential

- of computational fluid dynamics simulation to investigate the relation between quality parameters and outlet temperature during spray drying of camel milk. *Drying Technology*, 39(13), 2010–2024. <https://doi.org/10.1080/07373937.2019.1684317>
- Hamayda, A. A., Jdayil, B. A., Ayash, M., & Tannous, J. H. (2023). Advances in microencapsulation techniques using Arabic gum: A comprehensive review. *Industrial Crops and Products*, 205, 117556–117556. <https://doi.org/10.1016/j.indcrop.2023.117556>
- Hartiaty, A., & Mulyani, S. (2015). The Effect of Maltodextrin Concentration and Drying Temperature to Antioxidant Content of Sinom Beverage Powder. *Agriculture and Agricultural Science Procedia*, 3, 231–234. <https://doi.org/10.1016/j.aaspro.2015.01.045>
- Hayat, K., Iqbal, H., Malik, U., Bilal, U., & Mushtaq, S. (2015). Tea and Its Consumption: Benefits and Risks. *Critical Reviews in Food Science and Nutrition*, 55(7), 939–954. <https://doi.org/10.1080/10408398.2012.678949>
- Irkin, R. (2019). *Natural Fermented Beverages*. 399–425. <https://doi.org/10.1016/b978-0-12-816689-5.00014-6>
- Jakubczyk, K., Kałduńska, J., Kochman, J., & Janda, K. (2020). Chemical Profile and Antioxidant Activity of the Kombucha Beverage Derived from White, Green, Black and Red Tea. *Antioxidants*, 9(5), 447. <https://doi.org/10.3390/antiox9050447>
- Jakubczyk, K., Kupnicka, P., Melkis, K., Mielczarek, O., Walczyńska, J., Chlubek, D., & Janda-Milczarek, K. (2022). Effects of Fermentation Time and Type of Tea on the Content of Micronutrients in Kombucha Fermented Tea. *Nutrients*, 14(22), 4828. <https://doi.org/10.3390/nu14224828>
- Jakubczyk, K., Melkis, K., Maciejewska-Markiewicz, D., Szymańska, A. M., Nowak, A., & Żydecka, K. S. (2025). Innovative approaches to enhancing kombucha through flavour additives: a phytochemical and antioxidant analysis. *Food & Function*. <https://doi.org/10.1039/d4fo05135a>
- Kandasamy, S., & Naveen, R. (2022). A review on the encapsulation of bioactive components using spray-drying and freeze-drying techniques. *Journal of Food Process Engineering*, 45(8).

<https://doi.org/10.1111/jfpe.14059>

- Karrar, E., Mahdi, A. A., Sheth, S., Mohamed Ahmed, I. A., Manzoor, M. F., Wei, W., & Wang, X. (2021). Effect of maltodextrin combination with gum arabic and whey protein isolate on the microencapsulation of gurum seed oil using a spray-drying method. *International Journal of Biological Macromolecules*, 171, 208–216. <https://doi.org/10.1016/j.ijbiomac.2020.12.045>
- Kawakita, R., Johan, & Jeoh, T. (2021). Optimizing viability and yield and improving stability of Gram-negative, non-spore forming plant-beneficial bacteria encapsulated by spray-drying. *Bioprocess and Biosystems Engineering*, 44(11), 2289–2301. <https://doi.org/10.1007/s00449-021-02604-9>
- Kha, T. C., Nguyen, M. H., & Roach, P. D. (2010). Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *Journal of Food Engineering*, 98(3), 385–392. <https://doi.org/10.1016/j.jfoodeng.2010.01.016>
- Kim, H., Hur, S., Lim, J., Jin, K., Yang, T., Keehm, I., Kim, S. W., Kim, T., & Kim, D. (2023). Enhancement of the phenolic compounds and antioxidant activities of Kombucha prepared using specific bacterial and yeast. *Food Bioscience*, 56, 103431. <https://doi.org/10.1016/j.fbio.2023.103431>
- Kim, J., Bhattarai, U., & Adhikari, K. (2022). The Healthy Eater's Idea and Related Behavior of a Healthy Diet—A Case Study with Kombucha Drinkers. *Beverages*, 8(2), 25. <https://doi.org/10.3390/beverages8020025>
- Kitwetcharoen, H., Phannarangsee, Y., Klanrit, P., Thanonkeo, S., Tippayawat, P., Klanrit, P., Klanrit, P., Yamada, M., & Thanonkeo, P. (2024). Functional kombucha production from fusions of black tea and Indian gooseberry (*Phyllanthus emblica* L.). *Heliyon*, 10(24), e40939–e40939. <https://doi.org/10.1016/j.heliyon.2024.e40939>
- Kuck, L. S., & Noreña, C. P. Z. (2016). Microencapsulation of grape (*Vitis labrusca* var. Bordo) skin phenolic extract using gum Arabic, polydextrose, and partially hydrolyzed guar gum as encapsulating agents. *Food Chemistry*, 194, 569–576.

- <https://doi.org/10.1016/j.foodchem.2015.08.066>
- La Torre, C., Fazio, A., Caputo, P., Plastina, P., Caroleo, M. C., Cannataro, R., & Cione, E. (2021). Effects of Long-Term Storage on Radical Scavenging Properties and Phenolic Content of Kombucha from Black Tea. *Molecules*, 26(18), 5474. <https://doi.org/10.3390/molecules26185474>
- Lachowicz, S., Michalska-Ciechanowska, A., & Oszmiański, J. (2020). The Impact of Maltodextrin and Inulin on the Protection of Natural Antioxidants in Powders Made of Saskatoon Berry Fruit, Juice, and Pomace as Functional Food Ingredients. *Molecules*, 25(8), 1805. <https://doi.org/10.3390/molecules25081805>
- Lan, Y., Xu, M., Ohm, J.-B., Chen, B., & Rao, J. (2019). Solid dispersion-based spray-drying improves solubility and mitigates beany flavour of pea protein isolate. *Food Chemistry*, 278, 665–673. <https://doi.org/10.1016/j.foodchem.2018.11.074>
- Langová, J., & Štencl, J. (2014). Moisture sorption isotherms of whole milk powder in the temperature range of 5–35 °C and critical values of water activity prediction. *Acta Veterinaria Brno*, 83(10), S35–S40. <https://doi.org/10.2754/avb201483s10s35>
- Laureys, D., Britton, S. J., & De Clippeleer, J. (2020). Kombucha Tea Fermentation: A Review. *Journal of the American Society of Brewing Chemists*, 78(3), 1–10. <https://doi.org/10.1080/03610470.2020.1734150>
- Lee, J. K. M., Taip, F. S., & Abdullah, Z. (2018). Effectiveness of additives in spray drying performance: a review. *Food Research*, 2(6), 486–499. [https://doi.org/10.26656/fr.2017.2\(6\).134](https://doi.org/10.26656/fr.2017.2(6).134)
- Lee, K.-C., Yoon, Y. S., Li, F.-Z., & Eun, J.-B. (2016). Effects of inlet air temperature and concentration of carrier agents on physicochemical properties, sensory evaluation of spray-dried mandarin (Citrus unshiu) beverage powder. *Applied Biological Chemistry*, 60(1), 33–40. <https://doi.org/10.1007/s13765-016-0246-8>
- Lee, S.-M., Lee, J.-Y., Yoo, D.-G., Jeon, Y.-B., Yoon, H.-S., & Kim, C.-H. (2022). Functional Characteristics of Kombucha Fermented with Lactic Acid Bacteria, Yeast, and Acetic Acid Bacteria Derived from Korea Traditional Foods. *Journal of Dairy Science and Biotechnology*, 40(1), 23–34.

<https://doi.org/10.22424/jdsb.2022.40.1.23>

Leonarski, E., Guimarães, A. C., Cesca, K., & Poletto, P. (2022). Production process and characteristics of kombucha fermented from alternative raw materials. *Food Bioscience*, 49, 101841.

<https://doi.org/10.1016/j.fbio.2022.101841>

Leylak, C., Özdemir, K. S., Gurakan, G. C., & Ogel, Z. B. (2021). Optimisation of spray drying parameters for *Lactobacillus acidophilus* encapsulation in whey and gum Arabic: Its application in yoghurt. *International Dairy Journal*, 112, 104865.

<https://doi.org/10.1016/j.idairyj.2020.104865>

Liu, L., Ji, M., Chen, M., Sun, M., Fu, X., Li, L., Gao, D., & Zhu, C. (2016). The flavor and nutritional characteristic of four strawberry varieties cultured in soilless system. *Food Science and Nutrition*, 4(6), 858–868. <https://doi.org/10.1002/fsn3.346>

Liu, Y., Zheng, Y., Yang, T., Mac Regenstein, J., & Zhou, P. (2022). Functional properties and sensory characteristics of kombucha analogs prepared with alternative materials. *Trends in Food Science & Technology*, 129, 608–616. <https://doi.org/10.1016/j.tifs.2022.11.001>

Łupina, K., Kowalczyk, D., & Kazimierczak, W. (2021). Gum Arabic/Gelatin and Water-Soluble Soy Polysaccharides/Gelatin Blend Films as Carriers of Astaxanthin—A Comparative Study of the Kinetics of Release and Antioxidant Properties. *Polymers*, 13(7), 1062. <https://doi.org/10.3390/polym13071062>

Mahdavi, S. A., Jafari, S. M., Assadpoor, E., & Dehnad, D. (2016). Microencapsulation optimization of natural anthocyanins with maltodextrin, gum Arabic and gelatin. *International Journal of Biological Macromolecules*, 85, 379–385. <https://doi.org/10.1016/j.ijbiomac.2016.01.011>

Marsh, A. J., Hill, C., Ross, R. P., & Cotter, P. D. (2014). Fermented beverages with health-promoting potential: Past and future perspectives. *Trends in Food Science & Technology*, 38(2), 113–124. <https://doi.org/10.1016/j.tifs.2014.05.002>

Marsh, A. J., O'Sullivan, O., Hill, C., Ross, R. P., & Cotter, P. D. (2014). Sequence-based analysis of the bacterial and fungal compositions of multiple kombucha (tea fungus) samples. *Food*

Microbiology, 38, 171–178. <https://doi.org/10.1016/j.fm.2013.09.003>

- Martínez, N. R. H., Blanchard, C., Wells, D., & Salazar-Gutiérrez, M. R. (2023). Current state and future perspectives of commercial strawberry production: A review. *Scientia Horticulturae*, 312, 111893. <https://doi.org/10.1016/j.scienta.2023.111893>
- Miranda, J. F., Ruiz, L. F., Silva, C. B., Uekane, T. M., Silva, K. A., Gonzalez, A. G. M., Fernandes, F. F., & Lima, A. R. (2022). Kombucha: A review of substrates, regulations, composition, and biological properties. *Journal of Food Science*, 87(2), 503–527. <https://doi.org/10.1111/1750-3841.16029>
- Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblica officinalis*) juice powder. *Food and Bioprocess Processing*, 92(3), 252–258. <https://doi.org/10.1016/j.fbp.2013.08.003>
- Mohsin, A. Z., Mat Nor, N. A., Muhialdin, B. J., Mohd Roby, B. H., Abadi, M. M., Marzlan, A. A., Hussain, N., & Meor Hussin, A. S. (2022). The effects of encapsulation process involving arabic gum on the metabolites, antioxidant and antibacterial activity of kombucha (fermented sugared tea). *Food Hydrocolloids for Health*, 2, 100072. <https://doi.org/10.1016/j.fhfh.2022.100072>
- Morales, D., Gutiérrez-Pensado, R., Bravo, F. I., & Muguerza, B. (2023). Novel kombucha beverages with antioxidant activity based on fruits as alternative substrates. *LWT*, 189, 115482. <https://doi.org/10.1016/j.lwt.2023.115482>
- Morales, D., Laura, Marco, P., & Tejedor-Calvo, E. (2024). Elaboration and Characterization of Novel Kombucha Drinks Based on Truffles (*Tuber melanosporum* and *Tuber aestivum*) with Interesting Aromatic and Compositional Profiles. *Foods*, 13(13), 2162–2162. <https://doi.org/10.3390/foods13132162>
- Murali, S., Kar, A., Mohapatra, D., & Kalia, P. (2014). Encapsulation of black carrot juice using spray and freeze drying. *Food Science and Technology International*, 21(8), 604–612.

<https://doi.org/10.1177/1082013214557843>

- Muzaifa, M., Rohaya, S., Nilda, C., & Harahap, K. (2022). Kombucha Fermentation from Cascara with Addition of Red Dragon Fruit (*Hylocereus polyrhizus*): Analysis of Alcohol Content and Total Soluble Solid. *Advances in Biological Sciences Research*.
<https://doi.org/10.2991/absr.k.220102.020>
- Newerli-Guz, J., Śmiechowska, M., Drzewiecka, A., & Tylingo, R. (2023). Bioactive Ingredients with Health-Promoting Properties of Strawberry Fruit (*Fragaria x ananassa* Duchesne). *Molecules (Basel, Switzerland)*, 28(6), 2711. <https://doi.org/10.3390/molecules28062711>
- Nguyen, N., Do, A. D., Phan Van, T., Nguyen, V., Tran, M., & Nguyen, Q. (2024). Development of dairy-free soybean-based yoghurt by active dry starter culture from kombucha: an investigation into microencapsulation, curd formation, protein and texture profiles during storage. *International Journal of Food Science & Technology*, 59(4), 2383–2399.
<https://doi.org/10.1111/ijfs.16966>
- Nurhadi, B., Muhammad, J., Mubarak, S., & Saputra, R. A. (2024). Enhancing betacyanin stability: Comparison of dragon fruit (*Hylocereus polyrhizus*) pulp and peel powders through encapsulation technology during storage. *Food Science and Nutrition*.
<https://doi.org/10.1002/fsn3.3992>
- Nyhan, L. M., Lynch, K. M., Sahin, A. W., & Arendt, E. K. (2022). Advances in Kombucha Tea Fermentation: A Review. *Applied Microbiology*, 2(1), 73–101.
<https://doi.org/10.3390/applmicrobiol2010005>
- Ohwofasa, A., Dhami, M., Winefield, C., & On, S. L. W. (2024). Elevated abundance of *Komagataeibacter* results in a lower pH in kombucha production; insights from microbiomic and chemical analyses. *Current Research in Food Science*, 8, 100694.
<https://doi.org/10.1016/j.crfs.2024.100694>
- Onsun, B., Toprak, K., & Sanlier, N. (2025). Kombucha Tea: A Functional Beverage and All its Aspects. *Current Nutrition Reports*, 14(1). <https://doi.org/10.1007/s13668-025-00658-9>

- Ozdemir, N., Bayrak, A., Tat, T., Altay, F., Kiralan, M., & Kurt, A. (2021). Microencapsulation of basil essential oil: utilization of gum arabic/whey protein isolate/maltodextrin combinations for encapsulation efficiency and in vitro release. *Journal of Food Measurement and Characterization*, 15(2), 1865–1876. <https://doi.org/10.1007/s11694-020-00771-z>
- Paini, M., Aliakbarian, B., Casazza, A. A., Lagazzo, A., Botter, R., & Perego, P. (2015). Microencapsulation of phenolic compounds from olive pomace using spray drying: A study of operative parameters. *LWT - Food Science and Technology*, 62(1), 177–186. <https://doi.org/10.1016/j.lwt.2015.01.022>
- Pashazadeh, H., Zannou, O., Ghellam, M., Koca, I., Galanakis, C. M., & Aldawoud, T. M. S. (2021). Optimization and Encapsulation of Phenolic Compounds Extracted from Maize Waste by Freeze-Drying, Spray-Drying, and Microwave-Drying Using Maltodextrin. *Foods*, 10(6), 1396. <https://doi.org/10.3390/foods10061396>
- Pierucci, S., Klemeš, J., Piazza, L., Bakalis, S., Akdeniz, B., Sumnu, G., & Sahin, S. (2017). The Effects of Maltodextrin and Gum Arabic on Encapsulation of Onion Skin Phenolic Compounds. *CHEMICAL ENGINEERING TRANSACTIONS*, 57. <https://doi.org/10.3303/CET1757316>
- Pierucci, S., Klemeš, J., Piazza, L., Bakalis, S., Aliakbarian, B., Casazza, A., Nani, A., & Perego, P. (2017). Production of Chocolate Powdered Beverage with Enhanced Instant Properties. *CHEMICAL ENGINEERING TRANSACTIONS*, 57. <https://doi.org/10.3303/CET1757147>
- Prajapati, K., Prajapati, J., Patel, D., Patel, R., Anish Varshnei, Saraf, M., & Goswami, D. (2024). Multidisciplinary advances in kombucha fermentation, health efficacy, and market evolution. *Archives of Microbiology*, 206(9). <https://doi.org/10.1007/s00203-024-04086-1>
- Prasad, N., Thombare, N., Sharma, S. C., & Kumar, S. (2022). Gum arabic – A versatile natural gum: A review on production, processing, properties and applications. *Industrial Crops and Products*, 187, 115304. <https://doi.org/10.1016/j.indcrop.2022.115304>
- Premi, M., & Sharma, H. K. (2017). Effect of different combinations of maltodextrin, gum arabic and whey protein concentrate on the encapsulation behavior and oxidative stability of spray dried

- drumstick (*Moringa oleifera*) oil. *International Journal of Biological Macromolecules*, 105, 1232–1240. <https://doi.org/10.1016/j.ijbiomac.2017.07.160>
- Prenzler, P. D., Ryan, D., & Robards, K. (2021). Chapter 1 Introduction to Basic Principles of Antioxidant Activity. *Pubs.rsc.org*, 1–62. <https://doi.org/10.1039/9781839165337-00001>
- Pui, L. P., & Lejaniya, A. K. S. (2022). Effects of spray-drying parameters on physicochemical properties of powdered fruits. *Foods and Raw Materials*, 10(2), 235–251. <https://doi.org/10.21603/2308-4057-2022-2-533>
- Rafaela, B., Eduarda, M., Kaiane, A., Sartori, G. V., Roberto, M., Dias, R., Friere, C. B. F., & Carolina, A. (2023). Influence of the addition of strawberry guava (*Psidium cattleianum*) pulp on the content of bioactive compounds in kombuchas with yerba mate (*Ilex paraguariensis*). *Food Science and Technology*, 43. <https://doi.org/10.5327/fst.00063>
- Rahman, A., Masawal, V. V., Yieng, R., Narudin, N., & Artasasta, Muh. A. (2024). *Innovative Development of Instant Kombucha Drink and Kombucha Ice Cream Using Spray Drying Techniques*. 2(1), 8–30. <https://doi.org/10.37934/fsat.2.1.830>
- Ribeiro, A., Estevinho, B. N., & Rocha, F. (2019). Spray Drying Encapsulation of Elderberry Extract and Evaluating the Release and Stability of Phenolic Compounds in Encapsulated Powders. *Food and Bioprocess Technology*, 12(8), 1381–1394. <https://doi.org/10.1007/s11947-019-02304-z>
- Robert, P., Gorena, T., Romero, N., Sepulveda, E., Chavez, J., & Saenz, C. (2010). Encapsulation of polyphenols and anthocyanins from pomegranate (*Punica granatum*) by spray drying. *International Journal of Food Science & Technology*, 45(7), 1386–1394. <https://doi.org/10.1111/j.1365-2621.2010.02270.x>
- Sadok, I., Rachwał, K., Jonik, I., Żukociński, G., & Kwiatkowska, O. (2025). Effect of temperature and time on mold growth, mycotoxin contamination, phytochemicals and microbiological characteristics of kombucha tea during fermentation. *Food Control*, 175, 111296. <https://doi.org/10.1016/j.foodcont.2025.111296>
- Saenz, C., Tapia, S., Chavez, J., & Robert, P. (2009). Microencapsulation by spray drying of bioactive

- compounds from cactus pear (*Opuntia ficus-indica*). *Food Chemistry*, 114(2), 616–622.
<https://doi.org/10.1016/j.foodchem.2008.09.095>
- Sahoo, N. G., Abbas, A., Zaher, N., Li, C. M., & Yuen, K.-H. (2009). Solubility Enhancement of a Poorly Water-Soluble Anti-Malarial Drug: Experimental Design and Use of a Modified Multifluid Nozzle Pilot Spray Drier. *Journal of Pharmaceutical Sciences*, 98(1), 281–296.
<https://doi.org/10.1002/jps.21399>
- Samedi, L., & Charles, A. L. (2019). Viability of 4 Probiotic Bacteria Microencapsulated with Arrowroot Starch in the Simulated Gastrointestinal Tract (GIT) and Yoghurt. *Foods*, 8(5), 175.
<https://doi.org/10.3390/foods8050175>
- Santana, D. C., Danieleto, F. B., Valdo, K. O., Arpini Costa, C. M., & Vasconcelos, C. M. (2024). Kombucha and its dehydrated and freeze-dried derivatives: physicochemical and microbiological characterization and in vivo toxicity evaluation. *Revista de Ciencia Y Tecnología*, 41(41), 7. <https://doi.org/10.36995/j.recyt.2024.41.007>
- Šavikin, K., Nastić, N., Janković, T., Bigović, D., Miličević, B., Vidović, S., Menković, N., & Vladić, J. (2021). Effect of Type and Concentration of Carrier Material on the Encapsulation of Pomegranate Peel Using Spray Drying Method. *Foods*, 10(9), 1968.
<https://doi.org/10.3390/foods10091968>
- Selvaraj, S., & Gurumurthy, K. (2022). An overview of probiotic health booster-kombucha tea. *Chinese Herbal Medicines*, 15(1). <https://doi.org/10.1016/j.chmed.2022.06.010>
- Sharma, R., Rashidinejad, A., & Jafari, S. M. (2022). Application of Spray Dried Encapsulated Probiotics in Functional Food Formulations. *Food and Bioprocess Technology*.
<https://doi.org/10.1007/s11947-022-02803-6>
- Shelke, G., Kad, V., Pandiselvam, R., Yenge, G., Kakade, S., Desai, S., Ritu Kukde, & Singh, P. (2023). Physical and functional stability of spray-dried jamun (*Syzygium cumini* L.) juice powder produced with different carrier agents. *Journal of Texture Studies*, 54(4), 560–570.
<https://doi.org/10.1111/jtxs.12749>

- Shi, Q., Fang, Z., & Bhandari, B. (2013). Effect of Addition of Whey Protein Isolate on Spray-Drying Behavior of Honey with Maltodextrin as a Carrier Material. *Drying Technology*, 31(13-14), 1681–1692. <https://doi.org/10.1080/07373937.2013.783593>
- Su, J., Tan, Q., Tang, Q., Tong, Z., & Yang, M. (2023). Research progress on alternative kombucha substrate transformation and the resulting active components. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1254014>
- Suhre, T., Fabricio, M. F., Tischer, B., Záchia Ayub, M. A., Evans, J. D., Frazzon, J., & Kothe, C. I. (2025). Fermentation of native Brazilian fruits with kombucha: A novel opportunity for producing low-alcohol beverages. *Food Bioscience*, 65, 106122. <https://doi.org/10.1016/j.fbio.2025.106122>
- Sutthiphatkul, T., Mangmool, S., Rungjindamai, N., & Ochaikul, D. (2022). Characteristics and Antioxidant Activities of Kombucha from Black Tea and Roselle by a Mixed Starter Culture. *Current Applied Science and Technology*, 23(4). <https://doi.org/10.55003/cast.2022.04.23.002>
- Tay, J. B. J., Chua, X., Ang, C., Subramanian, G. S., Tan, S. Y., Lin, E. M. J., Wu, W.-Y., Goh, K. K. T., & Lim, K. (2021). Effects of Spray-Drying Inlet Temperature on the Production of High-Quality Native Rice Starch. *Processes*, 9(9), 1557. <https://doi.org/10.3390/pr9091557>
- Tejedor-Calvo, E., & Morales, D. (2023). Chemical and Aromatic Changes during Fermentation of Kombucha Beverages Produced Using Strawberry Tree (*Arbutus unedo*) Fruits. *Fermentation*, 9(4), 326. <https://doi.org/10.3390/fermentation9040326>
- Thakur, C., Kaushal, M., Vaidya, D., Verma, A. K., Gupta, A., & Sharma, R. (2024). Unlocking the Potential of Spray Drying for Agro-products: Exploring Advanced Techniques, Carrier Agents, Applications, and Limitations. *Food and Bioprocess Technology*. <https://doi.org/10.1007/s11947-024-03544-4>
- Tolun, A., Altintas, Z., & Artik, N. (2016). Microencapsulation of grape polyphenols using maltodextrin and gum arabic as two alternative coating materials: Development and characterization. *Journal of Biotechnology*, 239, 23–33. <https://doi.org/10.1016/j.jbiotec.2016.10.001>

- Tonon, R. V., Brabet, C., & Hubinger, M. D. (2008). Influence of process conditions on the physicochemical properties of açai (*Euterpe oleraceae* Mart.) powder produced by spray drying. *Journal of Food Engineering*, 88(3), 411–418. <https://doi.org/10.1016/j.jfoodeng.2008.02.029>
- Tu, C., Yu, T., Feng, S., Xu, N., Massawe, A., Shui, S., & Zhang, B. (2024). Dynamics of microbial communities, flavor, and physicochemical properties of kombucha-fermented *Sargassum fusiforme* beverage during fermentation. *LWT*, 115729–115729. <https://doi.org/10.1016/j.lwt.2024.115729>
- Ürün, I., Attar, Ş. H., Sonmez, D., Gündeşli, M. A., Ercisli, S., Kafkas, N. E., Bandić, L. M., & Duralija, B. (2021). *Comparison of Polyphenol, Sugar, Organic Acid, Volatile Compounds, and Antioxidant Capacity of Commercially Grown Strawberry Cultivars in Turkey*. 10(8), 1654–1654. <https://doi.org/10.3390/plants10081654>
- Van, T. P., Nguyen, Q., Nguyen, N., & Do, A. D. (2024). Efficiency of freeze- and spray-dried microbial preparation as active dried starter culture in kombucha fermentation. *Journal of the Science of Food and Agriculture*. <https://doi.org/10.1002/jsfa.13697>
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J.-P., & Taillandier, P. (2018). Understanding Kombucha Tea Fermentation: A Review. *Journal of Food Science*, 83(3), 580–588. <https://doi.org/10.1111/1750-3841.14068>
- Vivek, K., Mishra, S., & Pradhan, R. C. (2021). Optimization of Spray Drying Conditions for Developing Nondairy Based Probiotic Sohiong Fruit Powder. *International Journal of Fruit Science*, 21(1), 193–204. <https://doi.org/10.1080/15538362.2020.1864567>
- Wang, B., Rutherford-Markwick, K., Liu, N., Zhang, X.-X., & Mutukumira, A. N. (2024). Probiotic potential of acetic acid bacteria isolated from kombucha in New Zealand in vitro. *The Microbe*, 4, 100130. <https://doi.org/10.1016/j.microb.2024.100130>
- Wang, B., Rutherford-Markwick, K., Zhang, X.-X., & Mutukumira, A. N. (2022). Isolation and characterisation of dominant acetic acid bacteria and yeast isolated from Kombucha samples

- at point of sale in New Zealand. *Current Research in Food Science*, 5, 835–844.
<https://doi.org/10.1016/j.crfs.2022.04.013>
- Wang, H., Wang, C. N., & Guo, M. R. (2019). Effects of addition of strawberry juice pre- or postfermentation on physiochemical and sensory properties of fermented goat milk. *Journal of Dairy Science*, 102(6), 4978–4988. <https://doi.org/10.3168/jds.2018-15750>
- Wang, X., Wu, L., Qiu, J., Qian, Y., & Wang, M. (2023). *Comparative Metabolomic Analysis of the Nutritional Aspects from Ten Cultivars of the Strawberry Fruit*. 12(6), 1153–1153.
<https://doi.org/10.3390/foods12061153>
- Wijayanti, N., Widyaningsih, T. D., Wulan, S. N., & Rifai, M. (2023). Influence of Spray Drying Inlet Temperature on the Physical Properties and Antioxidant Activity of Black Garlic Extract Powder. *Trends in Sciences*, 21(2), 7247–7247. <https://doi.org/10.48048/tis.2024.7247>
- Wittner, M. O., Karbstein, H. P., & Gaukel, V. (2019). Energy efficient spray drying by increased feed dry matter content: investigations on the applicability of Air-Core-Liquid-Ring atomization on pilot scale. *Drying Technology*, 38(10), 1323–1331.
<https://doi.org/10.1080/07373937.2019.1635616>
- Wyk, N. van , Binder, J., Ludzuweit, M., Köhler, S., Brezina, S., Semmler, H., Pretorius, I. S., Rauhut, D., Senz, M., & Christian von Wallbrunn. (2023). The Influence of Pichia kluyveri Addition on the Aroma Profile of a Kombucha Tea Fermentation. *Foods*, 12(10), 1938–1938.
<https://doi.org/10.3390/foods12101938>
- Xia, Y., Lu, J., Jin, S., & Cheng, Q. (2023). Effect of pressure on heat and mass transfer performance in spray drying tower with low inlet temperature. *Applied Thermal Engineering*, 218, 119260.
<https://doi.org/10.1016/j.applthermaleng.2022.119260>
- Xiong, R.-G., Wu, S.-X., Cheng, J., Saimaiti, A., Liu, Q., Shang, A., Zhou, D.-D., Huang, S.-Y., Gan, R.-Y., & Li, H.-B. (2023). Antioxidant Activities, Phenolic Compounds, and Sensory Acceptability of Kombucha-Fermented Beverages from Bamboo Leaf and Mulberry Leaf. *Antioxidants*, 12(8), 1573. <https://doi.org/10.3390/antiox12081573>

- Yang, W., Liu, J., Liu, H., Zhang, Q., Lv, Z., & Jiao, Z. (2023). Characterization of strawberry purees fermented by *Lactobacillus* spp. based on nutrition and flavor profiles using LC-TOF/MS, HS-SPME-GC/MS and E-nose. *LWT*, 189, 115457. <https://doi.org/10.1016/j.lwt.2023.115457>
- Zhang, J., Zhang, C., Chen, X., & Quek, S. Y. (2020). Effect of spray drying on phenolic compounds of cranberry juice and their stability during storage. *Journal of Food Engineering*, 269, 109744. <https://doi.org/10.1016/j.jfoodeng.2019.109744>
- Zhang, L., Zeng, X., Fu, N., Tang, X., Sun, Y., & Lin, L. (2018). Maltodextrin: A consummate carrier for spray-drying of xylooligosaccharides. *Food Research International*, 106, 383–393. <https://doi.org/10.1016/j.foodres.2018.01.004>
- Zhao, Y.-S., Eweys, A. S., Zhang, J.-Y., Zhu, Y., Bai, J., Darwesh, O. M., Zhang, H.-B., & Xiao, X. (2021). Fermentation Affects the Antioxidant Activity of Plant-Based Food Material through the Release and Production of Bioactive Components. *Antioxidants*, 10(12), 2004. <https://doi.org/10.3390/antiox10122004>
- Zhao, Z., Wu, X., Chen, H., Liu, Y., Xiao, Y., Chen, H., Tang, Z., Li, Q., & Yao, H. (2021). Evaluation of a strawberry fermented beverage with potential health benefits. *PeerJ*, 9, e11974. <https://doi.org/10.7717/peerj.11974>
- Zhou, D.-D., Saimaiti, A., Luo, M., Huang, S.-Y., Xiong, R.-G., Shang, A., Gan, R.-Y., & Li, H.-B. (2022). Fermentation with Tea Residues Enhances Antioxidant Activities and Polyphenol Contents in Kombucha Beverages. *Antioxidants (Basel, Switzerland)*, 11(1), 155. <https://doi.org/10.3390/antiox11010155>
- Ziaee, A., O'Connor, E. M., Murphy, E. G., & O'Reilly, E. J. (2023). Spray drying of food. *Elsevier EBooks*, 123–155. <https://doi.org/10.1016/b978-0-12-819895-7.00010-9>
- Zubaidah, E., Dea, E. C., & Sujuti, H. (2022). Physicochemical and microbiological characteristics of kombucha based on various concentration of Javanese turmeric (*Curcuma xanthorrhiza*). *Biocatalysis and Agricultural Biotechnology*, 44, 102467. <https://doi.org/10.1016/j.bcab.2022.102467>

Zubaidah, E., Dewantari, F. J., Novitasari, F. R., Srianata, I., & Blanc, P. J. (2018). Potential of snake fruit (*Salacca zalacca* (Gaerth.) Voss) for the development of a beverage through fermentation with the Kombucha consortium. *Biocatalysis and Agricultural Biotechnology*, 13, 198–203. <https://doi.org/10.1016/j.bcab.2017.12.012>