

References

- Arachchige, G. R. P., Thorstensen, E. B., Coe, M., McKenzie, E. J., O'Sullivan, J. M., & Pook, C. J. (2021). LC-MS/MS quantification of fat soluble vitamers—A systematic review. *Analytical biochemistry*, 613, 113980.
- AOAC International. (2016). Appendix F: Guidelines for Standard Method Performance Requirements. https://www.aoac.org/wp-content/uploads/2019/08/app_f.pdf
- AOAC International. (2016). Guidelines for Single Laboratory Validation of Chemical Methods for Dietary Supplements and Botanicals. AOAC International.
- Bhole, R. P., Jagtap, S. R., Chadar, K. B., & Zambare, Y. B. (2020). Liquid chromatography-mass spectrometry technique-A review. *Research Journal of Pharmacy and Technology*, 13(1), 505-516.
- De Hoffmann, E., & Stroobant, V. (2013). *Mass spectrometry: principles and applications*. John Wiley & Sons.
- Fikri, E., & Firmansyah, Y. W. (2023). A case report of contamination and toxicity of ethylene glycol and diethylene glycol on drugs in Indonesia. *Environment and Ecology Research*, 11(2), 378-384.
- Food And Drug Administration. (2023). ORA lab manual vol. II - methods, method verification and validation (ORA-LAB.5.4.5). MAN-000037.
- Frank, E., & Godwin Olaoye, J. O. (2020). Method development involves solvent selection, wavelength determination, and establishing linearity, accuracy, precision, and specificity for cefuroxime analysis.
- Gentili, A., & Caretti, F. (2011). Simultaneous determination of water-soluble vitamins in pharmaceutical formulations by LC-MS/MS: Challenges and applications. *Analytical and Bioanalytical Chemistry*, 399(3), 1219–1230. <https://doi.org/10.1007/s00216-010-4274-3>
- International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use. (2024). Q2(r2) guideline on validation of analytical procedures

- ICH. (2005). Validation of Analytical Procedures: Text and Methodology Q2(R1). International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use.
- Kim, H., Kim, S., & Kim, S. (2012). Development of a rapid and sensitive LC-MS/MS method for the quantification of myo-inositol in infant formula. *Food Chemistry*, 135(3), 1350-1356. <https://doi.org/10.1016/j.foodchem.2012.06.085>
- Kositzi, M., & Tzanavaras, P. D. (2018). Hydrophilic interaction liquid chromatography (HILIC) for the analysis of polar compounds: A review. *Journal of Chromatography A*, 1535, 1–13. <https://doi.org/10.1016/j.chroma.2017.12.042>
- Kurniawan, H., Kirom, I., Sianjung, M. H. N., Rahim, M., Saputra, R., Stevia, T., & Apsanita, W. (N.D.). Analisis vitamin C menggunakan kromatografi cair kinerja tinggi dengan variasi variabel perbandingan terhadap sirup multivitamin. *Journal Pharmacy Of Tanjungpura*, 1(2).
- Lavanya, G., Sunil, M. M. E. M., Eswarudu, M. M., Eswaraiah, M. C., Harisudha, K., & Spandana, B. N. (2013). Analytical method validation: an updated review. *International Journal of Pharmaceutical Sciences and Research*, 4(4), 1280.
- Moldoveanu, S. C., & David, V. (2022). *Essentials in modern HPLC separations*. Elsevier.
- Mornar, A., Buhač, T., Klarić, D. A., Klarić, I., Sertić, M., & Nigović, B. (2020). Multi-targeted screening of phytoestrogens in food, raw material, and dietary supplements by liquid chromatography with tandem mass spectrometry. *Food analytical methods*, 13(2), 482-495.
- Poitout, F., Colangelo, J. L., Lavallée, S., Aulbach, A. D., Piché, M.-S., Ennulat, D., Ameri, M., & Boone, L. I. (2018). Current practices and challenges in method validation. *Toxicologic Pathology*, 46(7), 870–883. <https://doi.org/10.1177/0192623318801571>
- Ravisankar, P., Gowthami, S., & Rao, G. D. (2014). A review on analytical method development. *Indian journal of research in pharmacy and biotechnology*, 2(3), 1183.
- Rakuša, Ž. T., Grobin, A., & Roškar, R. (2021). A comprehensive approach for the simultaneous analysis of all main water-soluble vitamins in multivitamin preparations by a stability-indicating HPLC-DAD method. *Food Chemistry*, 337, 127768.

- Sharma, S., Goyal, S., & Chauhan, K. (2018). A review on analytical method development and validation. *International Journal of Applied Pharmaceutics*, 10(6), 8-15.
- Sulasmi, S., Muchlisyam, M., & Haro, G. (2023). Simultaneous Analysis of Tablets Content Vitamin C And Zinc In Visible Spectrophotometry. *International Journal of Science, Technology & Management*, 4(2), 386-392.
- Sulasmi, E., Hidayat, T., & Kurniawan, F. (2023). Simultaneous determination of water-soluble vitamins in multivitamin tablets by HPLC. *Indonesian Journal of Pharmaceutical Science and Technology*, 10(2), 45-53.
- Swartz, M. E., & Krull, I. S. (2018). *Analytical method development and validation*. CRC press.
- Taktode, A. D., Chaudhari, S. P., Kotgale, N. B., & Adhao, V. S. (2024). Bioanalytical method development and validation for estimation of active pharmaceutical substance by LC-MS/MS: a general review on bioanalysis.
- Tan, S. S., Aw, T. C., & Roberts, W. L. (2022). Calibration practices in clinical mass spectrometry: The importance of linearity assessment. *Clinical Chemistry and Laboratory Medicine*, 60(7), 1123–1132. <https://doi.org/10.1515/cclm-2022-0123>
- United States Pharmacopeia (USP). (2023). USP <1225> Validation of compendial procedures. United States Pharmacopeial Convention.
- Water-Soluble Vitamins Stability by Robust Liquid Chromatography. (2024). *Journal of Pharmaceutical and Biomedical Analysis*, 185, 113245. <https://doi.org/10.1016/j.jpba.2020.113245>
- Waters. (n.d.). *A Guide to Analytical Method Validation [Review of A Guide to Analytical Method Validation]*. Waters Corporation.
- Waters Corporation. (2021). Enhancing the LC-MS/MS analysis of B-group vitamins with MaxPeak high performance surfaces technology. Waters Application Note 720007355EN. <https://www.waters.com/nextgen/us/en/library/application-notes/2021/enhancing-the-lc->

ms-ms-analysis-of-b-group-vitamins-with-maxpeak-high-performance-surfaces-technology.

html