

References

- Bruchas, M. R., & Roth, B. L. (2016). New Technologies for Elucidating Opioid Receptor Function. *Trends in Pharmacological Sciences*, 37(4), 279–289. <https://doi.org/10.1016/j.tips.2016.01.001>
- Budd, D. C., McDonald, J. E., & Tobin, A. B. (2000). Phosphorylation and Regulation of a Gq/11-coupled Receptor by Casein Kinase 1 α . *Journal of Biological Chemistry*, 275(26), 19667–19675. <https://doi.org/10.1074/jbc.M000492200>
- Bura, A., Čabrijan, S., Đurić, I., Bruketa, T., & Jurak Begonja, A. (2023). A Plethora of Functions Condensed into Tiny Phospholipids: The Story of PI4P and PI(4,5)P₂. *Cells*, 12(10), 1411. <https://doi.org/10.3390/cells12101411>
- Calebiro, D., Miljus, T., & O'Brien, S. (2025). Endomembrane GPCR signaling: 15 Years on, the Quest Continues. *Trends in Biochemical Sciences*, 50(1), 46–60. <https://doi.org/10.1016/j.tibs.2024.10.006>
- Cao, Y., Kumar, S., Namkung, Y., Gagnon, L., Cho, A., & Laporte, S. A. (2020). Angiotensin II type 1 receptor variants alter endosomal receptor– β -arrestin complex stability and MAPK activation. *Journal of Biological Chemistry*, 295(38), 13169–13180. <https://doi.org/10.1074/jbc.RA120.014330>
- Chen, L., Mao, C., & Jiang, Y. (2025). GPCR signaling from endosome: mechanistic insights and therapeutic potentials. *European Journal of Pharmacology*, 1008, 178311. <https://doi.org/https://doi.org/10.1016/j.ejphar.2025.178311>
- Cheng, L., Xia, F., Li, Z., Shen, C., Yang, Z., Hou, H., Sun, S., Feng, Y., Yong, X., Tian, X., Qin, H., Yan, W., & Shao, Z. (2023). Structure, function and drug discovery of GPCR signaling. *Molecular Biomedicine*, 4(1). <https://doi.org/10.1186/s43556-023-00156-w>
- Conti, F., Sertic, S., Reversi, A., & Chini, B. (2009). Intracellular trafficking of the human oxytocin receptor: evidence of receptor recycling via a Rab4/Rab5 “short cycle.” *American Journal of Physiology-Endocrinology and Metabolism*, 296(3), E532–E542. <https://doi.org/10.1152/ajpendo.90590.2008>

- Corey, E. A., Ukhanov, K., Bobkov, Y. V., McIntyre, J. C., Martens, J. R., & Ache, B. W. (2021). Inhibitory signaling in mammalian olfactory transduction potentially mediated by Gao. *Molecular and Cellular Neuroscience*, 110, 103585. <https://doi.org/10.1016/j.mcn.2020.103585>
- Costa-Neto, C. M., & Parreiras-e-Silva, L. T. (2025). Deciphering complexity of GPCR signaling and modulation: Implications and perspectives for drug discovery. *Clinical Science*, 139(10), 463–477. <https://doi.org/10.1042/cs20245182>
- Crilly, S. E., & Puthenveedu, M. A. (2020). Compartmentalized GPCR signaling from intracellular membranes. *The Journal of Membrane Biology*, 254(3), 259–271. <https://doi.org/10.1007/s00232-020-00158-7>
- Daly, C., & Plouffe, B. (2025). Gα_q signalling from endosomes: A new conundrum. *British Journal of Pharmacology*, 182(14), 3068–3089. <https://doi.org/10.1111/bph.16248>
- de Rubio, R. G., Ransom, R. F., Malik, S., Yule, D. I., Anantharam, A., & Smrcka, A. V. (2018). Phosphatidylinositol 4-phosphate is a major source of gpcr-stimulated phosphoinositide production. *Science Signaling*, 11(547), eaan1210. <https://doi.org/10.1126/scisignal.aan1210>
- Di Paolo, G., & De Camilli, P. (2006). Phosphoinositides in cell regulation and membrane dynamics. *Nature*, 443(7112), 651–657. <https://doi.org/10.1038/nature05185>
- Dickson, E. J., Falkenburger, B. H., & Hille, B. (2013). Quantitative properties and receptor reserve of the IP₃ and calcium branch of Gq-coupled receptor signaling. *Journal of General Physiology*, 141(5), 521–535. <https://doi.org/10.1085/jgp.201210886>
- Dixon, A. S., Schwinn, M. K., Hall, M. P., Zimmerman, K., Otto, P., Lubben, T. H., Butler, B. L., Binkowski, B. F., Machleidt, T., Kirkland, T. A., Wood, M. G., Eggers, C. T., Encell, L. P., & Wood, K. V. (2015). NanoLuc complementation reporter optimized for accurate measurement of protein interactions in cells. *ACS Chemical Biology*, 11(2), 400–408. <https://doi.org/10.1021/acscchembio.5b00753>
- Dwyer, T. S., O'Brien, J. B., Ptak, C. P., LaVigne, J. E., Flaherty, D. P., Watts, V. J., & Roman, D. L. (2022). Protein-protein interaction-based high throughput screening for adenylyl cyclase 1 inhibitors:

- Design, implementation, and discovery of a novel chemotype. *Frontiers in Pharmacology*, 13. <https://doi.org/10.3389/fphar.2022.977742>
- Elliott, A. D. (2020). Confocal Microscopy: Principles and Modern Practices. *Current Protocols in Cytometry*, 92(1). <https://doi.org/10.1002/cpcy.68>
- Fisher, I. J., & Lyon, A. M. (2020). Q's the boss: Gαq regulates gi-mediated calcium release through plcβ. *Molecular Cell*, 80(6), 933–934. <https://doi.org/10.1016/j.molcel.2020.11.038>
- Fukunaga, S., Setoguchi, S., Hirasawa, A., & Tsujimoto, G. (2006). Monitoring ligand-mediated internalization of G protein-coupled receptor as a novel pharmacological approach. *Life Sciences*, 80(1), 17–23. <https://doi.org/10.1016/j.lfs.2006.08.022>
- George, K., Hoang, H. T. M., Tibbs, T., Nagaraja, R. Y., Li, G., Troyano-Rodriguez, E., & Ahmad, M. (2024). Robust GRK2/3/6-dependent desensitization of oxytocin receptor in neurons. *IScience*, 27(6), 110047. <https://doi.org/10.1016/j.isci.2024.110047>
- Hammond, G. R. V., & Burke, J. E. (2020). Novel roles of phosphoinositides in signaling, lipid transport, and disease. *Current Opinion in Cell Biology*, 63, 57–67. <https://doi.org/10.1016/j.ceb.2019.12.007>
- Hammond, G. R. V., Schiavo, G., & Irvine, R. F. (2009). Immunocytochemical techniques reveal multiple, distinct cellular pools of PtdIns4 P and PtdIns(4,5) P 2. *Biochemical Journal*, 422(1), 23–35. <https://doi.org/10.1042/BJ20090428>
- Hancock, J. F., Cadwallader, K., Paterson, H., & Marshall, C. J. (1991). A CAAX or a CAAL motif and a second signal are sufficient for plasma membrane targeting of ras proteins. *The EMBO Journal*, 10(13), 4033–4039. <https://doi.org/10.1002/j.1460-2075.1991.tb04979.x>
- Henmi, Y., Morikawa, Y., Oe, N., Ikeda, N., Fujita, A., Takei, K., Minogue, S., & Tanabe, K. (2016). PtdIns4KIIα generates endosomal PtdIns(4)P and is required for receptor sorting at early endosomes. *Molecular Biology of the Cell*, 27(6), 990–1001. <https://doi.org/10.1091/mbc.E15-08-0564>
- Hu, J., Han, J., Li, H., Zhang, X., Liu, L. Ian, Chen, F., & Zeng, B. (2018). Human Embryonic Kidney 293

- Cells: A Vehicle for Biopharmaceutical Manufacturing, Structural Biology, and Electrophysiology. *Cells Tissues Organs*, 205(1), 1–8. <https://doi.org/10.1159/000485501>
- Jensen, D. D., Lieu, T., Halls, M. L., Veldhuis, N. A., Imlach, W. L., Mai, Q. N., Poole, D. P., Quach, T., Aurelio, L., Conner, J., Herenbrink, C. K., Barlow, N., Simpson, J. S., Scanlon, M. J., Graham, B., McCluskey, A., Robinson, P. J., Escriou, V., Nassini, R., ... Bunnett, N. W. (2017). Neurokinin 1 receptor signaling in endosomes mediates sustained nociception and is a viable therapeutic target for prolonged pain relief. *Science Translational Medicine*, 9(392). <https://doi.org/10.1126/scitranslmed.aal3447>
- Kamoto, D., Thach, L., Bernard, R., Chan, V., Zheng, W., Kaur, H., Brimble, M., Osman, N., & Little, P. J. (2015). Structure, Function, Pharmacology, and Therapeutic Potential of the G Protein, G $\hat{1}\pm$ /q,11. *Frontiers in Cardiovascular Medicine*, 2. <https://doi.org/10.3389/fcvm.2015.00014>
- Kozasa, T., Hajicek, N., Chow, C. R., & Suzuki, N. (2011). Signalling mechanisms of RhoGTPase regulation by the heterotrimeric G proteins G12 and G13. *Journal of Biochemistry*, 150(4), 357–369. <https://doi.org/10.1093/jb/mvr105>
- Latorre, R., Ramírez-García, P. D., Hegron, A., Grace, J. L., Retamal, J. S., Shenoy, P., Tran, M., Aurelio, L., Flynn, B., Poole, D. P., Klein-Cloud, R., Jensen, D. D., Davis, T. P., Schmidt, B. L., Quinn, J. F., Whittaker, M. R., Veldhuis, N. A., & Bunnett, N. W. (2022). Sustained endosomal release of a neurokinin-1 receptor antagonist from nanostars provides long-lasting relief of chronic pain. *Biomaterials*, 285, 121536. <https://doi.org/10.1016/j.biomaterials.2022.121536>
- Li, J., Gao, Z., Zhao, D., Zhang, L., Qiao, X., Zhao, Y., Ding, H., Zhang, P., Lu, J., Liu, J., Jiang, H., Luo, C., & Chen, C. (2017). PI-273, a Substrate-Competitive, Specific Small-Molecule Inhibitor of PI4KII α , Inhibits the Growth of Breast Cancer Cells. *Cancer Research*, 77(22), 6253–6266. <https://doi.org/10.1158/0008-5472.CAN-17-0484>
- Lorente, J. S., Sokolov, A. V., Ferguson, G., Schiöth, H. B., Hauser, A. S., & Gloriam, D. E. (2025). GPCR drug discovery: new agents, targets and indications. *Nature Reviews Drug Discovery*, 24(6), 458–479. <https://doi.org/10.1038/s41573-025-01139-y>

- Lyon, A. M., & Tesmer, J. J. G. (2013). Structural Insights into Phospholipase C- β Function. *Molecular Pharmacology*, 84(4), 488–500. <https://doi.org/10.1124/mol.113.087403>
- Meister, J., Wanka, L., Perry-Hauser, N. A., Liu, L., Iverson, T. M., Gurevich, V. V., Beck-Sickinger, A. G., Kruse, A. C., & Wess, J. (2025). Development of Mutant M₃ Muscarinic Receptors Biased for G Protein Activation or Recruitment of β -Arrestins. *Biochemistry*, 64(13), 2727–2736. <https://doi.org/10.1021/acs.biochem.5c00036>
- Mizuno, N., & Itoh, H. (2009). Functions and Regulatory Mechanisms of Gq-Signaling Pathways. *Neurosignals*, 17(1), 42–54. <https://doi.org/10.1159/000186689>
- Oakley, R. H., Laporte, S. A., Holt, J. A., Caron, M. G., & Barak, L. S. (2000). Differential Affinities of Visual Arrestin, β Arrestin1, and β Arrestin2 for G Protein-coupled Receptors Delineate Two Major Classes of Receptors. *Journal of Biological Chemistry*, 275(22), 17201–17210. <https://doi.org/10.1074/jbc.M910348199>
- Poulin, B., Butcher, A., McWilliams, P., Bourgognon, J.-M., Pawlak, R., Kong, K. C., Bottrill, A., Mistry, S., Wess, J., Rosethorne, E. M., Charlton, S. J., & Tobin, A. B. (2010). The M₃-muscarinic receptor regulates learning and memory in a receptor phosphorylation/arrestin-dependent manner. *Proceedings of the National Academy of Sciences*, 107(20), 9440–9445. <https://doi.org/10.1073/pnas.0914801107>
- Qian, X., Li, X., Cai, Q., Zhang, C., Yu, Q., Jiang, Y., Lee, J.-H., Hawke, D., Wang, Y., Xia, Y., Zheng, Y., Jiang, B.-H., Liu, D. X., Jiang, T., & Lu, Z. (2017). Phosphoglycerate kinase 1 phosphorylates Beclin1 to induce autophagy. *Molecular Cell*, 65(5), 917–931.e6. <https://doi.org/10.1016/j.molcel.2017.01.027>
- Retamal, J. S., Hellyer, S. D., Ramirez-Garcia, P. D., Latorre, R., Pokhrel, R., Davis, T. P., Zhu, Y., Whittaker, M. R., Kos, J. A., O’Sullivan, K., Bunnett, N. W., Imlach, W. L., Poole, D. P., Gregory, K. J., & Veldhuis, N. A. (2026). *Targeting of subcellular metabotropic glutamate receptor 5 signaling to modulate pain transmission*. <https://doi.org/10.64898/2026.01.29.702703>
- Ricci, M. M. C., Weckerly, C. C., & Hammond, G. R. V. (2025). Subcellular cartography of the

- phosphoinositide multiverse. *Biochimica Et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1871(2), 159706. <https://doi.org/10.1016/j.bbalip.2025.159706>
- Rosenbaum, D. M., Rasmussen, S. G. F., & Kobilka, B. K. (2009). The structure and function of G-protein-coupled receptors. *Nature*, 459(7245), 356–363. <https://doi.org/10.1038/nature08144>
- Rozbeh, R., & Forchhammer, K. (2021). Split NanoLuc technology allows quantitation of interactions between PII protein and its receptors with unprecedented sensitivity and reveals transient interactions. *Scientific Reports*, 11(1), 12535. <https://doi.org/10.1038/s41598-021-91856-2>
- Sassmann, A., Gier, B., Gröne, H.-J., Drews, G., Offermanns, S., & Wettschureck, N. (2010). The Gq/G11-mediated signaling pathway is critical for autocrine potentiation of insulin secretion in mice. *Journal of Clinical Investigation*, 120(6), 2184–2193. <https://doi.org/10.1172/JCI41541>
- Smith, J. S., Hilibrand, A. S., Skiba, M. A., Dates, A. N., Calvillo-Miranda, V. G., & Kruse, A. C. (2024). The M3 Muscarinic Acetylcholine Receptor Can Signal through Multiple G Protein Families. *Molecular Pharmacology*, 105(6), 386–394. <https://doi.org/10.1124/molpharm.123.000818>
- Smrcka, A. V., Hepler, J. R., Brown, K. O., & Sternweis, P. C. (1991). Regulation of Polyphosphoinositide-specific Phospholipase C Activity by Purified G_q. *Science*, 251(4995), 804–807. <https://doi.org/10.1126/science.1846707>
- Stenmark, H., Aasland, R., & Driscoll, P. C. (2002). The phosphatidylinositol 3-phosphate-binding FYVE finger. *FEBS Letters*, 513(1), 77–84. [https://doi.org/10.1016/S0014-5793\(01\)03308-7](https://doi.org/10.1016/S0014-5793(01)03308-7)
- Stojilkovic, S. S., & Balla, T. (2023). PI(4,5)P2-dependent and -independent roles of PI4P in the control of hormone secretion by pituitary cells. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.1118744>
- Tan, X., Thapa, N., Choi, S., & Anderson, R. A. (2015). Emerging roles of PtdIns(4,5) P₂ – beyond the plasma membrane. *Journal of Cell Science*, 128(22), 4047–4056. <https://doi.org/10.1242/jcs.175208>
- Thomsen, A. R. B., Jensen, D. D., Hicks, G. A., & Bunnett, N. W. (2018). Therapeutic Targeting of Endosomal G-Protein-Coupled Receptors. *Trends in Pharmacological Sciences*, 39(10), 879–891.

<https://doi.org/10.1016/j.tips.2018.08.003>

- Tobin, A. B., Totty, N. F., Sterlin, A. E., & Nahorski, S. R. (1997). Stimulus-dependent Phosphorylation of G-protein-coupled Receptors by Casein Kinase 1 α . *Journal of Biological Chemistry*, 272(33), 20844–20849. <https://doi.org/10.1074/jbc.272.33.20844>
- Verweij, E. W. E., Al Araaj, B., Prabhata, W. R., Prihandoko, R., Nijmeijer, S., Tobin, A. B., Leurs, R., & Vischer, H. F. (2020). Differential Role of Serines and Threonines in Intracellular Loop 3 and C-Terminal Tail of the Histamine H₄ Receptor in β -Arrestin and G Protein-Coupled Receptor Kinase Interaction, Internalization, and Signaling. *ACS Pharmacology & Translational Science*, 3(2), 321–333. <https://doi.org/10.1021/acsptsci.0c00008>
- Vicinanza, M., Korolchuk, V. I., Ashkenazi, A., Puri, C., Menzies, F. M., Clarke, J. H., & Rubinsztein, D. C. (2015). PI(5)P Regulates Autophagosome Biogenesis. *Molecular Cell*, 57(2), 219–234. <https://doi.org/10.1016/j.molcel.2014.12.007>
- Watt, S. A., KULAR, G., FLEMING, I. N., DOWNES, C. P., & LUCOCQ, J. M. (2002). Subcellular localization of phosphatidylinositol 4,5-bisphosphate using the pleckstrin homology domain of phospholipase C δ 1. *Biochemical Journal*, 363(3), 657–666. <https://doi.org/10.1042/bj3630657>
- Wright, S. C., Lukasheva, V., Le Gouill, C., Kobayashi, H., Breton, B., Mailhot-Larouche, S., Blondel-Tepaz, É., Antunes Vieira, N., Costa-Neto, C., Héroux, M., Lambert, N. A., Parreiras-e-Silva, L. T., & Bouvier, M. (2021). BRET-based effector membrane translocation assay monitors gpcr-promoted and endocytosis-mediated G_q activation at early endosomes. *Proceedings of the National Academy of Sciences*, 118(20). <https://doi.org/10.1073/pnas.2025846118>
- Yang, D., Zhou, Q., Labroska, V., Qin, S., Darbalaei, S., Wu, Y., Yuliantie, E., Xie, L., Tao, H., Cheng, J., Liu, Q., Zhao, S., Shui, W., Jiang, Y., & Wang, M.-W. (2021). G protein-coupled receptors: Structure- and function-based drug discovery. *Signal Transduction and Targeted Therapy*, 6(1), 1–27. <https://doi.org/10.1038/s41392-020-00435-w>
- Yoneda, A., Kanemaru, K., Matsubara, A., Takai, E., Shimozawa, M., Satow, R., Yamaguchi, H., Nakamura, Y., & Fukami, K. (2020). Phosphatidylinositol 4,5-bisphosphate is localized in the

plasma membrane outer leaflet and regulates cell adhesion and motility. *Biochemical and Biophysical Research Communications*, 527(4), 1050–1056.
<https://doi.org/10.1016/j.bbrc.2020.05.040>