

References

- Aaron, R. A., & Budiman, I. (2025). Scaling up food loss and waste reduction programs in Indonesia. Center for Indonesian Policy Studies.
- Aghilinategh, N., Rafiee, S., Barzegar, M., Djomeh, Z. E., & Sadeghi, M. (2015). Investigating the effect of microwave and hot-air drying on quality attributes of apple slices. *Journal of Food Processing and Preservation*, 39(6), 2368–2375. <https://doi.org/10.1111/jfpp.12498>
- Asma, U., Morozova, K., Ferrentino, G., & Scampicchio, M. (2023). Apples and Apple By-Products: Antioxidant Properties and Food Applications. *Antioxidants*, 12(7), 1456. <https://doi.org/10.3390/antiox12071456>
- Baity, S. N., & Afinnas, M. A. A. (2025). Ensuring Food Security in Indonesia: The Urgent Need for Food Loss and Waste Regulation. *Jurnal Hukum IUS QUIA IUSTUM*, 32(2), 387-416.
- Bhagwat, V. R. (2019). Safety of water used in food production. In *Food safety and human health* (pp. 219-247). Academic Press.
- Chen, Z., Yu, L., Liu, W., Zhang, J., Wang, N., & Chen, X. (2021). Research progress of fruit color development in apple (*Malus domestica* Borkh.). *Plant Physiology and Biochemistry*, 162, 267-279.
- Cory, H., Passarelli, S., Szeto, J., Tamez, M., & Mattei, J. (2018). The role of polyphenols in human health and food systems: A mini-review. *Frontiers in nutrition*, 5, 370438.
- Demircan, B., Velioglu, Y. S., & Giuffrè, A. M. (2024). Comparison of different drying methods for bergamot peel: Chemical and physicochemical properties. *Journal of Food Science*, 89(3), 1498-1516.
- Dow, C. (2014). The Healing Power of Tea. Llewellyn Worldwide.
- Eapen, A. S., Bhosale, Y. K., & Roy, S. (2025). A Review on Novel Techniques Used for Drying Medicinal Plants and Its Applications. *International journal of biomaterials*, 2025, 4533070. <https://doi.org/10.1155/ijbm/4533070>
- Fooddata Central Frontpage. USDA FoodData Central. (n.d.). <https://fdc.nal.usda.gov/>
- Francini, A., & Sebastiani, L. (2013). Phenolic Compounds in Apple (*Malus x domestica* Borkh.): Compounds Characterization and Stability during Postharvest and after Processing. *Antioxidants (Basel, Switzerland)*, 2(3), 181–193.
- Ghinea, C., Prisacaru, A. E., & Leahu, A. (2022). Physico-Chemical and Sensory Quality of Oven- Dried and Dehydrator-Dried Apples of the Starkrimson, Golden Delicious and Florina Cultivars. *Applied Sciences*, 12(5), 2350. <https://doi.org/10.3390/app12052350>
- Hamrouni-Sallami, M., et al. (2013). Comparison of traditional and novel drying techniques and its effect on quality parameters, browning reactions, and CIELab color coordinates. *Postharvest Biology and Technology*, 82, 55-63.

- Henríquez, C., Almonacid, S., Chiffelle, I., Valenzuela, T., Araya, M., Cabezas, L., ... & Speisky, H. (2010). Determination of antioxidant capacity, total phenolic content and mineral composition of different fruit tissue of five apple cultivars grown in Chile. *Chilean journal of agricultural research*, 70(4), 523-536.
- Indrian, O. V., Setiawan, A. P., & Wardhana, D. I. (2024). Temperature and Time Optimization of Dragon Fruit Peel Powder Drying Using the Response Surface Methodology. *International Applied Science*, 3(2), 99–106. <https://doi.org/10.32528/ias.v3i2.632>
- Inoue, Y., Cormanes, L., Yoshimura, K., Sano, A., Hori, Y., Suzuki, R., & Kanamoto, I. (2022). Effect of Apple Consumption on Postprandial Blood Glucose Levels in Normal Glucose Tolerance People versus Those with Impaired Glucose Tolerance. *Foods (Basel, Switzerland)*, 11(12), 1803. <https://doi.org/10.3390/foods11121803>
- Iqbal, A., Schulz, P., & Rizvi, S. S. (2021). Valorization of bioactive compounds in fruit pomace from agro-fruit industries: Present Insights and future challenges. *Food Bioscience*, 44, 101384.
- Jakobek, L., & Matić, P. (2024). Phenolic compounds from apples: From natural fruits to the beneficial effects in the digestive system. *Molecules*, 29(3), 568.
- Kamiloglu, S., Toydemir, G., Boyacioglu, D., Beekwilder, J., Hall, R. D., & Capanoglu, E. (2016). A review on the effect of drying on antioxidant potential and color degradation of fruits and vegetables. *Critical Reviews in Food Science and Nutrition*, 56, S110–S129.
- Maajid, L. A., Sunarmi, S., & Kirwanto, A. (2018). Pengaruh lama penyimpanan terhadap kadar vitamin C buah apel (*Malus sylvestris* Mill). *Jurnal Kebidanan dan Kesehatan Tradisional*, 3(2), 90-94.
- Manrich, A. (2024). Apple industry: Wastes and possibilities. *International Journal on Agriculture Research and Environmental Sciences*, 5(1), 1-10.
- Marina, A., Lestari, O. A., & Dewi, Y. S. K. (2025). Antihyperglycemic and antioxidant activity of Bajakah herbal tea made from Bajakah rod-Tikung honey-Amblycarpa lime (jeruk Sambal). *Jurnal Teknologi & Industri Hasil Pertanian*, 30(1), 23–34.
- Mhamed, M., Zhang, Z., Hua, W., Yang, L., Huang, M., Li, X., ... & Zhang, M. (2025). Apple varieties and growth prediction with time series classification based on deep learning to impact the harvesting decisions. *Computers in Industry*, 164, 104191.
- Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. *International journal of molecular sciences*, 22(7), 3380.
- Onwude, D. I., Hashim, N., Janius, R. B., Nawi, N. M., & Abdan, K. (2016). Modeling the thin-layer drying of fruits and vegetables: A review. *Comprehensive reviews in food science and food safety*, 15(3), 599-618.
- Oyenihi, A. B., Belay, Z. A., Mditshwa, A., & Caleb, O. J. (2022). "An apple a day keeps the doctor away": The potentials of apple bioactive constituents for chronic disease prevention. *Journal of food science*, 87(6), 2291–2309. <https://doi.org/10.1111/1750-3841.16155>
- Özcan, M. M., Ghafoor, K., Al Juhaimi, F., Uslu, N., Babiker, E. E., Mohamed Ahmed, I. A., & Almusallam, I. A. (2021). Influence of drying techniques on bioactive properties, phenolic

- compounds and fatty acid compositions of dried lemon and orange peel powders. *Journal of food science and technology*, 58(1), 147-158.
- Rana, S., & Bhushan, S. (2016). Apple polics as nutraceuticals: assessment, analysis and application. *Journal of food science and technology*, 53(4), 1727-1738.
- Regolo, L., Giampieri, F., Battino, M., Armas Diaz, Y., Mezzetti, B., Elexpuru-Zabaleta, M., ... & Mazzoni, L. (2024). From by-products to new application opportunities: the enhancement of the leaves deriving from the fruit plants for new potential healthy products. *Frontiers in Nutrition*, 11, 1083759.
- Rafiq, S., Singh, B., & Gat, Y. (2019). Effect of different drying techniques on chemical composition, color and antioxidant properties of kinnow (*Citrus reticulata*) peel. *Journal of food science and technology*, 56(5), 2458-2466.
- Ryu, J.-A., Duan, S., Jeong, H.-Y., Lee, C., Kang, I.-K., & Eom, S. H. (2022). Pigmentation and Flavonoid Metabolite Diversity in Immature ‘Fuji’ Apple Fruits in Response to Lights and Methyl Jasmonate. *International Journal of Molecular Sciences*, 23(3), 1722. <https://doi.org/10.3390/ijms23031722>
- Sadh, P.K.; Chawla, P.; Kumar, S.; Das, A.; Kumar, R.; Bains, A.; Sridhar, K.; Duhan, J.S.; Sharma, M. Recovery of agricultural waste biomass: A path for circular bioeconomy. *Sci. Total Environ.* 2023, 870, 161904
- Safdar, M. N., Kausar, T., Jabbar, S., Mumtaz, A., Ahad, K., & Saddozai, A. A. (2017). Extraction and quantification of polyphenols from kinnow (*Citrus reticulata* L.) peel using ultrasound and maceration techniques. *Journal of food and drug analysis*, 25(3), 488-500.
- Saini, R. K., Shetty, N. P., Prakash, M., & Giridhar, P. (2014). Effect of dehydration methods on retention of carotenoids, tocopherols, ascorbic acid and antioxidant activity in moringa oleifera leaves and preparation of a RTE product. *Journal of Food Science and Technology*, 51(9), 2176–2182. <https://doi.org/10.1007/s13197-014-1264-3>
- Sari, A. R., & Hardiyanti, R. (2013). Antioxidant level and sensory of dragon fruit (*Hylocereus undatus*) peel tea infusion made by partially fermented process. *Agroindustrial Journal*, 2(1), 63-68.
- Sawicka, M., Latocha, P., & Łata, B. (2023). Peel to Flesh Bioactive Compounds Ratio Affect Apple Antioxidant Potential and Cultivar Functional Properties. *Agriculture*, 13(2), 478. <https://doi.org/10.3390/agriculture13020478>
- Sethi, S., Joshi, A., Arora, B., Bhowmik, A., Sharma, R. R., & Kumar, P. (2020). Significance of FRAP, DPPH, and CUPRAC assays for antioxidant activity determination in apple fruit extracts. *European Food Research and Technology*, 246(3), 591-598.
- Silveira, et al. (2025). Effects of different dehydration methods on the color, nutritional, and functional characteristics of food matrices. *Food Science and Technology*, 45, e00410
- Sirivibulkovit, K., Nouanthavong, S., & Sameenoi, Y. (2018). based DPPH assay for antioxidant activity analysis. *Analytical sciences*, 34(7), 795-800.
- Tanaka, F., Hayakawa, F., & Tatsuki, M. (2020). Flavor and Texture Characteristics of ‘Fuji’ and Related

- Apple (*Malus domestica* L.) Cultivars, Focusing on the Rich Watercore. *Molecules*, 25(5), 1114. <https://doi.org/10.3390/molecules25051114>
- Thomas, F., Abebe, G., Chijioke Emenike, & Martynenko, A. (2025). Sustainable utilization of apple pomace: Technological aspects and emerging applications. *Food Research International*, 220, 117149–117149. <https://doi.org/10.1016/j.foodres.2025.117149>
- Tiwari, P., Desai, A., Chavan, M., Pradorn Sureephong, & Touchard, S. (2022). Drying Herbs with a Smart Dehydrator. 329–333. <https://doi.org/10.1109/skima57145.2022.10029462>
- Ullah, A., Munir, S., Badshah, S. L., Khan, N., Ghani, L., Poulson, B. G., ... & Jaremko, M. (2020). Important flavonoids and their role as a therapeutic agent. *Molecules*, 25(22), 5243.
- United States Department of Agriculture, Foreign Agricultural Service. Data and Analysis.
- Villamil-Galindo, E., & Piagentini, A. M. (2022). Sequential ultrasound-assisted extraction of pectin and phenolic compounds for the valorisation of ‘Granny Smith’apple peel. *Food Bioscience*, 49, 101958.
- Win, N. M., Yoo, J., Do, V. G., Yang, S., Kwon, S.-I., Kweon, H.-J., Kim, S., Lee, Y., Kang, I.-K., & Park, J. (2024). Effects of Pneumatic Defoliation on Fruit Quality and Skin Coloration in ‘Fuji’ Apples. *Agriculture*, 14(9), 1582. <https://doi.org/10.3390/agriculture14091582>
- Wojdyło, A., Lech, K., & Nowicka, P. (2020). Effects of different drying methods on the retention of bioactive compounds, on-line antioxidant capacity and color of the novel snack from red-fleshed apples. *Molecules*, 25(23), 5521.
- Wollinger, A., Perrin, É., Chahboun, J., Jeannot, V., Touraud, D., & Kunz, W. (2016). Antioxidant activity of hydro distillation water residues from *Rosmarinus officinalis* L. leaves determined by DPPH assays. *Comptes Rendus. Chimie*, 19(6), 754-765
- Zahra, M., Abrahamse, H., & George, B. P. (2024). Flavonoids: Antioxidant Powerhouses and Their Role in Nanomedicine. *Antioxidants* (Basel, Switzerland), 13(8), 922. <https://doi.org/10.3390/antiox13080922>
- Zhang, Y., Zeng, M., Zhang, X., Yu, Q., Zeng, W., Yu, B., ... & Jiang, X. (2023). Does an apple a day keep away diseases? Evidence and mechanism of action. *Food Science & Nutrition*, 11(9), 4926-4947.