

REFERENCES

- Aigner, K., Dampier, B., Descovich, L., Mikula, M., Sultan, A., & Schreiber, M. et al. (2007). The transcription factor ZEB1 (δ EF1) promotes tumour cell dedifferentiation by repressing master regulators of epithelial polarity. *Oncogene*, 26(49), 6979-6988.
- Al-Barwari, S., & Potten, C. (1976). Regeneration and Dose–response Characteristics of Irradiated Mouse Dorsal Epidermal Cells. *International Journal Of Radiation Biology And Related Studies In Physics, Chemistry And Medicine*, 30(3), 201-216.
- Albers, K. (1996). Keratin biochemistry. *Clinics In Dermatology*, 14(4), 309-320.
- Allen, T., & Potten, C. (1976). Significance of cell shape in tissue architecture. *Nature*, 264(5586), 545-547.
- Anastasiadis, P.Z. & Reynolds, A.B. (2001). Regulation of Rho GTPases by p120-catenin. *Curr. Opin. Cell Biol.* ;13:604–610
- Aragona, M., Dekoninck, S., Rulands, S., Lenglez, S., Mascré, G., Simons, B., & Blanpain, C. (2017). Defining stem cell dynamics and migration during wound healing in mouse skin epidermis. *Nature Communications*, 8(1).
- Arnoux V., Côme C., Kusewitt D.F., Hudson L.G., Savagner P. (2005). Cutaneous Wound Reepithelialization. In: Rise and Fall of Epithelial Phenotype. Molecular Biology Intelligence Unit. Springer, Boston, MA
- Asami, M., Pilz, G., Ninkovic, J., Godinho, L., Schroeder, T., Huttner, W., & Gotz, M. (2011). The role of Pax6 in regulating the orientation and mode of cell division of progenitors in the mouse cerebral cortex. *Development*, 138(23), 5067-5078.
- Avruch JK, Hara Y, Lin X, et al. (2006). Insulin and amino-acid regulation of mTOR signaling and kinase activity through the Rheb GTPase. *Oncogene*; 25:6361
- Aw, D., Taylor-Brown, F., Cooper, K., Palmer, D.B. (2009). Phenotypical and morphological changes in the thymic microenvironment from ageing mice. *Biogerontology*; 10,311–322.
- Azuma H., Ehata S., Miyazaki H., Watabe T., Maruyama O., Imamura T. et al. (2005) Effect of Smad7 expression on metastasis of mouse mammary carcinoma JygMC(A) cells. *J. Natl. Cancer Inst.* 97, 1734–1746
- Balañá, M., Charreau, H., & Leirós, G. (2015). Epidermal stem cells and skin tissue engineering in hair follicle regeneration. *World Journal Of Stem Cells*, 7(4), 711.
- Balzar, M., Bakker, H. A., Briaire-de-Bruijn, I. H., Fleuren, G. J., Warnaar, S. O., & Litvinov, S. V. (1998). Cytoplasmic tail regulates the intercellular adhesion function of the epithelial cell adhesion molecule. *Molecular and cellular biology*, 18(8), 4833-4843.
- Balzar, M., Winter, M., de Boer, C., & Litvinov, S. (1999). The biology of the 17–1A antigen (Ep-CAM). *Journal Of Molecular Medicine*, 77(10), 699-712.

- Barbieri, C., Tang, L., Brown, K., & Pietenpol, J. (2006). Loss of p63 Leads to Increased Cell Migration and Up-regulation of Genes Involved in Invasion and Metastasis. *Cancer Research*, *66*(15), 7589-7597.
- Barrandon, Y., & Green, H. (1987a). Cell migration is essential for sustained growth of keratinocyte colonies: The roles of transforming growth factor- α and epidermal growth factor. *Cell*, *50*(7), 1131-1137.
- Barrandon, Y., & Green, H. (1987b). Three clonal types of keratinocyte with different capacities for multiplication. *Proceedings Of The National Academy Of Sciences*, *84*(8), 2302-2306.
- Barrandon, Y., Grasset, N., Zaffalon, A., Gorostidi, F., Claudinot, S., & Droz-Georget, S. et al. (2012). Capturing epidermal stemness for regenerative medicine. *Seminars In Cell & Developmental Biology*, *23*(8), 937-944.
- Berent-Maoz, B., Montecino-Rodriguez, E., Signer, R., & Dorshkind, K. (2012). Fibroblast growth factor-7 partially reverses murine thymocyte progenitor aging by repression of Ink4a. *Blood*, *119*(24), 5715-5721.
- Bertrand, J., Chi, N., Santoso, B., Teng, S., Stainier, D., & Traver, D. (2010). Haematopoietic stem cells derive directly from aortic endothelium during development. *Nature*, *464*(7285), 108-111.
- Bhatt, T., Rizvi, A., Batta, S., Kataria, S., & Jamora, C. (2013). Signaling and Mechanical Roles of E-cadherin. *Cell Communication & Adhesion*, *20*(6), 189-199.
- Bhowmick, N.A., et al. (2001). Transforming growth factor- β 1 mediates epithelial to mesenchymal transdifferentiation through a RhoA-dependent mechanism. *Mol. Biol. Cell.*;12:27–36.
- Biddle, D., & Spandau, D. (1996). Expression of vimentin in cultured human keratinocytes is associated with cell—extracellular matrix junctions. *Archives Of Dermatological Research*, *288*(10), 621-624. doi: 10.1007/bf02505266
- Blackburn, C. C., Augustin, C.L., Li, R., Harvey, R.P., Malin, M.A., Boyd, R.L., Miller, J.F., Morahan, G. (1996). The nu gene acts cell-autonomously and is required for differentiation of thymic 80 epithelial progenitors. *Proc. Natl. Acad. Sci.*;93, 5742–5746.
- Bolender D & Markwald R. (1979). Epithelial-mesenchymal transformation in chick atrioventricular cushion morphogenesis. *Scan Electron Microsc.*;3:313–321
- Bonfanti, P., Claudinot, S., Amici, A., Farley, A., Blackburn, C., & Barrandon, Y. (2010). Microenvironmental reprogramming of thymic epithelial cells to skin multipotent stem cells. *Nature*, *466*(7309), 978-982.
- Borm, B., Requardt, R., Herzog, V., & Kirfel, G. (2005). Membrane ruffles in cell migration: indicators of inefficient lamellipodia adhesion and compartments of actin filament reorganization. *Experimental Cell Research*, *302*(1), 83-95.
- Bornslaeger, E., Corcoran, C., Stappenbeck, T., & Green, K. (1996). Breaking the connection: displacement of the desmosomal plaque protein desmoplakin from cell-cell interfaces disrupts anchorage of intermediate filament bundles and alters intercellular junction assembly. *The Journal Of Cell Biology*, *134*(4), 985-1001.

- Borradori, L., & Sonnenberg, A. (1999). Structure and Function of Hemidesmosomes: More Than Simple Adhesion Complexes. *Journal Of Investigative Dermatology*, 112(4), 411-418.
- Boyer, B., Tucker, G., Vallés, A., Gavrilovic, J., & Thiery, J. (1989). Reversible transition towards a fibroblastic phenotype in a rat carcinoma cell line. *International Journal Of Cancer*, 44(S1), 69-75.
- Brabletz, S., & Brabletz, T. (2010). The ZEB/miR-200 feedback loop—a motor of cellular plasticity in development and cancer?. *EMBO Reports*, 11(9), 670-677.
- Brockmann, I., Ehrenpfordt, J., Sturmheit, T., Brandenburger, M., Kruse, C., & Zille, M. et al. (2018). Skin-Derived Stem Cells for Wound Treatment Using Cultured Epidermal Autografts: Clinical Applications and Challenges. *Stem Cells International*, 2018, 1-9.
- Brodell, L., & Rosenthal, K. (2008). Skin Structure and Function. *Infectious Diseases In Clinical Practice*, 16(2), 113-117.
- Bryce, N., Clark, E., Leysath, J., Currie, J., Webb, D., & Weaver, A. (2005). Cortactin Promotes Cell Motility by Enhancing Lamellipodial Persistence. *Current Biology*, 15(14), 1276-1285.
- Burtscher, I., & Lickert, H. (2009). Foxa2 regulates polarity and epithelialization in the endoderm germ layer of the mouse embryo. *Development*, 136(6), 1029-1038.
- Byrne, C., Tainsky, M., & Fuchs, E. (1994). Programming gene expression in developing epidermis. *Development*, 120(9), 2369-2383.
- Candi, E., Rufini, A., Terrinoni, A., Giamboi-Miraglia, A., Lena, A., & Mantovani, R. et al. (2007). Np63 regulates thymic development through enhanced expression of FgfR2 and Jag2. *Proceedings Of The National Academy Of Sciences*, 104(29), 11999-12004.
- Caputo, R., & Prandi, G. (1972). Intracytoplasmic desmosomes. *Journal Of Ultrastructure Research*, 41(3-4), 358-368.
- Chai, J., Modak, C., Mouazzen, W., Narvaez, R., & Pham, J. (2010). Epithelial or mesenchymal: Where to draw the line?. *Bioscience Trends*, 4(3), 130-142.
- Chang, L., & Goldman, R. (2004). Intermediate filaments mediate cytoskeletal crosstalk. *Nature Reviews Molecular Cell Biology*, 5(8), 601-613.
- Chen, A., Beetham, H., Black, M., Priya, R., Telford, B., & Guest, J. et al. (2014). E-cadherin loss alters cytoskeletal organization and adhesion in non-malignant breast cells but is insufficient to induce an epithelial-mesenchymal transition. *BMC Cancer*, 14(1).
- Chen, B., Cui, X., Sempowski, G., & Chao, N. (2003). Growth hormone accelerates immune recovery following allogeneic T-cell-depleted bone marrow transplantation in mice. *Experimental Hematology*, 31(10), 953-958.
- Cheng, L., Guo, J., Sun, L., Fu, J., Barnes, P., & Metzger, D. et al. (2009). Postnatal Tissue-specific Disruption of Transcription Factor FoxN1 Triggers Acute Thymic Atrophy. *Journal Of Biological Chemistry*; 285, 5836-5847.
- Chidgey, M. (2002). Desmosomes and disease: an update. *Histol Histopathol.*, 17(4), 1179-92.

- Chidgey, M., & Dawson, C. (2007). Desmosomes: a role in cancer?. *British Journal Of Cancer*, 96(12), 1783-1787. doi: 10.1038/sj.bjc.6603808
- Chin, D., Boyle, G., Parsons, P., & Coman, W. (2004). What is transforming growth factor-beta (TGF- β)?. *British Journal Of Plastic Surgery*, 57(3), 215-221.
- Chinn I. K., Blackburn C. C., Manley N. R., Sempowski G. D.(2012). Changes in primary lymphoid organs with aging.*Semin. Immunol.*; 24, 309-320.
- Chung, B., Rotty, J., & Coulombe, P. (2013). Networking galore: intermediate filaments and cell migration. *Current Opinion In Cell Biology*, 25(5), 600-612.
- Costa, M., Wen, G., Lepier, A., Schroeder, T., & Gotz, M. (2008). Par-complex proteins promote proliferative progenitor divisions in the developing mouse cerebral cortex. *Development*, 135(1), 11-22.
- Coulombe, P. (1997). Towards a Molecular Definition of Keratinocyte Activation after Acute Injury to Stratified Epithelia. *Biochemical And Biophysical Research Communications*, 236(2), 231-238.
- Coulombe, P., & Omary, M. (2002). 'Hard' and 'soft' principles defining the structure, function and regulation of keratin intermediate filaments. *Current Opinion In Cell Biology*, 14(1), 110-122.
- Coulombe, P., & Wong, P. (2004). Cytoplasmic intermediate filaments revealed as dynamic and multipurpose scaffolds. *Nature Cell Biology*, 6(8), 699-706.
- Coulombe, P., Hutton, M., Vassar, R., & Fuchs, E. (1991). A function for keratins and a common thread among different types of epidermolysis bullosa simplex diseases. *The Journal Of Cell Biology*, 115(6), 1661-1674.
- Coulombe, P., Kerns, M., & Fuchs, E. (2009). Epidermolysis bullosa simplex: a paradigm for disorders of tissue fragility. *Journal Of Clinical Investigation*, 119(7), 1784-1793.
- Dearth, O. (1928). Late development of the thymus in the cat: Nature and significance of the corpuscles of Hassall and cystic formations. *American Journal Of Anatomy*, 41(2), 321-351.
- Dillner, N., & Sanders, M. (2002). The zinc finger/homeodomain protein δ EF1 mediates estrogen-specific induction of the ovalbumin gene. *Molecular And Cellular Endocrinology*, 192(1-2), 85-91.
- Dudakov, J., Hanash, A., Jenq, R., Young, L., Ghosh, A., & Singer, N. et al. (2012). Interleukin-22 Drives Endogenous Thymic Regeneration in Mice. *Science*, 336(6077), 91-95.
- Eger, A., Aigner, K., Sonderegger, S., Dampier, B., Oehler, S., & Schreiber, M. et al. (2005). DeltaEF1 is a transcriptional repressor of E-cadherin and regulates epithelial plasticity in breast cancer cells. *Oncogene*, 24(14), 2375-2385.
- Ehata S., Hanyu A., Hayashi M., Aburatani H., Kato Y., Fujime M. et al. (2007) Transforming growth factor- β promotes survival of mammary carcinoma cells through induction of antiapoptotic transcription factor DEC1. *Cancer Res.* 67, 9694–9703
- Eilken, H., Nishikawa, S., & Schroeder, T. (2009). Continuous single-cell imaging of blood generation from haemogenic endothelium. *Nature*, 457(7231), 896-900.
- Fuchs, E. (2007). Scratching the surface of skin development. *Nature*. 2007;445, 834–42.

- Fuxe, J., Vincent, T., & Garcia de Herreros, A. (2010). Transcriptional crosstalk between TGF- β and stem cell pathways in tumor cell invasion: role of EMT promoting SMAD complexes. *Cell Cycle*, 9(12), 2363–2374.
- Gallicano, G.I., Bauer, C., Fuchs, E. (2001). Rescuing desmoplakin function in extra-embryonic ectoderm reveals the importance of this protein in embryonic heart, neuroepithelium, skin and vasculature. *Development*, 128(6), 929-941.
- Gallico, G., O'Connor, N., Compton, C., Kehinde, O., & Green, H. (1984). Permanent Coverage of Large Burn Wounds with Autologous Cultured Human Epithelium. *New England Journal Of Medicine*, 311(7), 448-451.
- Gao, Y., Zhao, Y., Zhang, J., Lu, Y., Liu, X., & Geng, P. et al. (2016). The dual function of PRMT1 in modulating epithelial-mesenchymal transition and cellular senescence in breast cancer cells through regulation of ZEB1. *Scientific Reports*, 6(1), 19874.
- Garrod, D., Berika, M., Bardsley, W., Holmes, D., & Taberner, L. (2005). Hyper-adhesion in desmosomes: its regulation in wound healing and possible relationship to cadherin crystal structure. *Journal Of Cell Science*, 118(24), 5743-5754.
- Geisler, N., Kaufmann, E., & Weber, K. (1982). Proteinchemical characterization of three structurally distinct domains along the protofilament unit of desmin 10 nm filaments. *Cell*, 30(1), 277-286.
- Getsios, S., Huen, A., & Green, K. (2004). Working out the strength and flexibility of desmosomes. *Nature Reviews Molecular Cell Biology*, 5(4), 271-281.
- Giacobbe, A., Compagnone, M., Bongiorno-Borbone, L., Antonov, A., Markert, E., & Zhou, J. et al. (2015). p63 controls cell migration and invasion by transcriptional regulation of MTSS1. *Oncogene*, 35(12), 1602-1608.
- Gipson, I., Spurr-Michaud, S., Tisdale, A., Elwell, J., & Stepp, M. (1993). Redistribution of the Hemidesmosome Components $\alpha 6\beta 4$ Integrin and Bullous Pemphigoid Antigens during Epithelial Wound Healing. *Experimental Cell Research*, 207(1), 86-98.
- Godsel L.M., Getsios S., Huen A.C., Green K.J. (2004). The Molecular Composition and Function of Desmosomes. In: Behrens J., Nelson W.J. (eds). *Cell Adhesion. Handbook of Experimental Pharmacology*, vol 165. Springer, Berlin, Heidelberg
- Godsel, L., Hsieh, S., Amargo, E., Bass, A., Pascoe-McGillicuddy, L., & Huen, A. et al. (2005). Desmoplakin assembly dynamics in four dimensions. *The Journal Of Cell Biology*, 171(6), 1045-1059.
- Gonzalez, D., & Medici, D. (2014). Signaling mechanisms of the epithelial-mesenchymal transition. *Science Signaling*, 7(344), re8-re8.
- Goya, R., Gagnerault, M., De Moraes, M., Savino, W., & Dardenne, M. (1992). In vivo effects of growth hormone on thymus function in aging mice. *Brain, Behavior, And Immunity*, 6(4), 341-354.
- Griffith, A., Fallahi, M., Venables, T., & Petrie, H. (2011). Persistent degenerative changes in thymic organ function revealed by an inducible model of organ regrowth. *Aging Cell*, 11(1), 169-177.
- Gu, X., Coates, P., Boldrup, L., & Nylander, K. (2008). p63 contributes to cell invasion and migration in squamous cell carcinoma of the head and neck. *Cancer Letters*, 263(1), 26-34.

- Gui, J., Zhu, X., Dohkan, J., Cheng, L., Barnes, P.F. & Su, D.M. (2007). The aged thymus shows normal recruitment of lymphohematopoietic progenitors but has defects in thymic epithelial cells. *Int Immunol.*;19, 1201–1211.
- Gulhati, P., Bowen, K., Liu, J., Stevens, P., Rychahou, P., & Chen, M. et al. (2011). mTORC1 and mTORC2 Regulate EMT, Motility, and Metastasis of Colorectal Cancer via RhoA and Rac1 Signaling Pathways. *Cancer Research*, 71(9), 3246-3256.
- Gulhati, P., Cai, Q., Li, J., Liu, J., Rychahou, P.G., Qiu, S., Lee, E.Y., Silva, S.R., Bowen, K.A., Gao, T. & Evers, B.M. (2009). Targeted inhibition of mammalian target of rapamycin signaling inhibits tumorigenesis of colorectal cancer. *Clin Cancer Res* ;15: 7207- 7216.
- Haake, A., & Lane, A. (1989). Retention of differentiated characteristics in human fetal keratinocytes in vitro. *In Vitro Cellular & Developmental Biology*, 25(7), 592-600.
- Hale, L. P. & Markert, M. L. (2004). Corticosteroids regulate epithelial cell differentiation and Hassall body formation in the human thymus. *J. Immunol.* 172, 617–624.
- Hamazaki, Y., Sekai, M., & Minato, N. (2016). Medullary thymic epithelial stem cells: role in thymic epithelial cell maintenance and thymic involution. *Immunological Reviews*, 271(1), 38-55.
- Heid, H. W., Moll, I. & Franke, W. W. (1988). Patterns of expression of trichocytic and epithelial cytokeratins in mammalian tissues. Human and bovine hair follicles. *Differentiation*; 37, 137–157.
- Helfand, B., Mendez, M., Murthy, S., Shumaker, D., Grin, B., & Mahammad, S. et al. (2011). Vimentin organization modulates the formation of lamellipodia. *Molecular Biology Of The Cell*, 22(8), 1274-1289.
- Henrickson, S., Mempel, T., Mazo, I., Liu, B., Artyomov, M., & Zheng, H. et al. (2008). T cell sensing of antigen dose governs interactive behavior with dendritic cells and sets a threshold for T cell activation. *Nature Immunology*, 9(3), 282-291.
- Herlyn, D., Herlyn, M., Steplewski, Z., & Koprowski, H. (1979). Monoclonal antibodies in cell-mediated cytotoxicity against human melanoma and colorectal carcinoma. *European Journal Of Immunology*, 9(8), 657-659.
- Herrmann, H., & Aebi, U. (2004). Intermediate Filaments: Molecular Structure, Assembly Mechanism, and Integration Into Functionally Distinct Intracellular Scaffolds. *Annual Review Of Biochemistry*, 73(1), 749-789.
- Hobbs, R., & Green, K. (2012). Desmoplakin Regulates Desmosome Hyperadhesion. *Journal Of Investigative Dermatology*, 132(2), 482-485.
- Holland A. M. & van den Brink M. R. M. (2009). Rejuvenation of the aging T cell compartment. *Curr. Opin. Immunol.*; 21,454-459.
- Holthöfer, B., Windoffer, R., Troyanovsky, S., & Leube, R. (2007). Structure and Function of Desmosomes. *International Review Of Cytology*, 65-163
- Hsu, H., Zhang, H., Li, L., Yi, N., Yang, P., & Wu, Q. et al. (2003). Age-related thymic involution in C57BL/6J × DBA/2J recombinant-inbred mice maps to mouse chromosomes 9 and 10. *Genes & Immunity*, 4(6), 402-410.

- Hyun, K., Koo, G., Han, H., Sohn, J., Choi, W., & Kim, S. et al. (2016). Epithelial-to-mesenchymal transition leads to loss of EpCAM and different physical properties in circulating tumor cells from metastatic breast cancer. *Oncotarget*, 7(17), 677-687.
- Irla, M., Guenot, J., Sealy, G., Reith, W., Imhof, B., & Sergé, A. (2013). Three-Dimensional Visualization of the Mouse Thymus Organization in Health and Immunodeficiency. *The Journal Of Immunology*, 190(2), 586-596. doi: 10.4049/jimmunol.1200119
- Ishizaki T, Maekawa M, Fujisawa K, et al. (1996). The small GTP-binding protein Rho binds to and activates a 160 kDa Ser/Thr protein kinase homologous to myotonic dystrophy kinase. *Embo J.* 15:1885–1893.
- Ivaska, J., Pallari, H., Nevo, J., & Eriksson, J. (2007). Novel functions of vimentin in cell adhesion, migration, and signaling. *Experimental Cell Research*, 313(10), 2050-2062.
- Jacob, J., Coulombe, P., Kwan, R., & Omary, M. (2018). Types I and II Keratin Intermediate Filaments. *Cold Spring Harbor Perspectives In Biology*, 10(4), a018275.
- Jerome, L. a & Papaioannou, V.E. (2001). DiGeorge syndrome phenotype in mice mutant for the T-box gene, Tbx1. *Nat. Genet.*; 27, 286–291.
- Jones, J. C., Kurpakus, M. A., Cooper, H. M., & Quaranta, V. (1991). A function for the integrin alpha 6 beta 4 in the hemidesmosome. *Cell regulation*, 2(6), 427–438.
- Junt, T., Moseman, E., Iannacone, M., Massberg, S., Lang, P., & Boes, M. et al. (2007). Subcapsular sinus macrophages in lymph nodes clear lymph-borne viruses and present them to antiviral B cells. *Nature*, 450(7166), 110-114.
- Kalluri, R., & Weinberg, R. (2009). The basics of epithelial-mesenchymal transition. *Journal Of Clinical Investigation*, 119(6), 1420-1428.
- Karihtala, P., Auvinen, P., Kauppila, S., Haapasaari, K., Jukkola-Vuorinen, A., & Soini, Y. (2013). Vimentin, zeb1 and Sip1 are up-regulated in triple-negative and basal-like breast cancers: association with an aggressive tumour phenotype. *Breast Cancer Research And Treatment*, 138(1), 81-90.
- Kendall M. D. (1991). Functional anatomy of the thymic microenvironment. *Journal of anatomy*, 177, 1-29.
- Kissa, K., & Herbomel, P. (2010). Blood stem cells emerge from aortic endothelium by a novel type of cell transition. *Nature*, 464(7285), 112-115.
- Klingmuller, G., Klehr, H. U. & Ishibashi, Y. (1970). Desmosomes in the cytoplasm of dedifferentiated keratinocytes of squamous cell carcinoma. *Arch. Klin. Exp. Dermatol.*, 238, 356-365.
- Koivisto, L., Alavian, K., Häkkinen, L., Pelech, S., McCulloch, C., & Larjava, H. (2003). Glycogen synthase kinase-3 regulates formation of long lamellipodia in human keratinocytes. *Journal Of Cell Science*, 116(18), 3749-3760.
- Kolarsick, P., Kolarsick, M., & Goodwin, C. (2011). Anatomy and Physiology of the Skin. *Journal Of The Dermatology Nurses' Association*, 3(4), 203-213.
- Komura, J. & Watanabe, S. (1975). Desmosome-like structures in the cytoplasm of normal human keratinocyte. *Arch. Dermatol. Res.*, 253,145-149.

- Korotkov, K., & Garcia, R. (2012). Computerized analysis of pigmented skin lesions: A review. *Artificial Intelligence In Medicine*, 56(2), 69-90.
- Kottke, M., Delva, E., & Kowalczyk, A. (2006). The desmosome: cell science lessons from human diseases. *Journal Of Cell Science*, 119(5), 797-806.
- Kouklis, P., Hutton, E., & Fuchs, E. (1994). Making a connection: direct binding between keratin intermediate filaments and desmosomal proteins. *The Journal Of Cell Biology*, 127(4), 1049-1060.
- Kowalczyk, A., Bornslaeger, E., Norvell, S., Palka, H., & Green, K. (1998). Desmosomes: Intercellular Adhesive Junctions Specialized for Attachment of Intermediate Filaments. *International Review Of Cytology*, 237-302. doi: 10.1016/s0074-7696(08)60153-9
- Krebs, A., Mitschke, J., Lasierra Losada, M., Schmalhofer, O., Boerries, M., & Busch, H. et al. (2017). The EMT-activator Zeb1 is a key factor for cell plasticity and promotes metastasis in pancreatic cancer. *Nature Cell Biology*, 19(5), 518-529.
- Kröger, C., Vijayaraj, P., Reuter, U., Windoffer, R., Simmons, D., & Heukamp, L. et al. (2011). Placental Vasculogenesis Is Regulated by Keratin-Mediated Hyperoxia in Murine Decidual Tissues. *The American Journal Of Pathology*, 178(4), 1578-1590.
- Kuang, S., Kuroda, K., Le Grand, F., & Rudnicki, M. (2007). Asymmetric Self-Renewal and Commitment of Satellite Stem Cells in Muscle. *Cell*, 129(5), 999-1010.
- Kuwahara, M., Hatoko, M., Tada, H., & Tanaka, A. (2001). E-cadherin expression in wound healing of mouse skin. *Journal Of Cutaneous Pathology*, 28(4), 191-199.
- Kwasnicki, A., Jeevan, D., Braun, A., Murali, R., & Jhanwar-Uniyal, M. (2015). Involvement of mTOR signaling pathways in regulating growth and dissemination of metastatic brain tumors via EMT. *Anticancer Res.*, 35(2), 689-696.
- Lamouille, S. & Derynck, R. (2007). Cell size and invasion in TGF-beta induced epithelial to mesenchymal transition is regulated by activation of the mTOR pathway. *J Cell Bio*;l 178: 437-451.
- Lamouille, S., Xu, J., & Derynck, R. (2014). Molecular mechanisms of epithelial–mesenchymal transition. *Nature Reviews Molecular Cell Biology*, 15(3), 178-196.
- Larjava, H., Salo, T., Haapasalmi, K., Kramer, R.H., Heino, J. (1993). Expression of integrins and basement membrane components by wound keratinocytes. *J Clin Invest*, 92,1425-1435
- Larsen, J., Nathan, V., Osborne, J., Farrow, R., Deb, D., & Sullivan, J. et al. (2016). ZEB1 drives epithelial-to-mesenchymal transition in lung cancer. *Journal Of Clinical Investigation*, 126(9), 3219-3235.
- Laster, A. J., Itoh, T., Palker, T. J. & Haynes, B. F. (1986). The human thymic microenvironment: thymic epithelium contains specific keratins associated with early and late stages of epidermal keratinocyte maturation. *Differentiation*; 31, 67–77.
- Laufer, T.M., Glimcher, L.H., Lo, D. (1999). Using thymus anatomy to dissect T cell repertoire selection. *Semin Immunol.*;11, 65-70.
- Lavker, R., & Sun, T. (1982). Heterogeneity in epidermal basal keratinocytes: morphological and functional correlations. *Science*, 215(4537), 1239-1241.

- Lévy, Y., Sereti, I., Tambussi, G., Routy, J., Lelièvre, J., & Delfraissy, J. et al. (2012). Effects of Recombinant Human Interleukin 7 on T-Cell Recovery and Thymic Output in HIV-Infected Patients Receiving Antiretroviral Therapy: Results of a Phase I/IIa Randomized, Placebo-Controlled, Multicenter Study. *Clinical Infectious Diseases*, 55(2), 291-300.
- Li, A., Simmons, P., & Kaur, P. (1998). Identification and isolation of candidate human keratinocyte stem cells based on cell surface phenotype. *Proceedings Of The National Academy Of Sciences*, 95(7), 3902-3907.
- Lim, J., & Thiery, J. (2012). Epithelial-mesenchymal transitions: insights from development. *Development*, 139(19), 3471-3486.
- Litvinov, S., Balzar, M., Winter, M., Bakker, H., Bruijn, I., & Prins, F. et al. (1997). Epithelial Cell Adhesion Molecule (Ep-CAM) Modulates Cell-Cell Interactions Mediated by Classic Cadherins. *The Journal Of Cell Biology*, 139(5), 1337-1348.
- Liu, Y., El-Naggar, S., Darling, D., Higashi, Y., & Dean, D. (2008). Zeb1 links epithelial-mesenchymal transition and cellular senescence. *Development*, 135(3), 579-588.
- Lotz, M., Rabinovitz, I., & Mercurio, A. (2000). Intestinal Restitution: Progression of Actin Cytoskeleton Rearrangements and Integrin Function in a Model of Epithelial Wound Healing. *The American Journal Of Pathology*, 156(3), 985-996.
- Lynch H. E., Goldberg G. L., Chidgey A., Van den Brink M. R. M., Boyd R., Sempowski G. D. (2009). Thymic involution and immune reconstitution. *Trends Immunol.*; 30, 366-373.
- Maggioni, M. (2012). Molecular and functional characterization of clonogenic human thymic epithelial cells. EPFL PhD thesis.
- Mandel, T. (1968). The development and structure of Hassall's corpuscles in the guinea pig. *Zeitschrift Fur Zellforschung Und Mikroskopische Anatomie*, 89(2), 180-192.
- Manley, N. R. & Blackburn, C. C. (2003). A developmental look at thymus organogenesis: where do the non-hematopoietic cells in the thymus come from? *Curr. Opin. Immunol.*;15, 225-232.
- Manley, N. R. & Capecchi, M. R. (1995). The role of Hoxa-3 in mouse thymus and thyroid development. *Development*, 121, 1989-2003.
- Marks, R. (2004). The Stratum Corneum Barrier: The Final Frontier. *The Journal of Nutrition*, 134(8), 2017-2021.
- Maturi, V., Enroth, S., Heldin, C., & Moustakas, A. (2018). Genome-wide binding of transcription factor ZEB1 in triple-negative breast cancer cells. *Journal Of Cellular Physiology*, 233(10), 7113-7127.
- McGrath, J., & Uitto, J. (2010). *Rook's Textbook of Dermatology* (8th ed., pp. 1-53, Chapter 3). Oxford: Wiley-Blackwell.
- Mendez, M., Kojima, S., & Goldman, R. (2010). Vimentin induces changes in cell shape, motility, and adhesion during the epithelial to mesenchymal transition. *The FASEB Journal*, 24(6), 1838-1851.
- Meng, J., Bornslaeger, E., Green, K., Steinert, P., & Ip, W. (1997). Two-hybrid Analysis Reveals Fundamental Differences in Direct Interactions between Desmoplakin and Cell Type-specific Intermediate Filaments. *Journal Of Biological Chemistry*, 272(34), 21495-21503.

- Miller J. F. A. P. (1961). Immunological function of the thymus. *Lancet*; 278, 748-749.
- Moll, R., Divo, M., & Langbein, L. (2008). The human keratins: biology and pathology. *Histochemistry And Cell Biology*, 129(6), 705-733.
- Moll, R., Franke, W., Schiller, D., Geiger, B., & Krepler, R. (1982). The catalog of human cytokeratins: Patterns of expression in normal epithelia, tumors and cultured cells. *Cell*, 31(1), 11-24.
- Munz, M., Baeuerle, P., & Gires, O. (2009). The Emerging Role of EpCAM in Cancer and Stem Cell Signaling. *Cancer Research*, 69(14), 5627-5629.
- Nanba, D., Toki, F., Tate, S., Imai, M., Matsushita, N., & Shiraishi, K. et al. (2015). Cell motion predicts human epidermal stemness. *J Cell Biol.*; 209, 305-315
- Narumiya S, Tanji M & Ishizaki T. (2009). Rho signaling, ROCK and mDia1, in transformation, metastasis and invasion. *Cancer Metastasis Rev.*;28:65–76.
- Nelson, W., & Sun, T. (1983). The 50- and 58-kdalton keratin classes as molecular markers for stratified squamous epithelia: cell culture studies. *The Journal Of Cell Biology*, 97(1), 244-251.
- Nemethova, M., Auinger, S., & Small, J. (2008). Building the actin cytoskeleton: filopodia contribute to the construction of contractile bundles in the lamella. *The Journal Of Cell Biology*, 180(6), 1233-1244.
- Nieminen, M., Henttinen, T., Merinen, M., Marttila-Ichihara, F., Eriksson, J., & Jalkanen, S. (2006). Vimentin function in lymphocyte adhesion and transcellular migration. *Nature Cell Biology*, 8(2), 156-162.
- Odland, G., & Ross, R. (1968). Human Wound Repair: I. Epidermal Regeneration. *The Journal Of Cell Biology*, 39(1), 135-151. doi: 10.1083/jcb.39.1.135
- Oh, S., & Li, M. (2013). TGF- β : Guardian of T Cell Function. *The Journal Of Immunology*, 191(8), 3973-3979.
- Olsen, N., Olson, G., Viselli, S., Gu, X., & Kovacs, W. (2001). Androgen Receptors in Thymic Epithelium Modulate Thymus Size and Thymocyte Development*. *Endocrinology*, 142(3), 1278-1283.
- Omary, M., Ku, N., Strnad, P., & Hanada, S. (2009). Toward unraveling the complexity of simple epithelial keratins in human disease. *Journal Of Clinical Investigation*, 119(7), 1794-1805.
- Omary, M., Ku, N., Tao, G., Toivola, D., & Liao, J. (2006). 'Heads and tails' of intermediate filament phosphorylation: multiple sites and functional insights. *Trends In Biochemical Sciences*, 31(7), 383-394. doi: 10.1016/j.tibs.2006.05.008
- Palmer, S., Albergante, L., Blackburn, C., & Newman, T. (2018). Thymic involution and rising disease incidence with age. *Proceedings Of The National Academy Of Sciences*, 115(8), 1883-1888. doi: 10.1073/pnas.1714478115
- Park, S., Gonzalez, D., Guirao, B., Boucher, J., Cockburn, K., & Marsh, E. et al. (2017). Erratum: Tissue-scale coordination of cellular behaviour promotes epidermal wound repair in live mice. *Nature Cell Biology*, 19(4), 407-407.

- Pasdar, M., Krzeminski, K., & Nelson, W. (1991). Regulation of desmosome assembly in MDCK epithelial cells: coordination of membrane core and cytoplasmic plaque domain assembly at the plasma membrane. *The Journal Of Cell Biology*, 113(3), 645-655.
- Peinado, H., Olmeda, D., & Cano, A. (2007). Snail, Zeb and bHLH factors in tumour progression: an alliance against the epithelial phenotype?. *Nature Reviews Cancer*, 7(6), 415-428.
- Pellegrini, G., Dellambra, E., Golisano, O., Martinelli, E., Fantozzi, I., & Bondanza, S. et al. (2001). p63 identifies keratinocyte stem cells. *Proceedings Of The National Academy Of Sciences*, 98(6), 3156-3161.
- Peña, C., García, J., Silva, J., García, V., Rodríguez, R., & Alonso, I. et al. (2005). E-cadherin and vitamin D receptor regulation by SNAIL and ZEB1 in colon cancer: clinicopathological correlations. *Human Molecular Genetics*, 14(22), 3361-3370.
- Pieper, F., Klundert, F., Raats, J., Henderik, J., Schaart, G., Ramaekers, F., & Bloemendal, H. (1992). Regulation of vimentin expression in cultured epithelial cells. *European Journal Of Biochemistry*, 210(2), 509-519.
- Pollard, T., & Borisy, G. (2003). Cellular Motility Driven by Assembly and Disassembly of Actin Filaments. *Cell*, 112(4), 453-465.
- Polyak, K., & Weinberg, R. (2009). Transitions between epithelial and mesenchymal states: acquisition of malignant and stem cell traits. *Nature Reviews Cancer*, 9(4), 265-273.
- Postigo, A. (2003). Opposing functions of ZEB proteins in the regulation of the TGFbeta/BMP signaling pathway. *The EMBO Journal*, 22(10), 2443-2452.
- Postigo, A., Depp, J., Taylor, J., & Kroll, K. (2003). Regulation of Smad signaling through a differential recruitment of coactivators and corepressors by ZEB proteins. *The EMBO Journal*, 22(10), 2453-2462.
- Prockop, S. & Petrie, H.T. (2000). Cell migration and the anatomic control of thymocyte precursor differentiation. *Semin Immunol.*;12, 435-444.
- Rabinovitz, I., Toker, A., & Mercurio, A. (1999). Protein Kinase C-Dependent Mobilization of the $\alpha 6\beta 4$ Integrin from Hemidesmosomes and Its Association with Actin-Rich Cell Protrusions Drive the Chemotactic Migration of Carcinoma Cells. *The Journal Of Cell Biology*, 146(5), 1147-1160.
- Radisky, D. (2005). Epithelial-mesenchymal transition. *Journal Of Cell Science*, 118(19), 4325-4326
- Ran, J., Lin, D., Wu, R., Chen, Q., Huang, H., Qiu, N., & Quan, S. (2015). ZEB1 promotes epithelial-mesenchymal transition in cervical cancer metastasis. *Fertility And Sterility*, 103(6), 1606-1614.
- Rheinwald, J., & Green, H. (1975). Serial cultivation of strains of human epidermal keratinocytes: the formation keratinizing colonies from single cell is. *Cell*, 6(3), 331-343.
- Richard, M., Viac, J., Reano, A., Gaucherand, M., & Thivolet, J. (1990). Vimentin expression in normal human keratinocytes grown in serum-free defined MCDB 153 medium. *Archives Of Dermatological Research*, 282(8), 512-515.
- Rieger, M., Hoppe, P., Smejkal, B., Eitelhuber, A., & Schroeder, T. (2009). Hematopoietic Cytokines Can Instruct Lineage Choice. *Science*, 325(5937), 217-218.

- Riento, K. & Ridley, A.J. (2003). Rocks: multifunctional kinases in cell behaviour. *Nat Rev Mol Cell Biol.*;4:446–456.
- Rikitake, Y. & Liao, J.K. (2005). Rho GTPases, statins, and nitric oxide. *Circ Res.*;97:1232–1235.
- Roberts, A.B. (1998). Molecular and cell biology of TGF-beta. *Miner Electrolyte Metab.* ;24: 111–119
- Rochat, A., & Barrandon, Y. (2004). Regeneration of Epidermis from Adult Keratinocyte Stem Cells. *Handbook Of Stem Cells*, 763-772.
- Rochat, A., Kobayashi, K., & Barrandon, Y. (1994). Location of stem cells of human hair follicles by clonal analysis. *Cell*, 76(6), 1063-1073.
- Roshan, A., Murai, K., Fowler, J., Simons, B., Nikolaidou-Neokosmidou, V., & Jones, P. (2015). Human keratinocytes have two interconvertible modes of proliferation. *Nature Cell Biology*, 18(2), 145-156.
- Sánchez-Tilló, E., Lázaro, A., Torrent, R., Cuatrecasas, M., Vaquero, E., & Castells, A. et al. (2010). ZEB1 represses E-cadherin and induces an EMT by recruiting the SWI/SNF chromatin-remodeling protein BRG1. *Oncogene*, 29(24), 3490-3500.
- Sankpal, N., Fleming, T., Sharma, P., Wiedner, H., & Gillanders, W. (2017). A double-negative feedback loop between EpCAM and ERK contributes to the regulation of epithelial–mesenchymal transition in cancer. *Oncogene*, 36(26), 3706-3717.
- Sarrio, D., Franklin, C., Mackay, A., Reis-Filho, J., & Isacke, C. (2012). Epithelial and Mesenchymal Subpopulations Within Normal Basal Breast Cell Lines Exhibit Distinct Stem Cell/Progenitor Properties. *Stem Cells*, 30(2), 292-303.
- Satelli, A., & Li, S. (2011). Vimentin in cancer and its potential as a molecular target for cancer therapy. *Cellular And Molecular Life Sciences*, 68(18), 3033-3046.
- Savagner P. (2001). Leaving the neighborhood: molecular mechanisms involved during epithelial-mesenchymal transition. *Bioessays.*;23:912–923.
- Savino, W., Postel-Vinay, M., Smaniotto, S., & Dardenne, M. (2002). The Thymus Gland: a Target Organ for Growth Hormone. *Scandinavian Journal Of Immunology*, 55(5), 442-452.
- Schäfer, C., Borm, B., Born, S., Möhl, C., Eibl, E., & Hoffmann, B. (2009). One step ahead: Role of filopodia in adhesion formation during cell migration of keratinocytes. *Experimental Cell Research*, 315(7), 1212-1224.
- Schäfer, C., Born, S., Möhl, C., Houben, S., Kirchgessner, N., Merkel, R., & Hoffmann, B. (2010). The key feature for early migratory processes: Dependence of adhesion, actin bundles, force generation and transmission on filopodia. *Cell adhesion & migration*, 4(2), 215–225.
- Schenk, P. (1980). Intracytoplasmic desmosomes in malignant keratinocytes of laryngeal carcinoma. *Arch. Otorhinolaryngol.*, 226, 219-223.
- Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., & Pietzsch, T. et al. (2012). Fiji: an open-source platform for biological-image analysis. *Nature Methods*, 9(7), 676-682.
- Schnell, U., Cirulli, V., & Giepmans, B. (2013). EpCAM: Structure and function in health and disease. *Biochimica Et Biophysica Acta (BBA) - Biomembranes*, 1828(8), 1989-2001.

- Schweizer, J., Bowden, P., Coulombe, P., Langbein, L., Lane, E., & Magin, T. et al. (2006). New consensus nomenclature for mammalian keratins. *The Journal Of Cell Biology*, 174(2), 169-174.
- Schweizer, J., Langbein, L., Rogers, M., & Winter, H. (2007). Hair follicle-specific keratins and their diseases. *Experimental Cell Research*, 313(10), 2010-2020.
- Seltmann, K., Roth, W., Kröger, C., Loschke, F., Lederer, M., Hüttelmaier, S., & Magin, T. (2013). Keratins Mediate Localization of Hemidesmosomes and Repress Cell Motility. *Journal Of Investigative Dermatology*, 133(1), 181-190.
- Senoo, M., Pinto, F., Crum, C., & McKeon, F. (2007). p63 Is Essential for the Proliferative Potential of Stem Cells in Stratified Epithelia. *Cell*, 129(3), 523-536.
- Serrano-Gomez, S., Maziveyi, M., & Alahari, S. (2016). Regulation of epithelial-mesenchymal transition through epigenetic and post-translational modifications. *Molecular Cancer*, 15(1), 15:18.
- Shanley, D.P., Aw, D., Manley, N.R., Palmer, D.B. (2009). An evolutionary perspective on the mechanisms of immunosenescence. *Trends Immunol.*;30, 374–381.
- Shi, Y., Sawada, J., Sui, G., Affar, E., Whetstone, J., & Lan, F. et al. (2003). Coordinated histone modifications mediated by a CtBP co-repressor complex. *Nature*, 422(6933), 735-738.
- Shibue, T., & Weinberg, R. (2017). EMT, CSCs, and drug resistance: the mechanistic link and clinical implications. *Nature Reviews Clinical Oncology*, 14(10), 611-629.
- Slanchev, K., Carney, T., Stemmler, M., Koschorz, B., Amsterdam, A., Schwarz, H., & Hammerschmidt, M. (2009). The Epithelial Cell Adhesion Molecule EpCAM Is Required for Epithelial Morphogenesis and Integrity during Zebrafish Epiboly and Skin Development. *Plos Genetics*, 5(7), e1000563, 1-21.
- Smith, C., & Parkhurst, H. (1949). Studies on the thymus of the mammal. II. A comparison of the staining properties of Hassall's corpuscles and of thick skin of the guinea pig. *The Anatomical Record*, 103(4), 649-673.
- Somlyo, A.V., Bradshaw, D., Ramos, S., et al. (2000). Rho-kinase inhibitor retards migration and in vivo dissemination of human prostate cancer cells. *Biochem Biophys Res Commun.*;269:652–659.
- Sonnenberg, A., Calafat, J., Janssen, H., Daams, H., van der Raaij-Helmer, L., & Falcioni, R. et al. (1991). Integrin alpha 6/beta 4 complex is located in hemidesmosomes, suggesting a major role in epidermal cell-basement membrane adhesion. *The Journal Of Cell Biology*, 113(4), 907-917.
- Spoelstra, N., Manning, N., Higashi, Y., Darling, D., Singh, M., & Shroyer, K. et al. (2006). The Transcription Factor ZEB1 Is Aberrantly Expressed in Aggressive Uterine Cancers. *Cancer Research*, 66(7), 3893-3902.
- Stappenbeck, T., & Green, K. (1992). The desmoplakin carboxyl terminus coaligns with and specifically disrupts intermediate filament networks when expressed in cultured cells. *The Journal Of Cell Biology*, 116(5), 1197-1209.
- Steinmann, G., Klaus, B., & Muller-Hermelink, H. (1985). The Involution of the Ageing Human Thymic Epithelium is Independent of Puberty. *Scandinavian Journal Of Immunology*, 22(5), 563-575.
- Stenn K.S., Depalma L. (1988). Re-epithelialization. In: Clark R.A.F., Henson P.M. (eds). *The Molecular and Cellular Biology of Wound Repair*. Springer, Boston, MA

- Stockinger A, Eger A, Wolf J, Beug H, Foisner R. (2001). E-cadherin regulates cell growth by modulating proliferation-dependent beta-catenin transcriptional activity. *J Cell Biol.*,154,1185–1196.
- Sung, J., Zhang, H., Moseman, E., Alvarez, D., Iannacone, M., & Henrickson, S. et al. (2012). Chemokine Guidance of Central Memory T Cells Is Critical for Antiviral Recall Responses in Lymph Nodes. *Cell*, 150(6), 1249-1263
- Sutherland, J., Goldberg, G., Hammett, M., Uldrich, A., Berzins, S., & Heng, T. et al. (2005). Activation of Thymic Regeneration in Mice and Humans following Androgen Blockade. *The Journal Of Immunology*, 175(4), 2741-2753.
- Svitkina, T. (2016). Filopodia and Lamellipodia. *Encyclopedia Of Cell Biology*, 2, 683-693.
- Tajima, A., Pradhan, I., Trucco, M., & Fan, Y. (2016). Restoration of Thymus Function with Bioengineered Thymus Organoids. *Current Stem Cell Reports*, 2(2), 128-139.
- Taub, D.D. & Longo, D.L. (2005). Insights into thymic aging and regeneration. *Immunol Rev.*;205:72–93.
- Tavares, A.L., Mercado-Pimentel, M.E., Runyan, R.B., Kitten, G.T. (2006). TGF β -mediated RhoA expression is necessary for epithelial-mesenchymal transition in the embryonic chick heart. *Dev. Dyn.*; 235:1589–1598.
- Tinevez, J., Perry, N., Schindelin, J., Hoopes, G., Reynolds, G., & Laplantine, E. et al. (2017). TrackMate: An open and extensible platform for single-particle tracking. *Methods*, 115, 80-90.
- Tortora, G., & Derrickson, B. (2014). *Principles of anatomy and physiology* (14th ed., pp. 804-816). Hoboken: Wiley.
- Tucci, P., Agostini, M., Grespi, F., Markert, E., Terrinoni, A., & Vousden, K. et al. (2012). Loss of p63 and its microRNA-205 target results in enhanced cell migration and metastasis in prostate cancer. *Proceedings Of The National Academy Of Sciences*, 109(38), 15312-15317.
- Vallejo, A., Michel, J., Bale, L., Lemster, B., Borghesi, L., & Conover, C. (2009). Resistance to age-dependent thymic atrophy in long-lived mice that are deficient in pregnancy-associated plasma protein A. *Proceedings Of The National Academy Of Sciences*, 106(27), 11252-11257.
- Van Roy, F., & Berx, G. (2008). The cell-cell adhesion molecule E-cadherin. *Cellular And Molecular Life Sciences*, 65(23), 3756-3788.
- Vannier, C., Mock, K., Brabletz, T., & Driever, W. (2013). Zeb1 Regulates E-cadherin and Epcam (Epithelial Cell Adhesion Molecule) Expression to Control Cell Behavior in Early Zebrafish Development. *Journal Of Biological Chemistry*, 288(26), 18643-18659.
- Vardouli, L., Moustakas, A., Stournaras, C. (2005). LIM-kinase 2 and cofilin phosphorylation mediate actin cytoskeleton reorganization induced by transforming growth factor- β . *J. Biol. Chem.*;280:11448–11457.
- Vasioukhin, V., Bowers, E., Bauer, C., Degenstein, L., & Fuchs, E. (2001). Desmoplakin is essential in epidermal sheet formation. *Nature Cell Biology*, 3(12), 1076-1085.
- Velez-delValle, C., Marsch-Moreno, M., Castro-Muñozledo, F., Galván-Mendoza, I., & Kuri-Harcuch, W. (2016). Epithelial cell migration requires the interaction between the vimentin and keratin intermediate filaments. *Scientific Reports*, 6(1).

- Ventevogel, M. S., & Sempowski, G. D. (2013). Thymic rejuvenation and aging. *Current opinion in immunology*, 25(4), 516-22.
- Von Gaudecker, B., & Schmale, E. (1974). Similarities between Hassall's corpuscles of the human thymus and the epidermis. *Cell And Tissue Research*, 151(3), 347-368.
- Wakefield, L.M. & Hill, C.S. (2013). Beyond TGFbeta: roles of other TGFbeta superfamily members in cancer. *Nat Rev Cancer*; 13, 328-341
- Walko, G., Castañón, M., & Wiche, G. (2014). Molecular architecture and function of the hemidesmosome. *Cell And Tissue Research*, 360(2), 363-378.
- Wellner, U., Brabletz, T., & Keck, T. (2010). ZEB1 in Pancreatic Cancer. *Cancers*, 2(3), 1617-1628.
- Weng, N.P. (2006). Aging of the immune system: how much can the adaptive immune system adapt? *Immunity*; 24, 495-499.
- Wever, O., Pauwels, P., Craene, B., Sabbah, M., Emami, S., & Redeuilh, G. et al. (2008). Molecular and pathological signatures of epithelial–mesenchymal transitions at the cancer invasion front. *Histochemistry And Cell Biology*, 130(3), 481-494.
- Wickett, R., & Visscher, M. (2006). Structure and function of the epidermal barrier. *American Journal Of Infection Control*, 34(10), S98-S110.
- Windoffer, R., Beil, M., Magin, T., & Leube, R. (2011). Cytoskeleton in motion: the dynamics of keratin intermediate filaments in epithelia. *The Journal Of Cell Biology*, 194(5), 669-678.
- Witta, S., Gemmill, R., Hirsch, F., Coldren, C., Hedman, K., & Ravidel, L. et al. (2006). Restoring E-Cadherin Expression Increases Sensitivity to Epidermal Growth Factor Receptor Inhibitors in Lung Cancer Cell Lines. *Cancer Research*, 66(2), 944-950.
- Wolff, M., Rosai, J., & Wright, D. (1984). Sebaceous glands within the thymus: Report of three cases. *Human Pathology*, 15(4), 341-343.
- Wong, S., Fang, C., Chuah, L., Leong, C., & Ngai, S. (2018). E-cadherin: Its dysregulation in carcinogenesis and clinical implications. *Critical Reviews In Oncology/Hematology*, 121, 11-22.
- Wullschleger, S., Loewith, R., Hall, M.N. (2006). TOR signaling in growth and metabolism. *Cell*; 124:471
- Xie, L., Law, B. K., Chytil, A. M., Brown, K. A., Aakre, M. E., & Moses, H. L. (2004). Activation of the Erk pathway is required for TGF-β1-induced EMT in vitro. *Neoplasia*, 6(5), 603–610.
- Xu, J., Lamouille, S., & Derynck, R. (2009). TGF-β -induced epithelial to mesenchymal transition. *Cell Research*, 19(2), 156– 172.
- Yamaguchi, H., & Condeelis, J. (2007). Regulation of the actin cytoskeleton in cancer cell migration and invasion. *Biochimica Et Biophysica Acta (BBA) - Molecular Cell Research*, 1773(5), 642-652.
- Yang, A., & McKeon, F. (2000). p63 and p73: p53 mimics, menaces and more. *Nature Reviews Molecular Cell Biology*, 1(3), 199-207.
- Yang, C., & Cotsarelis, G. (2010). Review of hair follicle dermal cells. *Journal Of Dermatological Science*, 57(1), 2-11.

- Yang, H., Youm, Y., & Dixit, V. (2009). Inhibition of Thymic Adipogenesis by Caloric Restriction Is Coupled with Reduction in Age-Related Thymic Involution. *The Journal Of Immunology*, 183(5), 3040-3052.
- Yang, J., Mani, S., Donaher, J., Ramaswamy, S., Itzykson, R., & Come, C. et al. (2004). Twist, a Master Regulator of Morphogenesis, Plays an Essential Role in Tumor Metastasis. *Cell*, 117(7), 927-939.
- Yang, Q & Guan, K.L. (2007). Expanding mTOR signaling. *Cell Res*;17:666.
- Zeisberg, M., & Neilson, E. (2009). Biomarkers for epithelial-mesenchymal transitions. *Journal Of Clinical Investigation*, 119(6), 1429-1437.
- Zhang, P., Sun, Y., & Ma, L. (2015). ZEB1: At the crossroads of epithelial-mesenchymal transition, metastasis and therapy resistance. *Cell Cycle*, 14(4), 481-487.
- Zou, D., Silvius, D., Davenport, J., Grifone, R., Maire, P., Xu, P. (2006). Patterning of the third pharyngeal pouch into thymus/parathyroid by Six and Eya1. *Dev. Biol.*,293, 499–512.