

References

- Baker, J. L., Saputo, S., Faustoferri, R. C., & Quivey, R. G. (2020). *Streptococcus mutans* spxa2 relays the signal of cell envelope stress from lia to effectors that maintain cell wall and membrane homeostasis. *Molecular Oral Microbiology*, 35(3), 118–128. <https://doi.org/10.1111/omi.12282>
- Brouwer, S., Rivera-Hernandez, T., Curren, B. F., Harbison-Price, N., De Oliveira, D. M. P., Jespersen, M. G., Davies, M. R., & Walker, M. J. (2023). Pathogenesis, epidemiology and control of group A streptococcus infection. *Nature Reviews Microbiology*, 21(7), 1–17. <https://doi.org/10.1038/s41579-023-00865-7>
- Buschiazio, A., & Trajtenberg, F. (2019). Two-Component sensing and regulation: How do histidine kinases talk with response regulators at the molecular level? *Annual Review of Microbiology*, 73(1), 507–528. <https://doi.org/10.1146/annurev-micro-091018-054627>
- Chiang-Ni, C., Chen, Y.-W., Chen, K.-L., Jiang, J.-X., Shi, Y.-A., Hsu, C.-Y., Chen, Y.-Y. M., Lai, C.-H., & Chiu, C.-H. (2023). RopB represses the transcription of *speB* in the absence of SIP in group A streptococcus. *Life Science Alliance*, 6(6), e202201809–e202201809. <https://doi.org/10.26508/lsa.202201809>
- Chiang-Ni, C., Chu, T.-P., Wu, J.-J., & Chiu, C.-H. (2016). Repression of *rgg* but not upregulation of *lacD.1* in *emm1*-type *covS* mutant mediates the *speB* repression in Group A Streptococcus [Review of *Repression of rgg but not upregulation of lacD.1 in emm1-type covS mutant mediates the speB repression in Group A Streptococcus*]. *Frontiers in Microbiology*, 7. <https://doi.org/10.3389/fmicb.2016.01935>
- Chiang-Ni, C., Tseng, H.-C., Hung, C.-H., Chiu, C.-H., Tseng, H.-C., Hung, C.-H., & Chiu, C.-H. (2017). Acidic stress enhances *covR/s*-dependent gene repression through activation of the *covR/S* promoter in *emm1* -type group A streptococcus. *International Journal of Medical Microbiology*, 307(6), 329–339. <https://doi.org/10.1016/j.ijmm.2017.06.002>

- Chiang-Ni, C., Tseng, H.-C., Shi, Y.-A., & Chiu, C.-H. (2019). Effect of phosphatase activity of the control of virulence sensor (covs) on clindamycin-mediated streptolysin O production in group A *streptococcus*. *Infection and Immunity*, 87(12). <https://doi.org/10.1128/iai.00583-19>
- Dewangan, Y., Berdimurodov, E., & Verma, D. K. (2023). Amino acids: Classification, synthesis methods, reactions, and determination. *Elsevier eBooks*, 3–23. <https://doi.org/10.1016/b978-0-323-91684-4.00015-3>
- Faozia, S., Hossain, T., & Cho, K. H. (2023). The dlt and liafsr systems derepress speb production independently in the δ pde2 mutant of streptococcus pyogenes. *Frontiers in Cellular and Infection Microbiology*, 13. <https://doi.org/10.3389/fcimb.2023.1293095>
- Ganguly, T., Kajfasz, J. K., Abranches, J., & Lemos, J. A. (2020). Regulatory circuits controlling spx levels in *streptococcus mutans*. *Molecular Microbiology*, 114(1), 109–126. <https://doi.org/10.1111/mmi.14499>
- Heydenreich, F. M., Miljuš, T., Jaussi, R., Benoit, R., Milić, D., & Veprintsev, D. B. (2017). High-throughput mutagenesis using a two-fragment PCR approach. *Scientific Reports*, 7(1), 6787. <https://doi.org/10.1038/s41598-017-07010-4>
- Hirakawa, H., Kurushima, J., Hashimoto, Y., & Tomita, H. (2020). Progress overview of bacterial two-component regulatory systems as potential targets for antimicrobial chemotherapy. *Antibiotics (Basel, Switzerland)*, 9(10), E635. <https://doi.org/10.3390/antibiotics9100635>
- Jung, C.-J., Hsu, C.-C., Chen, J.-W., Cheng, H.-W., Yuan, C.-T., Kuo, Y.-M., Hsu, R.-B., & Chia, J.-S. (2021). PspC domain-containing protein (PCP) determines streptococcus mutans biofilm formation through bacterial extracellular DNA release and platelet adhesion in experimental endocarditis. *PLoS Pathogens*, 17(2), e1009289–e1009289. <https://doi.org/10.1371/journal.ppat.1009289>
- Kanwal, S., & Vaitla, P. (2024). *Streptococcus pyogenes*. PubMed; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK554528>

- Lin, Y., Sanson, M. A., Vega, L. A., Shah, B., Regmi, S., Cubria, M. B., & Flores, A. R. (2020). ExPortal and the liafsr regulatory system coordinate the response to cell membrane stress in streptococcus pyogenes. *MBio*, 11(5). <https://doi.org/10.1128/mbio.01804-20>
- Liu, C., Sun, Di, Zhu, J., & Liu, W. (2019). Two-Component signal transduction systems: A major strategy for connecting input stimuli to biofilm formation. *Frontiers in Microbiology*, 9. <https://doi.org/10.3389/fmicb.2018.03279>
- Liu, D., Hao, W., Cui, S., & Zhao, Q. (2023). Comprehensive optimization of western blotting. *Gels*, 9(8), 652–652. <https://doi.org/10.3390/gels9080652>
- Miettinen, M., Vedantham, M., & Pulliainen, A. T. (2019). Host poly(ADP-ribose) polymerases (parps) in acute and chronic bacterial infections. *Microbes and Infection*, 21(10), 423–431. <https://doi.org/10.1016/j.micinf.2019.06.002>
- Mirzaei, M. K., & Nilsson, A. S. (2015). Isolation of phages for phage therapy: A comparison of spot tests and efficiency of plating analyses for determination of host range and efficacy. *PLOS ONE*, 10(3), e0118557. <https://doi.org/10.1371/journal.pone.0118557>
- Murase, K., Aikawa, C., Nozawa, T., Nakatake, A., Sakamoto, K., Kikuchi, T., & Nakagawa, I. (2021). Biological effect of streptococcus pyogenes-Released extracellular vesicles on human monocytic cells, induction of cytotoxicity, and inflammatory response. *Frontiers in Cellular and Infection Microbiology*, 11. <https://doi.org/10.3389/fcimb.2021.711144>
- Otsuka, T., Hatano, A., Matsumoto, M., & Matsui, H. (2025). A robust protocol for proteomic profiling of secreted proteins in conditioned culture medium. *Biology Methods and Protocols*, 10(1). <https://doi.org/10.1093/biomethods/bpaf068>
- Palmer, S. R., Ren, Z., Hwang, G., Liu, Y., Combs, A., Söderström, B., Lara Vasquez, P., Khosravi, Y., Brady, L. J., Koo, H., & Stoodley, P. (2019). *Streptococcus mutans yidC1* and *yidC2* Impact Cell Envelope Biogenesis, the Biofilm Matrix, and Biofilm Biophysical Properties. *Journal of Bacteriology*, 201(1). <https://doi.org/10.1128/jb.00396-18>

- Pang, X., Wu, Y., Liu, X., Wu, Y., Shu, Q., Niu, J., Chen, Q., & Zhang, X. (2022). The lipoteichoic acid-related proteins yqgs and lafa contribute to the resistance of *listeria monocytogenes* to nisin. *Microbiology Spectrum*, 10(1). <https://doi.org/10.1128/spectrum.02095-21>
- Port, G. C., Cusumano, Z. T., Tumminello, P. R., & Caparon, M. G. (2017). SpxA1 and spxA2 act coordinately to fine-tune stress responses and virulence in *streptococcus pyogenes*. *MBio*, 8(2). <https://doi.org/10.1128/mbio.00288-17>
- Port, G. C., Vega, L. A., Nylander, A. B., & Caparon, M. G. (2014). *Streptococcus pyogenes* polymyxin b-resistant mutants display enhanced exportal integrity. *Journal of Bacteriology*, 196(14), 2563–2577. <https://doi.org/10.1128/jb.01596-14>
- Raz, A., & Fischetti, V. A. (2022, September 3). *The spatial regulation of protein sorting in streptococcus pyogenes*. Nih.Gov; University of Oklahoma Health Sciences Center. <https://www.ncbi.nlm.nih.gov/books/NBK587108/>
- Rojas-Tapias, D. F., & Helmann, J. D. (2019). Roles and regulation of spx family transcription factors in *bacillus subtilis* and related species. *Advances in Microbial Physiology*, 75, 279–323. <https://doi.org/10.1016/bs.ampbs.2019.05.003>
- Russo, B. T., Ayinuola, Y. A., Singh, D., Carothers, K., Fischetti, V. A., Flores-Mireles, A. L., Lee, S. W., Ploplis, V. A., Liang, Z., & Castellino, F. J. (2020). The M protein of *streptococcus pyogenes* strain AP53 retains cell surface functional plasminogen binding after inactivation of the sortase A gene. *Journal of Bacteriology*, 202(10). <https://doi.org/10.1128/jb.00096-20>
- Sanson, M. A., Vega, L. A., Shah, B., Regmi, S., Cubria, M. B., Horstmann, N., Shelburne, S. A., & Flores, A. R. (2021). The liafsr transcriptome reveals an interconnected regulatory network in group A *streptococcus*. *Infection and Immunity*, 89(11). <https://doi.org/10.1128/iai.00215-21>
- Sarkar, P., & Sumby, P. (2016). Regulatory gene mutation: A driving force behind group a *Streptococcus* strain- and serotype-specific variation. *Molecular Microbiology*, 103(4), 576–589. <https://doi.org/10.1111/mmi.13584>

- Sewgoolam, B., Jim, K. K., Bakker, V. de, Bock, F. P., Gibson, P. S., & Veening, J.-W. (2025). Genome-wide antibiotic-CRISPRi profiling identifies liar activation as a strategy to resensitize fluoroquinolone-resistant *Streptococcus pneumoniae*. *Nature Communications*, 16(1), 6491–6491. <https://doi.org/10.1038/s41467-025-61814-x>
- Shannon, B. A., Hurst, J. R., Flannagan, R. S., Craig, H. C., Rishi, A., Kasper, K. J., Tuffs, S. W., Heinrichs, D. E., & McCormick, J. K. (2024). Streptolysin S is required for *Streptococcus pyogenes* nasopharyngeal and skin infection in hla-transgenic mice. *PLoS Pathogens*, 20(3), e1012072–e1012072. <https://doi.org/10.1371/journal.ppat.1012072>
- Shatri, G., & Tadi, P. (2021). *Polymyxin*. PubMed; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK557540/>
- Silva, D., Santos, G., Barroca, M., Costa, D., & Collins, T. (2023). Inverse PCR for site-directed mutagenesis. *Methods in Molecular Biology (Clifton, N.J.)*, 2967, 223–238. https://doi.org/10.1007/978-1-0716-3358-8_18
- Terao, Y. (2012). The virulence factors and pathogenic mechanisms of *Streptococcus pyogenes*. *Journal of Oral Biosciences*, 54(2), 96–100. <https://doi.org/10.1016/j.job.2012.02.004>
- Vega, L. A., Malke, H., & McIver, K. S. (2022, October 7). *Virulence-Related transcriptional regulators of Streptococcus pyogenes*. Nih.Gov; University of Oklahoma Health Sciences Center. <https://www.ncbi.nlm.nih.gov/books/NBK587097>
- Vega, L. A., Sanson-Iglesias, M., Mukherjee, P., Buchan, K. D., Morrison, G., Hohlt, A. E., & Flores, A. R. (2024). LiaR-dependent gene expression contributes to antimicrobial responses in group A *Streptococcus*. *Antimicrobial Agents and Chemotherapy*, 68(12). <https://doi.org/10.1128/aac.00496-24>
- Wang, B., & Cleary, P. P. (2019). Intracellular invasion by *Streptococcus pyogenes*: Invasins, host receptors, and relevance to human disease. *Microbiology Spectrum*, 7(4). <https://doi.org/10.1128/microbiolspec.gpp3-0049-2018>

- Xie, Y., Li, J., Ding, Y., Shao, X., Sun, Y., Xie, F., Liu, S., Tang, S., & Deng, X. (2022). An atlas of bacterial two-component systems reveals function and plasticity in signal transduction. *Cell Reports*, 41(3), 111502. <https://doi.org/10.1016/j.celrep.2022.111502>
- Zakharova, A. A., Efimova, S. S., & Ostroumova, O. S. (2022). Lipid microenvironment modulates the pore-forming ability of polymyxin B. *Antibiotics*, 11(10), 1445. <https://doi.org/10.3390/antibiotics11101445>
- Zschiedrich, C. P., Keidel, V., & Szurmant, H. (2016). Molecular mechanisms of two-component signal transduction. *Journal of Molecular Biology*, 428(19), 3752–3775. <https://doi.org/10.1016/j.jmb.2016.08.003>