

REFERENCES

- Acosta, J., O'Loghlen, A., Banito, A., Guijarro, M., Augert, A., & Raguz, S. et al. (2008). Chemokine Signaling via the CXCR2 Receptor Reinforces Senescence. *Cell*, 133(6), 1006-1018. doi: 10.1016/j.cell.2008.03.038
- Agresti, A., & Bianchi, M. E. (2003). HMGB proteins and gene expression. *Current Opinion in Genetics & Development*, 13(2), 170-178. doi:10.1016/s0959-437x(03)00023-6
- Alcorta, D., Xiong, Y., Phelps, D., Hannon, G., Beach, D., & Barrett, J. (1996). Involvement of the cyclin-dependent kinase inhibitor p16 (INK4a) in replicative senescence of normal human fibroblasts. *Proceedings Of The National Academy Of Sciences*, 93(24), 13742-13747. doi: 10.1073/pnas.93.24.13742
- Alonso, L. (2006). The hair cycle. *Journal Of Cell Science*, 119(3), 391-393. doi: 10.1242/jcs02793
- Baar, M., Brandt, R., Putavet, D., Klein, J., Derk, K., & Bourgeois, B. et al. (2017). Targeted Apoptosis of Senescent Cells Restores Tissue Homeostasis in Response to Chemotoxicity and Aging. *Cell*, 169(1), 132-147.e16. doi: 10.1016/j.cell.2017.02.031
- Baker, D., Wijshake, T., Tchkonia, T., LeBrasseur, N., Childs, B., & van de Sluis, B. et al. (2011). Clearance of p16Ink4a-positive senescent cells delays ageing-associated disorders. *Nature*, 479(7372), 232-236. doi: 10.1038/nature10600
- Baker, D., Childs, B., Durik, M., Wijers, M., Sieben, C., & Zhong, J. et al. (2016). Naturally occurring p16Ink4a-positive cells shorten healthy lifespan. *Nature*, 530(7589), 184-189. doi: 10.1038/nature16932
- Barascu, A., Chalony, C. L., Pennarun, G., Genet, D., Imam, N., Lopez, B., & Bertrand, P. (2012). Oxidative stress induces an ATM-independent senescence pathway through p38 MAPK-

mediated lamin B1 accumulation. *The EMBO Journal*, 31(5), 1080-1094.
doi:10.1038/emboj.2011.492

Beausejour, C., Krtolica, A., Galimi, F., Narita, M., Lowe, S., Yaswen, P., & Campisi, J. (2003). Reversal of human cellular senescence: roles of the p53 and p16 pathways. *The EMBO Journal*, 22(16), 4212-4222. doi: 10.1093/emboj/cdg417

Bell, C., Jiang, W., Reich, C., & Pisetsky, D. (2006). The extracellular release of HMGB1 during apoptotic cell death. *American Journal Of Physiology-Cell Physiology*, 291(6), C1318-C1325. doi: 10.1152/ajpcell.00616.2005

Bianchi, M. E. (2006). DAMPs, PAMPs and alarmins: All we need to know about danger. *Journal of Leukocyte Biology*, 81(1), 1-5. doi:10.1189/jlb.0306164

Bianchi, M., & Manfredi, A. (2007). High-mobility group box 1 (HMGB1) protein at the crossroads between innate and adaptive immunity. *Immunological Reviews*, 220(1), 35-46. doi: 10.1111/j.1600-065x.2007.00574.x

Blackburn, E. (1991). Structure and function of telomeres. *Nature*, 350(6319), 569-573. doi: 10.1038/350569a0

Bonaldi, T., Talamo, F., Scaffidi, P., Ferrera, D., Porto, A., & Bachi, A. et al. (2003). Monocytic cells hyperacetylate chromatin protein HMGB1 to redirect it towards secretion. *The EMBO Journal*, 22(20), 5551-5560. doi: 10.1093/emboj/cdg516

Bushati, N., & Cohen, S. M. (2007). MicroRNA Functions. *Annual Review of Cell and Developmental Biology*, 23(1), 175-205. doi:10.1146/annurev.cellbio.23.090506.123406

Campbell, N., Reece, J., Urry, L., Cain, M., Wasserman, S., Minorsky, P., & Jackson, R. (2008). *Biology*. San Francisco: Pearson, Benjamin Cummings.

Campisi, J. (2005). Senescent Cells, Tumor Suppression, and Organismal Aging: Good Citizens, Bad Neighbors. *Cell*, 120(4), 513-522. doi: 10.1016/j.cell.2005.02.003

Campisi, J. (2013). Aging, Cellular Senescence, and Cancer. *Annual Review Of Physiology*, 75(1), 685-705. doi: 10.1146/annurev-physiol-030212-183653

Chang, J., Wang, Y., Shao, L., Laberge, R., Demaria, M., & Campisi, J. et al. (2015). Clearance of senescent cells by ABT263 rejuvenates aged hematopoietic stem cells in mice. *Nature Medicine*, 22(1), 78-83. doi: 10.1038/nm.4010

Commo, S., Gaillard, O., & Bernard, B. (2004). Human hair greying is linked to a specific depletion of hair follicle melanocytes affecting both the bulb and the outer root sheath. *British Journal Of Dermatology*, 150(3), 435-443. doi: 10.1046/j.1365-2133.2004.05787.x

Davalos, A., Kawahara, M., Malhotra, G., Schaum, N., Huang, J., & Ved, U. et al. (2013). p53-dependent release of Alarmin HMGB1 is a central mediator of senescent phenotypes. *The Journal Of Cell Biology*, 201(4), 613-629. doi: 10.1083/jcb.201206006

Debacq-Chainiaux, F., Erusalimsky, J. D., Campisi, J., & Toussaint, O. (2009). Protocols to detect senescence-associated beta-galactosidase (SA- β gal) activity, a biomarker of senescent cells in culture and in vivo. *Nature Protocols*, 4(12), 1798-1806. doi:10.1038/nprot.2009.191

Dimri, G., Lee, X., Basile, G., Acosta, M., Scott, G., & Roskelley, C. et al. (1995). A biomarker that identifies senescent human cells in culture and in aging skin in vivo. *Proceedings Of The National Academy Of Sciences*, 92(20), 9363-9367. doi: 10.1073/pnas.92.20.9363

Dreesen, O., Chojnowski, A., Ong, P., Zhao, T., Common, J., & Lunny, D. et al. (2013). Lamin B1 fluctuations have differential effects on cellular proliferation and senescence. *The Journal Of Cell Biology*, 200(5), 605-617. doi: 10.1083/jcb.201206121

Freund, A., Laberge, R., Demaria, M., & Campisi, J. (2012). Lamin B1 loss is a senescence-associated biomarker. *Molecular Biology Of The Cell*, 23(11), 2066-2075. doi: 10.1091/mbc.e11-10-0884

Fulop, T., Larbi, A., Witkowski, J., McElhaney, J., Loeb, M., Mitnitski, A., & Pawelec, G. (2010). Aging, frailty and age-related diseases. *Biogerontology*, 11(5), 547-563. doi: 10.1007/s10522-010-9287-2

Fumagalli, M., Rossiello, F., Clerici, M., Barozzi, S., Cittaro, D., & Kaplunov, J. et al. (2012). Telomeric DNA damage is irreparable and causes persistent DNA-damage-response activation. *Nature Cell Biology*, 14(4), 355-365. doi: 10.1038/ncb2466

Gerace, L., & Blobel, G. (1980). The nuclear envelope lamina is reversibly depolymerized during mitosis. *Cell*, 19(1), 277-287. doi:10.1016/0092-8674(80)90409-2

Gire, V., & Wynford-Thomas, D. (1998). Reinitiation of DNA Synthesis and Cell Division in Senescent Human Fibroblasts by Microinjection of Anti-p53 Antibodies. *Molecular And Cellular Biology*, 18(3), 1611-1621. doi: 10.1128/mcb.18.3.1611

Goldman, R. (2002). Nuclear lamins: building blocks of nuclear architecture. *Genes & Development*, 16(5), 533-547. doi: 10.1101/gad.960502

Grosschedl, R., Giese, K., & Pagel, J. (1994). HMG domain proteins: architectural elements in the assembly of nucleoprotein structures. *Trends In Genetics*, 10(3), 94-100. doi: 10.1016/0168-9525(94)90232-1

Guelen, L., Pagie, L., Brasset, E., Meuleman, W., Faza, M., & Talhout, W. et al. (2008). Domain organization of human chromosomes revealed by mapping of nuclear lamina interactions. *Nature*, 453(7197), 948-951. doi: 10.1038/nature06947

Harley, C. (1995). Telomeres and telomerase in aging and cancer. *Current Opinion In Genetics & Development*, 5(2), 249-255. doi: 10.1016/0959-437x(95)80016-6

Hayflick, L., & Moorhead, P. (1961). The serial cultivation of human diploid cell strains. *Experimental Cell Research*, 25(3), 585-621. doi: 10.1016/0014-4827(61)90192-6

He, S., & Sharpless, N. (2017). Senescence in Health and Disease. *Cell*, 169(6), 1000-1011. doi: 10.1016/j.cell.2017.05.015

Herbig, U. (2006). Cellular Senescence in Aging Primates. *Science*, 311(5765), 1257-1257. doi: 10.1126/science.1122446

Hussussian, C., Struewing, J., Goldstein, A., Higgins, P., Ally, D., & Sheahan, M. et al. (1994). Germline p16 mutations in familial melanoma. *Nature Genetics*, 8(1), 15-21. doi: 10.1038/ng0994-15

Ivanov, A., Pawlikowski, J., Manoharan, I., van Tuyn, J., Nelson, D., & Rai, T. et al. (2013). Lysosome-mediated processing of chromatin in senescence. *The Journal Of Cell Biology*, 202(1), 129-143. doi: 10.1083/jcb.201212110

Jeyapalan, J., Ferreira, M., Sedivy, J., & Herbig, U. (2007). Accumulation of senescent cells in mitotic tissue of aging primates. *Mechanisms Of Ageing And Development*, 128(1), 36-44. doi: 10.1016/j.mad.2006.11.008

Krishnamurthy, J., Torrice, C., Ramsey, M., Kovalev, G., Al-Regaiey, K., Su, L., & Sharpless, N. (2004). Ink4a/Arf expression is a biomarker of aging. *Journal Of Clinical Investigation*, 114(9), 1299-1307. doi: 10.1172/jci200422475

Krohne, G., & Benavente, R. (1986). The nuclear lamins. A multigene family of proteins in evolution and differentiation. *Experimental Cell Research*, 162(1), 1-10. doi:10.1016/0014-4827(86)90421-0

Kuilman, T., Michaloglou, C., Vredeveld, L., Douma, S., van Doorn, R., & Desmet, C. et al. (2008).

Oncogene-Induced Senescence Relayed by an Interleukin-Dependent Inflammatory Network. *Cell*, 133(6), 1019-1031. doi: 10.1016/j.cell.2008.03.039

Lenain, C., Gusyatiner, O., Douma, S., Broek, B. V., & Peeper, D. S. (2015). Autophagy-mediated degradation of nuclear envelope proteins during oncogene-induced senescence. *Carcinogenesis*, 36(11), 1263-1274. doi:10.1093/carcin/bgv124

Levy, M., Allsopp, R., Futcher, A., Greider, C., & Harley, C. (1992). Telomere end-replication problem and cell aging. *Journal Of Molecular Biology*, 225(4), 951-960. doi: 10.1016/0022-2836(92)90096-3

Levine, B., & Kroemer, G. (2008). Autophagy in the Pathogenesis of Disease. *Cell*, 132(1), 27-42. doi:10.1016/j.cell.2007.12.018

López-Otín, C., Blasco, M., Partridge, L., Serrano, M., & Kroemer, G. (2013). The Hallmarks of Aging. *Cell*, 153(6), 1194-1217. doi: 10.1016/j.cell.2013.05.039

Lotze, M., & Tracey, K. (2005). High-mobility group box 1 protein (HMGB1): nuclear weapon in the immune arsenal. *Nature Reviews Immunology*, 5(4), 331-342. doi: 10.1038/nri1594

Michaloglou, C., Vredeveld, L., Soengas, M., Denoyelle, C., Kuilman, T., & van der Horst, C. et al. (2005). BRAF^{E600}-associated senescence-like cell cycle arrest of human naevi. *Nature*, 436(7051), 720-724. doi: 10.1038/nature03890

Mou, K., Liu, W., Han, D., & Li, P. (2016). HMGB1/RAGE axis promotes autophagy and protects keratinocytes from ultraviolet radiation-induced cell death. *Journal of Dermatological Science*, 85(3), 162-169. doi:10.1016/j.jdermsci.2016.12.011

Narita, M., Nuñez, S., Heard, E., Narita, M., Lin, A., & Hearn, S. et al. (2003). Rb-Mediated Heterochromatin Formation and Silencing of E2F Target Genes during Cellular Senescence. *Cell*, 113(6), 703-716. doi: 10.1016/s0092-8674(03)00401-x

Nishimura, E. (2005). Mechanisms of Hair Graying: Incomplete Melanocyte Stem Cell Maintenance in the Niche. *Science*, 307(5710), 720-724. doi: 10.1126/science.1099593

Olovnikov, A. (1973). A theory of marginotomy. *Journal Of Theoretical Biology*, 41(1), 181-190. doi: 10.1016/0022-5193(73)90198-7

Pitiyage, G., Slijepcevic, P., Gabrani, A., Chiane, Y., Lim, K., & Prime, S. et al. (2011). Senescent mesenchymal cells accumulate in human fibrosis by a telomere-independent mechanism and ameliorate fibrosis through matrix metalloproteinases. *The Journal Of Pathology*, 223(5), 604-617. doi: 10.1002/path.2839

Scaffidi, P., Misteli, T., & Bianchi, M. (2002). Release of chromatin protein HMGB1 by necrotic cells triggers inflammation. *Nature*, 418(6894), 191-195. doi: 10.1038/nature00858

Schmitt, C., Fridman, J., Yang, M., Lee, S., Baranov, E., Hoffman, R., & Lowe, S. (2002). A Senescence Program Controlled by p53 and p16INK4a Contributes to the Outcome of Cancer Therapy. *Cell*, 109(3), 335-346. doi: 10.1016/s0092-8674(02)00734-1

Serrano, M., Lee, H., Chin, L., Cordon-Cardo, C., Beach, D., & DePinho, R. (1996). Role of the INK4a Locus in Tumor Suppression and Cell Mortality. *Cell*, 85(1), 27-37. doi: 10.1016/s0092-8674(00)81079-x

Serrano, M., Lin, A., McCurrach, M., Beach, D., & Lowe, S. (1997). Oncogenic ras Provokes Premature Cell Senescence Associated with Accumulation of p53 and p16INK4a. *Cell*, 88(5), 593-602. doi: 10.1016/s0092-8674(00)81902-9

Severino, J., Allen, R., Balin, S., Balin, A., & Cristofalo, V. J. (2000). Is β -Galactosidase Staining a Marker of Senescence in Vitro and in Vivo? *Experimental Cell Research*, 257(1), 162-171. doi:10.1006/excr.2000.4875

Shay, J., & Bacchetti, S. (1997). A Survey of Telomerase Activity in Human Cancer. *European Journal of Cancer*, 33(5), 787-791. doi:10.1016/s0959-8049(97)00062-2

Shimi, T., Pfleghaar, K., Kojima, S., Pack, C., Solovei, I., Goldman, A. E., Adam, S. A., Shumaker, D. K., Kinjo, M., Cremer, T., Goldman, R. D. (2008). The A- and B-type nuclear lamin networks: Microdomains involved in chromatin organization and transcription. *Genes & Development*, 22(24), 3409-3421. doi:10.1101/gad.1735208

Shimi, T., Butin-Israeli, V., Adam, S., Hamanaka, R., Goldman, A., & Lucas, C. et al. (2011). The role of nuclear lamin B1 in cell proliferation and senescence. *Genes & Development*, 25(24), 2579-2593. doi: 10.1101/gad.179515.111

Slominski, A., & Paus, R. (1993). Melanogenesis is coupled to murine anagen: Toward new concepts for the role of melanocytes and the regulation of melanogenesis in hair growth. *Journal Of Investigative Dermatology*, 101(1), S90-S97. doi: 10.1016/0022-202x(93)90507-e

Suram, A., Kaplunov, J., Patel, P., Ruan, H., Cerutti, A., & Boccardi, V. et al. (2012). Oncogene-induced telomere dysfunction enforces cellular senescence in human cancer precursor lesions. *The EMBO Journal*, 31(13), 2839-2851. doi: 10.1038/emboj.2012.132

Vogelstein, B., Lane, D., & Levine, A. (2000). Surfing the p53 network. *Nature*, 408(6810), 307-310. doi: 10.1038/35042675

Von Zglinicki, T. (2006). Role of Oxidative Stress in Telomere Length Regulation and Replicative Senescence. *Annals Of The New York Academy Of Sciences*, 908(1), 99-110. doi: 10.1111/j.1749-6632.2000.tb06639.x

Wang, A., Ong, P., Chojnowski, A., Clavel, C., & Dreesen, O. (2017). Loss of lamin B1 is a biomarker to quantify cellular senescence in photoaged skin. *Scientific Reports*, 7(1). doi: 10.1038/s41598-017-15901-9

Wang, A., & Dreesen, O. (2018). Biomarkers of Cellular Senescence and Skin Aging. *Frontiers In Genetics*, 9. doi: 10.3389/fgene.2018.00247

Yamada, S., & Maruyama, I. (2007). HMGB1, a novel inflammatory cytokine. *Clinica Chimica Acta*, 375(1-2), 36-42. doi: 10.1016/j.cca.2006.07.019

Yao, G. "Modelling Mammalian Cellular Quiescence." *Interface Focus*, vol. 4, no. 3, 2014, pp. 20130074–20130074., doi:10.1098/rsfs.2013.0074.