

## References

1. Ahmed, E. M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal of Advanced Research*, 6(2), 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>
2. Andrews, J. M. (2001). Determination of minimum inhibitory concentrations. *The Journal of Antimicrobial Chemotherapy*, 48 Suppl 1, 5–16. [https://doi.org/10.1093/jac/48.suppl\\_1.5](https://doi.org/10.1093/jac/48.suppl_1.5)
3. Ajaz, N., Khalid, I., Minhas, M. U., Barkat, K., Khan, I. U., Syed, H. K., Asghar, S., Munir, R., & Aslam, F. (2019). Pectin-based hydrogels with adjustable properties for controlled delivery of nifedipine: development and optimization. *Polymer Bulletin*. <https://doi.org/10.1007/s00289-019-03065-7>
4. Al-Tabakha, M. M., Khan, S. A., Ashames, A., Ullah, H., Ullah, K., Murtaza, G., & Hassan, N. (2021). Synthesis, Characterization and Safety Evaluation of Sericin-Based Hydrogels for Controlled Delivery of Acyclovir. *Pharmaceuticals*, 14(3), 234. <https://doi.org/10.3390/ph14030234>
5. Balouiri, M., Sadiki, M., & Bensouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
6. Berthomieu, C., & Hienerwadel, R. (2009). Fourier transform infrared (FTIR) spectroscopy. *Photosynthesis Research*, 101(2-3), 157–170. <https://doi.org/10.1007/s11120-009-9439-x>
7. Bigliardi, P. L., Alsagoff, S. A. L., El-Kafrawi, H. Y., Pyon, J.-K., Wa, C. T. C., & Villa, M. A. (2017). Povidone iodine in wound healing: A review of current concepts and practices. *International Journal of Surgery*, 44, 260–268. <https://doi.org/10.1016/j.ijsu.2017.06.073>
8. Brady, P. N., & Macnaughtan, M. A. (2015). Evaluation of colorimetric assays for analyzing reductively methylated proteins: Biases and mechanistic insights. *Analytical Biochemistry*, 491, 43–51. <https://doi.org/10.1016/j.ab.2015.08.027>

9. Caccavo, D., Cascone, S., Lamberti, G., Barba, A. A., & Larsson, A. (2016). Swellable Hydrogel-based Systems for Controlled Drug Delivery. *Smart Drug Delivery System*. <https://doi.org/10.5772/61792>
10. Casolaro, M., Casolaro, I., Akimoto, J., Ueda, M., Ueki, M., & Ito, Y. (2018). Antibacterial Properties of Silver Nanoparticles Embedded on Polyelectrolyte Hydrogels Based on  $\alpha$ -Amino Acid Residues. *Gels*, 4(2), 42. <https://doi.org/10.3390/gels4020042>
11. Chaibva, F. A., Khamanga, S. M. M., & Walker, R. B. (2010). Swelling, erosion and drug release characteristics of salbutamol sulfate from hydroxypropyl methylcellulose-based matrix tablets. *Drug Development and Industrial Pharmacy*, 36(12), 1497– 1510.  
<https://doi.org/10.3109/03639045.2010.488648>
12. Chindera, K., Mahato, M., Kumar Sharma, A., Horsley, H., Kloc-Muniak, K., Kamaruzzaman, N. F., Kumar, S., McFarlane, A., Stach, J., Bentin, T., & Good, L. (2016). The antimicrobial polymer PHMB enters cells and selectively condenses bacterial chromosomes. *Scientific Reports*, 6(1).  
<https://doi.org/10.1038/srep23121>
13. Chadda, R., & Robertson, J. L. (2016). Measuring Membrane Protein Dimerization Equilibrium in Lipid Bilayers by Single-Molecule Fluorescence Microscopy. *Single-Molecule Enzymology: Fluorescence-Based and High-Throughput Methods*, 53–82.  
<https://doi.org/10.1016/bs.mie.2016.08.025>
14. Daemi, H., & Barikani, M. (2012). Synthesis and characterization of calcium alginate nanoparticles, sodium homopolymannuronate salt and its calcium nanoparticles. *Scientia Iranica*, 19(6), 2023–2028. <https://doi.org/10.1016/j.scient.2012.10.005>
15. Dobies, M., Kuśmia, S., & Jurga, S. (2005).  $^1\text{H}$  NMR and Rheological Studies of the Calcium Induced Gelation Process in Aqueous Low Methoxyl Pectin Solutions. *Acta Physica Polonica A*, 108(1), 33–46. <https://doi.org/10.12693/aphyspola.108.33>

16. Donato, R. K., & Mija, A. (2019). Keratin Associations with Synthetic, Biosynthetic and Natural Polymers: An Extensive Review. *Polymers*, 12(1), 32. <https://doi.org/10.3390/polym12010032>
17. Dreifke, M. B., Jayasuriya, A. A., & Jayasuriya, A. C. (2015). Current wound healing procedures and potential care. *Materials Science & Engineering. C, Materials for Biological Applications*, 48, 651–662. <https://doi.org/10.1016/j.msec.2014.12.068>
18. Eming, S. A., Martin, P., & Tomic-Canic, M. (2014). Wound repair and regeneration: Mechanisms, signaling, and translation. *Science Translational Medicine*, 6(265), 265sr6–265sr6. <https://doi.org/10.1126/scitranslmed.3009337>
19. Fu, Y., & Kao, W. J. (2010). Drug release kinetics and transport mechanisms of non-degradable and degradable polymeric delivery systems. *Expert Opinion on Drug Delivery*, 7(4), 429–444. <https://doi.org/10.1517/17425241003602259>
20. Giusto, G., Vercelli, C., Comino, F., Caramello, V., Tursi, M., & Gandini, M. (2017). A new, easy-to-make pectin-honey hydrogel enhances wound healing in rats. *BMC Complementary and Alternative Medicine*, 17(1). <https://doi.org/10.1186/s12906-017-1769-1>
21. Gonzalez, A. C. de O., Costa, T. F., Andrade, Z. de A., & Medrado, A. R. A. P. (2016). Wound healing - A literature review. *Anais Brasileiros de Dermatologia*, 91(5), 614–620. <https://doi.org/10.1590/abd1806-4841.20164741>
22. Günday, C., Anand, S., Gencer, H. B., Munafò, S., Moroni, L., Fusco, A., Donnarumma, G., Ricci, C., Hatir, P. C., Türeli, N. G., Türeli, A. E., Mota, C., & Danti, S. (2020). Ciprofloxacin-loaded polymeric nanoparticles incorporated electrospun fibers for drug delivery in tissue engineering applications. *Drug Delivery and Translational Research*, 10(3), 706–720. <https://doi.org/10.1007/s13346-020-00736-1>
23. Gupta, R., & Bajpai, A. K. (2011). Magnetically Guided Release of Ciprofloxacin from Superparamagnetic Polymer Nanocomposites. *Journal of Biomaterials Science, Polymer Edition*,

- 22(7), 893–918. <https://doi.org/10.1163/092050610x496387> Hames, D., & Hooper, N. (2011). Biochemistry (Fourth Edition, pp. 76–90). Garland Science, Taylor & Francis Group, LLC.
24. Henao, E., Delgado, E., Contreras, H., & Quintana, G. (2018). Polyelectrolyte Complexation versus Ionotropic Gelation for Chitosan- Based Hydrogels with Carboxymethylcellulose, Carboxymethyl Starch, and Alginic Acid. *International Journal of Chemical Engineering*, 2018, 1–12. <https://doi.org/10.1155/2018/3137167>
25. Hu, W., Wang, Z., Xiao, Y., Zhang, S., & Wang, J. (2019). Advances in crosslinking strategies of biomedical hydrogels. *Biomaterials Science*, 7(3), 843–855. <https://doi.org/10.1039/c8bm01246f>
26. Iijima, M., Hatakeyama, T., Nakamura, K., & Hatakeyama, H. (2002). Effect Of Annealing on Calcium Pectin Gel Formation by Thermomechanical Analysis. *Journal of Thermal Analysis and Calorimetry*, 70(3), 815–824. <https://doi.org/10.1023/a:1022204219707>
27. Ilenghoven, D., C Y, C., Ahmad Kamal WSR, W., SJ, M., & S, I. (2017). A Review of Wound Dressing Practices. *Clinical Dermatology Open Access Journal*, 2(6). <https://doi.org/10.23880/cdoaj-16000133>
28. Kamaruzzaman, N. F., Tan, L. P., Hamdan, R. H., Choong, S. S., Wong, W. K., Gibson, A. J., Chivu, A., & Pina, M. de F. (2019). Antimicrobial Polymers: The Potential Replacement of Existing Antibiotics? *International Journal of Molecular Sciences*, 20(11), 2747. <https://doi.org/10.3390/ijms20112747>
29. Kawasumi, A., Sagawa, N., Hayashi, S., Yokoyama, H., & Tamura, K. (2012). Wound Healing in Mammals and Amphibians: Toward Limb Regeneration in Mammals. *Current Topics in Microbiology and Immunology*, 33–49. [https://doi.org/10.1007/82\\_2012\\_305](https://doi.org/10.1007/82_2012_305)
30. Kelly, R. (2016). Keratins in wound healing. *Wound Healing Biomaterials*, 353–365. <https://doi.org/10.1016/b978-1-78242-456-7.00017-9>
31. Khan, S., Ullah, A., Ullah, K., & Rehman, N. (2016). Insight into hydrogels. Designed Monomers and Polymers, 19(5), 456–478. <https://doi.org/10.1080/15685551.2016.1169380>

32. Kinam Park, Teruo Okano, & Ottenbrite, R. M. (2010). Biomedical applications of hydrogels handbook. Springer.
33. Komersová, A., Komers, K., & Čegan, A. (2007). New Findings about Ellman's Method to Determine Cholinesterase Activity. *Zeitschrift Für Naturforschung C*, 62(1-2), 150–154. <https://doi.org/10.1515/znc-2007-1-225>
34. Konop, M., Sulejczak, D., Czuwara, J., Kosson, P., Misicka, A., Lipkowski, A. W., & Rudnicka, L. (2017). The role of allogenic keratin- derived dressing in wound healing in a mouse model. *Wound Repair and Regeneration*, 25(1), 62–74. <https://doi.org/10.1111/wrr.12500>
35. Ku, H.-K., Lim, H.-M., Oh, K.-H., Yang, H.-J., Jeong, J.-S., & Kim, S.-K. (2013). Interpretation of protein quantitation using the Bradford assay: Comparison with two calculation models. *Analytical Biochemistry*, 434(1), 178–180. <https://doi.org/10.1016/j.ab.2012.10.045>
36. Kunjachan, S., & Jose, S. (2010). Understanding the mechanism of ionic gelation for synthesis of chitosan nanoparticles using qualitative techniques. *Asian Journal of Pharmaceutics*, 4(2), 148. <https://doi.org/10.4103/0973-8398.68467>
37. Lara-Espinoza, C., Carvajal-Millán, E., Balandrán-Quintana, R., López-Franco, Y., & Rascón-Chu, A. (2018). Pectin and Pectin-Based Composite Materials: Beyond Food Texture. *Molecules*, 23(4), 942. <https://doi.org/10.3390/molecules23040942>
38. Lovětinská-Šlamborová, I., Holý, P., Exnar, P., & Veverková, I. (2016). Silica Nanofibers with Immobilized Tetracycline for Wound Dressing. *Journal of Nanomaterials*, 2016, 1–6. <https://doi.org/10.1155/2016/2485173>
39. Lustosa, A., de Jesus Oliveira, A., Quelemes, P., Plácido, A., da Silva, F., Oliveira, I., de Almeida, M., Amorim, A., Delerue-Matos, C., de Oliveira, R., da Silva, D., Eaton, P., & de Almeida Leite, J. (2017). In Situ Synthesis of Silver Nanoparticles in a Hydrogel of Carboxymethyl Cellulose with Phthalated-

- Cashew Gum as a Promising Antibacterial and Healing Agent. International Journal of Molecular Sciences, 18(11), 2399. <https://doi.org/10.3390/ijms18112399>
40. Martău, G. A., Mihai, M., & Vodnar, D. C. (2019). The Use of Chitosan, Alginate, and Pectin in the Biomedical and Food Sector- Biocompatibility, Bioadhesiveness, and Biodegradability. Polymers, 11(11), 1837.<https://doi.org/10.3390/polym11111837>
41. Mekkawy, A., El-Mokhtar, M., Nafady, N., Yousef, N., Hamad, M., El-Shanawany, S., Ibrahim, E., & Elsabahy, M. (2017). In vitro and in vivo evaluation of biologically synthesized silver nanoparticles for topical applications: effect of surface coating and loading into hydrogels. International Journal of Nanomedicine, Volume 12, 759–777. <https://doi.org/10.2147/ijn.s124294>
42. Mishra, R. K., Majeed, A. B. A., & Banthia, A. K. (2011). Development and characterization of pectin/gelatin hydrogel membranes for wound dressing. International Journal of Plastics Technology, 15(1), 82–95. <https://doi.org/10.1007/s12588-011- 9016-y>
43. Mekkawy, A., El-Mokhtar, M., El-Shanawany, S., & Ibrahim, E. (2016). Silver Nanoparticles-loaded Hydrogels, A Potential Treatment for Resistant Bacterial Infection and Wound Healing: A Review. *British Journal of Pharmaceutical Research*, 14(2), 1–19. <https://doi.org/10.9734/bjpr/2016/30525>
44. Minhas, M. U., Ahmad, M., Anwar, J., & Khan, S. (2016). Synthesis and Characterization of Biodegradable Hydrogels for Oral Delivery of 5-Fluorouracil Targeted to Colon: Screening with Preliminary In Vivo Studies. *Advances in Polymer Technology*, 37(1), 221–229. <https://doi.org/10.1002/adv.21659>
45. Murali Mohan, Y., Vimala, K., Thomas, V., Varaprasad, K., Sreedhar, B., Bajpai, S. K., & Mohana Raju, K. (2010). Controlling of silver nanoparticles structure by hydrogel networks. *Journal of Colloid and Interface Science*, 342(1), 73–82. <https://doi.org/10.1016/j.jcis.2009.10.008>

46. Murphy, P. S., & Evans, G. R. D. (2012). Advances in Wound Healing: A Review of Current Wound Healing Products. *Plastic Surgery International*, 2012, 1–8. <https://doi.org/10.1155/2012/190436>
47. Nassar, M. S. M., Hazzah, W. A., & Bakr, W. M. K. (2019). Evaluation of antibiotic susceptibility test results: how guilty a laboratory could be? *Journal of the Egyptian Public Health Association*, 94(1). <https://doi.org/10.1186/s42506-018-0006-1>
48. Ngouémazong, D. E., Tengweh, F. F., Fraeye, I., Duvetter, T., Cardinaels, R., Van Loey, A., Moldenaers, P., & Hendrickx, M. (2012). Effect of de-methylesterification on network development and nature of Ca<sup>2+</sup>-pectin gels: Towards understanding structure–function relations of pectin. *Food Hydrocolloids*, 26(1), 89–98. <https://doi.org/10.1016/j.foodhyd.2011.04.002>.
49. Negut, I., Grumezescu, V., & Grumezescu, A. (2018). Treatment Strategies for Infected Wounds. *Molecules*, 23(9), 2392. <https://doi.org/10.3390/molecules23092392>
50. Ninfa, A. J., Ballou, D. P., & Marilee Ben Parsons. (2009). *Fundamental Laboratory Approaches for Biochemistry and Biotechnology*, 2nd E. John Wiley & Sons.
51. Norman, G., Dumville, J. C., Mohapatra, D. P., Owens, G. L., & Crosbie, E. J. (2016). Antibiotics and antiseptics for surgical wounds healing by secondary intention. Cochrane Database of Systematic Reviews. <https://doi.org/10.1002/14651858.cd011712.pub2>
52. Phuong, P. T., Oliver, S., He, J., Wong, E. H. H., Mathers, R. T., & Boyer, C. (2020). Effect of Hydrophobic Groups on Antimicrobial and Hemolytic Activity: Developing a Predictive Tool for Ternary Antimicrobial Polymers. *Biomacromolecules*, 21(12), 5241–5255. <https://doi.org/10.1021/acs.biomac.0c01320>
53. Rescignano, N., Hernandez, R., Lopez, L. D., Calvillo, I., Kenny, J. M., & Mijangos, C. (2016). Preparation of alginate hydrogels containing silver nanoparticles: a facile approach for

antibacterial applications. Polymer International, 65(8), 921–926.

<https://doi.org/10.1002/pi.5119>

54. Riaz, Tehseen & Zeeshan, Rabia & Zarif, Faiza & Ilyas, Kanwal & Muhammad, Nawshad & Safi, Sher & Rahim, Abdur & Rizvi, Syed & Rehman, Ihtesham. (2018). FTIR analysis of natural and synthetic collagen. *Applied Spectroscopy Reviews*. 53. 703-746. 10.1080/05704928.2018.1426595.
55. Rouse, J. G., & Van Dyke, M. E. (2010). A Review of Keratin-Based Biomaterials for Biomedical Applications. *Materials*, 3(2), 999– 1014. <https://doi.org/10.3390/ma3020999>
56. Roy, D. C., Tomblyn, S., Burmeister, D. M., Wrice, N. L., Becerra, S. C., Burnett, L. R., Saul, J. M., & Christy, R. J. (2015). Ciprofloxacin- Loaded Keratin Hydrogels PreventPseudomonas aeruginosaInfection and Support Healing in a Porcine Full-Thickness Excisional Wound. *Advances in Wound Care*, 4(8), 457–468. <https://doi.org/10.1089/wound.2014.0576>
57. Saghazadeh, S., Rinoldi, C., Schot, M., Kashaf, S. S., Sharifi, F., Jalilian, E., Nuutila, K., Giatsidis, G., Mostafalu, P., Derakhshandeh, H., Yue, K., Swieszkowski, W., Memic, A., Tamayol, A., & Khademhosseini, A. (2018). Drug delivery systems and materials for wound healing applications. *Advanced Drug Delivery Reviews*, 127, 138–166. <https://doi.org/10.1016/j.addr.2018.04.008>
58. Saha, S., Arshad, M., Zubair, M., & Ullah, A. (2018). Keratin as a Biopolymer. *Keratin as a Protein Biopolymer*, 163–185. [https://doi.org/10.1007/978-3-030-02901-2\\_6](https://doi.org/10.1007/978-3-030-02901-2_6)
59. Sandle, T. (2016). Antibiotics and preservatives. *Pharmaceutical Microbiology*, 171–183. <https://doi.org/10.1016/b978-0-08- 100022-9.00014-1>
60. Sarheed, O., Ahmed, A., Shouqair, D., & Boateng, J. (2016). Antimicrobial Dressings for Improving Wound Healing. *Wound Healing New Insights into Ancient Challenges*. <https://doi.org/10.5772/63961>

61. Tavakol, M., Vasheghani-Farahani, E., & Hashemi-Najafabadi, S. (2013). The effect of polymer and CaCl<sub>2</sub> concentrations on the sulfasalazine release from alginate-N,O-carboxymethyl chitosan beads. *Progress in Biomaterials*, 2(1), 10. <https://doi.org/10.1186/2194-0517-2-10>
62. Thadanki\*, M. L. (2017). Formulation and evaluation of sustained release saxagliptin microspheres by ionotropic gelation method. *International Journal of Bioassays*, 6(03), 5328. <https://doi.org/10.21746/ijbio.2017.03.0010>
63. Tran, C. D., Prosenc, F., Franko, M., & Benzi, G. (2016). Synthesis, structure and antimicrobial property of green composites from cellulose, wool, hair and chicken feather. *Carbohydrate Polymers*, 151, 1269–1276. <https://doi.org/10.1016/j.carbpol.2016.06.021>
64. Van Tomme, S. R., Storm, G., & Hennink, W. E. (2008). In situ gelling hydrogels for pharmaceutical and biomedical applications. *International Journal of Pharmaceutics*, 355(1-2), 1–18. <https://doi.org/10.1016/j.ijpharm.2008.01.057>
65. Varghese, S. A., Rangappa, S. M., Siengchin, S., & Parameswaranpillai, J. (2020). Natural polymers and the hydrogels prepared from them. *Hydrogels Based on Natural Polymers*, 17–47. <https://doi.org/10.1016/b978-0-12-816421-1.00002-1>
66. Venzon, S. S., Canteri, M. H. G., Granato, D., Junior, B. D., Maciel, G. M., Stafussa, A. P., & Haminiuk, C. W. I. (2014). Physicochemical properties of modified citrus pectins extracted from orange pomace. *Journal of Food Science and Technology*, 52(7), 4102–4112. <https://doi.org/10.1007/s13197-014-1419-2>
67. White, R. J., Cooper, R., & Kingsley, A. (2001). Wound colonization and infection: the role of topical antimicrobials. *British Journal of Nursing*, 10(9), 563–578. <https://doi.org/10.12968/bjon.2001.10.9.9387>

68. Wong, S. Y., Lee, C. C., Ashrafzadeh, A., Junit, S. M., Abraham, N., & Hashim, O. H. (2016). A High-Yield Two-Hour Protocol for Extraction of Human Hair Shaft Proteins. *PLOS ONE*, 11(10), e0164993. <https://doi.org/10.1371/journal.pone.0164993>
69. Yadav, P., Pandey, P., Parashar, S., & Neeta. (2017). Pectin as Natural Polymer: An overview. *Research Journal of Pharmacy and Technology*, 10(4), 1225. <https://doi.org/10.5958/0974-360x.2017.00219.0>
70. Yamauchi, K., Yamauchi, A., Kusunoki, T., Kohda, A., & Konishi, Y. (1996). Preparation of stable aqueous solution of keratins, and physicochemical and biodegradational properties of films. *Journal of Biomedical Materials Research*, 31(4), 439–444. [https://doi.org/10.1002/\(sici\)1097-4636\(199608\)31:4<439::aid-jbm1>3.0.co;2-m](https://doi.org/10.1002/(sici)1097-4636(199608)31:4<439::aid-jbm1>3.0.co;2-m)
71. Fang, Y., Al-Assaf, S., Phillips, G. O., Nishinari, K., Funami, T., & Williams, P. A. (2008). Binding behavior of calcium to polyuronates: Comparison of pectin with alginate. *Carbohydrate Polymers*, 72(2), 334–341. <https://doi.org/10.1016/j.carbpol.2007.08.021>
72. Gao, J., Zhang, L., Wei, Y., Chen, T., Ji, X., Ye, K., Yu, J., Tang, B., Sun, X., & Hu, J. (2019). Human hair keratins promote the regeneration of peripheral nerves in a rat sciatic nerve crush model. *Journal of Materials Science: Materials in Medicine*, 30(7). <https://doi.org/10.1007/s10856-019-6283-1>
73. Gawkowska, D., Cybulska, J., & Zdunek, A. (2018). Structure-Related Gelling of Pectins and Linking with Other Natural Compounds: A Review. *Polymers*, 10(7). <https://doi.org/10.3390/polym10070762>
74. Giusto, G., Beretta, G., Vercelli, C., Valle, E., Iussich, S., Borghi, R., Odetti, P., Monacelli, F., Tramuta, C., Grego, E., Nebbia, P., Robino, P., Odore, R., & Gandini, M. (2018). Pectin-honey hydrogel: Characterization, antimicrobial activity and biocompatibility. *Bio-Medical Materials and Engineering*, 29(3), 347–356. <https://doi.org/10.3233/bme-181730>

75. Grant, G. T., Morris, E. R., Rees, D. A., Smith, P. J. C., & Thom, D. (1973). Biological interactions between polysaccharides and divalent cations: The egg-box model. *FEBS Letters*, 32(1), 195–198. [https://doi.org/10.1016/0014-5793\(73\)80770-7](https://doi.org/10.1016/0014-5793(73)80770-7)
76. John, J., Ray, D., Aswal, V. K., Deshpande, A. P., & Varughese, S. (2019). Dissipation and strain-stiffening behavior of pectin–Ca gels under LAOS. *Soft Matter*, 15(34), 6852–6866. <https://doi.org/10.1039/c9sm00709a>
77. Lehtinen, J. (2013). Spectroscopic Studies of Human Hair, Nail, and Saliva Samples Using a Cantilever-Based Photoacoustic Detection. *International Journal of Thermophysics*, 34(8-9), 1559–1568. <https://doi.org/10.1007/s10765-013-1488-x>
78. Otieno, B. A., Krause, C. E., & Rusling, J. F. (2016). Bioconjugation of Antibodies and Enzyme Labels onto Magnetic Beads. *Methods in Enzymology*, 513, 135–150. <https://doi.org/10.1016/bs.mie.2015.10.005>
79. Sigaeva, N. N., Vil'danova, R. R., Sultanbaev, A. V., & Ivanov, S. P. (2020). Synthesis and Properties of Chitosan- and Pectin-Based Hydrogels. *Colloid Journal*, 82(3), 311–323. <https://doi.org/10.1134/s1061933x20030114>
80. Silva, R., Singh, R., Sarker, B., Papageorgiou, D. G., Juhasz, J. A., Roether, J. A., Cicha, I., Kaschta, J., Schubert, D. W., Chrissafis, K., Detsch, R., & Boccaccini, A. R. (2014). Hybrid hydrogels based on keratin and alginate for tissue engineering. *Journal of Materials Chemistry B*, 2(33), 5441–5451. <https://doi.org/10.1039/C4TB00776J>
81. Sihota, P., Yadav, R. N., Dhiman, V., Bhadada, S. K., Mehandia, V., & Kumar, N. (2019). Investigation of diabetic patient's fingernail quality to monitor type 2 diabetes induced tissue damage. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-39951-3>
82. Vu, X. H., Duong, T. T. T., Pham, T. T. H., Trinh, D. K., Nguyen, X. H., & Dang, V.-S. (2018). Synthesis and study of silver nanoparticles for antibacterial activity against Escherichia coli and

- Staphylococcus aureus*. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 9(2), 025019. <https://doi.org/10.1088/2043-6254/aac58f>
83. Wang, S., Taraballi, F., Tan, L. P., & Ng, K. W. (2012). Human keratin hydrogels support fibroblast attachment and proliferation in vitro. *Cell and Tissue Research*, 347(3), 795–802. <https://doi.org/10.1007/s00441-011-1295-2>
84. Wellner, N., Kačuráková, M., Malovíková A., Wilson, R. H., & Belton, P. S. (1998). FT-IR study of pectate and pectinate gels formed by divalent cations. *Carbohydrate Research*, 308(1-2), 123–131. [https://doi.org/10.1016/s0008-6215\(98\)00065-2](https://doi.org/10.1016/s0008-6215(98)00065-2)
85. Yadollahi, M., Farhoudian, S., & Namazi, H. (2015). One-pot synthesis of antibacterial chitosan/silver bio-nanocomposite hydrogel beads as drug delivery systems. *International Journal of Biological Macromolecules*, 79, 37–43. <https://doi.org/10.1016/j.ijbiomac.2015.04.032>
86. Yue, K., Liu, Y., Byambaa, B., Singh, V., Liu, W., Li, X., Sun, Y., Zhang, Y. S., Tamayol, A., Zhang, P., Ng, K. W., Annabi, N., & Khademhosseini, A. (2018). Visible light crosslinkable human hair keratin hydrogels. *Bioengineering & Translational Medicine*, 3(1), 37–48. <https://doi.org/10.1002/btm2.10077>
87. Zheng, X. F., Lian, Q., & Song, S. T. (2013). Chitosan-Gelatin-Pectin Composite Films from Polyion-Complex Hydrogels. *Asian Journal of Chemistry*, 25(10), 5363–5366. <https://doi.org/10.14233/ajchem.2013.14193>