

REFERENCES

- Amersi, F., Shen, X. Da, Moore, C., Melinek, J., Busuttil, R. W., Kupiec-Weglinski, J. W., & Coito, A. J. (2003). Fibronectin- α 4 β 1 integrin-mediated blockade protects genetically fat zucker rat livers from ischemia/reperfusion injury. *American Journal of Pathology*, 162(4), 1229–1239. [https://doi.org/10.1016/S0002-9440\(10\)63919-3](https://doi.org/10.1016/S0002-9440(10)63919-3)
- Andrews, K. L., Derby, K. M., Jacobson, T. M., Sievers, B. A., & Kiemele, L. J. (2021). Prevention and Management of Chronic Wounds. In *Braddom's Physical Medicine and Rehabilitation* (pp. 469-484.e4). <https://doi.org/10.1016/b978-0-323-62539-5.00024-2>
- Ansel, J. L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J. F., Ho, R., ... Pichon, C. (2016). Biological Activity of Polynesian Calophyllum inophyllum Oil Extract on Human Skin Cells. *Planta Medica*, 82(11–12), 961–966. <https://doi.org/10.1055/s-0042-108205>
- Atri, C., Guerfali, F. Z., & Laouini, D. (2018). Role of human macrophage polarization in inflammation during infectious diseases. *International Journal of Molecular Sciences*, 19(6). <https://doi.org/10.3390/ijms19061801>
- Bachman, H., Nicosia, J., Dysart, M., & Barker, T. H. (2015). Utilizing Fibronectin Integrin-Binding Specificity to Control Cellular Responses. *Advances in Wound Care*, 4(8), 501–511. <https://doi.org/10.1089/wound.2014.0621>
- Baltzis, D., Eleftheriadou, I., & Veves, A. (2014, August 1). Pathogenesis and Treatment of Impaired Wound Healing in Diabetes Mellitus: New Insights. *Advances in Therapy*, Vol. 31, pp. 817–836. <https://doi.org/10.1007/s12325-014-0140-x>
- Bessa, L. J., Fazii, P., Di Giulio, M., & Cellini, L. (2013). Bacterial isolates from infected wounds and their antibiotic susceptibility pattern: some remarks about wound infection. *International Wound Journal*, 12(1), 47–52. <https://doi.org/10.1111/iwj.12049>
- Bragulla, H. H., & Homberger, D. G. (2009). Structure and functions of keratin proteins in simple, stratified, keratinized and cornified epithelia. *Journal of Anatomy*, 214(4), 516–559. <https://doi.org/10.1111/j.1469-7580.2009.01066.x>
- Chadwick, P., Edmonds, M., McCurdle, J., & Armstrong, D. (2013). International Best Practice Guidelines: Wound Management in Diabetic Foot Ulcers. In *Wounds International*.
- Demidova-Rice, T. N., Hamblin, M. R., & Herman, I. M. (2012). Acute and impaired wound healing: Pathophysiology and current methods for drug delivery, part 1: Normal and chronic wounds: Biology, causes, and approaches to care. *Advances in Skin and Wound Care*, 25(7), 304–314. <https://doi.org/10.1097/01.ASW.0000416006.55218.d0>
- Enoch, S., & Price, P. E. (2005). Cellular, molecular and biochemical differences in the pathophysiology of healing between acute wounds, chronic wounds and wounds in the aged. *World Wide Wounds*. Retrieved from https://www.researchgate.net/publication/288271556_Cellular_molecular_and_biochemical_differences_in_the_pathophysiology_of_healing_between_acute_wounds_chronic_wounds_and_wounds_in_the_aged
- Everett, E., & Mathioudakis, N. (2018). Update on management of diabetic foot ulcers. *Annals of the New York Academy of Sciences*, Vol. 1411, pp. 153–165. <https://doi.org/10.1111/nyas.13569>
- Fauziah, M., & Soniya, F. (2020). Potensi Tanaman Zigzag sebagai Penyembuh Luka. *Jurnal Penelitian Perawat Profesional*, 2(1), 39–44.
- Fernández, J., Morena, A. G., Valenzuela, S. V., Pastor, F. I. J., Díaz, P., & Martínez, J. (2019). Microbial Cellulose from a Komagataeibacter intermedius Strain Isolated from Commercial Wine Vinegar. *Journal of Polymers and the Environment*, 27(5), 956–967. <https://doi.org/10.1007/s10924-019-01403-4>
- Feroz, S., Muhammad, N., Ranayake, J., & Dias, G. (2020, September 1). Keratin - Based materials for biomedical applications. *Bioactive Materials*, Vol. 5, pp. 496–509. <https://doi.org/10.1016/j.bioactmat.2020.04.007>
- Filippi, M. D. (2016). Mechanism of Diapedesis: Importance of the Transcellular Route. In *Advances in*

- Immunology* (Vol. 129, pp. 25–53). <https://doi.org/10.1016/bs.ai.2015.09.001>
- Fujita, M., Sasada, M., Iyoda, T., & Fukai, F. (2020). Involvement of Integrin-Activating Peptides Derived from Tenascin-C in Cancer Aggression and New Anticancer Strategy Using the Fibronectin-Derived Integrin-Inactivating Peptide. *Molecules*, 25(14). <https://doi.org/10.3390/molecules25143239>
- Gonzalez, A. C. de O., Costa, T. F., Andrade, Z. de A., & Medrado, A. R. A. P. (2016). Wound healing - A literature review. *Anais Brasileiros de Dermatologia*, 91(5), 614–620. <https://doi.org/10.1590/abd1806-4841.20164741>
- Hartrianti, P., Nguyen, L. T. H., Johanes, J., Chou, S. M., Zhu, P., Tan, N. S., ... Ng, K. W. (2017). Fabrication and characterization of a novel crosslinked human keratin-alginate sponge. *Journal of Tissue Engineering and Regenerative Medicine*, 11(9), 2590–2602. <https://doi.org/10.1002/term.2159>
- Hess, C. T. (2011). Checklist for Factors Affecting Wound Healing. *Advances in Skin & Wound Care*, 24(4), 192. <https://doi.org/10.1097/01.ASW.0000396300.04173.ec>
- Hilton, J. R., Williams, D. T., Beuker, B., Miller, D. R., & Harding, K. G. (2004). Wound dressings in diabetic foot disease. *Clinical Infectious Diseases*, 39(SUPPL. 2), S100–S103. <https://doi.org/10.1086/383270>
- Kral, J. B., Schrottmaier, W. C., Salzmann, M., & Assinger, A. (2016). Platelet Interaction with Innate Immune Cells. *Transfusion Medicine and Hemotherapy*, 43(2), 78–88. <https://doi.org/10.1159/000444807>
- Kucińska-Lipka, J., Gubanska, I., & Janik, H. (2015, September 19). Bacterial cellulose in the field of wound healing and regenerative medicine of skin: recent trends and future perspectives. *Polymer Bulletin*, Vol. 72, pp. 2399–2419. <https://doi.org/10.1007/s00289-015-1407-3>
- Lanau-Roig, A., Fabrellas, N., Sáez-Rubio, G., & Wilson, K. (2017). Time of chronic wound healing, as part of a prevalence and incidence study. *Enfermeria Global*. <https://doi.org/10.6018/eglobal.16.2.251311>
- Léguillier, T., Lecsö-Bornet, M., Lémus, C., Rousseau-Ralliard, D., Lebouvier, N., Hnawia, E., ... Rat, P. (2015). The wound healing and antibacterial activity of five ethnomedical *Calophyllum inophyllum* oils: An alternative therapeutic strategy to treat infected wounds. *PLoS ONE*, 10(9). <https://doi.org/10.1371/journal.pone.0138602>
- Lin, W.-C., Lien, C.-C., Yeh, H.-J., Yu, C.-M., & Hsu, S.-H. (2013). Bacterial cellulose and bacterial cellulose–chitosan membranes for wound dressing applications. <https://doi.org/doi:10.1016/j.carbpol.2013.01.076>
- Martinengo, L., Olsson, M., Bajpai, R., Soljak, M., Upton, Z., Schmidtchen, A., & Car, J. (2018). *Prevalence of chronic wounds in the general population: systematic review and meta-analysis of observational studies*. <https://doi.org/10.1016/j.annepidem.2018.10.005>
- Mavrogenis, A. F., Megaloikonomos, P. D., Antoniadou, T., Igoumenou, V. G., Panagopoulos, G. N., Dimopoulos, L., ... Lazaris, A. (2018, September 1). Current concepts for the evaluation and management of diabetic foot ulcers. *EFORT Open Reviews*, Vol. 3, pp. 513–525. <https://doi.org/10.1302/2058-5241.3.180010>
- Moura, L. I. F., Dias, A. M. A., Carvalho, E., & De Sousa, H. C. (2013, July 1). Recent advances on the development of wound dressings for diabetic foot ulcer treatment - A review. *Acta Biomaterialia*, Vol. 9, pp. 7093–7114. <https://doi.org/10.1016/j.actbio.2013.03.033>
- Muangman, P., Opasanon, S., Suwanchot, S., & Thangthed, O. (2011). Efficiency of microbial cellulose dressing in partial-thickness burn wounds. *Journal of the American College of Certified Wound Specialists*, 3(1), 16–19. <https://doi.org/10.1016/j.jcws.2011.04.001>
- Muller, W. A. (2002). Leukocyte-endothelial cell interactions in the inflammatory response. *Laboratory Investigation*, 82(5), 521–533. <https://doi.org/10.1038/labinvest.3780446>
- Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Nusbaum, A. G., Sawaya, A., ... Tomic-Canic, M. (2014). Epithelialization in Wound Healing: A Comprehensive Review. *Advances in Wound Care*, 3(7), 445–464. <https://doi.org/10.1089/wound.2013.0473>

- Raharivelomanana, P., Ansel, J.-L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J.-F., ... Pichon, C. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. *OCL*, 25(5), D504. <https://doi.org/10.1051/ocl/2018048>
- Research and Markets. (2020). *Wound Dressings Market by Type (Traditional, Advanced (Alginates, Collagen, Hydrogel, Foam, Hydrocolloid, Film)), Wound Type (Traumatic, Surgical, Diabetic Foot, Venous Leg Ulcer & Burns), End User (Hospital, ASCs, Homecare) - Global Forecast to 2025*. Retrieved from [https://www.researchandmarkets.com/reports/5090352/wound-dressings-market-by-type-traditional?utm_source=dynamic&utm_medium=GNOM&utm_code=9nvjjz&utm_campaign=1403243+-+Global+Wound+Dressings+Market+\(2020+to+2025\)+-+Growth+Potential+in+Emerging+Economies+P](https://www.researchandmarkets.com/reports/5090352/wound-dressings-market-by-type-traditional?utm_source=dynamic&utm_medium=GNOM&utm_code=9nvjjz&utm_campaign=1403243+-+Global+Wound+Dressings+Market+(2020+to+2025)+-+Growth+Potential+in+Emerging+Economies+P)
- Rouse, J. G., & Van Dyke, M. E. (2010). A review of keratin-based biomaterials for biomedical applications. *Materials*, Vol. 3, pp. 999–1014. <https://doi.org/10.3390/ma3020999>
- Sami, D. G., Heiba, H. H., & Abdellatif, A. (2019, March 1). Wound healing models: A systematic review of animal and non-animal models. *Wound Medicine*, Vol. 24, pp. 8–17. <https://doi.org/10.1016/j.wndm.2018.12.001>
- Saravanan, R., Dhachinamoorthi, D., & Thamizhvanan, K. (2011). Antimicrobial activity of various extracts from various parts of Calophyllum inophyllum L. In *Journal of Applied Pharmaceutical Science* (Vol. 2011).
- Schultz, G. S., Chin, G. A., Moldawer, L., & Diegelmann, R. F. (2011). Principles of wound healing. In *Mechanisms of Vascular Disease: A Reference Book for Vascular Specialists* (pp. 423–450). <https://doi.org/10.1017/UPO9781922064004.024>
- Sood, A., Granick, M. S., & Tomaselli, N. L. (2014). Wound Dressings and Comparative Effectiveness Data. *Advances in Wound Care*, 3(8), 511–529. <https://doi.org/10.1089/wound.2012.0401>
- Susanto, D. F., Aparamarta, H. W., Widjaja, A., Firdaus, & Gunawan, S. (2020). Calophyllum inophyllum : Beneficial Phytochemicals, Their Uses, and Identification. In *Phytochemicals in Human Health*. <https://doi.org/10.5772/intechopen.86991>
- Susanto, D. F., Aparamarta, H. W., Widjaja, A., & Gunawan, S. (2017). Identification of phytochemical compounds in Calophyllum inophyllum leaves. *Asian Pacific Journal of Tropical Biomedicine*, 7(9), 773–781. <https://doi.org/10.1016/j.apjtb.2017.08.001>
- Treviño-Garza, M. Z., Guerrero-Medina, A. S., González-Sánchez, R. A., García-Gómez, C., Guzmán-Velasco, A., Báez-González, J. G., & Márquez-Reyes, J. M. (2020). Production of Microbial Cellulose Films from Green Tea (*Camellia Sinensis*) Kombucha with Various Carbon Sources. *Coatings*, 10(11), 1132. <https://doi.org/10.3390/coatings10111132>
- Wibisono, A. H., Jamaluddin, A., Megawati, V. N., Gitarja, W. S., & Fajar, K. (2018). Wound care management in Indonesia issues and challenges in diabetic foot ulceration - Wounds International. *Wounds International*. Retrieved from <https://www.woundsinternational.com/resources/details/wound-care-management-in-indonesia--issues-and-challenges-in-diabetic-foot-ulceration>
- Wijaya, L., Budiyanto, A., Astuti, I., & Mustofa. (2019). Pathogenesis, evaluation, and recent management of diabetic foot ulcer. *Journal of Medical Sciences*, 51(1), 82–97. <https://doi.org/http://dx.doi.org/10.19106/JMedSci005101201910>
- Wijesinghe, G., Dilhari, A., Gayani, B., Kottegoda, N., Samaranayake, L., & Weerasekera, M. (2019). Influence of Laboratory Culture Media on in vitro Growth, Adhesion, and Biofilm Formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus*. *Medical Principles and Practice*, 28(1), 28–35. <https://doi.org/10.1159/000494757>
- Yazdanpanah, L., Nasiri, M., & Adarvishi, S. (2015). Literature review on the management of diabetic foot ulcer. *World Journal of Diabetes*, 6(1), 37. <https://doi.org/10.4239/wjd.v6.i1.37>