

REFERENCES

- Ababio, P. F., Adi, D. D., & Amoah, M. (2012). Evaluating the awareness and importance of food labelling information among consumers in the Kumasi metropolis of Ghana. *Food Control*, 26(2), 571–574. doi:10.1016/j.foodcont.2012.02.015
- Abdullah, N.N.; Mokhtar, M.M.; Bakar, M.H.A.; Al-Kubaisy, W. (2015). Trend on fast food consumption in relation to obesity among Selangor urban communities. *Procedia Soc. Behav. Sci*, 202, 505–513.
- Aertsens, J., Verbeke, W., Mondelaers, K., & Van Huylenbroeck, G. (2009). Personal determinants of organic food consumption: A review. *British Food Journal*, 111(10), 1140–1167. doi:10.1108/00070700910992961
- Ali, Z. & Abizari, AR. (2018). Ramadan fasting alters food patterns, dietary diversity and body weight among Ghanaian adolescents. *Nutrition Journal*, 17(1), 75. <https://doi.org/10.1186/s12937-018-0386-2>
- Andrias, D.R. (2016). Nutrition label use of pre-packaged food among university students in Surabaya, Indonesia. *ASIAN Academic Society International Conference*, Nakhon Pathom, Thailand.
- Annunziata, Azzurra, Riccardo Vecchio (2002) Factors affecting use and understanding of nutrition information on food labels: evidence from consumers. *Agricultural Economics Review*, 13(2): 103-116.
- Asgha, B. (2016). Analisa penggunaan label informasi nilai gizi pada produk pangan oleh konsumen di kota Semarang. *Jurnal Buletin Studi Ekonomi*, 21(2), 128-135
- Aygen, F.G. (2012). Turkish consumers' understanding and use of nutrition labels on packaged food products. *International Journal of Business and Social Science*, 3 (6), 171-183.
- Badan Pengawas Obat dan Makanan. (2015). Keamanan Pangan Tanggung Jawab Bersama. <http://www.pom.go.id/mobile/index.php/view/pers/261/-quot-Kemanan-PanganTanggung-Jawab-Bersama-quot.html>. (22 January 2021).

- Badan Penyelenggara Jaminan Sosial Kesehatan. (2017). Atur Langkah Strategis untuk Jamin Keberlangsungan JKN-KIS. *Media Internal BPJS Kesehatan*, 68, 9.
- Barclay, T., Ginic-Markovic, M., Cooper, P., & Petrovsky, N. (2012). The chemistry and sources of fructose and their effect on its utility and health implications. *Journal Of Excipients And Food Chemicals*, 3(2), 67-82. Retrieved from <https://ojs.abo.fi/ojs/index.php/jefc/article/view/145>
- Barreiro-Hurlé, J., A. Gracia and T. De-Magistris .(2010). Does nutrition information on food products lead to healthier food choices?. *Food Policy*, 35(3), 221-229.
- Bergallo, P., Castagnari, V., Fernández, A., & Mejía, R. (2018). Regulatory initiatives to reduce sugar-sweetened beverages (SSB) in Latin America. *PloS one*, 13(10), e0205694. <https://doi.org/10.1371/journal.pone.0205694>
- Berkey, C. S., Rockett, H. R. H., Field, A. E., Gillman, M. W., & Colditz, G. A. (2004). Sugar-added beverages and adolescent weight change. *Obesity Research*, 12(5), 778–788. doi:10.1038/oby.2004.94
- Bianchini, F., Kaaks, R., & Vainio, H. (2002). Weight control and physical activity in cancer prevention. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 3(1), 5–8. <https://doi.org/10.1046/j.1467-789x.2002.00046.x>
- Billich, N., Blake, M. R., Backholer, K., Cobcroft, M., Li, V., & Peeters, A. (2018). The effect of sugar-sweetened beverage front-of-pack labels on drink selection, health knowledge and awareness: An online randomised controlled trial. *Appetite*, 128, 233–241. doi:10.1016/j.appet.2018.05.149
- Bialkova, S., Grunert, K. G., Juhl, H. J., Wasowicz-Kirylo, G., Stysko-Kunkowska, M., & van Trijp, H. C. (2014). Attention mediates the effect of nutrition label information on consumers' choice. Evidence from a choice experiment involving eye-tracking. *Appetite*, 76, 66–75. <https://doi.org/10.1016/j.appet.2013.11.021>

- Blecher, E., Liber, A. C., Drope, J. M., Nguyen, B., & Stoklosa, M. (2017). Global trends in the affordability of sugar-sweetened beverages, 1990–2016. *Preventing Chronic Disease*, 14. doi:10.5888/pcd14.160406
- Bolt-Evensen, K., Vik, F. N., Stea, T. H., Klepp, K.-I., & Bere, E. (2018). Consumption of sugar-sweetened beverages and artificially sweetened beverages from childhood to adulthood in relation to socioeconomic status – 15 years follow-up in Norway. *International Journal of Behavioral Nutrition and Physical Activity*, 15(1). doi:10.1186/s12966-018-0646-8
- Bray, G. A., Nielsen, S. J., & Popkin, B. M. (2004). Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. *The American Journal of Clinical Nutrition*, 79(4), 537–543. <https://doi.org/10.1093/ajcn/79.4.537>
- Bulut, B., Beyhun, N. E., Topbaş, M., & Çan, G. (2014). Energy drink use in university students and associated factors. *Journal of Community Health*, 39(5), 1004–1011. <https://doi.org/10.1007/s10900-014-9849-3>
- Burton, S., Cook, L., Howlett E. & Newman, C. L. (2014). Broken halos and shattered horns: overcoming the biasing effects of prior expectations through objective information disclosure. *Journal of the Academy of Marketing Science*, 43(2), 240–256.
- Cawley, J., & Meyerhoefer, C. (2012). The medical care costs of obesity: an instrumental variables approach. *Journal of health economics*, 31(1), 219–230. <https://doi.org/10.1016/j.jhealeco.2011.10.003>
- Cecchini, M., & Warin, L. (2016). Impact of food labelling systems on food choices and eating behaviours: a systematic review and meta-analysis of randomized studies. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 17(3), 201–210. <https://doi.org/10.1111/obr.12364>
- Centers for Disease Control and Prevention (CDC). (2020). Adult Obesity Causes and Consequence. <https://www.cdc.gov/obesity/adult/causes.html>. (23 January 2021)

- Chen, J., Lobo, A., & Rajendran, N. (2014). Drivers of organic food purchase intentions in mainland China - evaluating potential customers' attitudes, demographics and segmentation. *International Journal of Consumer Studies*, 38(4), 346–356. doi:10.1111/ijcs.12095
- Chopera, P., Chagwena, D., & Mushonga, N. (2014). Food label reading and understanding in parts of rural and urban Zimbabwe. *African Health Sciences*, 14(3), 576. doi:10.4314/ahs.v14i3.12
- Christoph, M., An, R., & Ellison, B. (2016). Correlates of nutrition label use among college students and young adults: A review. *Public Health Nutrition*, 19(12), 2135-2148.
- Consommation Logement et Cadre de Vie/Ministère de l'Agriculture et de la Pêche* .(2006). Étude relative aux besoins en matière d'étiquetage nutritionnel dans le cadre de la politique nutritionnelle. Convention CLCV/DGAL A05/08. CLCV/DGAL:Paris
- Crutchfield, S., Kuchler, F., & Variyam, J. N. (2001). The economic benefits of nutrition labeling: a case study for fresh meat and poultry products. *Journal of Consumer Policy*, 24(2), 185–207. doi:10.1023/a:1012235828509doi:10.1017/S1368980015003183
- Cutler, G. J., Flood, A., Hannan, P., & Neumark-Sztainer, D. (2011). Multiple sociodemographic and socio environmental characteristics are correlated with major patterns of dietary intake in adolescents. *Journal of the American Dietetic Association*, 111(2), 230–240. doi:10.1016/j.jada.2010.10.052
- Dancause, K., & Olszowy, K. (2020). Identifying actionable lifestyle risk factors for obesity research and intervention: Challenges and opportunities for Pacific Island health researchers. *The Lancet Regional Health - Western Pacific*, 4, 100040. doi: 10.1016/j.lanwpc.2020.100040
- DeChristopher, L.R., Uribarri, J. & Tucker, K.L. Intake of high fructose corn syrup sweetened soft drinks, fruit drinks and apple juice is associated with prevalent coronary heart disease, in U.S. adults, ages 45–59 y. *BMC Nutr*, 3, 51 (2017). <https://doi.org/10.1186/s40795-017-0168-9>
- Directorate General for Health and Consumer Protection* .(2005). The European consumers' attitudes regarding product labelling-qualitative study in 28 European countries. Optem, Versailles.

- Dobbs, R., Sawers, C., Thompson, F., Manyika, J., Woetzel, J., Child, P., McKenna, S., Spatharou, A. (2014). *Overcoming obesity: An initial economic analysis*. McKinsey Global Institute.
- Douaud, C., Mahgoub, S. E., Lesoli, P. P., & Gobotwang, K. (2007). Nutrition labels may confuse public. *African Journal of Food Agriculture and Nutrition*.
- Draper, A. K., Adamson, A. J., Clegg, S., Malam, S., Rigg, M., & Duncan, S. (2011). Front-of-pack nutrition labelling: are multiple formats a problem for consumers? *The European Journal of Public Health*, 23(3), 517–521. doi:10.1093/eurpub/ckr144
- Duran, A. C., Ricardo, C. Z., Mais, L. A., Martins, A., & Taillie, L. S. (2019). Conflicting messages on food and beverage packages: front-of-package nutritional labeling, health and nutrition claims in Brazil. *Nutrients*, 11(12), 2967. <https://doi.org/10.3390/nu11122967>
- EFSA Panel on Food Additives and Flavourings (FAF), Younes M, Aquilina G, Engel KH, Fowler P, Frutos Fernandez MJ, Fürst P, Gürtler R, Gundert-Remy U, Husøy T, Manco M, Mennes W, Moldeus P, Passamonti S, Shah R, Waalkens-Berendsen I, Wölfle D, Wright M, Degen G, Giarola A, Rincon AM, Castle L. (2020). Safety of a proposed amendment of the specifications for steviol glycosides (E 960) as a food additive: to expand the list of steviol glycosides to all those identified in the leaves of *Stevia Rebaudiana* Bertoni. *EFSA J.* 29;18(4):e06106.
- Egnell M, Talati Z, Gombaud M, Galan P, Hercberg S, Pettigrew S, Julia C. (2019). Consumers' responses to front-of-pack nutrition labelling: Results from a sample from The Netherlands. *Nutrients*, 11(8):1817. <https://doi.org/10.3390/nu11081817>
- Ennis, K., Holt, A., & Cheater, S. (2014). Sugar-sweetened beverages: availability and purchasing behaviour within the school fringe. *International Journal of Health Promotion and Education*, 52(5), 300–312. doi:10.1080/14635240.2014.923286
- Ereño, D.P. (2020). Global front-of-pack nutrition labeling schemes: Impact on marketing strategies. <https://www.raps.org/news-and-articles/news-articles/2020/6/global-front-of-packnutritionlabeling-schemes-im> . (21 February 2021)

- European Food Information Council* .(2017). Global Update on Nutritional Labelling; European Food Information Council: Brussels, Belgium. <http://www.eufic.org/images/uploads/files/GUNL-2017-exsummary.pdf>
- Fadhilah, H & Fatmah. (2019). Effectiveness of front-of-package traffic light (FoPTL) labels in selected young adults' acceptance and comprehension. *Pakistan Journal of Nutrition*, 8(2), 165-170. <https://doi.org/10.3923/pjn.2019.165.170>
- Fanda, R,B. (2020). Indonesia konsumen minuman berpemanis tertinggi ke-3 di Asia Tenggara. <https://fk.ugm.ac.id/indonesia-konsumen-minuman-berpemanis-tertinggi-ke-3-di-asia-tenggara/>. (20 January 2021)
- FAO. (2014). Guidelines for assessing nutrition-related knowledge, attitudes and practices. Rome: FAO.
- Fawkes, K., Levy, J., Terry, K., & Edelstein, S. (2010). Female college students' attitudes about body image and food labels and how they affect purchasing behavior. *Topics in Clinical Nutrition*, 25(2), 165–171. doi:10.1097/tin.0b013e3181db7b18
- Finkelstein, E. A., Khavjou, O. A., Thompson, H., Trogon, J. G., Pan, L., Sherry, B., & Dietz, W. (2012). Obesity and severe obesity forecasts through 2030. *American journal of preventive medicine*, 42(6), 563–570. <https://doi.org/10.1016/j.amepre.2011.10.026>
- Fitzgerald, A., Heary, C., Kelly, C., Nixon, E., & Shevlin, M. (2013). Self-efficacy for healthy eating and peer support for unhealthy eating are associated with adolescents' food intake patterns. *Appetite*, 63, 48–58. <https://doi.org/10.1016/j.appet.2012.12.011>
- Food Insight. (2021). *Everything you need to know about stevia sweeteners*. Retrieved, 17 June 2021, from <https://foodinsight.org/everything-you-need-to-know-about-stevia-sweeteners/>
- Food Insight. (2021). *Everything you need to know about sucralose*. Retrieved, 17 June 2021, from <https://foodinsight.org/everything-you-need-to-know-about-sucralose/>

- Franco, B. M. R., Souza, A. P. O., & Molento, C. F. M. (2018). Welfare-friendly products: availability, labeling and opinion of retailers in Curitiba, Southern Brazil. *Revista de Economia e Sociologia Rural*, 56(1), 9–18. doi:10.1590/1
- Gotschi, E., Vogel, S. and Lindenthal, T. (2007). High school students' attitudes and behaviour towards organic products: survey results from Vienna, *Institute for Sustainable Economic Development, DoE aSS*, University of Natural Resources and Applied Life Sciences, Vienna.
- Govindasamy, R., & Italia, J. (2000). The influence of consumer demographic characteristics on nutritional label usage. *Journal of Food Products Marketing*, 5(4), 55–68. doi:10.1300/j038v05n04_04
- Grunert KG, Wills JM. (2007). A review of European research on consumer response to nutrition information on food labels. *J Public Health*, 15: 385–399. <https://doi.org/10.1007/s10389-007-0101-9>
- Haffner, T. (2018). Fruit juice and sugar: the truth?. <https://nutrilicious.co.uk/fruit-juice-and-sugar-the-truth/>. (7 July 2021)
- Haley S, Reed J, Lin B, & Cook, A. (2005). Sweetener consumption in the United States: Distribution by demographic and product characteristics. Sugar and Sweeteners Outlook No. (SSSM-243-01) 19 00, from <https://www.ers.usda.gov/publications/pub-details/?pubid=39236>
- Haning, M.T., Arundhana, A.I., and Muqni, A. D. (2016). The government policy related to sugar-sweetened beverages in Indonesia. *Indian journal of community health*, 28(3): 222-227.
- Hanoon Y, Al-Tae N, Al-Ani W. (2020). Food label barriers and reasons behind its use among medical college students. *Ann Trop Med & Public Health*, 23(S18): SP231815. DOI: <http://doi.org/10.36295/ASRO.2020.231815>
- Hebden, L., Hector, D., Hardy, L. L., & King, L. (2013). A fizzy environment: availability and consumption of sugar-sweetened beverages among school students. *Preventive medicine*, 56(6), 416–418. <https://doi.org/10.1016/j.ypmed.2013.02.017>

- van Herpen, E., & Trijp, H. C. M. van. (2011). Front-of-pack nutrition labels. Their effect on attention and choices when consumers have varying goals and time constraints. *Appetite*, 57(1), 148–160. doi:10.1016/j.appet.2011.04.011
- Hopper, L. (2020). How sucrose, the ‘real’ sugar commonly found in sodas, can disrupt your appetite. Retrieved, 17 June 2021, from <https://news.usc.edu/179794/sucrose-sugar-sweetened-drinks-appetite-hunger-usc-study/>
- Hruby, A., & Hu, F. B. (2015). The epidemiology of obesity: A big picture. *Pharmaco Economics*, 33(7), 673–689. <https://doi.org/10.1007/s40273-014-0243-x>
- Huffman, L. & West, D.S., (2005). Readiness to change sugar sweetened beverage intake among college students. *Eating Behaviors*, 8, 10-14.
- Ikonen, I., Sotgiu, F., Aydinli, A. et al. (2020). Consumer effects of front-of-package nutrition labeling: an interdisciplinary meta-analysis. *J. of the Acad. Mark. Sci.* 48, 360–383. <https://doi.org/10.1007/s11747-019-00663-9>
- James, S. A., White, A. H., Paulson, S. W., & Beebe, L. A. (2020). Factors associated with sugar-sweetened beverage consumption in adults with children in the home after a state-wide health communications program. *BMC Nutrition*, 6(1). doi:10.1186/s40795-020-00349-4
- Jones, A., Neal, B., Reeve, B., Ni Mhurchu, C., & Thow, A. M. (2019). Front-of-pack nutrition labelling to promote healthier diets: current practice and opportunities to strengthen regulation worldwide. *BMJ Global Health*, 4(6), e001882. doi:10.1136/bmjgh-2019-001882
- Kaur, M., & Bhatia, D. A. (2018). The impact of consumer awareness on buying behavior of green products. *International Journal of Scientific Research and Management*, 6(04), EM-2018. <https://doi.org/10.18535/ijstrm/v6i4.em03>
- Kelly, B., Hughes, C., Chapman, K., Louie, J. C.-Y., Dixon, H., Crawford, J., ... Slevin, T. (2009). Consumer testing of the acceptability and effectiveness of front-of-pack food labelling systems for the Australian grocery market. *Health Promotion International*, 24(2), 120–129. doi:10.1093/heapro/dap012

- Kessler, A. (2016). Awareness, perception, and self-reported purchasing behaviors of college students regarding front-of-package nutrition labeling systems and symbols (*Master's Thesis, East Tennessee State University, Tennessee, USA*). Retrieved from <https://dc.etsu.edu/cgi/viewcontent.cgi?article=4512&context=etd>
- Kosova, E.C.; Auinger, P.; Bremer, A.A. (2013). The relationships between sugar-sweetened beverage intake and cardiometabolic markers in young children. *J. Acad. Nutr. Diet.* 113, 219–227
- Kreuter, M. W., Brennan, L. K., Shriff, D. P., and Lukwago, S. N. (1997). Do nutrition label readers eat healthier diets? Behavioral correlates of adults' use of food labels. *American Journal of Preventive Medicine*, 13, 277-283.
- Law, K.P. (2011). Systematic review on the association between nutrition labelling and choice of healthier food. *Master thesis, The University of Hong Kong, Pokfulam, Hong Kong*.
- Lebel, A., Morin, P., Robitaille, É., Lalonde, B., Florina Fratu, R., & Bisset, S. (2016). Sugar sweetened beverage consumption among primary school students: Influence of the schools' vicinity. *Journal of Environmental and Public Health*, 1–10. doi:10.1155/2016/1416384
- Lee, A., Cardel, M., & Donahoo, W. T. (2019). Social and environmental factors influencing obesity. In K. R. Feingold (Eds.) et. al., Endotext. MDText.com, Inc.
- Lee, A., Yu, D., Whang, J., Yu, Q. (Lynn), & Yang, Z. (Zee). (2018). Sugar-sweetened beverages : Factors that influence motivation and consumption, correlates, and interventions among university students . *HBI institutional responsibility* doi:http://dx.doi.org/10.14288/1.0375710
- Lewis, J. E., Arheart, K. L., LeBlanc, W. G., Fleming, L. E., Lee, D. J., Davila, E. P., Cabán-Martinez, A. J., Dietz, N. A., McCollister, K. E., Bandiera, F. C., & Clark, J. D., Jr (2009). Food label use and awareness of nutritional information and recommendations among persons with chronic disease. *The American journal of clinical nutrition*, 90(5), 1351–1357. doi:10.3945/ajcn.2009.27684

- Lwin MO, Malik S, Ridwan H, Au CSS. (2017). Media exposure and parental mediation on fast-food consumption among children in metropolitan and suburban Indonesia. *Asia Pacific Journal of Clinical Nutrition*, 26(5):899-905. DOI: 10.6133/apjcn.122016.04.
- Mahdavi, M, A., Abdolahi, P., & Mahdavi, R. (2012). Knowledge, attitude and practice between medical and non-medical sciences students about food labeling. *Health Promotion Perspectives*, 2(2), 173–179. <https://doi.org/10.5681/hpp.2012.020>
- Mahmuudah, L.N., Mardiah, W., Lumbantobing V.B.M. (2020). Student knowledge in reading nutrient label information and types of packaging food consumed by nursing students. *Media Keperawatan Indonesia*, 3(2), 45-53. doi: [10.26714/mki.3.2.2020.45-53](https://doi.org/10.26714/mki.3.2.2020.45-53)
- Malik, V.S.; Popkin, B.M.; Bray, G.A.; Després, J.-P.; Willett, W.C.; Hu, F.B. (2010). Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care*, 33, 2477–2483.
- Majid, H.A., Shariff, S.N., Majid, M.A., Aszahar, N.F., & Omar, N.S. (2015). Nutritional labelling: awareness and its effects towards consumer behaviour in purchasing products. *J. Appl. Environ. Biol. Sci.*, 5(6S).
- Mahgoub, S., Lesoli, P., & Gobotswang, K. (2007). Awareness and use of nutrition information on food packages among consumers in Maseru (Lesotho). *AFRICAN JOURNAL OF FOOD, AGRICULTURE, NUTRITION AND DEVELOPMENT*, 07(06), 001-016. doi: 10.18697/ajfand.17.2585
- Mejean, C., Macouillard, P., Péneau, S., Hercberg, S., & Castetbon, K. (2013). Consumer acceptability and understanding of front-of-pack nutrition labels. *Journal of Human Nutrition and Dietetics*, 26(5), 494–503. doi:10.1111/jhn.12039
- Miller, C., Ettridge, K., Wakefield, M., Pettigrew, S., Coveney, J., Roder, D., Durkin, S., Wittert, G., Martin, J., & Dono, J. (2020). Consumption of sugar-sweetened beverages, juice, artificially-sweetened soda and bottled water: an australian population study. *Nutrients*, 12(3), 817. <https://doi.org/10.3390/nu12030817>

- Miller, C., Wakefield, M., Braunack-Mayer, A., Roder, D., O’Dea, K., Ettridge, K., & Dono, J. (2019). Who drinks sugar sweetened beverages and juice? An Australian population study of behaviour, awareness and attitudes. *BMC Obesity*, 6(1). doi:10.1186/s40608-018-0224-2
- Misra, R. (2007). Knowledge, attitudes, and label use among college students. *J Am Diet Assoc* 107, 2130–2134. doi:10.1016/j.jada.2007.09.001
- Mirmiran, P., Yuzbashian, E., Asghari, G., Hosseinpour-Niazi, S., & Azizi, F. (2015). Consumption of sugar sweetened beverage is associated with incidence of metabolic syndrome in Tehranian children and adolescents. *Nutrition & Metabolism*, 12, 25. <https://doi.org/10.1186/s12986-015-0021-6>
- Musaiger, A. O., Shahbeek, N. E., & Al-Mannai, M. (2004). The role of social factors and weight status in ideal body-shape preferences as perceived by Arab women. *Journal of biosocial Science*, 36(6), 699–707. <https://doi.org/10.1017/s0021932003006412>
- Nedumaran, G & .Mehala, D. (2019), Consumer awareness among college students: An overview, *International Journal of Advanced and Innovative Research*, Vol 6, Iss 2, ISSN 2394 - 7780, pp.200-205.
- Nelson, M. C., Story, M., Larson, N. I., Neumark-Sztainer, D., & Lytle, L. A. (2008). Emerging adulthood and college-aged youth: An overlooked age for weight-related behavior change. *Obesity*, 16(10), 2205–2211. doi:10.1038/oby.2008.365
- Neo, P. (2019). ‘Hugely disproportionate’?: Singapore to ban SSB ads alongside colour-coded nutrition label plan. <https://www.foodnavigator-asia.com/Article/2019/10/14/Hugely-disproportionate-Singapore-to-ban-SSB-ads-alongside-colour-coded-nutrition-label-plan>. (20 February 2021)
- Newman, C. L., Howlett, E., & Burton, S. (2016). Effects of objective and evaluative front-of-package cues on food evaluation and choice: The moderating influence of comparative and noncomparative processing contexts. *Journal of Consumer Research*, 42(5), 749–766.
- Nielsen J. (1993). *Usability Engineering*. New York: NY Acad Press.

- Nurliyana, G., Norazmir, M.N., Anuar, M.I. (2011). Knowledge, attitude, and practices of university students regarding the use of the nutritional information and food labels. *Asian Journal of Clinical Nutrition*, 3(3), 79-91. Doi: 10.3923/ajcn.2011.79.91
- OECD. (2019). *Heavy burden of obesity: the economics of prevention. OECD Health Policy Studies*. OECD Publishing: Paris. <https://doi.org/10.1787/67450d67-en>
- Olsen, N. J., & Heitmann, B. L. (2009). Intake of calorically sweetened beverages and obesity. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 10(1), 68–75. <https://doi.org/10.1111/j.1467-789X.2008.00523.x>
- Park, S., Blanck, H. M., Sherry, B., Brener, N., & O’Toole, T. (2012). Factors associated with sugar-sweetened beverage intake among United States high school students. *The Journal of Nutrition*, 142(2), 306–312. doi:10.3945/jn.111.148536
- Pengpid, S., & Peltzer, K. (2019). Prevalence and socio-behavioral factors associated with sugar-sweetened beverages consumption among 15 years and older persons in South Africa. *Diabetes, Metabolic Syndrome and Obesity : Targets and Therapy*, 12, 937–945. <https://doi.org/10.2147/DMSO.S209147>
- Pickett, K. et al. (2005). Wider income gaps, wider waistbands? An ecological study of obesity and income inequality. *Journal of Epidemiology and Community Health*, <http://dx.doi.org/10.1136/jech.2004.028795>.
- Popkin, B. M., & Slining, M. M. (2013). New dynamics in global obesity facing low- and middle-income countries. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 14 Suppl 2(0 2), 11–20. <https://doi.org/10.1111/obr.12102>
- Puspitasari, D.S., Julianti, E.D., Safitri, A, Permanasari, A.(2014). *Buku survei konsumsi makanan individu dalam: Studi diet total provinsi Dki Jakarta 2014* .Jakarta: Badan Penelitian dan Pengembangan Kesehatan

- Rahn, A., & Yaylayan, V. A. (2010). Thermal degradation of sucralose and its potential in generating chloropropanols in the presence of glycerol. *Food Chemistry*, 118(1), 56–61. doi:10.1016/j.foodchem.2009.04.133
- Raspberry, C. N., Chaney, B. H., Housman, J. M., Misra, R., & Miller, P. J. (2007). Determinants of nutrition label use among college students. *American Journal of Health Education*, 38(2), 76–82. doi:10.1080/19325037.2007.10598947
- Riset Kesehatan Dasar (Riskesdas) (2018). *Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018*.
- Reyes M, Smith Taillie L, Popkin B, Kanter R, Vandevijvere S, Corvalán C. (2020). Changes in the amount of nutrient of packaged foods and beverages after the initial implementation of the Chilean Law of Food Labelling and Advertising: A nonexperimental prospective study. *PLoS Med*, 17(7): e1003220. <https://doi.org/10.1371/journal.pmed.1003220>
- Rompay, M. I. V, McKeown, N. M., Goodman, E., Eliasziw, M., Chomitz, V. R., Gordon, C. M., Satchek, J. M. (2015). Sugar-sweetened beverage intake is positively associated with baseline triglyceride concentrations, and changes in intake are inversely associated with changes in hdl cholesterol over 12 months in a multi-ethnic sample of children. *The Journal of Nutrition*, 145(10), 2389–2395. doi:10.3945/jn.115.212662
- Rosyada, H & Ardiansyah, B.G., (2017). Analisis fisibilitas pengenalan cukai atas minuman berpemanis (sugar-sweetened beverages). *Kajian Ekonomi Keuangan*, 1(3): 230-241.
- Ruwani, A., Retnaningsih., Simanjuntak, M. (2014). Nilai dan tipe konsumen rumah tangga dan kaitannya dengan perilaku pembelian produk makanan kemasan. *Jur. Ilm. Kel. & Kons.* 7(1): 48-57.
- Sacks, G., Rayner, M., & Swinburn, B. (2009). Impact of front-of-pack 'traffic-light' nutrition labelling on consumer food purchases in the UK. *Health promotion international*, 24(4), 344–352. <https://doi.org/10.1093/heapro/dap032>

- Safefood .(2004). *Safetrak3-consumer tracking research October 2004*. Safefood, Cork.
- Safefood*. (2019). New survey indicates reduction in sugar content in energy drinks in response to sugar tax but increase in proportion sold in bigger size. Retried, 17 June 2021, from <https://www.safefood.net/news/2019/reduction-sugar-energy-drinks>
- Samson, G. (2012). Awareness of food labelling and use of the information in purchasing pre-packaged food products among consumers in ilala municipality Dar Es Salaam (*master dissertation, Muhimbili University of Health and Applied Sciences, Tanzania*). Available from <https://core.ac.uk/download/pdf/11307884.pdf>
- Sassi, F. and J. Hurst (2008). The prevention of lifestyle-related chronic diseases: an economic framework, *OECD Health Working Papers*, No. 32, OECD Publishing, Paris, <https://dx.doi.org/10.1787/243180781313>
- Satia, J. A., Galanko, J. A., & Neuhouser, M. L. (2005). Food nutrition label use is associated with demographic, behavioral, and psychosocial factors and dietary intake among African Americans in North Carolina. *Journal of the American Dietetic Association*, 105(3), 392–403. <https://doi.org/10.1016/j.jada.2004.12.006>
- Sawhney, R., & Ratanakorn, S. (2015). Front-of-Package Labeling in Thailand. <https://www.tilleke.com/insights/front-package-labeling-thailand/>. (20 February 2021)
- Serfianto, Serfiyani P,C,Y., & Hariyani, I. (2013). *Sukses Bisnis Ritel Modern*. Jakarta: PT. Elex Media Komputindo (Gramedia Group)
- Schafer, J. (2019). Sugar-sweetened beverages: A survey to assess adults' knowledge, attitudes, and consumption patterns of sugar-sweetened beverages (*master dissertation, Minnesota State University, Mankato*). Available from <https://core.ac.uk/download/pdf/214128737>
- Schupp, Alvin R. & Gillespie, Jeffrey M. & Reed, Debra.(1998). Consumer awareness and use of nutrition labels on packaged fresh meats: a pilot study. *Journal of Food Distribution Research. Food Distribution Research Society*, 29(2). <https://doi.org/10.22004/ag.econ.26879>

- Sharkey, J. R., Dean, W. R., & Nalty, C. (2012). Convenience stores and the marketing of foods and beverages through product assortment. *American Journal of Preventive Medicine*, 43(3), S109–S115. doi:10.1016/j.amepre.2012.05.012
- Sheludiakova, A., Rooney, K., & Boakes, R. A. (2011). Metabolic and behavioural effects of sucrose and fructose/glucose drinks in the rat. *European Journal of Nutrition*, 51(4), 445–454. doi:10.1007/s00394-011-0228-x
- Singh GM, Micha R, Khatibzadeh S, Shi P, Lim S, Andrews KG, *et al.* (2015) Global, regional, and national consumption of sugar-sweetened beverages, fruit juices, and milk: A systematic assessment of beverage intake in 187 countries. *PLoS ONE* 10(8): e0124845. <https://doi.org/10.1371/journal.pone.0124845>
- Soffritti, M., Belpoggi, F., Degli Esposti, D., Lambertini, L., Tibaldi, E., & Rigano, A. (2006). First experimental demonstration of the multipotential carcinogenic effects of aspartame administered in the feed to Sprague-Dawley rats. *Environmental Health Perspectives*, 114(3), 379–385. <https://doi.org/10.1289/ehp.8711>
- Sørensen, K., Van den Broucke, S., Fullam, J., Doyle, G., Pelikan, J., Slonska, Z., Brand, H., & (HLS-EU) Consortium Health Literacy Project European (2012). Health literacy and public health: a systematic review and integration of definitions and models. *BMC Public Health*, 12, 80. <https://doi.org/10.1186/1471-2458-12-80>
- Solomon, M. (2004). *Consumer behavior (6th ed)*. Prentice Hall.
- Susilawati, M,D. (2019). Consumption and impact sugar- sweetened beverages in indonesia based on individual food consumption surveys. *Jurnal Vokasi Kesehatan*, 5(2): 83-88. <https://doi.org/10.30602/jvk.v5i2.340>
- Svederberg ,E., Asp N-G, Reuterswärd A,L., Svensson, L .(2002) Läser och förstår konsumenter texter och symbolmärkning om näring och häls på livsmedelsförpackningar. *Pedagogiska Institutionen*, Lunds Universitet, Lund.

- Teng N.I.M.F., Juliana N., Latif S.Z.A. (2019). Development and validation of a questionnaire assessing the knowledge, attitudes and practices of young adults in Malaysia towards sugar sweetened beverages. *Int. J. Res. Pharm. Sci*, 10:2992–2999.
- Teng, N. I. M. F., Juliana, N., Izlin, N. L., & Semaon, N. Z. (2020). Knowledge, attitude and practices of sugar-sweetened beverages: A cross-sectional study among adolescents in Selangor, Malaysia. *Nutrients*, 12(12), 3617. doi:10.3390/nu12123617
- Timmermans, T & Cleeremans, A. (2015). How can we measure awareness? An overview of current methods. In M. Overgaard (Ed.). *Behavioral Methods in Consciousness Research* (pp. 21-41). United Kingdom: Oxford University Press.
- Ursachi, G., Horodnic, I. A., & Zait, A. (2015). How reliable are measurement scales? External factors with indirect influence on reliability estimators. *Procedia Economics and Finance*, 20, 679–686. doi:10.1016/s2212-5671(15)00123-9
- U.S. Department of Agriculture, U.S. Department of Health and Human Services .(2015). [Dietary Guidelines for Americans, 2015-2020. 8th Edition ed. Washington, DC: U.S. Government Printing Office.](#)
- U.S. Food and Drug Administration. (1999) Food additives permitted for direct addition to food for human consumption: Sucralose. 21CFR Part 172 [Docket No. 99F-0001] *Fed.Reg*,64(155):4390843909. <http://www.fda.gov/ohrms/dockets/98fr/081299b.pdf>
- Wahab, R.A. 2018. Food label use and awareness of nutritional information among consumers in Bahrain: an exploratory study. *KnE LifeSciences* 4: 26–36.
- Wall, M. M., Larson, N. I., Forsyth, A., Van Riper, D. C., Graham, D. J., Story, M. T., & Neumark-Sztainer, D. (2012). Patterns of obesogenic neighborhood features and adolescent weight. *American Journal of Preventive Medicine*, 42(5), e65–e75. doi:10.1016/j.amepre.2012.02.009
- Washi, S. (2012). Awareness of Food Labeling among Consumers in Groceries in Al-Ain, United Arab Emirates. *International Journal of Marketing Studies*, 4(1). doi:10.5539/ijms.v4n1p38

- Watters, C. A., Corrado, R. S., & Chaloupka, F. J. (2013). Prices of healthy and unhealthy beverages in high and low per capita income areas. *Hawai'i Journal of Medicine & Public Health : A Journal of Asia Pacific Medicine & Public Health*, 72(3), 76–79.
- West, D. S., Bursac, Z., Quimby, D., Prewitt, T. E., Spatz, T., Nash, C., Mays, G., & Eddings, K. (2006). Self-reported sugar-sweetened beverage intake among college students. *Obesity (Silver Spring, Md.)*, 14(10), 1825–1831. <https://doi.org/10.1038/oby.2006.210>
- World Bank. (2020). *Taxes on Sugar-Sweetened Beverages: International Evidence and Experiences*. World Bank.
- World Health Organisation. (2020). *Obesity and Overweight*. Geneva; WHO
- World Health Organisation. (2018). *Noncommunicable Diseases*. Geneva: WHO.
- Vargas-Meza, J., Jáuregui, A., Contreras-Manzano, A., Nieto, C & Barquera, S. (2019). Acceptability and understanding of front-of-pack nutritional labels: an experimental study in Mexican consumers. *BMC Public Health*, 19(1). doi:10.1186/s12889-019-8108-z
- Vartanian, L. R., Schwartz, M. B., & Brownell, K. D. (2007). Effects of soft drink consumption on nutrition and health: a systematic review and meta-analysis. *American Journal of Public Health*, 97(4), 667–675. <https://doi.org/10.2105/AJPH.2005.083782>
- Vella-Zarb, R. A., & Elgar, F. J. (2010). Predicting the “freshman 15”: Environmental and psychological predictors of weight gain in first-year university students. *Health Education Journal*, 69(3), 321–332. doi:10.1177/0017896910369416
- Vemula, S. R., Gavaravarapu, S. M., Mendu, V. V. R., Mathur, P., & Avula, L. (2013). Use of food label information by urban consumers in India – a study among supermarket shoppers. *Public Health Nutrition*, 17(09), 2104–2114. doi:10.1017/s1368980013002231
- Verstraeten R, Leroy JL, Pieniak Z, Ochoa-Avilès A, Holdsworth M, Verbeke W, *et al.* (2016). Individual and environmental factors influencing adolescents’ dietary behavior in low- and middle-income settings. *PLoS ONE* 11(7): e0157744. <https://doi.org/10.1371/journal.pone.0157744>

- Vyth, E. L., Steenhuis, I. H., Roodenburg, A. J., Brug, J., & Seidell, J. C. (2010). Front-of-pack a nutrition label stimulates healthier product development: a quantitative analysis. *The International Journal Of Behavioral Nutrition and Physical Activity*, 7, 65. <https://doi.org/10.1186/1479-5868-7-65>
- Yngve, A., Haapala, I., Hodge, A., McNeill, G., & Tseng, M. (2012). Making soft drinks the dietary version of the cigarette. *Public Health Nutrition*, 15(8), 1329–1330. <https://doi.org/10.1017/S1368980012003242>
- Zahid, A., Davey, C., & Reicks, M. (2017). Beverage intake among children: Associations with parent and home-related factors. *International journal of environmental research and public health*, 14(8), 929. <https://doi.org/10.3390/ijerph14080929>
- Zhu, Q., Li, Y., Geng, Y., & Qi, Y. (2013). Green food consumption intention, behaviors and influencing factors among Chinese consumers. *Food Quality and Preference*, 28(1), 279–286. doi:10.1016/j.foodqual.2012.10.005