

References

- Aini, N., & Rahayu, T. (2015). Alternatif Media for Fungal Growth Using a Different Source of Carbohydrates. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*, pp: 861-866
- Alabi, O. A., Haruna, M. T., Anokwuru, C. P., Jegede, T., Abia, H., ... Esan, B. E. (2012). Comparative Studies on Antimicrobial Properties of Extracts of Fresh and Dried Leaves of *Carica papaya* (L) on Clinical Bacterial and Fungal Isolates. *Advances in Applied Science Research*, 3(5), 3107-3114.
- Alvina, A., & Hamdani, D. (2019). Proses Pembuatan Tempe Tradisional. *Jurnal Pangan Halal*, 1(1), 9-12.
- Amanah, Y. S., Sya'di, Y. K., & Handarsari, E. (2019). Kadar Protein dan Tekstur pada Tempe Koro Benguk dengan Subtitusi Kedelai Hitam. *Jurnal Pangan dan Gizi*, 9(2), 69-78.
- Amran, F., Aziz, M. N., Ibrahim, H. M., Atiqah, N. H., Parameswari, S., ... Ifwat, M. (2011). *In Vitro* Antifungal Susceptibilities of *Candida* Isolates from Patients with Invasive Candidiasis in Kuala Lumpur Hospital, Malaysia. *Journal of Medical Microbiology*, 60, 1312-1316.
- Andrews, J. M. (2001). Determination of Minimum Inhibitory Concentrations. *Journal of Antimicrobial Chemotherapy*, 48, 5-16.
- Angelina, E., Prabawati, E. K., & Puteri, M. G. (2016). Development of Mungbean Tempeh Production as Alternative Tempeh. *2nd International Conference on Sustainable Global Agriculture and Food (ICSAF)*, pp: 36-50.
- Anggriawan, R. (2017). Microbiological and Food Safety Aspects of Tempeh Production In Indonesia. *Dissertation*, pp:1-16
- Aoki, H., Uda, I., Tagami, K., Furuya, Y., Endo, Y., & Fujimoto, K. (2003). The Production of a New Tempeh-like Fermented Soybean Containing a High Level of γ -Aminobutyric Acid by Anaerobic Incubation with *Rhizopus*. *Bioscience, Biotechnology, and Biochemistry*, 67(5), 1018-1023.

- Arifani, I., Pradini, G. W., Arya, I. F. D., & Cahyadi, A. I. (2017). Destructive Effect of Calcium Hypochlorite Against *Pseudomonas aeruginosa* Biofilm. *Althea Medical Journal*, 4(3), 468-473.
- Astawan, M., Wresdiyati, T., & Maknun, L. (2017). *Tempe Sumber Zat Gizi dan Komponen Bioaktif Untuk Kesehatan* (1st Eds.). IPB Press publisher.
- Atlas, R. M. (2004). *Handbook of Microbiological Media*. London: CRC Press.
- Babu, P. D., Bhaktyaraj, R., & Vidhyalakshmi, R. (2009). A Low Cost Nutritious Food “Tempeh”-A Review. *World Journal of Dairy Food Science*, 4(1), 22-27.
- Badan Standardisasi Nasional. (2012). Tempe: Persembahan Indonesia untuk Dunia. Retrieved from https://www.bsn.go.id/uploads/download/Booklet_tempe-printed21.pdf. Accessed on 19 May, 2021.
- Barus, T., Suwanto, S., Wahyugi, A. T., & Wijaya, H. (2008). Role of Bacteria in Tempe Bitter Taste Formation: Microbiological and Molecular Biological Analysis Based on 16S rRNA Gene. *Microbiology*, 2(1), 17-21.
- Bavia, A. C. F., Silva, C. E., Ferreira, M. P., Leite, R. S., Mandarino, J. M. G., & Panizzi, M. C. (2012). Chemical Composition of Tempeh from Soybean Cultivars Specially Developed for Human Consumption. *Ciencia e Tecnologia de Alimentos*, 32(3), 613-620.
- Berget, I., & Naes, T. (2002). Sorting of Raw Materials with Focus on Multiple End-product Properties. *Journal of Chemometrics*, 16, 263-273.
- Bohme, K., No, I. C. F., Velazquez, J. B., Gallardo, J. M., Canas, B., & Mata, C. P. (2012). Species Identification of Food Spoilage and Pathogenic Bacteria by MALDI-TOF Mass Fingerprinting. *Food Quality*, pp: 29-46.
- Borman, A. M., Fraser, M., Patterson, Z., Palmer, M. D., & Johnson, E. M. (2021). *In Vitro Antifungal Drug Resistance Profiles of Clinically Relevant Members of the Mucorales (Mucoromycota) Especially with the Newer Triazoles*. *Journal of Fungi*, 7(271), 1-12.

Centers for Disease Control and Prevention. (2015). Drinking Water: Disinfection with Chlorine.

Retrieved from <https://www.cdc.gov/healthywater/drinking/public/chlorine-disinfection.html>. Accessed on 23 November, 2020.

Chauhan, A., & Jindal, T. (2020). *Microbiological Methods for Environment, Food and Pharmaceutical Analysis*. Switzerland: Springer Nature.

Codex Alimentarius Commision. (2013). Regional Standard for Tempe, Codex Stan 313R-2013.

Retrieved from http://www.fao.org/fao-who-codexalimentarius/sh-proxy/en/?lnk=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252FStandards%252FCXS%2B313R-2013%252FCXS_313Re.pdf. Accessed on 12 December, 2020.

Corry, J. E. L., Curtis, G. D., & Baird, R. M. (2003). De man, Rogosa and Sharpe (MRS) Agar. *Progress in Industrial Microbiology*, 37, 511-513.

Curtis, G. D. W., Baird, R. M., & Corry, J. E. L. (2011). *Handbook of Culture Media for Food and Water Microbiology* (3rd edition). RSC Publishing: Cambridge.

Dinar, F. (2014). Teknik Pengolahan Kacang Hijau menjadi Tempe untuk Meningkatkan Penghasilan Keluarga di Desa Tembung. *Jurnal Pengabdian Kepada Masyarakat*, 20(75), 40-44.

Djunaidi, S., Puteri, M. D. P., Wijaya, C. H., & Prabawati, E. K. (2017). Physicochemical & Microbial Characteristics of Overripe Tempeh. *Insist*, 2(1), 48-51.

Dridi, B., Fardeau, M. L., Ollivier, B., Raoult, D., & Drancourt, M. (2011). The Antimicrobial Resistance Pattern of Cultured Human Methanogens Reflects the Unique Phylogenetic Position of Archaea. *Journal of Antimicrobial Chemotherapy*, 66, 2038-2044.

Dwiatmaka, Y., Lukitaningsih, E., Yuniarti, N., & Wahyuono, S. (2021). Fermentation of Soybean Seeds using *Rhizopus oligosporus* for Tempeh Production and Standardization based on Isoflavones Content. *Preprints*, pp: 1-11.

Erkan, S. B., Gurler, H N., Bilgin, D. G., Germec, M., & Turhan, I. (2020). Production and Characterization of Tempehs from Different Sources of Legume by *Rhizopus oligosporus*. *LWT – Food Science and Technology*, 119, 1-7.

Erkmen, O., & Bozoglu, T. F. (2016). Food Preservation by Reducing Water Activity. *Food Microbiology: Principles into Practice*, pp: 44-58.

Feng, X. M. (2006). Microbial Dynamics during Barley Tempeh Fermentation. *Doctoral thesis*, pp: 18-27.

Feng, X. M., Eriksson, A. R. B., & Schnurer, J. (2005). Growth of Lactic Acid Bacteria and *Rhizopus oligosporus* during Barley Tempeh Fermentation. *International Journal of Food Microbiology*, 104, 249-256.

Feng, X. M., Olsson, J., Swanberg, M., Schurer, J. & Ronnow, D. (2007). Image Analysis for Monitoring the Barley Tempeh Fermentation Process. *Journal of Applied Microbiology*, 103, 1113-1121.

Florl, C. L., Mayr, A., Aigner, M., Lackner, M., & Holler, M. O. (2018). A Nationwide Passive Surveillance on Fungal Infections shows a Low Burden of Azole Resistance in Molds and Yeasts in Tyrol, Austria. *Infection*, 46, 701-704.

Food and Drugs Administration. (2001). BAM Chapter 3: Aerobic Plate Count. Retrieved from fda.gov/food/laboratory-methods-food/bam-chapter-3-aerobic-plate-count. Accessed on 26 February 2021.

Food and Drugs Administration. (2001). BAM Chapter 18: Yeasts, Molds and Mycotoxins. Retrieved from <https://www.fda.gov/food/laboratory-methods-food/bam-chapter-18-yeasts-molds-and-mycotoxin>. Accessed on 11 February, 2021.

Gervais, P., & Molin, P. (2003). The Role of Water in Solid-state Fermentation. *Biochemical Engineering Journal*, 13, 85-101.

Giraffa, G. (2004). Studying the Dynamics of Microbial Populations during Food Fermentation. *FEMS Microbiology Review*, 28, 251-260.

Gomes, L. B., Simoes, M., & Simoes, L. C. (2016). The Effects of Sodium Hypochlorite Against Selected Drinking Water-isolated Bacteria in Planktonic and Sessile States. *Science of the Total Environment*, 565, 40-48.

Griffith, G. W., Easton, G. L., Detheridge, A., Roderick, K., Edwards, A., ... Perkins, W. T. (2007). Copper Deficiency in Potato Dextrose Agar Causes Reduced Pigmentation in Culture of Various Fungi. *FEMS Microbiology Letters*, 276, 165-171.

Hamad, S. (2012). *Factors Affecting the Growth of Microorganisms in Food* (Chapter 20). John Wiley & Sons: United States.

Handoyo, T., & Morita, N. (2007). Structural and Functional Properties of Fermented Soybean (Tempeh) by Using *Rhizopus oligosporus*. *International Journal of Food Properties*, 9, 347-355.

Harmayani, E., Santoso, U., & Gardjito, M. (2019). Makanan Tradisional Indonesia: Kelompok Makanan Fermentasi dan Makanan yang Populer di Masyarakat. *Gadjah Mada University Press*, pp: 7-17

Hassanein, T. R., Prabawati, E. K., & Puteri, M. D. (2015). Analysis of Chemical and Microbial Changes During Storage of Overripe Tempeh Powder as Seasoning Material. *International Journal of Science and Engineering*, 8(2), 131-134.

Huang, L., Wang, C., Zhang, Y., Chen, X., Huang, Z., ... Dong, M. (2019). Degradation of Anti-nutritional Factors and Reduction of Immunoreactivity of Tempeh by Co-fermentation with *Rhizopus oligosporus* RT-3 and *Actinomucor elegans* DCY-1. *International Journal of Food Sciene and Technology*, pp: 1-13.

Indriati, N., Priyanto, N., & Triwibowo, R. (2010). Penggunaan Dichloran Rose Bengal Chloramphenicol Agar (DRBC) sebagai Media Tumbuh Kapang pada Produk Perikanan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 5(2), 117-121

International Standard ISO 15214. (1998). Microbiology of Food and Animal Feeding Stuffs - Horizontal Method for the Enumeration of Mesophilic Lactic Acid Bacteria - Colony-count Technique at

30°C. Retrieved from

https://www.pau.edu/msrlibrary/iso/pdf/iso_15214_1998_ed1_en_26853_1_cpdf.pdf.

Accessed at 11 February, 2021

Isnawati & Trimulyono, G. (2017). Temperature Range and Degree of Acidity Growth of Isolate of Indigenous Bacteria on Fermented Feed "Fermeg". *IOP Conference Series: Journal of Physics: Conference Series*, 953, 1-5.

Kanetro, B. (2017). *Teknologi Pengolahan dan Pangan Fungsional: Kacang-kacangan*. Yogyakarta: Plantaxia.

Jones, E. J. (2012). Understanding the Water Activity of Your Food. *Virginia Cooperative Extension*, 1-2.

Kustyawati, M. E. (2009). Kajian Peran Yeast dalam Pembuatan Tempe. *Agritech*, 29(2), 64-70.

Laksono, A. S., Marniza, & Rosalina, Y. (2019). Karakteristik Mutu Tempe Kedelai Lokal Varietas Anjasmoro dengan Variasi Lama Perebusan dan Penggunaan Jenis Pengemas. *Jurnal Agro Industri*, 9(1), 8-18.

Legarreta, I. G., Rojo, A. D. A., & Alvarado, C. (2010). *Handbook of Poultry Science and Technology, Secondary Processing* (Vol. 2). New Jersey: John Wiley & Sons.

Liu, K. S. (2008). *Soybeans: Chemistry, Production, Processing, and Utilization* (chapter 14). AOCS Press publisher.

Maryam, S. (2015). Potensi Tempe Kacang Hijau (*Vigna radiata L*) Hasil Fermentasi Menggunakan Inokulum Tradisional sebagai Pangan Fungsional. *Jurnal Sains dan Teknologi*, 4(2), 635-641.

McKinney, K., Combs, J., Becker, P., Humphries, A., Filler, K., & Vriesekoop, F. (2015). Optimization of Phytase Production from *Escherichia coli* by Altering Solid-state Fermentation Conditions. *Fermentation*, 1, 13-23.

Memmert. (2021). Climate Chambers and Humidity Chambers. Retrieved from <https://www.memmert.com/products/climate-chambers/>. Accessed on 6 July, 2021.

- Michel, C., Kerouault, B., & Martin, C. (2003). Chloramphenicol and Florfenicol Susceptibility of Fish-Pathogenic Bacteria Isolated in France: Comparison of Minimum Inhibitory Concentration, using Recommended Provisory Standards for Fish Bacteria. *Journal of Applied Microbiology*, 95, 1008-1015.
- Mony, N. (2018). Isolasi dan identifikasi molekuler bakteri penghasil enzim protease pada tempe gembus pasca fermentasi 48 jam berdasarkan analisis gen 16S rRNA. *Manuscript*, pp: 9-30
- Mujianto. (2013). Analisis Faktor yang Mempengaruhi Proses Produksi Tempe Produk UMKM di Kabupaten Sidoarjo. *REKA Agroindustri*, 1(1), 1-8.
- Mukhoyaroh, H. (2015). Pengaruh Jenis Kedelai, Waktu dan Suhu Pemeraman terhadap Kandungan Protein Tempe Kedelai. *Florea*, 2(2), 47-51.
- Munoz, P. M., Contreras, J. P., & Munoz, E. A. (2020). The Percentage Change and *Differences* in Sport: A Practical Easy Tool to Calculate. *Technical Report*, 118(1), 1-3.
- Musyoka, J. N., Abong, G. O., Mbogo, D. M., Fuchs, R., Low, J., ... Muzhingi, T. (2018). Effects of Acidification and Preservatives on Microbial Growth during Storage of Orange Fleshed Sweet Potato Puree. *International Journal of Food Science*, pp: 1-11.
- Muzdalifah, D., Athaillah, Z. A., Nugrahani, W., & Devi, A. F. (2016). Colour and pH Changes of Tempe During Extended Fermentation. *International Symposium on Applied Chemistry*, 1803 (020036), 1-9.
- Noor, A., & Preuss, C. V. (2021). Amphotericin B. *StatPeals*. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK482327/>. Accessed on 20 June, 2021.
- Nout, M. J. R., & Kiers, J. L. (2005). Tempe Fermentation, Innovation and Functionality: Update Into the Third Millennium. *Journal of Applied Microbiology*, 98, 789-805.
- Nuraida, L. (2015). A Review: Health Promoting Lactic Acid Bacteria in Traditional Indonesian Fermented Foods. *Food Science and Human Wellness*, 4(2), 47-55.

Nuraida, L., Suliantari, A. N., Adawiyah, D. R., Novier, R., & Agustin, D. (2008). Evaluation of Soybean Varieties on Production and Quality of Tempe. *Prosiding Perkembangan Terkini Tentang Tempe*, pp: 1-15

Nurdini, A. L., Nuraida, K., Suwanto, A., & Suliantari. (2014). Microbial Growth Dynamics During Tempe Fermentation in Two Different Home Industries. *International Food Research Journal*, 22(4), 1668-1674.

Oktavia, H., Radiati, L. E., & Rosyidi, D. (2016). Evaluation of Physicochemical Properties and Exopolysaccharides Production of Single Culture and Mixed Culture in Set Yogurth. *Indonesian Journal of Environment and Sustainable Development*, 7(1), 52-59.

Olmo, M. C., Oneca, M., Torre, P., Diaz, J. V., Encio, I. J., ... Arana, M. (2020). Influence of Storage Temperature and Packaging on Bacteria and Yeast Viability in a Plant-based Fermented Food. *Foods*, 9(302), 1-16.

Pangastuti, A., Alfisah, R. K., Istiana, N. A., Sati, S. L. A., Setyaningsih, R., ... Purwoko, T. (2019). Metagenomic Analysis of Microbial Community in Over-fermented Tempeh. *Biodiversitas*, 20 (4), 1106-1114.

Park, Y. (2008). Moisture and Water Activity. *Handbook of Processed Meats and Poultry Analysis*, pp: 35-67.

Pradhananga, M. (2018). Effect of Processing and Soybean Cultivar on *Natto* Quality using Response Surface Methodology. *Food Science Nutrition*, 7, 173-182.

Purcell, L. C., Salmeron, M., & Ashlock, L. (2014). Soybean Growth and Development. *Arkansas Soybean Production Handbook Chapter 2*, pp: 1-8.

Puteri, M. D., Fortunata, S. A., Mursito, E., & Wijaya, C. H. (2019). Application of Quick Tempe Technology for Production of Overripe Tempe. *International Conference on Food Science & Technology*, 292, 1-6.

- Puteri, M. D., Hassanein, T. R., Prabawati, E. K., Wijaya, C. H., & Mutukumira, A. N. (2015). Sensory Characteristics of Seasoning Powders from Overripe Tempeh, A Solid State Fermented Soybean. *Procedia Chemistry*, 14, 263-269.
- Rahayu, W. P., Pambayun, R., Santoso, U., Nuraida, L., & Ardiansyah. (2015). *Tinjauan Ilmiah Teknologi Pengolahan Tempe Kedelai*. Palembang: Perhimpunan Ahli Teknologi Pangan Indonesia.
- Rai, A.K., Kumari, R., Sanjukta, S., & Sahoo, D. (2016). Production of Bioactive Protein Hydrolysate using The Yeast Isolated from Soft Churripi. *Bioresource Technology*, 129 (7): 1-27.
- Reuter, G. (1985). Elective and Selective Media for Lactic Acid Bacteria. *International Journal of Food Microbiology*, 2(1), 55-68.
- Sawatari, Y., & Yokota, A. (2007). Diversity and Mechanisms of Alkali Tolerance in Lactobacilli. *Applied and Environmental Microbiology*, 73, 3909-3915.
- Schettino, R., Pontonio, E., Gobbetti, M., & Rizzello, C. G. (2020). Extension of the Shelf-life of Fresh Pasta Using Chickpea Flour Fermented with Selected Lactic Acid Bacteria. *Microorganisms*, 8(9), 1322.
- Setiadharma, B., Kartawiria, I. S., & Gunawan-Puteri, M. D. P. T. (2015). Development of Instant Stock Cube from Overripe Tempeh. *Proceedings of the International Conference on Innovation, Entrepreneurship and Technology*, pp: 211-213.
- Shurtleff, W. (1996). Soy Fiber and Dietary Fiber: Bibliography and Sourcebook. *Technology and Engineering*, pp: 104
- Soni, S. K. (2007). *Microbes: A Source of Energy for 21st Century*. New India Publishing: India.
- Standar Nasional Indonesia. (2015). SNI 3144:2015 Tempe Kedelai. Retrieved from http://www.forumtempe.org/images/resep/8625_SNI%203144-2015.pdf. Accessed on 12 December, 2020.
- Sukardi, Wignyanto, & Purwaningsih, S. (2008). Uji Coba Penggunaan Inokulum Tempe dari Kapang *Rhizopus oryzae* dengan Substrat Tepung Beras dan Ubikayu pada Unit Produksi Tempe Sanan Kodya Malang. *Jurnal Teknologi Pertanian*, 9(3), 207-215.

- Sulistiani, & Hidayat, I. (2020). Identifikasi Molekuler Bakteri Asam Laktat dari Tempe dan Tape Berdasarkan Sekuen Gen 16S rRNA. *Majalah Ilmiah Biologi Biosfera: A Scientific Journal*, 37(2), 69-77.
- Supriyono, S. P. (2003). Memproduksi Tempe. *Bagian Pengembangan Kurikulum, Direktorat Pendidikan Menengah Kejuruan, Direktorat Jenderal Pendidikan Dasar dan Menengah, Departemen Pendidikan Nasional*, pp: 1-56.
- Tahir, A., Anwar, M., Mubeen, H., & Raza, S. (2018). Evaluation of Physicochemical and Nutritional Contents in Soybean Fermented Food Tempeh by *Rhizopus oligosporus*. *Journal of Advances in Biology & Biotechnology*, 17(1), 1-9.
- ThermoScientific. (2020). Oxoid MRS Agar with Amphotericin B. Retrieved from <https://assets.thermofisher.com/TFS-ArtsAssets/MBD/Specification-Sheets/PS-PO1148AV2.pdf>. Accessed on 20 June, 2021.
- ThermoScientific. (2021). Amphotericin B. Retrieved from <https://www.thermofisher.com/order/catalog/product/15290018#/15290018>. Accessed on 6 July, 2021.
- Widianarko. (2002). *Tips Pangan "Teknologi, Nutrisi, dan Keamanan Pangan"*. Grasinso: Jakarta.
- Winanti, R., Bintari, S. H., & Mustikaningtyas, D. (2014). Studi Observasi Higienitas Produk Tempe berdasarkan Perbedaan Metode Inokulasi. *Unnes Journal of Life Science*, 3(1), 39-46.
- Winarno, A. D. A., Cordeiro, L., Winarno, F. G., Gibbons, J., & Xiao, H. (2020). Tempeh: A Semicentennial Review on Its Health Benefits, Fermentation, Safety, Processing, Sustainability, and Affordability. *Comprehensive Reviews in Food Science and Food Safety*, 20, 1717-1767.