

REFERENCES

- Adhikari, B., Howes, T., Bhandari, B.R., Langrish, T.A.G. (2009). Effect of addition of proteins on the production of amorphous sucrose powder through spray drying. *Journal of Food Engineering*, 94(2), 144–153.
- Ahmed, J. (2017). Glass Transition and Phase Transitions in Food and Biological Materials (ed.). Hoboken, NJ : John Wiley & Sons.
- Anandharamakrishnan, C., Ishwarya, S. P. (2015). Spray Drying Techniques for Food Ingredient Encapsulation. Chichester, West Sussex ; Hoboken, NJ : Wiley-Blackwell, IFT Press.
- Apriyantono A., Husain H., Lie L., Jodoamidjojo M., Puspitasari-Nienaber N.L. (1999). Flavor Characteristics of Indonesian Soy Sauce (*Kecap Manis*). In: Shahidi F., Ho, C.T. (eds) Flavor Chemistry of Ethnic Foods. Boston: Springer.
- Atmoko, S. (2015). Soya Sauces. In: Owens, J. (eds). Indigenous fermented foods of Southeast Asia. Boca Raton: CRC Press, Taylor & Francis Group. 359-270.
- Badan Standardisasi Nasional*. (1995). SNI 01-3709-1995 *Rempah-rempah bubuk*. Jakarta.
- Badan Standardisasi Nasional*. (2013). SNI 3543.1:2013 *Kecap kedelai - Bagian 1: Manis*. Jakarta.
- Barbosa-Canovas, G.V., Juliano, P. (2005). Physical and chemical properties of food powders. In Encapsulated and Powdered Foods; Onwulata, C.,Ed.; Taylor and Francis: Boca Raton.
- Bazaria, B., & Kumar, P. (2016). Effect of whey protein concentrate as drying aid and drying parameters on physicochemical and functional properties of spray dried beetroot juice concentrate. *Food Bioscience*, 14, 21–27. doi:10.1016/j.fbio.2015.11.002
- Bhandari, B., Bansal, N., Zhang, M., & Schuck, P. (2013). Handbook of food powders. Philadelphia: Woodhead Publishing
- Bhandari, B.R., Datta, N., Howes, T. (1997). Problems associated with spray drying of sugar-rich foods. *Drying Technology*, 15(2), 671–684
- Bhusari, S. N., Muzaffar, K., & Kumar, P. (2014). Effect of carrier agents on physical and microstructural properties of spray dried tamarind pulp powder. *Powder Technology*, 266, 354–364.
- Damodaran, S., Parkin, K., & Fennema, O. (2008). Fennema's Food Chemistry (4th ed., p. 97). Boca Raton: CRC Press.
- Dave, R.N. (2007). Particle and Powder Flow Properties. Retrieved on April 5th, 2020, from https://pharmahub.org/resources/363/download/Particle_and_Powder_Flow_Characterization_II.pdf
- Decagon Devices. (2007). Pawkit Water Activity Meter: Operation's Manual, 3rd Edition. Decagon Devices, Pullman: Degacon Devices.
- Dumoulin E., Bimbenet J.J. (1998) Spray drying and quality changes. In: Reid D.S. (eds) The Properties of Water in Foods ISOPOW 6. Springer, Boston: MA.
- Fang, Z. and Bhandari, B. (2012). Comparing the efficiency of protein and maltodextrin on spray drying of bayberry juice. *Food Research International*, 48(2), 478–483
- Gadd, G. & Sariaslani, S. (2019). *Advances in Applied Microbiology*. San Diego: Elsevier Science & Technology.

- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007). Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International*, 40(9), 1107–1121.
- Gong, Z., Yu, M., Wang, W., & Shi, X. (2018). Functionality of spray-dried strawberry powder: effects of whey protein isolate and maltodextrin. *International Journal of Food Properties*, 21(1), 2229–2238.
- Goula, A. M., & Adamopoulos, K. G. (2010). A new technique for spray drying orange juice concentrate. *Innovative Food Science & Emerging Technologies*, 11(2), 342–351.
- Haque, M. & Adhikari, B. (2015). Drying and Denaturation of Proteins in Spray Drying Process. In Mujumdar, A. (Ed.) *Handbook of Industrial Drying*, 971-983. Boca Raton:CRC Press.
- Hashib, S. A., Rahman, N. A., Suzihaque, M. U., Ibrahim, U. K., & Hanif, N. E. (2015). Effect of Slurry Concentration and Inlet Temperature Towards Glass Temperature of Spray Dried Pineapple Powder. *Procedia - Social and Behavioral Sciences*, 195, 2660–2667.
- Hutkins, R.W. (2006). *Microbiology and Technology of Fermented Foods*. Iowa: Blackwell Pub.
- Ibarz, A., & Barbosa-Cánovas, G. (2014). *Introduction to Food Process Engineering*. Hoboken: CRC Press.
- Jayasundera, M., Adhikari, B., Howes, T., & Aldred, P. (2011). Surface protein coverage and its implications on spray-drying of model sugar-rich foods: Solubility, powder production and characterisation. *Food Chemistry*, 128(4), 1003–1016.
- Largo Ávila, E., Cortés Rodríguez, M., & Ciro Velásquez, H. J. (2014). Influence of Maltodextrin and Spray Drying Process Conditions on Sugarcane Juice Powder Quality. *Revista Facultad Nacional de Agronomía*, 68(1), 7509–7520.
- Lasekan, O. (2014). Influence of Processing Conditions on the Physicochemical Properties and Shelf-Life of Spray-Dried Palm Sugar (*Arenga pinnata*) Powder. *Drying Technology*, 32(4), 398–407.
- Lee, J.K., Taip, F.S., Abdullah, Z. (2018). Effectiveness of additives in spray drying performance: a review. *Food Research*, 2(6), 486-499.
- Manickavasagan, A., Thangavel, K., Dev, S. R. S., Delfiya, D. S. A., Nambi, E., Orsat, V., & Raghavan, G. S. V. (2015). *Physicochemical Characteristics of Date Powder Produced in a Pilot-Scale Spray Dryer*. *Drying Technology*, 33(9), 1114–1123. doi:10.1080/07373937.2015.1014045
- Meutia, Y.R. (2015). Standardisasi Produk Kecap Kedelai Manis Sebagai Produk Khas Indonesia. *Jurnal Standardisasi* 17 (2), 147-156.
- Nguyen, D. Q., Nguyen, T. H., Mounir, S., & Allaf, K. (2017). *Effect of feed concentration and inlet air temperature on the properties of soymilk powder obtained by spray drying*. *Drying Technology*, 36(7), 817–829. doi:10.1080/07373937.2017.1357040
- Nielsen, S. (2010). *Food analysis: laboratory manual 3rd edition*. Springer: US
- Nurlita, A., Zaida, Z., Wandhani, F., & Nurhadi, B. (2019). PENGARUH PENAMBAHAN BERBAGAI KONSENTRASI MALTODEKSTRIN TERHADAP KARAKTERISTIK KECAP MANIS BUBUK HASIL PENGERINGAN VAKUM. *Jurnal Teknologi Pertanian*, 20(3), 181-192.
- Papadakis, S. E., Gardeli, C., & Tzia, C. (2006). Spray Drying of Raisin Juice Concentrate. *Drying Technology*, 24(2), 173–180.

- Phisut, N. (2012). Spray drying technique of fruit juice powder: Some factors influencing the properties of product. *International Food Research Journal*, 19(4), 1297–1306.
- Ramakrishnan, P., Dutta, S., Moses, J.A., & Anandharamakrishnan C. (2019). Effect of High Molecular Weight Maltodextrin and Spray Drying Conditions for Developing an Encapsulated Noni Juice Powder. *International Journal of Food Engineering*, 5(2), 92-98. doi: 10.18178/ijfe.5.2.92-98
- Reddy, R. S., Ramachandra, C. T., Hiregoudar, S., Nidoni, U., Ram, J., & Kammar, M. (2014). Influence of processing conditions on functional and reconstitution properties of milk powder made from Osmanabadi goat milk by spray drying. *Small Ruminant Research*, 119(1-3), 130–137.
- Röling, W. F. M., Apriyantono, A., & Van Verseveld, H. W. (1996). Comparison between traditional and industrial soy sauce (kecap) fermentation in Indonesia. *Journal of Fermentation and Bioengineering*, 81(3), 275–278. doi:10.1016/0922-338x(96)82223-9
- Saifullah, M., Yusof, Y. A., Chin, N. L., & Aziz, M. G. (2016). Physicochemical and flow properties of fruit powder and their effect on the dissolution of fast dissolving fruit powder tablets. *Powder Technology*, 301, 396–404. doi:10.1016/j.powtec.2016.06.035
- Santhalakshmy, S., Don Bosco, S. J., Francis, S., & Sabeena, M. (2015). Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. *Powder Technology*, 274, 37–43. doi:10.1016/j.powtec.2015.01.016
- Sarabandi, K., Peighambarioust, S. H., Sadeghi Mahoonak, A. R., & Samaei, S. P. (2018). Effect of different carriers on microstructure and physical characteristics of spray dried apple juice concentrate. *Journal of food science and technology*, 55(8), 3098–3109.
- Schuck, P., Dolivet, A., & Jeantet, R. (2012). *Analytical methods for food and dairy powders*. Chichester, West Sussex: Wiley-Blackwell.
- Schmitz-Schug, I., Foerst, P., & Kulozik, U. (2013). Impact of the spray drying conditions and residence time distribution on lysine loss in spray dried infant formula. *Dairy Science & Technology*, 93(4-5), 443–462.
- Sekretariat Jendral Pertanian*. (2018). Bab 4 - Kedelai. *Buletin Konsumsi Pangan* Vol 9(1), 33.
- Selvamuthukumaran, M. (2019). *Handbook on Spray Drying Applications for Food Industries*. Boca Raton:CRC Press.
- Seth, D., Mishra, H. N., & Deka, S. C. (2016). Functional and reconstitution properties of spray-dried sweetened yogurt powder as influenced by processing conditions. *International Journal of Food Properties*, 20(7), 1603–1611.
- Shi, Q., Fang, Z., & Bhandari, B. (2013). Effect of Addition of Whey Protein Isolate on Spray-Drying Behavior of Honey with Maltodextrin as a Carrier Material. *Drying Technology*, 31(13-14), 1681–1692. doi:10.1080/07373937.2013.783593
- Shi Y., Wang J., Wang Y., Zhang H., Ma Y., Zhao X., Zhang C. (2018): Inlet temperature affects spray drying quality of watermelon powder. *Czech J. Food Sci.*, 36: 321-328.
- Shishir, M. R. I., Taip, F. S., Aziz, N. A., & Talib, R. A. (2014). Physical Properties of Spray-dried Pink Guava (*Psidium Guajava*) Powder. *Agriculture and Agricultural Science Procedia*, 2, 74–81.
- Sheu, T. Y., & Rosenberg, M. (1998). Microstructure of Microcapsules Consisting of Whey Proteins and Carbohydrates. *Journal of Food Science*, 63(3), 491–494. doi:10.1111/j.1365.

- Sithole, R., McDaniel, M. R., & Goddik, L. M. (2005). Rate of Maillard Browning in Sweet Whey Powder. *Journal of Dairy Science*, 88(5), 1636–1645. doi:10.3168/jds.s0022-0302(05)72835-6
- Suhag, Y., Nayik, G. A., & Nanda, V. (2016). Effect of gum arabic concentration and inlet temperature during spray drying on physical and antioxidant properties of honey powder. *Journal of Food Measurement and Characterization*, 10(2), 350–356. doi:10.1007/s11694-016-9313-4
- Steinkraus, K.H. (1995). *Handbook of Indigeneous Fermented Foods Second Edition*, Revised and Expanded. New York: CRC Press.
- Syifaa, A. S., Jinap, S., Sanny, M., & Khatib, A. (2016). Chemical Profiling of Different Types of Soy Sauce and the Relationship with its Sensory Attributes. *Journal of Food Quality*, 39(6), 714–725.
- Tamime, A. Y. (2008). Handbook of Dairy Foods and Nutrition - Edited by G. D. Miller, J. K. Jarvis and L. D. McBean. *International Journal of Dairy Technology*, 61(1), 112–112.
- Tze, N. L., Han, C. P., Yusof, Y. A., Ling, C. N., Talib, R. A., Taip, F. S., & Aziz, M. G. (2012). Physicochemical and nutritional properties of spray-dried pitaya fruit powder as natural colorant. *Food Science and Biotechnology*, 21(3), 675–682. doi:10.1007/s10068-012-0088-z
- Wang, W., Jiang, Y., & Zhou, W. (2013). Characteristics of soy sauce powders spray-dried using dairy whey proteins and maltodextrins as drying aids. *Journal of Food Engineering*, 119(4), 724–730.
- Wang, S., Konkol, E., & Langrish, T. A. G. (2011). *Spray Drying of Fruit Juice Using Proteins as Additives. Drying Technology*, 29(16), 1868–1875.
- Wang, W., & Zhou, W. (2012). Characterization of spray-dried soy sauce powders using maltodextrins as carrier. *Journal of Food Engineering*, 109(3), 399–405. doi:10.1016/j.jfoodeng.2011.11.012
- Wang, W., & Zhou, W. (2015). Characterisation of spray dried soy sauce powders made by adding crystalline carbohydrates to drying carrier. *Food Chemistry*, 168, 417–422.
- Woo, M. W., & Bhandari, B. (2013). Spray drying for food powder production. *Handbook of Food Powders*, 29–56. doi:10.1533/9780857098672.1.29
- Wulandari, T. (2008). Analisis Sumber Penyebab Kehilangan Bahan (Loss) Selama Proses Pemasakan Kecap Manis di PT. Unilever Indonesia Tbk., Subang, Jawa Barat. Program Studi Teknologi Pertanian, Institut Pertanian Bogor
- Zhang, L., Zeng, X., Fu, N., Tang, X., Sun, Y., & Lin, L. (2018). Maltodextrin: A consummate carrier for spray-drying of xylooligosaccharides. *Food Research International*, 106, 383–393.