

## References

- Allen, H. B., Vaze, N. D., Choi, C., Hailu, T., Tulbert, B. H., Cusack, C. A., & Joshi, S. G. (2014). The presence and impact of biofilm-producing staphylococci in atopic dermatitis. *JAMA dermatology*, 150(3), 260-265.
- Altunbulakli, C., Reiger, M., Neumann, A. U., Garzorz-Stark, N., Fleming, M., Huelpuesch, C., ... & Traidl-Hoffmann, C. (2018). Relations between epidermal barrier dysregulation and *Staphylococcus* species-dominated microbiome dysbiosis in patients with atopic dermatitis. *Journal of Allergy and Clinical Immunology*, 142(5), 1643-1647
- Ansel, J. L., Butaud, J. F., Nicolas, M., Lecellier, G., Pichon, C., & Raharivelomanana, P. (2015). Le Tamanu et ses propriétés en dermocosmétique. *La Phytothérapie Européenne*, pp.
- Ansel, J.-L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J.-F., Ho, R., ... Pichon, C. (2016). Biological Activity of Polynesian *Calophyllum inophyllum* Oil Extract on Human Skin Cells. *Planta Medica*, 82(11/12), 961–966.
- Arciola, C. R., Campoccia, D., Ravaioli, S., & Montanaro, L. (2015). Polysaccharide intercellular adhesin in biofilm: structural and regulatory aspects. *Frontiers in cellular and infection microbiology*, 5, 7.
- Avila-Novoa, M. G., Iñíguez-Moreno, M., Solís-Velázquez, O. A., González-Gómez, J. P., Guerrero-Medina, P. J., & Gutiérrez-Lomelí, M. (2018). Biofilm formation by *Staphylococcus aureus* isolated from food contact surfaces in the dairy industry of Jalisco, Mexico. *Journal of Food Quality*, 2018.
- Byrd, A. L., Deming, C., Cassidy, S. K., Harrison, O. J., Ng, W. I., Conlan, S., ... & NISC Comparative Sequencing Program. (2017). *Staphylococcus aureus* and *Staphylococcus epidermidis* strain diversity underlying pediatric atopic dermatitis. *Science translational medicine*, 9(397).
- Chng, K. R., Tay, A. S. L., Li, C., Ng, A. H. Q., Wang, J., Suri, B. K., ... & Nagarajan, N. (2016). Whole metagenome profiling reveals skin microbiome-dependent susceptibility to atopic dermatitis flare. *Nature microbiology*, 1(9), 1-10.

Clinical Laboratory Standards Institute. 2021. Performance standards for antimicrobial disk susceptibility tests; Approved standard—31st ed. CLSI document M100Ed31. Clinical Laboratory Standards Institute, Wayne, PA.

Colvin, K. M., Irie, Y., Tart, C. S., Urbano, R., Whitney, J. C., Ryder, C., ... & Parsek, M. R. (2012). The Pel and Psl polysaccharides provide *Pseudomonas aeruginosa* structural redundancy within the biofilm matrix. *Environmental microbiology*, 14(8), 1913-1928.

Di Domenico, E. G., Cavallo, I., Capitanio, B., Ascenzioni, F., Pimpinelli, F., Morrone, A., & Ensoli, F. (2019). *Staphylococcus aureus* and the cutaneous microbiota biofilms in the pathogenesis of atopic dermatitis. *Microorganisms*, 7(9), 301.

Egawa, G., & Kabashima, K. (2016). Multifactorial skin barrier deficiency and atopic dermatitis: Essential topics to prevent the atopic march. *Journal of Allergy and Clinical Immunology*, 138(2), 350-358.

Figueiredo, A. M. S., Ferreira, F. A., Beltrame, C. O., & Côrtes, M. F. (2017). The role of biofilms in persistent infections and factors involved in ica-independent biofilm development and gene regulation in *Staphylococcus aureus*. *Critical Reviews in Microbiology*, 43(5), 602–620.

Foster, T. J., Geoghegan, J. A., Ganesh, V. K., & Höök, M. (2014). Adhesion, invasion and evasion: the many functions of the surface proteins of *Staphylococcus aureus*. *Nature reviews microbiology*, 12(1), 49-62.

Freeman, D. J., Falkiner, F. R., & Keane, C. T. (1989). New method for detecting slime production by coagulase negative staphylococci. *Journal of Clinical Pathology*, 42(8), 872–874.  
doi:10.1136/jcp.42.8.872

Ginigini, J., Lecellier, G. J., Nicolas, M., Nour, M., Hnawia, E., Lebouvier, N., ... & Raharivelomanana, P. (2019). Chemodiversity of *Calophyllum inophyllum* L. oil bioactive components related to their specific geographical distribution in the South Pacific region. *PeerJ*, 7, e6896.

Gonzalez, T., Myers, J. M. B., Herr, A. B., & Hershey, G. K. K. (2017). Staphylococcal biofilms in atopic dermatitis. *Current allergy and asthma reports*, 17(12), 1-11.

- Grice, E. A., Kong, H. H., Conlan, S., Deming, C. B., Davis, J., Young, A. C., ... & NISC Comparative Sequencing Program. (2009). Topographical and temporal diversity of the human skin microbiome. *science*, 324(5931), 1190-1192.
- Hudzicki, J. (2009). Kirby-Bauer disk diffusion susceptibility test protocol.
- Irvine, A. D., McLean, W. I., & Leung, D. Y. (2011). Filaggrin mutations associated with skin and allergic diseases. *New England Journal of Medicine*, 365(14), 1315-1327.
- Jones, C. J., & Wozniak, D. J. (2017). Congo Red Stain Identifies Matrix Overproduction and Is an Indirect Measurement for c-di-GMP in Many Species of Bacteria. *Methods in Molecular Biology*, 147–156. doi:10.1007/978-1-4939-7240-1\_12
- Kaiser, T. D. L., Pereira, E. M., Dos Santos, K. R. N., Maciel, E. L. N., Schuenck, R. P., & Nunes, A. P. F. (2013). Modification of the Congo red agar method to detect biofilm production by *Staphylococcus epidermidis*. *Diagnostic microbiology and infectious disease*, 75(3), 235-239.
- Kartika, I. A., Cerny, M., Vandenbossche, V., Rigal, L., Sablayrolles, C., Vialle, C., ... & Evon, P. (2018). Direct Calophyllum oil extraction and resin separation with a binary solvent of n-hexane and methanol mixture. *Fuel*, 221, 159-164.
- Kaur, G., PC, P., MN, S., & Princy, S. (2015). Development of a biofilm inhibitor molecule against multidrug resistant *Staphylococcus aureus* associated with gestational urinary tract infections. *Frontiers in microbiology*, 6, 832.
- Kord, M., Ardebili, A., Jamalan, M., Jahanbakhsh, R., Behnampour, N., & Ghaemi, E. A. (2018). Evaluation of biofilm formation and presence of ica genes in *Staphylococcus epidermidis* clinical isolates. *Osong public health and research perspectives*, 9(4), 160.
- Kragh, K. N., Alhede, M., Kvich, L., & Bjarnsholt, T. (2019). Into the well—A close look at the complex structures of a microtiter biofilm and the crystal violet assay. *Biofilm*, 1, 100006.
- Lee, S. Y., Lee, E., Park, Y. M., & Hong, S. J. (2018). Microbiome in the gut-skin axis in atopic dermatitis. *Allergy, asthma & immunology research*, 10(4), 354.

- Léguillier, T., Lecsö-Bornet, M., Lémus, C., Rousseau-Ralliard, D., Lebouvier, N., Hnawia, E., ... & Rat, P. (2015). The wound healing and antibacterial activity of five ethnomedical *Calophyllum inophyllum* oils: an alternative therapeutic strategy to treat infected wounds. *PloS one*, 10(9), e0138602.
- Leu, T., Raharivelomanana, P., Soulet, S., Bianchini, J. P., Herbette, G., & Faure, R. (2009). New tricyclic and tetracyclic pyranocoumarins with an unprecedented C-4 substituent. Structure elucidation of tamanolide, tamanolide D and tamanolide P from *Calophyllum inophyllum* of French Polynesia. *Magnetic Resonance in Chemistry*, 47(11), 989–993.
- Lone, A. G., Atci, E., Renslow, R., Beyenal, H., Noh, S., Fransson, B., ... & Call, D. R. (2015). *Staphylococcus aureus* induces hypoxia and cellular damage in porcine dermal explants. *Infection and immunity*, 83(6), 2531-2541.
- Maliyar, K., Sibbald, C., Pope, E., & Sibbald, R. G. (2018). Diagnosis and management of atopic dermatitis: a review. *Advances in skin & wound care*, 31(12), 538-550.
- Mariana, N. S., Salman, S. A., Neela, V., & Zamberi, S. (2009). Evaluation of modified Congo red agar for detection of biofilm produced by clinical isolates of methicillin resistance *Staphylococcus aureus*. *African Journal of Microbiology Research*, 3(6), 330-338.
- McCourt, J., O'Halloran, D. P., McCarthy, H., O'Gara, J. P., & Geoghegan, J. A. (2014). Fibronectin-binding proteins are required for biofilm formation by community-associated methicillin-resistant *Staphylococcus aureus* strain LAC. *FEMS microbiology letters*, 353(2), 157-164.
- Mijajovic, H., Fallon, P. G., Irvine, A. D., & Foster, T. J. (2010). Effect of filaggrin breakdown products on growth of and protein expression by *Staphylococcus aureus*. *Journal of Allergy and Clinical Immunology*, 126(6), 1184-1190.
- Nakatsuji, T., Chen, T. H., Two, A. M., Chun, K. A., Narala, S., Geha, R. S., ... & Gallo, R. L. (2016). *Staphylococcus aureus* exploits epidermal barrier defects in atopic dermatitis to trigger cytokine expression. *Journal of Investigative Dermatology*, 136(11), 2192-2200.

- Nguyen, H. T., Nguyen, T. H., & Otto, M. (2020). The staphylococcal exopolysaccharide PIA–Biosynthesis and role in biofilm formation, colonization, and infection. Computational and Structural Biotechnology Journal.
- Nguyen, V. L., Truong, C. T., Nguyen, B. C. Q., Vo, T. N. V., Dao, T. T., Nguyen, V. D., ... & Bui, C. B. (2017). Anti-inflammatory and wound healing activities of calophyllolide isolated from *Calophyllum inophyllum* Linn. *PloS one*, 12(10), e0185674.
- O'Toole, G. A. (2011). Microtiter dish biofilm formation assay. *Journal of visualized experiments: JoVE*, (47).
- Oh, J., Byrd, A. L., Park, M., Kong, H. H., Segre, J. A., & NISC Comparative Sequencing Program. (2016). Temporal stability of the human skin microbiome. *Cell*, 165(4), 854-866.
- Ong, P. Y., & Leung, D. Y. M. (2016). Bacterial and Viral Infections in Atopic Dermatitis: a Comprehensive Review. *Clinical Reviews in Allergy & Immunology*, 51(3), 329–337.
- Paharik, A. E., & Horswill, A. R. (2016). The staphylococcal biofilm: adhesins, regulation, and host response. *Virulence Mechanisms of Bacterial Pathogens*, 529-566.
- Prabakaran, K., & Britto, S. J. (2012). Biology, agroforestry and medicinal value of *Calophyllum inophyllum* L.(clusiaceae): A review. *International Journal of Natural Products Research*, 1(2), 24-33.
- Raharivelomanana, P., Ansel, J. L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J. F., ... & Pichon, C. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. *OCL-Oilseeds and Fats Crops and Lipids*, 25(5).
- Raharivelomanana, P., Ansel, J.-L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J.-F., ... Pichon, C. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. OCL. doi: Rajkumar, H. R. V., Devaki, R., & Kandi, V. (2016). Evaluation of different phenotypic techniques for the detection of slime produced by bacteria isolated from clinical specimens. *Cureus*, 8(2).

- Said, T., Dutot, M., Martin, C., Beaudeux, J. L., Boucher, C., Enee, E., ... & Rat, P. (2007). Cytoprotective effect against UV-induced DNA damage and oxidative stress: role of new biological UV filter. *European Journal of Pharmaceutical Sciences*, 30(3-4), 203-210.
- Saravanan, R., Dhachinamoorthi, D., Senthilkumar, K., & Thamizhvanan, K. (2011). Antimicrobial activity of various extracts from various parts of *Calophyllum inophyllum* L. *Journal of Applied Pharmaceutical Science*, 1(3), 12.
- Sonesson, A., Przybyszewska, K., Eriksson, S., Mörgelin, M., Kjellström, S., Davies, J., ... & Schmidtchen, A. (2017). Identification of bacterial biofilm and the *Staphylococcus aureus* derived protease, staphopain, on the skin surface of patients with atopic dermatitis. *Scientific reports*, 7(1), 1-12.
- Stepanović, S., Vuković, D., Hola, V., BONAVENTURA, G. D., Djukić, S., Ćirković, I., & Ruzicka, F. (2007). Quantification of biofilm in microtiter plates: overview of testing conditions and practical recommendations for assessment of biofilm production by staphylococci. *Apmis*, 115(8), 891-899.
- Susanto, D. F., Hapsari, S., Trilutfiani, Z., Borhet, A., Apamarta, H. W., Widjaja, A., & Gunawan, S. (2018, March). Effect of solvent polarity levels on separation of xanthone and coumarin from *Calophyllum inophyllum* leaves extract. In *IOP Conference Series: Materials Science and Engineering* (Vol. 334, No. 1, p. 012071). IOP Publishing.
- Treangen, T. J., Maybank, R. A., Enke, S., Friss, M. B., Diviak, L. F., Karaolis, D. K., ... & Rosovitz, M. J. (2014). Complete genome sequence of the quality control strain *Staphylococcus aureus* subsp. *aureus* ATCC 25923. *Genome announcements*, 2(6), e01110-14.
- Vigneshwar, V., Krishnan, S. Y., Kishna, R. S., Srinath, R., Ashok, B., & Nanthagopal, K. (2019). Comprehensive review of *Calophyllum inophyllum* as a feasible alternate energy for CI engine applications. *Renewable and Sustainable Energy Reviews*, 115, 109397.
- Wacher-Rodarte, M. D. C., Trejo-Muñúzuri, T. P., Montiel-Aguirre, J. F., Drago-Serrano, M. E., Gutiérrez-Lucas, R. L., Castañeda-Sánchez, J. I., & Sainz-Espuñes, T. (2016). Antibiotic

resistance and multidrug-resistant efflux pumps expression in lactic acid bacteria isolated from pozol, a nonalcoholic Mayan maize fermented beverage. *Food science & nutrition*, 4(3), 423-430.

Weidinger, S., & Novak, N. (2016). Atopic dermatitis. *The Lancet*, 387(10023), 1109–1122.

Weidinger, S., Beck, L. A., Bieber, T., Kabashima, K., & Irvine, A. D. (2018). Atopic dermatitis. *Nature Reviews Disease Primers*, 4(1).

Williams, M. R., & Gallo, R. L. (2015). The role of the skin microbiome in atopic dermatitis. *Current allergy and asthma reports*, 15(11), 1-10.

Wilson, C., Lukowicz, R., Merchant, S., Valquier-Flynn, H., Caballero, J., Sandoval, J., ... & Holmes, A. E. (2017). Quantitative and qualitative assessment methods for biofilm growth: A mini-review. *Research & reviews. Journal of engineering and technology*, 6(4).

Xu, Z., Liang, Y., Lin, S., Chen, D., Li, B., Li, L., & Deng, Y. (2016). Crystal Violet and XTT Assays on *Staphylococcus aureus* Biofilm Quantification. *Current Microbiology*, 73(4), 474–482.

Yimdjo, M. C., Azebaze, A. G., Nkengfack, A. E., Meyer, A. M., Bodo, B., & Fomum, Z. T. (2004). Antimicrobial and cytotoxic agents from *Calophyllum inophyllum*. *Phytochemistry*, 65(20), 2789-2795.