

## REFERENCES

- Augustin, M. A., & Sanguansri, L. (2008). Encapsulation of Bioactives. *Food Materials Science*, 577-601. Springer, New York, NY.
- Bae, E. K., & Lee, S. J. (2008). Microencapsulation of Avocado Oil by Spray Drying using Whey Protein and Maltodextrin. *Journal of Microencapsulation*, 25(8), 549-560.
- Başyigit, B., Sağlam, H., Kandemir, S., Karaaslan, A., & Karaaslan, M. (2020). Microencapsulation of Sour Cherry Oil by Spray Drying: Evaluation of Physical Morphology, Thermal Properties, Storage Stability, and Antimicrobial Activity. *Powder Technology*, 364, 654-663.
- Bhandari, B. R., Datta, N., & Howes, T. (1997). Problems associated with Spray Drying of Sugar-rich Foods. *Drying technology*, 15(2), 671-684.
- Birch, S., Bui, L., & Small, D. M. (2005). A Laboratory Evaluation of the Efficiency of Spray Drying for Encapsulation of Functional Ingredients. *Cereals 2005*.
- Bonett, D. G., & Wright, T. A. (2000). Sample Size Requirements for Estimating Pearson, Kendall and Spearman Correlations. *Psychometrika*, 65(1), 23-28.
- Budi, I. M., & Paimin, F. R. (2005). Buah Merah. *Jakarta: Penebar Swadaya*, 22-27.
- Carić, M., Akkerman, J. C., Milanović, S., Kentish, S. E., & Tamime, A. Y. (2009). Technology of Evaporators, Membrane Processing and Dryers. *Dairy Powders and Concentrated Products*, 99-148. Blackwell Publishing.
- Carmona, P. A. O., Garcia, L. C., de Aquino Ribeiro, J. A., Valadares, L. F., de Figueiredo Marçal, A., de França, L. F., & Mendonça, S. (2018). Effect of Solids Content and Spray-drying Operating Conditions on the Carotenoids Microencapsulation from Pressed Palm Fiber Oil Extracted with Supercritical CO<sub>2</sub>. *Food and Bioprocess Technology*, 11(9), 1703-1718.
- Carneiro, H. C., Tonon, R. V., Grosso, C. R., & Hubinger, M. D. (2013). Encapsulation Efficiency and Oxidative Stability of Flaxseed Oil Microencapsulated by Spray Drying using Different Combinations of Wall Materials. *Journal of Food Engineering*, 115(4), 443-451.

- Chuyen, H. V., Roach, P. D., Golding, J. B., Parks, S. E., & Nguyen, M. H. (2019). Encapsulation of Carotenoid-rich Oil from Gac Peel: Optimisation of the Encapsulating Process using a Spray Drier and the Storage Stability of Encapsulated Powder. *Powder Technology*, 344, 373-379.
- Damodaran, S., Parkin, K. L., & Fennema, O. R. (Eds.). (2007). *Fennema's Food Chemistry*. 593-599. CRC press.
- Deng, X. X., Chen, Z., Huang, Q., Fu, X., & Tang, C. H. (2014). Spray-drying Microencapsulation of  $\beta$ -carotene by Soy Protein Isolate and/or OSA-modified Starch. *Journal of Applied Polymer Science*, 131(12).
- Fang, Z., & Bhandari, B. (2012). Comparing the Efficiency of Protein and Maltodextrin on Spray Drying of Bayberry Juice. *Food Research International*, 48(2), 478-483.
- Fernandes, R. V. D. B., Borges, S. V., Botrel, D. A., & Oliveira, C. R. D. (2014). Physical and Chemical Properties of Encapsulated Rosemary Essential Oil by Spray Drying using Whey Protein–Inulin Blends as Carriers. *International Journal of Food Science & Technology*, 49(6), 1522-1529.
- Frascareli, E. C., Silva, V. M., Tonon, R. V., & Hubinger, M. D. (2012). Effect of Process Conditions on the Microencapsulation of Coffee Oil by Spray Drying. *Food and Bioproducts Processing*, 90(3), 413-424.
- Gallardo, G., Guida, L., Martinez, V., López, M. C., Bernhardt, D., Blasco, R., Pedroza-Islands, R., & Hermida, L. G. (2013). Microencapsulation of Linseed Oil by Spray Drying for Functional Food Application. *Food Research International*, 52(2), 473–482.
- Goula, A. M., & Adamopoulos, K. G. (2012). A New Technique for Spray-dried Encapsulation of Lycopene. *Drying Technology*, 30(6), 641-652.
- Guadarrama-Lezama, A. Y., Dorantes-Alvarez, L., Jaramillo-Flores, M. E., Pérez-Alonso, C., Nirajan, K., Gutiérrez-López, G. F., & Alamilla-Beltrán, L. (2012). Preparation and Characterization of Non-aqueous Extracts from Chilli (*Capsicum annuum* L.) and their Microencapsulates obtained by Spray-drying. *Journal of Food Engineering*, 112(1-2), 29-37.

- Gunawan, I. A., Fujii, R., Maoka, T., Shioi, Y., Kameubun, K. M. B., Limantara, L., & Broto Sudarmo, T. H. P. (2020). Carotenoid Composition in Buah Merah (*Pandanus Conoideus Lam.*), an Indigenous Red Fruit of the Papua Islands. *Journal of Food Composition and Analysis*, 96, 103722.
- Haas, K., Robben, P., Kiesslich, A., Volkert, M., & Jaeger, H. (2019). Stabilization of Crystalline Carotenoids in Carrot Concentrate Powders: Effects of Drying Technology, Carrier Material, and Antioxidants. *Foods*, 8(8), 285.
- Hadnađev, M., Hadnađev, T. D., Torbica, A., Dokić, L., Pajin, B., & Krstonošić, V. (2011). Rheological Properties of Maltodextrin Based Fat-reduced Confectionery Spread Systems. *Procedia Food Science*, 1, 62-67.
- Idham, Z., Muhamad, I. I., & Sarmidi, M. R. (2012). Degradation Kinetics and Color Stability of Spray-dried Encapsulated Anthocyanins from *Hibiscus sabdariffa L.* *Journal of Food Process Engineering*, 35(4), 522-542.
- I Ré, M. (1998). Microencapsulation by Spray Drying. *Drying Technology*, 16(6), 1195-1236.
- Ixtaina, V. Y., Julio, L. M., Wagner, J. R., Nolasco, S. M., & Tomás, M. C. (2015). Physicochemical Characterization and Stability of Chia Oil Microencapsulated with Sodium Caseinate and Lactose by Spray-drying. *Powder Technology*, 271, 26-34.
- Jittanit, W., Niti-Att, S., & Techananuntachaikul, O. (2010). Study of Spray Drying of Pineapple Juice using Maltodextrin as an Adjunct. *Chiang Mai J. Sci*, 37(3), 498-506.
- Karrar, E., Mahdi, A. A., Sheth, S., Ahmed, I. A. M., Manzoor, M. F., Wei, W., & Wang, X. (2021). Effect of Maltodextrin Combination with Gum Arabic and Whey Protein Isolate on the Microencapsulation of Gurum Seed Oil using a Spray-drying Method. *International Journal of Biological Macromolecules*, 171, 208-216.
- Kha, T. C., Nguyen, M. H., Roach, P. D., & Stathopoulos, C. E. (2014-a). Microencapsulation of Gac Oil: Optimisation of Spray Drying Conditions using Response Surface Methodology. *Powder Technology*, 264, 298-309.

- Kha, T. C., Nguyen, M. H., Roach, P. D., & Stathopoulos, C. E. (2014-b). Microencapsulation of Gac Oil by Spray Drying: Optimization of Wall Material Concentration and Oil Load using Response Surface Methodology. *Drying Technology*, 32(4), 385-397.
- Khoo, H. E., Prasad, K. N., Kong, K. W., Jiang, Y., & Ismail, A. (2011). Carotenoids and their Isomers: Color Pigments in Fruits and Vegetables. *Molecules*, 16(2), 1710-1738.
- Klinkesorn, U., Sophanodora, P., Chinachoti, P., Decker, E. A., & McClements, D. J. (2006). Characterization of Spray-dried Tuna Oil Emulsified in Two-layered Interfacial Membranes Prepared using Electrostatic Layer-by-layer Deposition. *Food Research International*, 39(4), 449-457.
- Knockaert, G., Lemmens, L., Van Buggenhout, S., Hendrickx, M., & Van Loey, A. (2012). Changes in  $\beta$ -carotene Bioaccessibility and Concentration during Processing of Carrot Puree. *Food Chemistry*, 133(1), 60-67.
- Largo Avila, E., Cortes Rodríguez, M., & Ciro Velásquez, H. J. (2015). Influence of Maltodextrin and Spray Drying Process Conditions on Sugarcane Juice Powder Quality. *Revista Facultad Nacional de Agronomía Medellín*, 68(1), 7509-7520.
- Le, T. H., Tran, T. M. V., Ton, N. M. N., Tran, T. T. T., Huynh, T. V., Nguyen, T. N., ... & Le, V. V. M. (2017). Combination of Whey Protein and Carbohydrate for Microencapsulation of Pumpkin (Cucurbita spp.) Seed Oil by Spray-drying. *International Food Research Journal*, 24(3).
- Li, K., Pan, B., Ma, L., Miao, S., & Ji, J. (2020). Effect of Dextrose Equivalent on Maltodextrin/Whey Protein Spray-Dried Powder Microcapsules and Dynamic Release of Loaded Flavor during Storage and Powder Rehydration. *Foods*, 9(12), 1878.
- Linke, A., Weiss, J., & Kohlus, R. (2020). Factors determining the Surface Oil Concentration of Encapsulated Lipid Particles: Impact of the Emulsion Oil Droplet Size. *European Food Research and Technology*.
- Liyana, M., Nour, A., Rizauddin, D., Gimbu, J., & Nurdin, S. (2014). Stabilization and Characterization of Heavy Crude oil-in-water (o/w) Emulsions. *IJRET Int J Res Eng Technol*, 3(2), 489-496.

Maoka, T. (2020). Carotenoids as Natural Functional Pigments. *Journal of Natural Medicines*, 74(1), 1-16.

Meléndez-Martínez, A. J., Britton, G., Vicario, I. M., & Heredia, F. J. (2007). Relationship between the Colour and the Chemical Structure of Carotenoid Pigments. *Food Chemistry*, 101(3), 1145-1150.

Mohamad, M. F., Dailin, D. J., Gomaa, S. E., Nurjayadi, M., & El Enshasy, H. (2019). Natural Colorant for Food: A Healthy Alternative. *Int J Sci Technol Res*, 8, 3161-3166.

Mohammed, N. K., Tan, C. P., Manap, Y. A., Muhialdin, B. J., & Hussin, A. S. M. (2020). Spray Drying for the Encapsulation of Oils. *Molecules*, 25(17), 3873.

Mordi, R. C., Ademosun, O. T., Ajanaku, C. O., Olanrewaju, I. O., & Walton, J. C. (2020). Free Radical Mediated Oxidative Degradation of Carotenes and Xanthophylls. *Molecules*, 25(5), 1038.

Mortensen, A. (2006). Carotenoids and Other Pigments as Natural Colorants. *Pure and Applied Chemistry*, 78(8), 1477-1491.

Moser, P., Ferreira, S., & Nicoletti, V. R. (2019). Buriti Oil Microencapsulation in Chickpea Protein-Pectin Matrix as Affected by Spray Drying Parameters. *Food and Bioproducts Processing*, 117, 183-193.

Munin, A., & Edwards-Lévy, F. (2011). Encapsulation of Natural Polyphenolic Compounds. *Pharmaceutics*, 3(4), 793-829.

Murtiningrum, Sarungallo ZL, dan Mawikere NL. (2012). The Exploration and Diversity of Red Fruit (*Pandanus conoideus L.*) from Papua based on its Physical Characteristics and Chemical Composition. *J Bio Diversity*. 13 (3): 124-129.

Muzaffar, K., Nayik, G. A., & Kumar, P. (2015). Stickiness Problem Associated with Spray Drying of Sugar and Acid Rich Foods: A Mini Review. *Journal of Nutrition & Food Sciences*, (S12), 1.

Nadeem, H. S., Torun, M., & Özdemir, F. (2011). Spray Drying of the Mountain Tea (*Sideritis Stricta*) Water Extract by using Different Hydrocolloid Carriers. *LWT-Food Science and Technology*, 44(7), 1626-1635.

- Nielsen, S. (2010). *Food Analysis Laboratory Manual* (4th ed.). Boston, MA: Springer US.
- Rodríguez-Huezo, M. E., Pedroza-Islas, R., Prado-Barragán, L. A., Beristain, C. I., & Vernon-Carter, E. J. (2006). Microencapsulation by Spray Drying of Multiple Emulsions Containing Carotenoids. *Journal of Food Science*, 69(7), 351–359.
- Rodriguez-Amaya, D. B. (2001). A Guide to Carotenoid Analysis in Foods.
- Rohman, A., & Windarsih, A. (2018). Characterization, Biological Activities, and Authentication of Red Fruit (*Pandanus Conoideus Lam*) Oil. *Food Research*, 2, 134-138.
- Salueña, B. H., Gamasa, C. S., Rubial, J. M. D., & Odriozola, C. A. (2019). CIELAB Color Paths during Meat Shelf Life. *Meat Science*, 157, 107889.
- Samborska, K., Langa, E., Kamińska-Dwórnicka, A., & Witrowa-Rajchert, D. (2015). The Influence of Sodium Caseinate on the Physical Properties of Spray-dried Honey. *International Journal of Food Science & Technology*, 50(1), 256-262.
- Sanchez, V., Baeza, R., Galmarini, M. V., Zamora, M. C., & Chirife, J. (2013). Freeze-drying Encapsulation of Red Wine Polyphenols in an Amorphous Matrix of Maltodextrin. *Food and Bioprocess Technology*, 6(5), 1350-1354.
- Sarungallo, Z. L., Hariyadi, P., Andarwulan, N., & Purnomo, E. H. (2014). The Effect of Extraction Method on the Chemical Quality and Fatty Acid Composition of Red Fruit (*Pandanus conoideus*) Oil. *Journal of Industry Agricultural Technology*, 24(3), 209-217.
- Sarungallo, Z. L., Hariyadi, P., Andarwulan, N., Purnomo, E. H., & Wada, M. (2015). Analysis of  $\alpha$ -cryptoxanthin,  $\beta$ -cryptoxanthin,  $\alpha$ -carotene, and  $\beta$ -carotene of Pandanus Conoideus Oil by High-performance Liquid Chromatography (HPLC). *Procedia Food Science*, 3, 231-243.
- Sarungallo, Z. L., Santoso, B., Roreng, M. K., & Latumahina, R. M. M. (2016). Nutrient Content of Three Clones of Red Fruit (*Pandanus conoideus*) during the Maturity Development. *International Food Research Journal*, 23(3), 1217.

- Sarungallo, Z. L., Santoso, B., Murtiningrum, M., Roreng, M. K., & Murni, V. (2019). Karakteristik Mutu Mikroenkapsulat Minyak Buah Merah (*Pandanus Conoideus*) dengan Perbandingan Konsentrasi Bahan Pengemulsi dan Bahan Pelapis. *Pro Food*, 5(2), 528-540.
- Sedgwick, P. (2014). Spearman's Rank Correlation Coefficient. *Bmj*, 349.
- Šeregelj, V., Ćetković, G., Čanadanović-Brunet, J., Šaponjac, V. T., Vulić, J., & Stajčić, S. (2020). Encapsulation and Degradation Kinetics of Bioactive Compounds from Sweet Potato Peel during Storage. *Food Technology and Biotechnology*, 58(3), 314.
- Šeregelj, V., Ćetković, G., Čanadanović-Brunet, J., Šaponjac, V. T., Vulić, J., Lević, S., Nedović, V., Brandolini, A., & Hidalgo, A. (2021). Encapsulation of Carrot Waste Extract by Freeze and Spray Drying Techniques: An Optimization Study. *LWT*, 138, 110696.
- Shi, Q., Fang, Z., & Bhandari, B. (2013). Effect of Addition of Whey Protein Isolate on Spray-drying Behavior of Honey with Maltodextrin as a Carrier Material. *Drying Technology*, 31(13-14), 1681-1692.
- Sianipar, F. R. D. N. (2016). Morphological and Anatomical Structure of Red Fruit (*Pandanus Conoideus Lam.*). *KnE Social Sciences*, 37-43.
- Soltanizadeh, N., Mirmoghadaie, L., Nejati, F., Najafabadi, L. I., Heshmati, M. K., & Jafari, M. (2014). Solid-State Protein–Carbohydrate Interactions and their Application in the Food Industry. *Comprehensive Reviews in Food Science and Food Safety*, 13(5), 860-870.
- Surono, I. S., Nishigaki, T., Endaryanto, A., & Waspodo, P. (2008). Indonesian Biodiversities, from Microbes to Herbal Plants as Potential Functional Foods. *信州大学農学部紀要*, 44(1), 23-27.
- Tang, C. H., & Li, X. R. (2013). Microencapsulation Properties of Soy Protein Isolate and Storage Stability of the Correspondingly Spray-dried Emulsions. *Food Research International*, 52(1), 419-428.
- Tarlak, F., Ozdemir, M., & Melikoglu, M. (2016). Computer Vision System Approach in Colour Measurements of Foods: Part II. Validation of Methodology with Real Foods. *Food Science and Technology*, 36(3), 499-504.

- Tontul, I., & Topuz, A. (2017). Spray-drying of Fruit and Vegetable Juices: Effect of Drying Conditions on the Product Yield and Physical Properties. *Trends in Food Science & Technology*, 63, 91-102.
- Turchiuli, C., Munguia, M. J., Sanchez, M. H., Ferre, H. C., & Dumoulin, E. (2014). Use of Different Supports for Oil Encapsulation in Powder by Spray Drying. *Powder Technology*, 255, 103-108.
- Valerio, P. P., Frias, J. M., & Cren, E. C. (2020). Thermal Degradation Kinetics of Carotenoids: Acrocomia Aculeata Oil in the Context of Nutraceutical Food and Bioprocess Technology. *Journal of Thermal Analysis and Calorimetry*, 1-12.
- Wang, S., Konkol, E., & Langrish, T. A. (2011). Spray Drying of Fruit Juice using Proteins as Additives. *Drying Technology*, 29(16), 1868-1875.
- Wenyao, S. H. A. O., Mengwen, Y. A. N., Quanling, X. I. E., & Xueshan, P. A. N. (2016, December). Microencapsulation of DHA Algal Oil by Spray Drying. *International Conference on Biological Engineering and Pharmacy 2016*. Atlantis Press.
- Yam, K. L., & Papadakis, S. E. (2004). A Simple Digital Imaging Method for Measuring and Analyzing Color of Food Surfaces. *Journal of Food Engineering*, 61(1), 137-142.
- Yanuwar, W., Widjanarko, S. B., & Wahono, T. (2007). Karakteristik dan Stabilitas Antioksidan Mikrokapsul Minyak Buah Merah (*Pandanus Conoideus Lam*) dengan Bahan Penyalut Berbasis Protein. *Jurnal Teknologi Pertanian*, 8(2), 127-135.
- Zhang, L., Zeng, X., Fu, N., Tang, X., Sun, Y., & Lin, L. (2018-a). Maltodextrin: A Consummate Carrier for Spray-drying of Xylooligosaccharides. *Food Research International*, 106, 383-393.
- Zhang, Y., Pan, K., & Zhong, Q. (2018-b). Eugenol Nanoencapsulated by Sodium Caseinate: Physical, Antimicrobial, and Biophysical Properties. *Food Biophysics*, 13(1), 37-48.