

REFERENCES

- Abdulkadir, N. (2017). Bacterial Pigments and its Significance. *MOJ Bioequivalence & Bioavailability*, 4(3). doi:10.15406/mojbb.2017.04.00073
- Adams, M. R., & Moss, M. O. (2008). *Food microbiology*. Cambridge, UK: RSC Pub.
- Airesa, K. (2015). Pemanfaatan Tepung Talas Anak Banyak (*Colocasia esculenta*) dalam Pembuatan Bolu Sebagai Upaya Diversifikasi Pangan (Bachelor's thesis, Institut Pertanian Bogor, Bogor, Indonesia). Retrieved from <http://repository.ipb.ac.id:8080/handle/123456789/98751>
- Albers-Nelson, R. (n.d.). Clean Label Mold Inhibitors for Baking. *FOOD TECHNOLOGY FACT SHEET Adding Value to OKLAHOMA*. Oklahoma State University
- Anggraini, M., Syarif, W., & Holinesti, R. (2014). PENGARUH SUBSTITUSI TEPUNG LABU KUNING (*Cucurbita moschata*) TERHADAP KUALITAS BOLU KUKUS. *E-Journal Home Economic and Tourism*, 5(1).
- Awalin, N. F. (2019). IDENTIFIKASI *Aspergillus* sp PADA BOLU KUKUS YANG DIJUAL DI PASAR LEGI JOMBANG (Diploma thesis, STIKES ICME Jombang, Jombang, Indonesia). Retrieved from <http://repo.stikesicme-jbg.ac.id/2724/>
- Axel, C., Zannini, E., & Arendt, E. K. (2017). Mold spoilage of bread and its biopreservation: A review of current strategies for bread shelf life extension. *Critical Reviews in Food Science and Nutrition*, 57(16), 3528-3542. doi:10.1080/10408398.2016.1147417
- Baert, K., Devlieghere, F., Bo, L., Debevere, J., & Meulenaer, B. D. (2008). The effect of inoculum size on the growth of *Penicillium expansum* in apples. *Food Microbiology*, 25(1), 212-217. doi:10.1016/j.fm.2007.06.002
- Bak, J. S. (2015). Effective inactivation of *Saccharomyces cerevisiae* in minimally processed Makgeolli using low-pressure homogenization-based pasteurization. *SpringerPlus*, 4(1). doi:10.1186/s40064-015-0936-4
- B POM (2019). PERATURAN BADAN PENGAWAS OBAT DAN MAKANAN NOMOR 11 TAHUN 2019 TENTANG BAHAN TAMBAHAN PANGAN.
- Branen, A. L. (2002). *Food additives*. New York: Marcel Dekker.
- Chuan, X., Fang, C., Xiao-song, H., Jin-Feng, H., Ping, Q. (2006). Optimization of prescription of the steamed bread for inhibition of bacterium using response surface analysis. College of Food and Nutritional Engineering, China Agricultural University.
- Dagnas, S., & Membré, J.-M. (2013). Predicting and Preventing Mold Spoilage of Food Products. *Journal of Food Protection*, 76(3), 538–551. doi: 10.4315/0362-028x.jfp-12-349
- Dantigny, P., Mansur, C. S., Sautour, M., Tchobanov, I., & Bensoussan, M. (2002). Relationship between spore germination kinetics and lag time during growth of *Mucor racemosus*. *Letters in Applied Microbiology*, 35(5), 395-398. doi:10.1046/j.1472-765x.2002.01214.x
- Darughe, F., Barzegar, M., & Sahari, M. A. (2012). Antioxidant and antifungal activity of Coriander (*Coriandrum sativum* L.) essential oil in cake. *International Food Research Journal*, 19(3), 1253–1260.
- Davidson, P. M., Sofos, J. N., and Branen, A. L., (2005). *Antimicrobials in food*. Boca Raton: Taylor & Francis.
- Degirmencioglu, N., Göcmen, D., Inkaya, A. N., Aydin, E., Guldaz, M., & Gonenc, S. (2010). Influence of modified atmosphere packaging and potassium sorbate on microbiological characteristics of sliced bread. *Journal of Food Science and Technology*, 48(2), 236–241. doi: 10.1007/s13197-010-0156-4
- Doyle, M. P., & Buchanan, R. L. (2013). *Food microbiology fundamentals and frontiers*. Washington, D.C.: ASM Press.
- EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS) (2015). Scientific Opinion on the re-evaluation of sorbic acid (E 200), potassium sorbate (E 202) and calcium sorbate (E 203) as food additives. *EFSA Journal*, 13(6). doi: 10.2903/j.efsa.2015.4144
- FDA (2019). CFR - Code of Federal Regulations Title 21, volume 6.

- Galić, K., Ćurić, D., & Gabrić, D. (2009). Shelf Life of Packaged Bakery Goods—A Review. *Critical Reviews in Food Science and Nutrition*, 49(5), 405–426. doi: 10.1080/10408390802067878
- Gutiérrez, L., Batlle, R., Andújar, S., Sánchez, C., & Nerín, C. (2011). Evaluation of Antimicrobial Active Packaging to Increase Shelf Life of Gluten-Free Sliced Bread. *Packaging Technology and Science*, 24(8), 485–494. doi: 10.1002/pts.956
- Gutiérrez, L., Sánchez, C., Batlle, R., & Nerín, C. (2009). New antimicrobial active package for bakery products. *Trends in Food Science & Technology*, 20(2), 92–99. doi: 10.1016/j.tifs.2008.11.003
- Guynot, M., Marín Sonia, Sanchis, V., & Ramos, A. J. (2004). An attempt to minimize potassium sorbate concentration in sponge cakes by modified atmosphere packaging combination to prevent fungal spoilage. *Food Microbiology*, 21(4), 449–457. doi: 10.1016/j.fm.2003.10.003
- Guynot, M., Ramos, A., Sala, D., Sanchis, V., & Marín S. (2002). Combined effects of weak acid preservatives, pH and water activity on growth of Eurotium species on a sponge cake. *International Journal of Food Microbiology*, 76(1-2), 39–46. doi: 10.1016/s0168-1605(01)00751-6
- Guynot, M., Ramos, A., Sanchis, V., & Marín, S. (2005). Study of benzoate, propionate, and sorbate salts as mould spoilage inhibitors on intermediate moisture bakery products of low pH (4.5–5.5). *International Journal of Food Microbiology*, 101(2), 161–168. doi: 10.1016/j.ijfoodmicro.2004.11.003
- Guynot, M. E., Marín, S., Sanchis, V., & Ramos, A. J. (2005). An attempt to optimize potassium sorbate use to preserve low pH (4.5–5.5) intermediate moisture bakery products by modelling Eurotium spp., Aspergillus spp. and Penicillium corylophilum growth. *International Journal of Food Microbiology*, 101(2), 169–177. doi: 10.1016/j.ijfoodmicro.2004.11.002
- Halouat, A. E., and J. M. Debevere. (1997). Effect of water activity, modified atmosphere packaging and storage temperature on spore germination of moulds isolated from prunes. *Int. J. Food Microbiol.* 35(1), 41–48.
- Handayani, M. T. (2015). *DAYA SIMPAN BOLU KUKUS DENGAN PENAMBAHAN BELIMBING WULUH (Averrhoa bilimbi) dan JERUK NIPIS (Citrus aurantifolia) SEBAGAI PENGAWET ALAMI (Bachelor's thesis, Universitas Muhammadiyah Surakarta, Surakarta, Indonesia)*. Retrieved from <http://eprints.ums.ac.id/32850/>
- Hariati, N., Ansharullah, & Asyik, N. (2018). PENGARUH PENAMBAHAN TEPUNG BERAS MERAH (Oriza nivara L.) TERHADAP UJI ORGANOLEPTIK DAN PROKSIMAT BOLU KUKUS. *Jurnal Sains Dan Teknologi Pangan*, 3(1), 1006–1017.
- Herdanny, A. S. (2016). *PENGGUNAAN EMULSIFIER DALAM PEMBUATAN BOLU KUKUS (D3 thesis, Sekolah Tinggi Pariwisata, Bandung, Indonesia)*. Retrieved from <http://repository.stp-bandung.ac.id/handle/123456789/128>
- Hongqin, H., Haiwei, C., Guihong, Z., Taotao, B. (2012). Compound Anti-Aging of Steamed Bread Improver Experimental Study. Luohe Vocational College of Food, Luohe Henan 462300.
- Huang, S., & Miskelly, D. (2016). *Steamed breads: ingredients, processing and quality*. Amsterdam: Woodhead Publishing is an imprint of Elsevier.
- Huang, S., & Miskelly, D. (2018). Steamed bread—A review of manufacturing, flour quality requirements, and quality evaluation. *Cereal Chemistry*, 96(1), 8–22. doi: 10.1002/cche.10096
- Hui, Y. H., & Evranuz, E. Ö. (2012). *Handbook of plant-based fermented food and beverage technology*. Boca Raton: CRC Press.
- Ib, U. K., Muha, I. I., & Salle, R. M. (2011). The Effect of pH on Color Behavior of Brassica oleracea Anthocyanin. *Journal of Applied Sciences*, 11(13), 2406–2410. doi:10.3923/jas.2011.2406.2410
- Jay, J. M. (2006). *Modern food microbiology*. Gaithersburg, Md: Aspen.
- JECFA (1998). Potassium sorbate. FNP 52 Add 6. Obtained from <http://www.fao.org/food/food-safety-quality/scientific-advice/jecfa/jecfa-additives/detail/en/c/346/>

- Ji, Y., Zhu, K., Qian, H., & Zhou, H. (2007). Effect of water activity and temperature on growth of *Penicillium citreoviride* and *Penicillium citrinum* on MiGao (rice cake). *Canadian Journal of Microbiology*, 53(2), 231–236. doi: 10.1139/w06-096
- Ji, Y., Zhu, K., Qian, H., & Zhou, H. (2007). Microbiological characteristics of cake prepared from rice flour and sticky rice flour. *Food Control*, 18(12), 1507–1511. doi: 10.1016/j.foodcont.2006.11.005
- Julaeha, L., Nurhayati, A., Mahmudatussa'adah, A. (2016). PENERAPAN PENGETAHUAN BAHAN TAMBAHAN PANGAN PADA PEMILIHAN MAKANAN JAJANAN MAHASISWA PENDIDIKAN TATA BOGA UPI. *Media Pendidikan, Gizi dan Kuliner*. 5(1)
- Kam, P. V., Bianchini, A., and Bullerman, L. B. (2007). Inhibition of Mold Growth by Sourdough Bread Culture. *RURALS: Review of Undergraduate Research in Agricultural and Life Sciences*, 2(1).
- Karabulut, O. A., Romanazzi, G., Smilanick, J. L., & Lichter, A. (2005). Postharvest ethanol and potassium sorbate treatments of table grapes to control gray mold. *Postharvest Biology and Technology*, 37(2), 129–134. doi: 10.1016/j.postharvbio.2005.04.001
- Katsinis, G., Rigas, F., & Doulia, D. (2008). Synergistic effect of chemical preservatives with ethanol on the microbial shelf life of bread by factorial design. *International Journal of Food Science & Technology*, 43(2), 208–215. doi: 10.1111/j.1365-2621.2006.01386.x
- Kaushal, P., Kumar, V., & Sharma, H. K. (2013). Utilization of taro (*Colocasia esculenta*): A review. *Journal of Food Science and Technology*, 52(1), 27-40. doi:10.1007/s13197-013-0933-y
- Koukoutsis, J. & El-Khoury, A. (2004). Shelf Life and Safety Concerns of Bakery Products—A Review, *Critical Reviews in Food Science and Nutrition*, 44:1, 19-55, DOI:10.1080/10408690490263774
- Lavermicocca, P., Valerio, F., & Visconti, A. (2003). Antifungal Activity of Phenyllactic Acid against Molds Isolated from Bakery Products. *Applied and Environmental Microbiology*, 69(1), 634–640. doi: 10.1128/aem.69.1.634-640.2003
- Legan, J., & Voysey, P. (1991). Yeast spoilage of bakery products and ingredients. *Journal of Applied Bacteriology*, 70(5), 361-371. doi:10.1111/j.1365-2672.1991.tb02950.x
- Legan, J. (1993). Mould spoilage of bread: the problem and some solutions. *International Biodeterioration & Biodegradation*, 32(1-3), 33–53. doi: 10.1016/0964-8305(93)90038-4
- Lombard, G., Weinert, I., Minnaar, A., & Taylor, J. (2000). Preservation of South African Steamed Bread Using Hurdle Technology. *LWT - Food Science and Technology*, 33(2), 138–143. doi: 10.1006/fstl.1999.0626
- Lück, E. (1990). Food applications of sorbic acid and its salts. *Food Additives and Contaminants*, 7(5), 711-715. doi:10.1080/02652039009373936
- Marin, S., Guynot, M., Sanchis, V., Arbones, J., & Ramos, A. (2002). *Aspergillus Flavus*, *Aspergillus Niger*, and *Penicillium Corylophilum* Spoilage Prevention of Bakery Products by Means of Weak-Acid Preservatives. *Journal of Food Science*, 67(6), 2271–2277. doi: 10.1111/j.1365-2621.2002.tb09539.x
- Mohammadzadeh-Aghdash, H., Sohrabi, Y., Mohammadi, A., Shanebandi, D., Dehghan, P., & Dolatabadi, J. E. N. (2018). Safety assessment of sodium acetate, sodium diacetate and potassium sorbate food additives. *Food Chemistry*, 257, 211–215. doi: 10.1016/j.foodchem.2018.03.020
- Moore, D., Robson, G. D., & Trinci, A. P. (2020). 21st century guidebook to fungi. Cambridge, United Kingdom: Cambridge University Press.
- Ningsih, S. (2005). Pengaruh Substitusi Tepung Bayam Pada Pembuatan Kue Bolu Kukus Terhadap Citarasa Dan Kadar Fe (Bachelor's thesis, Universitas Sumatera Utara, Medan, Indonesia). Retrieved from <http://repository.usu.ac.id/handle/123456789/33062>
- Nisviaty, A. (2006). Pemanfaatan Tepung Ubi Jalar (*Ipomoea batatas* L.) Klon BB00105.10 sebagai Bahan Dasar Produk Olahan Kukus serta Evaluasi Mutu Gizi dan Indeks Glikemiknya (Bachelor's thesis, Institut Pertanian Bogor, Bogor, Indonesia). Retrieved from <https://repository.ipb.ac.id/handle/123456789/45970>

- Noer, S. W. M., Wijaya, M., & Kadirman. (2017). PEMANFAATAN TEPUNG UBI JALAR (*Ipomea Batatas* L) BERBAGAI VARIETAS SEBAGAI BAHAN BAKU PEMBUATAN KUE BOLU KUKUS. *Jurnal Pendidikan Teknologi Pertanian*, 3, 60–71.
- Noviawati, D. A. S., Bintari, N. W. D., Sudiari, M. (2018). Standard plate count, yeast and mold plate count of traditional steamed cake after 3 days of storage. *Bali Medika Jurnal*, Vol 5(2), 257–264. doi: 10.36376/bmj.v5i2.41
- Orbit Biotech (2018). Bacterial Growth Curve. Obtained from <https://orbitbiotech.com/bacterial-growth-curve-generation-time-lag-phase-log-phase-exponential-phase-decline-phase/>
- Pillai, P., & Ramaswamy, K. (2011). Effect of naturally occurring antimicrobials and chemical preservatives on the growth of *Aspergillus Parasiticus*. *Journal of Food Science and Technology*, 49(2), 228–233. doi:10.1007/s13197-011-0275-6
- Plumridge, A., Hesse, S. J. A., Watson, A. J., Lowe, K. C., Stratford, M., & Archer, D. B. (2004). The Weak Acid Preservative Sorbic Acid Inhibits Conidial Germination and Mycelial Growth of *Aspergillus niger* through Intracellular Acidification. *Applied and Environmental Microbiology*, 70(6), 3506–3511. doi: 10.1128/aem.70.6.3506-3511.2004
- Pranoto, Y., Rakshit, S., & Salokhe, V. (2005). Enhancing antimicrobial activity of chitosan films by incorporating garlic oil, potassium sorbate and nisin. *LWT - Food Science and Technology*, 38(8), 859–865. doi:10.1016/j.lwt.2004.09.014
- Ramadhani, Z. O., Dwiloka, B., & Pramono, Y. B. (2019). Pengaruh Substitusi Tepung Terigu Dengan Tepung Pisang Kepok (*Musa Acuminata* L.) terhadap Kadar Protein, Kadar Serat, Daya Kembang, dan Mutu Hedonik Bolu Kukus. *Jurnal Teknologi Pangan*, 3(1), 80–85.
- Reps, A., Jędrychowski, L., Tomasik, J., and Wiśniewska, K. (2002). Natamycin in ripening cheese. *Pakistan Journal of Nutrition*, 1(5), 243–247
- Rosell, C. M. (2016). Bread and its fortification: Nutrition and health benefits. Boca Raton: CRC Press.
- Sahi, S. S., & Alava, J. M. (2003). Functionality of emulsifiers in sponge cake production. *Journal of the Science of Food and Agriculture*, 83(14), 1419–1429. doi: 10.1002/jsfa.1557
- Sang, W., Shao, X., & Jin, Z. T. (2014). Texture Attributes, Retrogradation Properties and Microbiological Shelf Life of Instant Rice Cake. *Journal of Food Processing and Preservation*, 39(6), 1832–1838. doi: 10.1111/jfpp.12418
- Saranraj, P., & Geetha, M. (2012). Microbial Spoilage of Bakery Products and Its Control by Preservatives. *International Journal of Pharmaceutical & Biological Archives*, 3(1), 38–48.
- Sautour, M., Dantigny, P., Guilhem, M., & Bensoussan, M. (2003). Influence of inoculum preparation on the growth of *Penicillium chrysogenum*. *Journal of Applied Microbiology*, 95(5), 1034–1038. doi:10.1046/j.1365-2672.2003.02073.x
- Selcuk, M., Oksuz, L., & Basaran, P. (2008). Decontamination of grains and legumes infected with *Aspergillus* spp. and *Penicillium* spp. by cold plasma treatment. *Bioresource Technology*, 99(11), 5104–5109. doi: 10.1016/j.biortech.2007.09.076
- Sheng, Q., Guo, X.-N., & Zhu, K.-X. (2015). The Effect of Active Packaging on Microbial Stability and Quality of Chinese Steamed Bread. *Packaging Technology and Science*, 28(9), 775–787. doi: 10.1002/pts.2138
- Sinaga, H. (2009). PENGETAHUAN, SIKAP DAN TINDAKAN GURU SEKOLAH DASAR TERHADAP MAKANAN YANG MENGANDUNG BAHAN TAMBAHAN PANGAN DAN BAHAN KIMIA BERBAHAYA PADA SEKOLAH DASAR DI KELURAHAN LABUHAN DELI KECAMATAN MEDAN MARELAN. (Bachelor's thesis, Universitas Sumatera Utara, Medan, Indonesia). Retrieved from <http://repository.usu.ac.id/handle/123456789/14645>
- Singh, P., Wani, A. A., & Saengerlaub, S. (2011). Active packaging of food products: recent trends. *Nutrition & Food Science*, 41(4), 249–260. doi: 10.1108/00346651111151384
- Smid, E. J., & Gorris, L. G. (2020). Natural Antimicrobials for Food Preservation. *Handbook of Food Preservation*, 283–298. doi:10.1201/9780429091483-21
- Smith, J., & Hong-Shum, L. (2011). *Food additives data book*. Chichester, West Sussex: Wiley-Blackwell.

- SNI (2009). Batas maksimum cemaran mikroba dalam pangan. Retrieved from <https://www.bsn.go.id/>
- Sofos, J. N., & Busta, F. F. (1981). Antimicrobial Activity of Sorbate. *Journal of Food Protection*, 44(8), 614–622. doi: 10.4315/0362-028x-44.8.614
- Steels, H., James, S. A., Roberts, I. N., & Stratford, M. (2000). Sorbic acid resistance: The inoculum effect. *Yeast*, 16(13), 1173-1183. doi:10.1002/1097-0061(20000930)16:133.0.co;2-8
- Springer V. (2013). Principles and Applications of Modified Atmosphere Packaging of Foods.
- Tournas, V. (1994). Heat-Resistant Fungi of Importance to the Food and Beverage Industry. *Critical Reviews in Microbiology*, 20(4), 243-263. doi:10.3109/10408419409113558
- Trinata, A. P., Hinoto, A., & Bintoro, V. P. (2016). Karakteristik Bolu Kukus yang Dibuak dengan Menggunakan Freeze Dried Egg (Bachelor's thesis, Universitas Diponegoro, Semarang, Indonesia). Retrieved from <http://eprints.undip.ac.id/52309/>
- USDA (2002). Potassium sorbate. CFNP TAP Review
- Ventour, L. (2008). The food we waste, Food waste Report V2. ISBN: 1844053830. URL <http://library.wur.nl/WebQuery/clc/1944512>
- Wheeler, K. A., B. F. Hurdman, and J. I. Pitt. (1991). Influence of pH on the growth of some toxigenic species of *Aspergillus*, *Penicillium* and *Fusarium*. *Int. J. Food Microbiol.* 12:141–149.
- Wipradnyadewi, P. A. S., Jambe, A. A. G. N. A., Puspawati, G. D., Ina, P. T., Yusa, N. M., & Yusasrini, N. L. A. (2016). Kajian perbandingan tepung Ubi Jalar Kuning (*Ipomoea batatas* L) dan Tepung Terigu terhadap Karakteristik Bolu Kukus. *Jurnal Ilmiah Teknologi Pertanian Agrotechno*, 1(1), 32–36.