

## References

- Abuin E et al. (2002). Uric acid reaction with DPPH radicals at the micellar interface. *Boletin de la Sociedad Chilena de Quimica*, 47, 145-149.
- Adewuyi A, Fasusi OH, Odorinde RA. (2014). Antibacterial activities of acetonides prepared from the seed oils of Calophyllum inophyllum and Pterocarpus osun. *J Acute Med*, 4:75–80.
- Ahn, K. (2014). The role of air pollutants in atopic dermatitis. *Journal of Allergy and Clinical Immunology*, 134(5), 993–999
- Alesiani, D., Canini, A., D'Abrosca, B., DellaGreca, M., Fiorentino, A., Mastellone, C., ... Pacifico, S. (2010). *Antioxidant and antiproliferative activities of phytochemicals from Quince (Cydonia vulgaris) peels. Food Chemistry*, 118(2), 199–207.
- Alfonso Pompella, Athanase Visvikis, Aldo Paolicchi, Vincenzo De Tata, Alessandro F Casini. (2003). The changing faces of glutathione, a cellular protagonist. *Biochemical Pharmacology*, 66, 1499–503.
- Amalia Kartika, Ika and Cerny, Muriel and Vandebossche, Virginie and Rigal, Luc and Sablayrolles, Caroline and Vialle, Claire and Suparno, O. and Ariono, Danu and Evon (2018). Philippe Direct Calophyllum oil extraction and resin separation with a binary solvent of nhexane and methanol mixture. *Fuel*, vol. 221. pp. 159-164
- Ansel, J.-L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J.-F., Ho, R., ... Pichon, C. (2016). Biological Activity of Polynesian Calophyllum inophyllum Oil Extract on Human Skin Cells. *Planta Medica*, 82(11/12), 961–966
- Ansel JL, Lupo E, Mijouin L, et al. 2016. Biological activity of Polynesian Calophyllum inophyllum oil extract on human skin cells. *Planta Medica*, 82(11–12), 961–966.
- Bae, S., Lee, E.-J., Lee, J. H., Park, I.-C., Lee, S.-J., Hahn, H. J., ... Cha, H. J. (2013). *Oridonin protects HaCat keratinocytes against hydrogen peroxide-induced oxidative stress by altering microRNA expression. International Journal of Molecular Medicine*, 33(1), 185–193
- Baroni, A., Buommino, E., De Gregorio, V., Ruocco, E., Ruocco, V., & Wolf, R. (2012). Structure and function of the epidermis related to barrier properties. *Clinics in dermatology*, 30(3), 257-262.
- Barton M, Sidbury R. (2015). Advances in understanding and managing atopic dermatitis. *F1000Res*
- Bezwada, R. S. (2008). Chemistry of Coumarins. *Indofine Chemical Company*.
- Biswas S, Roy S, Banerjee J, et al. (2010). Hypoxia inducible microRNA 210 attenuates keratinocyte proliferation and impairs closure in a murine model of ischemic wounds. *Proc Natl Acad Sci*, 107, 6976-6981.
- Birben, E., Sahiner, U. M., Sackesen, C., Erzurum, S., & Kalayci, O. (2012). Oxidative stress and antioxidant defense. *The World Allergy Organization journal*, 5(1), 9–19.
- Bohme M, Kull I, Bergstrom A, et al. (2010). Parental smoking increases the risk for eczema with sensitization in 4-year-old children. *J Allergy Clin Immunol*, 125, 941–943
- Brown SJ & McLean WH. (2012). One remarkable molecule: filaggrin. *J Invest Dermatol*, 132, 751–62
- Brennan ML, Wu W, Fu X, Shen Z, Song W, et al. (2002). A tale of two controversies: defining both the role of peroxidases in nitrotyrosine formation in vivo using eosinophil peroxidase and myeloperoxidase deficient mice, and the nature of peroxidase-generated reactive nitrogen species. *J Biol Chem*, 277, 17415–17427.
- Brunner PM, Silverberg JI, Guttman-Yassky E, et al. (2017). Increasing comorbidities suggest that atopic dermatitis is a systemic disorder. *J Invest Dermatol*, 137, 18–25
- Cassien, M., Mercier, A., Thétiot-Laurent, S., Culcasi, M., Ricquebourg, E., Asteian, A., Herbette, G., et al. (2021). Improving the Antioxidant Properties of Calophyllum inophyllum Seed Oil from French Polynesia: Development and Biological Applications of Resinous Ethanol-Soluble Extracts. *Antioxidants*, 10(2), 199.
- Chang YS & Chiang BL. (2016). Mechanism of sleep disturbance in children with atopic dermatitis and the role of the circadian rhythm and melatonin. *Int J Mol Sci*, 17, 462.
- Chiesa Fuxench, Z. C. (2017). Atopic Dermatitis: Disease Background and Risk Factors. *Management of Atopic Dermatitis*, 11–19.

- Cho AK, Sioutas C, Miguel AH, Kumagai Y, Schmitz DA, et al. (2005). Redox activity of airborne particulate matter at different sites in the Los Angeles Basin. *Environ Res*, 99, 40–47.
- Codorniu-Hernández, E., Rolo-Naranjo, A., & Montero-Cabrera, L. A. (2007). Theoretical affinity order among flavonoids and amino acid residues: An approach to understand flavonoid–protein interactions. *Journal of Molecular Structure: THEOCHEM*, 819(1-3), 121-129.
- Cork MJ, et al. (2009). Epidermal barrier dysfunction in atopic dermatitis. *J Invest Dermatol*, 129(8):1892–908.
- Couto, Narciso, et al. (2013). Partition and Turnover of Glutathione Reductase from *Saccharomyces cerevisiae*: a Proteomic Approach. *Journal of Proteome Research*, 12, 2885–2894.
- Crane S, Aurore G, Joseph H, Mouloougui Z, Bourgeois P. (2005). Composition of fatty acids triacylglycerols and unsaponifiable matter in *Calophyllum calaba* L. oil from Guadeloupe. *Phytochemistry*;66:1821–31.
- D'Angelo, S., La Porta, R., Napolitano, M., Galletti, P., Quagliuolo, L., & Boccellino, M. (2012). *Effect of Annurca Apple Polyphenols on Human HaCaT Keratinocytes Proliferation*. *Journal of Medicinal Food*, 15(11).
- David Boothe, W., Tarbox, J. A., & Tarbox, M. B. (2017). Atopic Dermatitis: Pathophysiology. *Management of Atopic Dermatitis*, 21–37.
- Davies, Michael J. and Dean, Roger T. (1997). Radical-Mediated Protein Oxidation: From Chemistry to Medicine, *Oxford University Press*.
- de Torre MP, Cavero RY, Calvo MI, Vizmanos JL. (2019). A Simple and a Reliable Method to Quantify Antioxidant Activity In Vivo. *Antioxidants*, 8(5), 142.
- Dias, V., Junn, E., & Mouradian, M. M. (2013). The role of oxidative stress in Parkinson's disease. *Journal of Parkinson's disease*, 3(4), 461-491.
- Dweck AC, Meadows T. 2002. Tamanu (*Calophyllum inophyllum*) – the African, Asian, Polynesian and Pacific Panacea. *Int J Cosmetic Sci*, 24 (6), 341–348.
- Ebrahimzadeh, M.A. & Bahramian, F. (2009). Antioxidant activity of *Crataegus pentagona* subsp. *elburensis* fruits extracts used in traditional medicine in Iran. *Pakistan Journal of Biological Sciences*, 12(5), 413–419
- Egawa G & Kabashima K. (2016). Multifactorial skin barrier deficiency and atopic dermatitis: essential topics to prevent the atopic march. *J Allergy Clin Immunol* , 138(1), 350–358
- Eichenfield LFM, et al. (2016). Assessing the new and emerging treatments for atopic dermatitis. *Semin Cutan Med Surg*, 35(5), 92–96.
- Eichenfield LF, Tom WL, Chamlil SL, et al. (2014). Guidelines of care for the management of atopic dermatitis: section 1. Diagnosis and assessment of atopic dermatitis. *J Am Acad Dermatol*, 70, 338-351
- Ekholm IE, Brattsand M, Egelrud T. (2000). Stratum corneum tryptic enzyme in normal epidermis: a missing link in the desquamation process? *J Invest Dermatol* ,114(1), 56–63.
- El-Agami A, Lowe GM, McGarvey DJ, Mortensen A, Phillip DM, Truscott TG. (2004). Carotenoid radical chemistry and antioxidant/pro-oxidant properties. *Arch Biochem Biophys*, 430, 37–48.
- Elias PM, et al. (2002). Modulations in epidermal calcium regulate the expression of differentiationspecific markers. *J Invest Dermatol*, 119(5), 1128–1136
- Esparza-Gordillo J, Matanovic A, Marenholz I, et al. (2015). Maternal filaggrin mutations increase the risk of atopic dermatitis in children: an effect independent of mutation inheritance. *PLoS Genet*
- Fallon PG, Sasaki T, Sandilands A, et al. (2009). A homozygous frameshift mutation in the mouse Flg gene facilitates enhanced percutaneous allergen priming. *Nat Genet*, 41, 602 - 608
- Favarro E, Ramachandran A, McCormick R, et al. (2010). microRNA-210 regulates mitochondrial free radical response to hypoxia and krebs cycle in cancer cells by targeting iron sulfur cluster protein ISCU. *PLoS One*, 5, 10345
- Fitzpatrick AM, Teague WG, Holguin F, Yeh M, Brown LA. (2009). Severe Asthma Research Program. Airway glutathione homeostasis is altered in children with severe asthma: evidence for oxidant stress. *J Allergy Clin Immunol*, 123, 146–152.

- Furue M, et al. (2017). Atopic dermatitis: immune deviation, barrier dysfunction, IgE autoreactivity and new therapies. *Allergol Int*, 66(3), 398–403.
- Furue, M., Takahara, M., Nakahara, T., and Uchi, H. (2014). Role of AhR/ARNT system in skin homeostasis. *Archives of Dermatological Research*, 306(9), 769–779
- Francenia Santos-Sánchez, N., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant Compounds and Their Antioxidant Mechanism. *Antioxidants*
- Gandhi, N. A., Bennett, B. L., Graham, N. M., Pirozzi, G., Stahl, N., & Yancopoulos, G. D. (2016). Targeting key proximal drivers of type 2 inflammation in disease. *Nature reviews. Drug discovery*, 15(1), 35–50.
- Gittler JK, et al. (2012). Progressive activation of T(H)2/T(H)22 cytokines and selective epidermal proteins characterizes acute and chronic atopic dermatitis. *J Allergy Clin Immunol*, 130(6), 1344–54.
- Gupta D. (2015). Methods for Determination of Antioxidant Capacity: A Review. *Int J Pharm Sci Res*, 6(2), 546-66
- Halliwell B, Gutteridge JMC. (1999). Free Radicals in Biology and Medicine. *Oxford University Press*, 3
- Hänel, K. H., Cornelissen, C., Lüscher, B., & Baron, J. M. (2013). Cytokines and the skin barrier. *International journal of molecular sciences*, 14(4), 6720-6745.
- Harding C, Rawlings A. (2005). Effects of natural moisturizing factor and lactic acid isomers on skin function. In: Dry skin and moisturizers. *Boca Raton: CRC Press*, 187–209.
- Hayyan, M., Hashim, M. A., & AlNashef, I. M. (2016). *Superoxide Ion: Generation and Chemical Implications. Chemical Reviews*, 116(5), 3029–3085.
- He, L., He, T., Farrar, S., Ji, L., Liu, T., & Ma, X. (2017). Antioxidants Maintain Cellular Redox Homeostasis by Elimination of Reactive Oxygen Species. *Cellular physiology and biochemistry : international journal of experimental cellular physiology, biochemistry, and pharmacology*, 44(2), 532–553.
- Hengge UR, Ruzicka T, Schwartz RA, Cork MJ. (2006). Adverse effects of topical glucocorticosteroids. *J Am Acad Dermatol*, 54, 1–15.
- Hildebrand J, Rutze M, Walz N, et al. (2011). A comprehensive analysis of microRNA expression during human keratinocyte differentiation in vitro and in vivo. *J Invest Dermatol*, 131, 20-29
- Hsu CK, Akiyama M, Nemoto-Hasebe I, et al. (2009). Analysis of Taiwanese ichthyosis vulgaris families further demonstrates differences in FLG mutations between European and Asian populations. *Br J Dermatol*, 161, 448-451
- Huang DJ, Ou BX, Prior RL. (2005). The chemistry behind antioxidant capacity assays. *J Agric Food Chem*, 53, 1841-1856.
- Ichihara A, Jinnin M, Yamane K, et al. (2011). microRNA-mediated keratinocyte hyperproliferation in psoriasis vulgaris. *Br J Dermatol*, 165: 1003-1010
- Irvine AD & McLean WH. (2006). Breaking the (un)sound barrier: filaggrin is a major gene for atopic dermatitis. *J Invest Dermatol*, 126, 1200-1202
- Jansen, K. L., Larson, T. V., Koenig, J. Q., Mar, T. F., Fields, C., Stewart, J., & Lippmann, M. (2005). Associations between health effects and particulate matter and black carbon in subjects with respiratory disease. *Environmental health perspectives*, 113(12), 1741-1746.
- Ji, H., & Li, X.-K. (2016). *Oxidative Stress in Atopic Dermatitis. Oxidative Medicine and Cellular Longevity*, 2016, 1–8.
- Kaufman BP, Guttman-Yassky E, Alexis AF. (2018). Atopic dermatitis in diverse racial and ethnic groups- variations in epidemiology, genetics, clinical presentation and treatment. *Exp Dermatol*, 27, 340–57.
- Keles, F. F., Pandaleke, H. E. J., Mawu, F. O. (2016). Profil Dermatitis Atopic pada Anak di Poliklinik Kulit dan Kelamin RSUP Prof. Dr. R. D. Kandou Manado Periode Januari 2013 - Desember 2015. *Jurnal e-Clinic (eCl)*, 4(2).
- Khilam C. 2004. Tamanu oil, a tropical remedy. *American Herbal Gram*, 63, 26–31.
- Kinnula VL. (2005). Production and degradation of oxygen metabolites during inflammatory states in the human lung. *Curr Drug Targets Inflamm Allergy*, 4, 465–470

- Kirkman HN, Rolfo M, Ferraris AM, Gaetani GF. (1999). Mechanisms of protection of catalase by NADPH: Kinetics and stoichiometry. *J Biol Chem*, 274, 13908–13914.
- Koh, H. L., Tan, C. H., & Chua, T. K. (2009). *Guide To Medicinal Plants, A: An Illustrated Scientific And Medicinal Approach*. World Scientific.
- Kolb, L., Ferrer-Bruker. S. J. (2020). Atopic Dermatitis. *Stat Pearls Publishing*.
- Korkina, L. G., & Afanas'ev, I. B. (1997). Antioxidant and chelating properties of flavonoids. *Advances in pharmacology* , 38, 151–163.
- Kraft M, Worm M. (2017). Dupilumab in the treatment of moderate-to-severe atopic dermatitis. *Expert Rev Clin Immunol*, 13(4), 301–310.
- Kulcharyk PA, Heinecke JW. (2001). Hypochlorous acid produced by the myeloperoxidase system of human phagocytes induces covalent cross-links between DNA and protein. *Biochemistry*, 40, 3648–3656.
- Kulesz-Martin, M., Gallegos, J. R., & Liu, Y. (2010). Multistage Carcinogenesis: Cell and Animal Models. *Comprehensive Toxicology*, 11–33
- Kruk, J., and Duchnik, E. (2014). Oxidative stress and skin diseases: possible role of physical activity. *Asian Pacific Journal of Cancer Prevention*, 15(2), 561-568
- Kumar, S., & Pandey, A. K. (2013). Chemistry and biological activities of flavonoids: an overview. *The scientific world journal*.
- Kuznik A, Bego-Le-Bagousse G, Eckert L, et al. (2017). Economic evaluation of dupilumab for the treatment of moderate-to-severe atopic dermatitis in adults. *Dermatol Ther (Heidelb)*, 7, 493–505.
- Kypriotou M, Huber M, Hohl D. (2012). The human epidermal differentiation complex: cornified envelope precursors, S100 proteins and the ‘fused genes’ family. *Exp Dermatol*, 21, 643-649
- Lacy, A., & O'Kennedy, R. (2004). Studies on coumarins and coumarin-related compounds to determine their therapeutic role in the treatment of cancer. *Current pharmaceutical design*, 10(30), 3797-3811.
- Lambers, H., Piessens, S., Bloem, A., Pronk, H., & Finkel, P. (2006). Natural skin surface pH is on average below 5, which is beneficial for its resident flora. *International journal of cosmetic science*, 28(5), 359–370.
- Lang, F., Busch, G. L., Ritter, M., Volkl, H., Waldegger, S., Gulbins, E., & Haussinger, D. (1998). Functional Significance of Cell Volume Regulatory Mechanisms. *Physiological Reviews*, 78(1), 247–306.
- Laure, F., Raharivelomanana, P., Butaud, J. F., Bianchini, J. P., & Gaydou, E. M. (2008). Screening of anti-HIV-1 inophyllums by HPLC-DAD of *Calophyllum inophyllum* leaf extracts from French Polynesia Islands. *Analytica chimica acta*, 624(1), 147-153.
- Léguillier, T., Lecsö-Bornet, M., Lémus, C., Rousseau-Ralliard, D., Lebouvier, N., Hnawia, E., Nour, M., Aalbersberg, W., Ghazi, K., Raharivelomanana, P., & Rat, P. (2015). The Wound Healing and Antibacterial Activity of Five Ethnomedical *Calophyllum inophyllum* Oils: An Alternative Therapeutic Strategy to Treat Infected Wounds. *PloS one*, 10(9), e0138602. <https://doi.org/10.1371/journal.pone.0138602>
- Leksono, B., Hendrati, R. L., Windyarini, E., & Hasnah, T. (2014). Variation in Biofuel Potential of Twelve *Calopyllum Inophyllum* Populations in Indonesia. *Indonesian Journal of Forestry Research*, 1(2), 127-138.
- Leu T, Soulet S, Teai T, Gicquel A, Bianchini JP, Raharivelomanana P. (2008). Characterization of cosmetic raw material “Tamanu oil” from French Polynesia: physical and chemical properties, chemical composition and bioactivity. *Planta Med*, 74
- Li, H., Zuo, J., & Tang, W. (2018). Phosphodiesterase-4 Inhibitors for the Treatment of Inflammatory Diseases. *Frontiers in pharmacology*, 9, 1048.
- Liochev SI, Fridovich I. (2002). The Haber–Weiss cycled70 years later: an alternative view. *Redox Rep*, 7, 55–57.

- Liu Z, Liu J, Segura MF, et al. (2012). MiR-182 overexpression in tumourigenesis of high-grade serous ovarian carcinoma. *J Pathol*, 228, 204-215
- Liu, L., Xie, H., Chen, X., Shi, W., Xiao, X., Lei, D., & Li, J. (2012). Differential response of normal human epidermal keratinocytes and HaCaT cells to hydrogen peroxide-induced oxidative stress. *Clinical and Experimental Dermatology*, 37(7), 772–780
- Margolis DJ, Apter AJ, Gupta J, et al. (2012). The persistence of atopic dermatitis and filaggrin (FLG) mutations in a US longitudinal cohort. *J Allergy Clin Immunol*, 130, 912-917
- Margolis DJ, Gupta J, Apter AJ, et al. (2014). Exome sequencing of filaggrin and related genes in African-American children with atopic dermatitis. *J Invest Dermatol*, 134, 2272-2274
- Martín, M. A., Serrano, A. B., Ramos, S., Pulido, M. I., Bravo, L., & Goya, L. (2010). Cocoa flavonoids up-regulate antioxidant enzyme activity via the ERK1/2 pathway to protect against oxidative stress-induced apoptosis in HepG2 cells. *The Journal of nutritional biochemistry*, 21(3), 196–205.
- Masella R, Di Benedetto R, Vari R, Filesi C, Giovannini C. (2005). Novel mechanisms of natural antioxidant compounds in biological systems: involvement of glutathione and glutathione-related enzymes. *J Nutr Biochem*, 16, 577–586
- McLean WH. (2016). Filaggrin failure—from ichthyosis vulgaris to atopic eczema and beyond. *Br J Dermatol*, 175(2), 4–7.
- Miajlovic H, Fallon PG, Irvine AD, Foster TJ. (2010). Effect of filaggrin breakdown products on growth of and protein expression by *Staphylococcus aureus*. *J Allergy Clin Immunol*, 126, 1184– 1190
- Milovanovic, M., Drozdenko, G., Weise, C., Babina, M., & Worm, M. (2010). Interleukin-17A promotes IgE production in human B cells. *The Journal of investigative dermatology*, 130(11), 2621–2628
- Nakajima S, et al. (2012). Langerhans cells are critical in epicutaneous sensitization with protein antigen via thymic stromal lymphopoietin receptor signaling. *J Allergy Clin Immunol*, , 129(4), 1048–55
- Ndiaye, M. A., Nihal, M., Wood, G. S., and Ahmad, N. (2014). Skin, reactive oxygen species, and circadian clocks. *Antioxidants and Redox Signaling*, 20(18), 2982–2996
- Nijveldt, R. J., van Nood, E., van Hoorn, D. E., Boelens, P. G., van Norren, K., & van Leeuwen, P. A. (2001). Flavonoids: a review of probable mechanisms of action and potential applications. *The American journal of clinical nutrition*, 74(4), 418–425.
- Niles RM. (2004). Signaling pathways in retinoid chemoprevention and treatment of cancer. *Mutat Res*, 555, 81–96.
- Njenga, P.K. & Mugo, S.M.. (2020). Chemical composition, antioxidant potential and antimicrobial activities of *Ixora scheffleri* subspecies *keniensis* essential oil. *Journal of Medicinal Plants for Economic Development*, 4(1), 58.
- Nutten, S. (2015). Atopic Dermatitis: Global Epidemiology and Risk Factors. *Annals of Nutrition and Metabolism*, 66(1), 8–16.
- Ojah, E.O., Moronkola, D.O. & Osamudiamen, P.M.. (2020). Antioxidant assessment of characterised essential oils from *Calophyllum inophyllum* Linn using 2,2-diphenyl-1-picrylhydrazyl and hydrogen peroxide methods. *Journal of Medicinal Plants for Economic Development*, 4(1), a83.
- Ong PY & Leung DY. (2016). Bacterial and viral infections in atopic dermatitis: a comprehensive review. *Clin Rev Allergy Immunol*, 51, 329-337
- Ong, H. C., Masjuki, H. H., Mahlia, T. M. I., Silitonga, A. S., Chong, W. T., & Leong, K. Y. (2014). Optimization of biodiesel production and engine performance from high free fatty acid *Calophyllum inophyllum* oil in CI diesel engine. *Energy Conversion and Management*, 81, 30-40.
- Oo, Win Min. (2018). Pharmacological Properties of *Calophyllum inophyllum* – Updated Review. *International Journal of Photochemistry and Photobiology*, 2(1), 28-32.
- Pacher P, Beckman JS, Liaudet L. (2007). Nitric oxide and peroxynitrite in health and disease. *Physiol Rev*, 87, 315-424.
- Paller, A., Jaworski, J. C., Simpson, E. L., Boguniewicz, M., Russell, J. J., Block, J. K., Tofte, S., Dunn, J. D., Feldman, S. R., Clark, A. R., Schwartz, G., & Eichenfield, L. F. (2018). Major Comorbidities of

- Atopic Dermatitis: Beyond Allergic Disorders. *American journal of clinical dermatology*, 19(6), 821–838.
- Palmer CN, Irvine AD, Terron-Kwiatkowski A, et al. (2006). Common loss-of-function variants of the epidermal barrier protein filaggrin are a major predisposing factor for atopic dermatitis. *Nat Genet*, 38, 441–446.
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: an overview. *Journal of nutritional science*, 5, 47
- Panduru M, Salavastru CM, Panduru NM, Tiplica GS. (2014). Birth weight and atopic dermatitis: systematic review and meta-analysis. *Acta Dermatovenerol Croat.* , 22, 91–96
- Papathomou E, Triga M, Fouzas S, Dimitriou G. (2016). Cesarean section delivery and development of food allergy and atopic dermatitis in early childhood. *Pediatr Allergy Immunol*, 27, 419–424
- Pastore, S., Mascia, F., & Girolomoni, G. (2006). The contribution of keratinocytes to the pathogenesis of atopic dermatitis. *European journal of dermatology : EJD*, 16(2), 125–131.
- Paternoster L, et al. (2011). Meta-analysis of genome-wide association studies identifies three new risk loci for atopic dermatitis. *Nat Genet*, 44(2), 187–92. 55.
- Pelucchi C, Galeone C, Bach JF, La Vecchia C, Chatenoud L. (2013). Pet exposure and risk of atopic dermatitis at the pediatric age: a meta-analysis of birth cohort studies. *J Allergy Clin Immunol*, 132(7), 616–622
- Peng, L., Wang, B., & Ren, P. (2005). Reduction of MTT by flavonoids in the absence of cells. *Colloids and Surfaces B: Biointerfaces*, 45(2), 108-111
- Perkin MR, Craven J, Logan K, et al. (2016). Association between domestic water hardness, chlorine, and atopic dermatitis risk in early life: a population-based cross-sectional study. *J Allergy Clin Immunol*, 138, 509–516
- Prabakaran, K., & Britto, S. J. (2012). Biology, agroforestry and medicinal value of *Calophyllum inophyllum* L.(clusiaceae): A review. *International Journal of Natural Products Research*, 1(2), 24-33.
- Raharivelomanana, P., Ansel, J.-L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J.-F., ... Pichon, C. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. *OC*
- Rai, Y., Pathak, R., Kumari, N. et al. (2018). Mitochondrial biogenesis and metabolic hyperactivation limits the application of MTT assay in the estimation of radiation induced growth inhibition. *Sci Rep* 8, 1531
- Ransy, Céline et al. (2020). "Use of H<sub>2</sub>O<sub>2</sub> to Cause Oxidative Stress, the Catalase Issue." International journal of molecular sciences vol. 21,23 9149.
- Rebane A, et al. (2012). Mechanisms of IFN-gamma-induced apoptosis of human skin keratinocytes in patients with atopic dermatitis. *J Allergy Clin Immunol*, 129(5), 1297–1306.
- Roesner LM, et al. (2016). Alpha-NAC-specific autoreactive CD8+ T cells in atopic dermatitis are of an effector memory type and secrete IL-4 and IFN-gamma. *J Immunol*, 196(8), 3245–3252.
- Rojkind, M., Domínguez-Rosales, J.-A., Nieto, N., & Greenwel, P. (2002). Role of hydrogen peroxide and oxidative stress in healing responses. *Cellular and Molecular Life Sciences*, 59(11), 1872–1891.
- Safrina, U., Wardiyah, Murtini, G. (2020). Phytochemical Screening and Antioxidant Activity of Nyamplung Seed Oils (*Calophyllum inophyllum* L.). *SANITAS: Jurnal teknologi dan seni kesehatan*, 11(2), 256-268.
- Sahoo, S. S., Shukla, S., Nandy, S., & Sahoo, H. B. (2012). Synthesis of novel coumarin derivatives and its biological evaluations. *Eur. J. Exp. Biol*, 2(4), 899-908.
- Saito, A., Tanaka, H., Usuda et al. (2011). Characterization of skin inflammation induced by repeated exposure of toluene, xylene, and formaldehyde in mice. *Environmental Toxicology*, 26(3), 224-232
- Segura MF, Hanniford D, Menendez S, et al. (2009). Aberrant miR-182 expression promotes melanoma metastasis by repressing FOXO3 and microphthalmia-associated transcription factor. *Proc Natl Acad Sci*, 106, 1814-1819

- Seo, M. D., Kang, T. J., Lee, C. H., Lee, A. Y., & Noh, M. (2012). HaCaT Keratinocytes and Primary Epidermal Keratinocytes Have Different Transcriptional Profiles of Cornified Envelope-Associated Genes to T Helper Cell Cytokines. *Biomolecules & therapeutics*, 20(2), 171–176
- Silverberg JI & Silverberg NB. (2014). Childhood atopic dermatitis and warts are associated with increased risk of infection: a US population-based study. *J Allergy Clin Immunol*, 133, 1041
- Shoemaker, M., Cohen, I., & Campbell, M. (2004). Reduction of MTT by aqueous herbal extracts in the absence of cells. *Journal of ethnopharmacology*, 93(2-3), 381-384.
- Song, I. B., Gu, H., Han, H. J., Lee, N. Y., Cha, J. Y., Son, Y. K., & Kwon, J. (2018). Effects of 7-MEGA™ 500 on oxidative stress, inflammation, and skin regeneration in H 2 O 2-treated skin cells. *Toxicological research*, 34(2), 103-110.
- Spergel JM. (2010). From atopic dermatitis to asthma: the atopic march. *Ann Allergy Asthma Immunol*, 105, 99–106.
- Sticcozzi, S., Belmonte, G., Pecorelli, A., et al. (2012). Cigarette smoke affects keratinocytes SRB1 expression and localization via H2O2 production and HNE protein adducts formation. *PLoS ONE*, 7(3)
- Sugawara T, et al. (2013). Tight junction dysfunction in the stratum granulosum leads to aberrant stratum corneum barrier function in claudin-1-deficient mice. *J Dermatol Sci*, 70(1):12–18
- Stamatopoulos, K., Katsoyannos, E., & Chatzilazarou, A. (2014). *Antioxidant Activity and Thermal Stability of Oleuropein and Related Phenolic Compounds of Olive Leaf Extract after Separation and Concentration by Salting-Out-Assisted Cloud Point Extraction*. *Antioxidants*, 3(2), 229–244. doi:10.3390/antiox3020229
- Sundur, S., Shrivastava, B., Sharma, P., Raj, S. S., & Jayasekhar, V. L. (2014). A review article of pharmacological activities and biological importance of Calophyllum inophyllum. *International Journal of Advanced Research*, 2(12), 599-603.
- Susanto, D. F., Apamarta, H. W., Widjaja, A., & Gunawan, S. (2017). *Identification of phytochemical compounds in Calophyllum inophyllum leaves*. *Asian Pacific Journal of Tropical Biomedicine*, 7(9), 773–781. doi:10.1016/j.apjtb.2017.08.001
- Susanto, D. F., Apamarta, H. W., Widjaja, A., Firdaus, Gunawan, S. (2019). Calophyllum inophyllum: Beneficial Phytochemicals, Their Uses, and Identification, Phytochemicals in Human Health. *InTech Open*.
- Su, X. H., Zhang, M. L., Li, L. G., Huo, C. H., Gu, Y. C., & Shi, Q. W. (2008). Chemical constituents of the plants of the genus Calophyllum. *Chemistry & Biodiversity*, 5(12), 2579.
- Tam H, et al. (2016). Specific allergen immunotherapy for the treatment of atopic eczema. *Cochrane Database Syst Rev*
- Tamari M & Hirota T. (2014). Genome-wide association studies of atopic dermatitis. *J Dermatol*, 41(3), 213–20.
- Taylor-Robinson DC, Williams H, Pearce A, Law C, Hope S. (2016). Do early-life exposures explain why more advantaged children get eczema? Findings from the U.K. millennium cohort study. *Br J Dermatol*, 174, 569–578
- T. Liu and R.-R. Ji. (2012). Oxidative stress induces itch via activation of transient receptor potential subtype ankyrin 1 in mice. *Neuroscience Bulletin*, 28(2), 145–154
- Travers JB, et al. (2010). Infected atopic dermatitis lesions contain pharmacologic amounts of lipoteichoic acid. *J Allergy Clin Immunol*, 125(1), 146–152
- Tsakok T, Marrs T, Mohsin M, et al. (2016). Does atopic dermatitis cause food allergy? A systematic review. *J Allergy Clin Immunol*, 137, 1071-1078
- Uphoff E, Cabieses B, Pinart M, Valdes M, Anto JM, Wright J. (2015). A systematic review of socioeconomic position in relation to asthma and allergic diseases. *Eur Respir J*. 46, 364-374
- Valko M, Rhodes CJ, Moncol J, Izakovic M, Mazur M. (2006). Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chem Biol Interact*, 160, 1–40.

- van Tonder, A., Joubert, A.M. & Cromarty, A.D. (2015). Limitations of the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl-2H-tetrazolium bromide (MTT) assay when compared to three commonly used cell enumeration assays. *BMC Res Notes* 8, 47.
- Vaseva, A.V.; Moll, U.M. (2009). The mitochondrial p53 pathway. *BBA Bioenerg*, 1787, 414–420
- Wambre E, et al. (2014). Specific immunotherapy modifies allergen-specific CD4(+) T-cell responses in an epitope-dependent manner. *J Allergy Clin Immunol*, 133(3), 872–879
- Wang D & Beck LA. (2016). Immunologic targets in atopic dermatitis and emerging therapies: an update. *Am J Clin Dermatol*, 17, 425–43.
- Wang, P., Henning, S. M., & Heber, D. (2010). Limitations of MTT and MTS-based assays for measurement of antiproliferative activity of green tea polyphenols. *PloS one*, 5(4), 10202
- Warinphonhoun, S.; Muangnoi, C.; Buranasudja, V.; Mekboonsonglarp, W.; Rojsitthisak, P.; Likhitwitayawuid, K.; Sritularak, B. (2021). Antioxidant Activities and Protective Effects of Dendropachol, a New Bisbibenzyl Compound from *Dendrobium pachyglossum*, on Hydrogen Peroxide-Induced Oxidative Stress in HaCaT Keratinocytes. *Antioxidants*, 10, 252.
- Wegienka G, Havstad S, Joseph CL, et al. (2012). Racial disparities in allergic outcomes in African Americans emerge as early as age 2 years. *Clin Exp Allergy*, 42, 909–917.
- Wei, C. C., Yen, P. L., Chang, S. T., Cheng, P. L., Lo, Y. C., & Liao, V. H. (2016). Antioxidative Activities of Both Oleic Acid and Camellia *tenuifolia* Seed Oil Are Regulated by the Transcription Factor DAF-16/FOXO in *Caenorhabditis elegans*. *PloS one*, 11(6)
- Werfel T, et al. (2016). Cellular and molecular immunologic mechanisms in patients with atopic dermatitis. *J Allergy Clin Immunol*, 138(2), 336–349.
- Wood LG, Fitzgerald DA, Gibson PG, Cooper DM, Garg ML. (2000). Lipid peroxidation as determined by plasma isoprostanes is related to disease severity in mild asthma. *Lipids*, 35, 967-974
- Wright, R. J., Cohen, R. T. and Cohen, S. (2005). The impact of stress on the development and expression of atopy. *Current Opinion in Allergy and Clinical Immunology*, 5(1), 23–29
- Wullaert, A., Bonnet, M. C., and Pasparakis, M. (2011). NF- $\kappa$ B in the regulation of epithelial homeostasis and inflammation. *Cell Research*, 21(1), 146–158
- Wu, Z., Holwill, S. D. J., and Oliveira, D. B. G. (2004). Desferrioxamine modulates chemically induced T helper 2-mediated autoimmunity in the rat. *Clinical and Experimental Immunology*, 135(2), 194–199
- Xu N, Brodin P, Wei T, et al. (2011). MiR-125b, a microRNA downregulated in psoriasis, modulates keratinocyte proliferation by targeting FGFR2. *J Invest Dermatol*, 131: 1521-1529
- Xu F, Yan S, Zheng Q, et al. (2016). Residential risk factors for atopic dermatitis in 3- to 6-year old children: a cross-sectional study in shanghai, China. *Int J Environ Res Public Health*, 13(6), 537
- Yu J, Peng H, Ruan Q, Fatima A, Getsios S and Lavker RM. (2010). microRNA-205 promotes keratinocyte migration via the lipid phosphatase SHIP2. *FASEB J*, 24, 3950-3959.
- Yuki T, et al. (2013). Impaired tight junctions obstruct stratum corneum formation by altering polar lipid and profilaggrin processing. *J Dermatol Sci*, 69(2), 148–58.
- Yuki T, et al. (2016). Impaired tight junctions in atopic dermatitis skin and in a skin-equivalent model treated with interleukin-17. *PLoS One*, 11(9).
- Yimdjo, M. C., Azebaze, A. G., Nkengfack, A. E., Meyer, A. M., Bodo, B., & Fomum, Z. T. (2004). Antimicrobial and cytotoxic agents from *Calophyllum inophyllum*. *Phytochemistry*, 65(20), 2789–2795.
- Zanoni, T. B., Hudari, F., Munnia, A., Peluso, M., Godschalk, R. W., Zanoni, M. V. B., ... & de Oliveira, D. P. (2015). The oxidation of p-phenylenediamine, an ingredient used for permanent hair dyeing purposes, leads to the formation of hydroxyl radicals: Oxidative stress and DNA damage in human immortalized keratinocytes. *Toxicology letters*, 239(3), 194-204.
- Zelko IN, Mariani TJ, Folz RJ. (2002). Superoxide dismutase multigene family: a comparison of the CuZn-SOD (SOD1), Mn-SOD (SOD2), and EC-SOD (SOD3) gene structures, evolution, and expression. *Free Radic Biol Med*, 33, 337–349.