

## References

- Ahmad, T. A., Eweida, A. E., & Sheweita, S. A. (2016). B-cell epitope mapping for the design of vaccines and effective diagnostics. *Trials in Vaccinology*, 5, 71–83. <https://doi.org/10.1016/J.TRIVAC.2016.04.003>
- Albawi, S., Mohammed, T. A., & Al-Zawi, S. (2018). Understanding of a convolutional neural network. *Proceedings of 2017 International Conference on Engineering and Technology, ICET 2017, 2018-January*, 1–6. <https://doi.org/10.1109/ICENGTECHNOL.2017.8308186>
- Ali, F., El-Sappagh, S., Islam, S. M. R., Kwak, D., Ali, A., Imran, M., & Kwak, K. S. (2020). A smart healthcare monitoring system for heart disease prediction based on ensemble deep learning and feature fusion. *Information Fusion*, 63, 208–222. <https://doi.org/10.1016/J.INFFUS.2020.06.008>
- Avian, C., Mahali, M. I., Putro, N. A. S., Prakosa, S. W., & Leu, J. S. (2022). Fx-Net and PureNet: Convolutional Neural Network architecture for discrimination of Chronic Obstructive Pulmonary Disease from smokers and healthy subjects through electronic nose signals. *Computers in Biology and Medicine*, 148, 105913. <https://doi.org/10.1016/J.COMPBIOMED.2022.105913>
- Bagaev, D. v., Vroomans, R. M. A., Samir, J., Stervbo, U., Rius, C., Dolton, G., Greenshields-Watson, A., Attaf, M., Egorov, E. S., Zvyagin, I. v., Babel, N., Cole, D. K., Godkin, A. J., Sewell, A. K., Kesmir, C., Chudakov, D. M., Luciani, F., & Shugay, M. (2020). VDJdb in 2019: database extension, new analysis infrastructure and a T-cell receptor motif compendium. *Nucleic Acids Research*, 48(D1), D1057–D1062. <https://doi.org/10.1093/NAR/GKZ874>
- Bardelli, M., Livoti, E., Simonelli, L., Pedotti, M., Moraes, A., Valente, A. P., & Varani, L. (2015). Epitope mapping by solution NMR spectroscopy. *Journal of Molecular Recognition*, 28(6), 393–400. <https://doi.org/10.1002/jmr.2454>

- Bi, J., Zheng, Y., Wang, C., & Ding, Y. (2021). An Attention based Bidirectional LSTM Method to Predict the Binding of TCR and Epitope. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, 1–1. <https://doi.org/10.1109/TCBB.2021.3115353>
- Bluestone, J. A., Bour-Jordan, H., Cheng, M., & Anderson, M. (2015). T cells in the control of organ-specific autoimmunity. *The Journal of Clinical Investigation*, 125(6), 2250–2260. <https://doi.org/10.1172/JCI78089>
- Bondarenko, P. V., Nichols, A. C., Xiao, G., Shi, R. L., Chan, P. K., Dillon, T. M., Garces, F., Semin, D. J., & Ricci, M. S. (2021). Identification of critical chemical modifications and paratope mapping by size exclusion chromatography of stressed antibody-target complexes. *MAbs*, 13(1). <https://doi.org/10.1080/19420862.2021.1887629>
- Bosman, A. S., Engelbrecht, A., & Helbig, M. (2020). Visualising basins of attraction for the cross-entropy and the squared error neural network loss functions. *Neurocomputing*, 400, 113–136. <https://doi.org/10.1016/j.neucom.2020.02.113>
- Bosshard, H. R. (1995). Epitope Mapping with Peptides. *Peptides*, 419–454. <https://doi.org/10.1016/B978-012310920-0/50012-7>
- Bradley, A. P. (1997). The use of the area under the ROC curve in the evaluation of machine learning algorithms. *Pattern Recognition*, 30(7), 1145–1159. [https://doi.org/10.1016/S0031-3203\(96\)00142-2](https://doi.org/10.1016/S0031-3203(96)00142-2)
- Bukhari, S. N. H., Jain, A., Haq, E., Khder, M. A., Neware, R., Bhola, J., & Lari Najafi, M. (2021). Machine Learning-Based Ensemble Model for Zika Virus T-Cell Epitope Prediction. *Journal of Healthcare Engineering*, 2021, 1–10. <https://doi.org/10.1155/2021/9591670>
- Bukhari, S. N. H., Jain, A., Haq, E., Mehbodniya, A., & Webber, J. (2021). Ensemble Machine Learning Model to Predict SARS-CoV-2 T-Cell Epitopes as Potential Vaccine Targets. *Diagnostics*, 11(11), 1990. <https://doi.org/10.3390/diagnostics11111990>
- Bukhari, S. N. H., Jain, A., Haq, E., Mehbodniya, A., & Webber, J. (2022). Machine Learning Techniques for the Prediction of B-Cell and T-Cell Epitopes as Potential Vaccine Targets

- with a Specific Focus on SARS-CoV-2 Pathogen: A Review. *Pathogens*, 11(2), 146.  
<https://doi.org/10.3390/pathogens11020146>
- Carter, J. M. (1994). Epitope mapping of a protein using the Geysen (PEPSCAN) procedure. *Methods in Molecular Biology (Clifton, N.J.)*, 36, 207–223. <https://doi.org/10.1385/0-89603-274-4:207/COVER>
- Cihan, P., & Ozger, Z. B. (2022). A new approach for determining SARS-CoV-2 epitopes using machine learning-based in silico methods. *Computational Biology and Chemistry*, 98, 107688. <https://doi.org/10.1016/j.compbiolchem.2022.107688>
- Cohen, N., & Shashua, A. (2016). Inductive Bias of Deep Convolutional Networks through Pooling Geometry. *5th International Conference on Learning Representations, ICLR 2017 - Conference Track Proceedings*. <https://arxiv.org/abs/1605.06743v4>
- Collatz, M., Mock, F., Barth, E., Hölzer, M., Sachse, K., & Marz, M. (2021). EpiDope: a deep neural network for linear B-cell epitope prediction. *Bioinformatics*, 37(4), 448–455. <https://doi.org/10.1093/bioinformatics/btaa773>
- Dahouda, M. K., & Joe, I. (2021). A Deep-Learned Embedding Technique for Categorical Features Encoding. *IEEE Access*, 9, 114381–114391. <https://doi.org/10.1109/ACCESS.2021.3104357>
- Dale, G. E., Oefner, C., & D'Arcy, A. (2003). The protein as a variable in protein crystallization. *Journal of Structural Biology*, 142(1), 88–97. [https://doi.org/10.1016/S1047-8477\(03\)00041-8](https://doi.org/10.1016/S1047-8477(03)00041-8)
- Davidson, E., & Doranz, B. J. (2014). A high-throughput shotgun mutagenesis approach to mapping B-cell antibody epitopes. *Immunology*, 143(1), 13–20. <https://doi.org/10.1111/imm.12323>
- Di Muzio, M., Wildner, S., Huber, S., Hauser, M., Vejvar, E., Auzinger, W., Regl, C., Laimer, J., Zennaro, D., Wopfer, N., Huber, C. G., van Ree, R., Mari, A., Lackner, P., Ferreira, F., Schubert, M., & Gadermaier, G. (2020). Hydrogen/deuterium exchange memory NMR

- reveals structural epitopes involved in IgE cross-reactivity of allergenic lipid transfer proteins. *Journal of Biological Chemistry*, 295(51), 17398–17410. <https://doi.org/10.1074/jbc.RA120.014243>
- Dong, J., Yao, Z. J., Zhang, L., Luo, F., Lin, Q., Lu, A. P., Chen, A. F., & Cao, D. S. (2018). PyBioMed: a python library for various molecular representations of chemicals, proteins and DNAs and their interactions. *Journal of Cheminformatics*, 10(1), 1–11. <https://doi.org/10.1186/S13321-018-0270-2/TABLES/5>
- Dosovitskiy, A., Beyrer, L., Kolesnikov, A., Weissenborn, D., Zhai, X., Unterthiner, T., Dehghani, M., Minderer, M., Heigold, G., Gelly, S., Uszkoreit, J., & Hounsby, N. (2020). *An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale*. <https://arxiv.org/abs/2010.11929v2>
- Forsström, B., Axnäs, B. B., Stengele, K.-P., Bühler, J., Albert, T. J., Richmond, T. A., Hu, F. J., Nilsson, P., Hudson, E. P., Rockberg, J., & Uhlen, M. (2014). Proteome-wide Epitope Mapping of Antibodies Using Ultra-dense Peptide Arrays. *Molecular & Cellular Proteomics*, 13(6), 1585–1597. <https://doi.org/10.1074/mcp.M113.033308>
- Geffen, Y., Ofran, Y., & Unger, R. (2022). DistilProtBert: a distilled protein language model used to distinguish between real proteins and their randomly shuffled counterparts. *Bioinformatics*, 38(Supplement\_2), ii95–ii98. <https://doi.org/10.1093/BIOINFORMATICS/BTAC474>
- Geysen, H. M., Meloan, R. H., & Barteling, S. J. (1984). Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single amino acid. *Proceedings of the National Academy of Sciences*, 81(13), 3998–4002. <https://doi.org/10.1073/pnas.81.13.3998>
- Gielis, S., Moris, P., Bittremieux, W., Neuter, N. De, Ogunjimi, B., Laukens, K., & Meysman, P. (2019). TCRex: detection of enriched T cell epitope specificity in full T cell receptor sequence repertoires. *BioRxiv*, 373472. <https://doi.org/10.1101/373472>

- Godoy, R. v., Dwivedi, A., & Liarokapis, M. (2022). Electromyography Based Decoding of Dexterous, In-Hand Manipulation Motions With Temporal Multichannel Vision Transformers. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, *30*, 2207–2216. <https://doi.org/10.1109/TNSRE.2022.3196622>
- Golik, P., Doetsch, P., & Ney, H. (2013). Cross-entropy vs. squared error training: a theoretical and experimental comparison. *Interspeech 2013*, 1756–1760. <https://doi.org/10.21437/Interspeech.2013-436>
- Hanley, P. J., Melenhorst, J. J., Nikiforow, S., Scheinberg, P., Blaney, J. W., Demmler-Harrison, G., Cruz, C. R., Lam, S., Krance, R. A., Leung, K. S., Martinez, C. A., Liu, H., Douek, D. C., Heslop, H. E., Rooney, C. M., Shpall, E. J., Barrett, A. J., & Bollard, C. M. (2015). CMV-Specific T-cells Generated From Naïve T-cells Recognize Atypical Epitopes And May Be Protective in Vivo. *Science Translational Medicine*, *7*(285), 285ra63. <https://doi.org/10.1126/SCITRANSLMED.AAA2546>
- Hannan, M. A., How, D. N. T., Lipu, M. S. H., Mansor, M., Ker, P. J., Dong, Z. Y., Sahari, K. S. M., Tiong, S. K., Muttaqi, K. M., Mahlia, T. M. I., & Blaabjerg, F. (2021a). Deep learning approach towards accurate state of charge estimation for lithium-ion batteries using self-supervised transformer model. *Scientific Reports*, *11*(1), 19541. <https://doi.org/10.1038/s41598-021-98915-8>
- Hannan, M. A., How, D. N. T., Lipu, M. S. H., Mansor, M., Ker, P. J., Dong, Z. Y., Sahari, K. S. M., Tiong, S. K., Muttaqi, K. M., Mahlia, T. M. I., & Blaabjerg, F. (2021b). Deep learning approach towards accurate state of charge estimation for lithium-ion batteries using self-supervised transformer model. *Scientific Reports 2021 11:1*, *11*(1), 1–13. <https://doi.org/10.1038/s41598-021-98915-8>
- Haque, H. M. E., Mantis, N. J., & Weis, D. D. (2023). High-Throughput Epitope Mapping by Hydrogen Exchange-Mass Spectrometry. *Journal of the American Society for Mass Spectrometry*, *34*(1), 123–127. <https://doi.org/10.1021/jasms.2c00255>

- Haslinger, C., Sommergruber, W., Voss, T., & Schreiber, M. (2006). Identification of Tumor-Specific Genes. *Handbook of Immunohistochemistry and in Situ Hybridization of Human Carcinomas*, 4, 3–21. [https://doi.org/10.1016/S1874-5784\(05\)80056-X](https://doi.org/10.1016/S1874-5784(05)80056-X)
- Henikoff, S., & Henikoff, J. G. (1992). Amino acid substitution matrices from protein blocks. *Proceedings of the National Academy of Sciences of the United States of America*, 89(22), 10915–10919. <https://doi.org/10.1073/PNAS.89.22.10915>
- Howley, T., Madden, M. G., O'Connell, M.-L., & Ryder, A. G. (2007). The Effect of Principal Component Analysis on Machine Learning Accuracy with High Dimensional Spectral Data. *Applications and Innovations in Intelligent Systems XIII*, 209–222. [https://doi.org/10.1007/1-84628-224-1\\_16](https://doi.org/10.1007/1-84628-224-1_16)
- Hu, Z. (2022). A web application for crowd counting by building parallel and direct connection-based CNN architectures. *Cognitive Systems and Signal Processing in Image Processing*, 47–82. <https://doi.org/10.1016/B978-0-12-824410-4.00012-X>
- Huang, J., & Ling, C. X. (2005). Using AUC and accuracy in evaluating learning algorithms. *IEEE Transactions on Knowledge and Data Engineering*, 17(3), 299–310. <https://doi.org/10.1109/TKDE.2005.50>
- Huang, S. C., Pareek, A., Seyyedi, S., Banerjee, I., & Lungren, M. P. (2020). Fusion of medical imaging and electronic health records using deep learning: a systematic review and implementation guidelines. *Npj Digital Medicine*, 3(1). <https://doi.org/10.1038/S41746-020-00341-Z>
- Huang, S. C., Pareek, A., Zamanian, R., Banerjee, I., & Lungren, M. P. (2020). Multimodal fusion with deep neural networks for leveraging CT imaging and electronic health record: a case-study in pulmonary embolism detection. *Scientific Reports 2020 10:1*, 10(1), 1–9. <https://doi.org/10.1038/s41598-020-78888-w>
- Huang, X., Khetan, A., Cvitkovic, M., & Karnin, Z. (2020). *TabTransformer: Tabular Data Modeling Using Contextual Embeddings*. <https://arxiv.org/abs/2012.06678v1>

- Huang, Y., Ma, X., Fan, X., Liu, J., & Gong, W. (2017). When deep learning meets edge computing. *Proceedings - International Conference on Network Protocols, ICNP, 2017-October*. <https://doi.org/10.1109/ICNP.2017.8117585>
- Isabell Jurtz, V., Eyrich Jessen, L., Kai Bentzen, A., Closter Jespersen, M., Mahajan, S., Vita, R., Kjaergaard Jensen, K., Marcatili, P., Reker Hadrup, S., Peters, B., & Nielsen, M. (2018). NetTCR: sequence-based prediction of TCR binding to peptide-MHC complexes using convolutional neural networks. *BioRxiv*, 433706. <https://doi.org/10.1101/433706>
- Isacchini, G., Walczak, A. M., Mora, T., & Nourmohammad, A. (2021). Deep generative selection models of t and b cell receptor repertoires with sonnia. *Proceedings of the National Academy of Sciences of the United States of America*, 118(14), e2023141118. [https://doi.org/10.1073/PNAS.2023141118/SUPPL\\_FILE/PNAS.2023141118.SAPP.PDF](https://doi.org/10.1073/PNAS.2023141118/SUPPL_FILE/PNAS.2023141118.SAPP.PDF)
- Jethva, P. N., & Gross, M. L. (2023). Hydrogen deuterium exchange and other mass spectrometry- based approaches for epitope mapping. *Frontiers in Analytical Science*, 3. <https://doi.org/10.3389/frans.2023.1118749>
- Jokinen, E., Huuhtanen, J., Mustjoki, S., Heinonen, M., & Lähdesmäki, H. (2021). Predicting recognition between T cell receptors and epitopes with TCRGP. *PLOS Computational Biology*, 17(3), e1008814. <https://doi.org/10.1371/journal.pcbi.1008814>
- Keskin, D. B., Reinhold, B. B., Zhang, G. L., Ivanov, A. R., Karger, B. L., & Reinherz, E. L. (2015). Physical detection of influenza A epitopes identifies a stealth subset on human lung epithelium evading natural CD8 immunity. *Proceedings of the National Academy of Sciences of the United States of America*, 112(7), 251–256. <https://doi.org/10.1073/PNAS.1423482112>
- Khanna, D., & Rana, P. S. (2020). Improvement in prediction of antigenic epitopes using stacked generalisation: an ensemble approach. *IET Systems Biology*, 14(1), 1–7. <https://doi.org/10.1049/iet-syb.2018.5083>

- Kingma, D. P., & Ba, J. L. (2014). Adam: A Method for Stochastic Optimization. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*.  
<https://doi.org/10.48550/arxiv.1412.6980>
- Kiranyaz, S., Avci, O., Abdeljaber, O., Ince, T., Gabbouj, M., & Inman, D. J. (2021). 1D convolutional neural networks and applications: A survey. *Mechanical Systems and Signal Processing, 151*, 107398. <https://doi.org/10.1016/J.YMSSP.2020.107398>
- Kline, D. M., & Berardi, V. L. (2005). Revisiting squared-error and cross-entropy functions for training neural network classifiers. *Neural Computing and Applications, 14*(4), 310–318.  
<https://doi.org/10.1007/s00521-005-0467-y>
- Kriegeskorte, N., & Golan, T. (2019). Neural network models and deep learning. *Current Biology, 29*(7), R231–R236. <https://doi.org/10.1016/J.CUB.2019.02.034>
- Kumar, B. V., Connors, T. J., & Farber, D. L. (2018). Human T cell development, localization, and function throughout life. *Immunity, 48*(2), 202.  
<https://doi.org/10.1016/J.IMMUNI.2018.01.007>
- L. Dudek, N., Perlmutter, P., Isabel Aguilar, M.-, P. Croft, N., & W. Purcell, A. (2010). Epitope Discovery and Their Use in Peptide Based Vaccines. *Current Pharmaceutical Design, 16*(28), 3149–3157. <https://doi.org/10.2174/138161210793292447>
- Ladner, R. C. (2007). Mapping the Epitopes of Antibodies. *Biotechnology and Genetic Engineering Reviews, 24*(1), 1–30. <https://doi.org/10.1080/02648725.2007.10648092>
- Landsteiner, K. (1942). SEROLOGICAL REACTIVITY OF HYDROLYTIC PRODUCTS FROM SILK. *Journal of Experimental Medicine, 75*(3), 269–276. <https://doi.org/10.1084/jem.75.3.269>
- Lecun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature 2015 521:7553, 521*(7553), 436–444. <https://doi.org/10.1038/nature14539>
- Li, C., Zhang, Z., Zhang, X., Huang, G., Liu, Y., & Chen, X. (2022). EEG-based Emotion Recognition via Transformer Neural Architecture Search. *IEEE Transactions on Industrial Informatics, 1*–1. <https://doi.org/10.1109/TII.2022.3170422>



- Lin, T., Wang, Y., Liu, X., & Qiu, X. (2021). *A Survey of Transformers*. 1. <https://doi.org/10.48550/arxiv.2106.04554>
- Ling, C. X., Huang, J., & Zhang, H. (2003). AUC: A better measure than accuracy in comparing learning algorithms. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2671, 329–341. [https://doi.org/10.1007/3-540-44886-1\\_25/COVER](https://doi.org/10.1007/3-540-44886-1_25/COVER)
- Liu, T., Shi, K., & Li, W. (2020). Deep learning methods improve linear B-cell epitope prediction. *BioData Mining*, 13(1), 1. <https://doi.org/10.1186/s13040-020-00211-0>
- Liu, Z., Lin, Y., Cao, Y., Hu, H., Wei, Y., Zhang, Z., Lin, S., & Guo, B. (2021). Swin Transformer: Hierarchical Vision Transformer using Shifted Windows. *Proceedings of the IEEE International Conference on Computer Vision*, 9992–10002. <https://doi.org/10.1109/ICCV48922.2021.00986>
- Luu, A. M., Leistico, J. R., Miller, T., Kim, S., & Song, J. S. (2021). Predicting tcr-epitope binding specificity using deep metric learning and multimodal learning. *Genes*, 12(4), NA. <https://doi.org/10.3390/GENES12040572/S1>
- Montemurro, A., Schuster, V., Povlsen, H. R., Bentzen, A. K., Jurtz, V., Chronister, W. D., Crinklaw, A., Hadrup, S. R., Winther, O., Peters, B., Jessen, L. E., & Nielsen, M. (2021). NetTCR-2.0 enables accurate prediction of TCR-peptide binding by using paired TCR $\alpha$  and  $\beta$  sequence data. *Communications Biology*, 4(1), 1060. <https://doi.org/10.1038/s42003-021-02610-3>
- Moris, P., de Pauw, J., Postovskaya, A., Gielis, S., de Neuter, N., Bittremieux, W., Ogunjimi, B., Laukens, K., & Meysman, P. (2021). Current challenges for unseen-epitope TCR interaction prediction and a new perspective derived from image classification. *Briefings in Bioinformatics*, 22(4). <https://doi.org/10.1093/bib/bbaa318>

- Movahedi, F., Padman, R., & Antaki, J. F. (2020). Limitations of ROC on Imbalanced Data: Evaluation of LVAD Mortality Risk Scores. *Journal of Thoracic and Cardiovascular Surgery*.  
<https://doi.org/10.1016/j.jtcvs.2021.07.041>
- Nilvebrant, J., & Rockberg, J. (2018). An introduction to epitope mapping. *Methods in Molecular Biology*, 1785, 1–10. [https://doi.org/10.1007/978-1-4939-7841-0\\_1/COVER](https://doi.org/10.1007/978-1-4939-7841-0_1/COVER)
- Notin, P., Dias, M., Frazer, J., Marchena-Hurtado, J., Gomez, A., Marks, D. S., & Gal, Y. (2022). *Tranception: protein fitness prediction with autoregressive transformers and inference-time retrieval*. <https://arxiv.org/abs/2205.13760v1>
- Noumi, T., Inoue, S., Fujita, H., Sadamitsu, K., Sakaguchi, M., Tenma, A., & Nakagami, H. (2021). Epitope Prediction of Antigen Protein Using Attention-based LSTM Network. *Journal of Information Processing*, 29(0), 321–327. <https://doi.org/10.2197/ipsjjip.29.321>
- Opuni, K. F. M., Al-Majdoub, M., Yefremova, Y., El-Kased, R. F., Koy, C., & Glocker, M. O. (2018). Mass spectrometric epitope mapping. *Mass Spectrometry Reviews*, 37(2), 229–241.  
<https://doi.org/10.1002/mas.21516>
- O’Shea, K., & Nash, R. (2015). An Introduction to Convolutional Neural Networks. *International Journal for Research in Applied Science and Engineering Technology*, 10(12), 943–947.  
<https://doi.org/10.22214/ijraset.2022.47789>
- Pandey, M., Fernandez, M., Gentile, F., Isayev, O., Tropsha, A., Stern, A. C., & Cherkasov, A. (2022). The transformational role of GPU computing and deep learning in drug discovery. *Nature Machine Intelligence* 2022 4:3, 4(3), 211–221. <https://doi.org/10.1038/s42256-022-00463-x>
- Poljak, R. J., Amzel, L. M., Avey, H. P., Chen, B. L., Phizackerley, R. P., & Saul, F. (1973). Three-Dimensional Structure of the Fab’ Fragment of a Human Immunoglobulin at 2.8-Å Resolution. *Proceedings of the National Academy of Sciences*, 70(12), 3305–3310.  
<https://doi.org/10.1073/pnas.70.12.3305>

- Renaud, J.-P., Chari, A., Ciferri, C., Liu, W., Rémigy, H.-W., Stark, H., & Wiesmann, C. (2018). Cryo-EM in drug discovery: achievements, limitations and prospects. *Nature Reviews Drug Discovery*, *17*(7), 471–492. <https://doi.org/10.1038/nrd.2018.77>
- Schwartz, D. M., Burma, A. M., Kitakule, M. M., Luo, Y., & Mehta, N. N. (2020). T Cells in Autoimmunity-Associated Cardiovascular Diseases. *Frontiers in Immunology*, *11*, 2646. <https://doi.org/10.3389/FIMMU.2020.588776/BIBTEX>
- Shah, K., Al-Haidari, A., Sun, J., & Kazi, J. U. (2021). T cell receptor (TCR) signaling in health and disease. *Signal Transduction and Targeted Therapy* *2021 6:1*, *6*(1), 1–26. <https://doi.org/10.1038/s41392-021-00823-w>
- Shi, H., Zhang, S., & Li, X. (2022). R5hmCFDV: computational identification of RNA 5-hydroxymethylcytosine based on deep feature fusion and deep voting. *Briefings in Bioinformatics*, *23*(5). <https://doi.org/10.1093/bib/bbac341>
- Sidhom, J. W., Larman, H. B., Pardoll, D. M., & Baras, A. S. (2021). DeepTCR is a deep learning framework for revealing sequence concepts within T-cell repertoires. *Nature Communications* *2021 12:1*, *12*(1), 1–12. <https://doi.org/10.1038/s41467-021-21879-w>
- Sidney, J., Peters, B., & Sette, A. (2020). Epitope prediction and identification- adaptive T cell responses in humans. *Seminars in Immunology*, *50*, 101418. <https://doi.org/10.1016/J.SMIM.2020.101418>
- Simonelli, L., Pedotti, M., Bardelli, M., Jurt, S., Zerbe, O., & Varani, L. (2018). Mapping Antibody Epitopes by Solution NMR Spectroscopy: Practical Considerations. In *Rockberg, J., Nilvebrant, J. (eds) Epitope Mapping Protocols. Methods in Molecular Biology* (Vol. 1785, pp. 29–51). Humana Press. [https://doi.org/10.1007/978-1-4939-7841-0\\_3](https://doi.org/10.1007/978-1-4939-7841-0_3)
- Singh-Jasuja, H., Emmerich, N. P. N., & Rammensee, H. G. (2004). The Tübingen approach: identification, selection, and validation of tumor-associated HLA peptides for cancer therapy. *Cancer Immunology, Immunotherapy: CII*, *53*(3), 187–195. <https://doi.org/10.1007/S00262-003-0480-X>

- Smirnov, S., Petukhov, A., Levchuk, K., Kulemzin, S., Staliarova, A., Lepik, K., Shuvalov, O., Zaritskey, A., Daks, A., & Fedorova, O. (2021). Strategies to Circumvent the Side-Effects of Immunotherapy Using Allogeneic CAR-T Cells and Boost Its Efficacy: Results of Recent Clinical Trials. *Frontiers in Immunology*, *12*, 5298. <https://doi.org/10.3389/FIMMU.2021.780145/BIBTEX>
- Springer, I., Besser, H., Tickotsky-Moskovitz, N., Dvorkin, S., & Louzoun, Y. (2020). Prediction of Specific TCR-Peptide Binding From Large Dictionaries of TCR-Peptide Pairs. *Frontiers in Immunology*, *11*, 1803. <https://doi.org/10.3389/FIMMU.2020.01803/BIBTEX>
- Springer, I., Tickotsky, N., & Louzoun, Y. (2021). Contribution of T Cell Receptor Alpha and Beta CDR3, MHC Typing, V and J Genes to Peptide Binding Prediction. *Frontiers in Immunology*, *12*, 1436. <https://doi.org/10.3389/FIMMU.2021.664514/BIBTEX>
- Starr, T. N., Greaney, A. J., Addetia, A., Hannon, W. W., Choudhary, M. C., Dings, A. S., Li, J. Z., & Bloom, J. D. (2021). Prospective mapping of viral mutations that escape antibodies used to treat COVID-19. *Science*, *371*(6531), 850–854. <https://doi.org/10.1126/science.abf9302>
- Steele, J. T., Allen, S. D., & Kaumaya, P. T. P. (2006). Cancer Immunotherapy with Rationally Designed Synthetic Peptides. *Handbook of Biologically Active Peptides*, 491–498. <https://doi.org/10.1016/B978-012369442-3/50074-X>
- Tickotsky, N., Sagiv, T., Prilusky, J., Shifrut, E., & Friedman, N. (2017). McPAS-TCR: a manually curated catalogue of pathology-associated T cell receptor sequences. *Bioinformatics*, *33*(18), 2924–2929. <https://doi.org/10.1093/BIOINFORMATICS/BTX286>
- Tong, Y., Wang, J., Zheng, T., Zhang, X., Xiao, X., Zhu, X., Lai, X., & Liu, X. (2020). SETE: Sequence-based Ensemble learning approach for TCR Epitope binding prediction. *Computational Biology and Chemistry*, *87*, 107281. <https://doi.org/10.1016/J.COMPBIOLCHEM.2020.107281>

- Toride King, M., & Brooks, C. L. (2018). Epitope mapping of antibody-antigen interactions with X-ray crystallography. *Methods in Molecular Biology*, 1785, 13–27. [https://doi.org/10.1007/978-1-4939-7841-0\\_2/COVER](https://doi.org/10.1007/978-1-4939-7841-0_2/COVER)
- Touvron, H., Cord, M., Douze, M., Massa, F., Sablayrolles, A., Jégou, H., & Ai, F. (2020). *Training data-efficient image transformers & distillation through attention*. <https://arxiv.org/abs/2012.12877v2>
- Valente, A. P., & Manzano-Rendeiro, M. (2021). Mapping conformational epitopes by NMR spectroscopy. *Current Opinion in Virology*, 49, 1–6. <https://doi.org/10.1016/j.coviro.2021.04.001>
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention Is All You Need. *Advances in Neural Information Processing Systems, 2017-December*, 5999–6009. <https://doi.org/10.48550/arxiv.1706.03762>
- Vita, R., Mahajan, S., Overton, J. A., Dhanda, S. K., Martini, S., Cantrell, J. R., Wheeler, D. K., Sette, A., & Peters, B. (2019). The Immune Epitope Database (IEDB): 2018 update. *Nucleic Acids Research*, 47(D1), D339–D343. <https://doi.org/10.1093/NAR/GKY1006>
- Wan, X. (2019). Influence of feature scaling on convergence of gradient iterative algorithm. *Journal of Physics: Conference Series*, 1213(3), 032021. <https://doi.org/10.1088/1742-6596/1213/3/032021>
- Wang, G., Wan, H., Jian, X., Li, Y., Ouyang, J., Tan, X., Zhao, Y., Lin, Y., & Xie, L. (2020). INeo-Epp: A Novel T-Cell HLA Class-I Immunogenicity or Neoantigenic Epitope Prediction Method Based on Sequence-Related Amino Acid Features. *BioMed Research International*, 2020, 1–12. <https://doi.org/10.1155/2020/5798356>
- Wang, H., Li, S., Song, L., Cui, L., & Wang, P. (2020). An Enhanced Intelligent Diagnosis Method Based on Multi-Sensor Image Fusion via Improved Deep Learning Network. *IEEE Transactions on Instrumentation and Measurement*, 69(6), 2648–2657. <https://doi.org/10.1109/TIM.2019.2928346>

- Wen, Q., Zhou, T., Zhang, C., Chen, W., Ma, Z., Yan, J., & Sun, L. (2022). *Transformers in Time Series: A Survey*. <https://doi.org/10.48550/arxiv.2202.07125>
- Wigge, C., Stefanovic, A., & Radjainia, M. (2020). The rapidly evolving role of cryo-EM in drug design. *Drug Discovery Today: Technologies*, 38, 91–102. <https://doi.org/10.1016/j.ddtec.2020.12.003>
- Wilson, P. C., & Andrews, S. F. (2012). Tools to therapeutically harness the human antibody response. *Nature Reviews Immunology* 2012 12:10, 12(10), 709–719. <https://doi.org/10.1038/nri3285>
- Yang, Z., Bogdan, P., & Nazarian, S. (2021). An in silico deep learning approach to multi-epitope vaccine design: a SARS-CoV-2 case study. *Scientific Reports*, 11(1), 3238. <https://doi.org/10.1038/s41598-021-81749-9>
- Yoo, Y. (2019). Hyperparameter optimization of deep neural network using univariate dynamic encoding algorithm for searches. *Knowledge-Based Systems*, 178, 74–83. <https://doi.org/10.1016/j.knosys.2019.04.019>
- Zerveas, G., Jayaraman, S., Patel, D., Bhamidipaty, A., & Eickhoff, C. (2021). A Transformer-based Framework for Multivariate Time Series Representation Learning. *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining*, 2114–2124. <https://doi.org/10.1145/3447548.3467401>