

VI. REFERENCES

- Adaramola, F., & Onigbinde, A. (2016). Effect of Extraction Solvent on the Phenolic Content, Flavonoid Content and Antioxidant Capacity Of Clove Bud. *IOSR Journal of Pharmacy and Biological Sciences*, 11, 33–38.
<https://doi.org/10.9790/3008-1103013338>
- Ahmed, I. A. M., Babiker, E. E., Al-Juhaimi, F. Y., & Bekhit, A. E.-D. A. (2022). Clove Polyphenolic Compounds Improve the Microbiological Status, Lipid Stability, and Sensory Attributes of Beef Burgers during Cold Storage. *Antioxidants*, 11(7), 1354.
<https://doi.org/10.3390/antiox11071354>
- Alcántara, C., Žugčić, T., Abdelkebir, R., García-Pérez, J. V., Jambrak, A. R., Lorenzo, J. M., Collado, M. C., Granato, D., & Barba, F. J. (2020). Effects of Ultrasound-Assisted Extraction and Solvent on the Phenolic Profile, Bacterial Growth, and Anti-Inflammatory/Antioxidant Activities of Mediterranean Olive and Fig Leaves Extracts. *Molecules*, 25(7), 1718. <https://doi.org/10.3390/molecules25071718>
- Alexandru, L., Cravotto, G., Giordana, L., Binello, A., & Chemat, F. (2013). *Ultrasound-assisted extraction of clove buds using batch- and flow-reactors: A comparative study on a pilot scale*. <https://doi.org/10.1016/j.jifset.2013.07.011>
- Alfian, A., Mahulette, A. S., Zainal, M., Hardin, & Bahrun, A. H. (2019). Morphological character of raja clove (*Syzygium aromaticum* L. Merr & Perry.) native from Ambon Island. *IOP Conference Series: Earth and Environmental Science*, 343(1), 012150.
<https://doi.org/10.1088/1755-1315/343/1/012150>
- Alfikri, F. N., Pujiarti, R., Wibisono, M. G., & Hardiyanto, E. B. (2020). Yield, Quality, and Antioxidant Activity of Clove (*Syzygium aromaticum* L.) Bud Oil at the Different

Phenological Stages in Young and Mature Trees. *Scientifica*, 2020, e9701701.

<https://doi.org/10.1155/2020/9701701>

Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D. G., & Lightfoot, D. A. (2017).

Phytochemicals: Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts. *Plants*, 6(4), 42. <https://doi.org/10.3390/plants6040042>

Angeli, L., Morozova, K., & Scampicchio, M. (2023). A kinetic-based stopped-flow DPPH• method. *Scientific Reports*, 13(1), Article 1.

<https://doi.org/10.1038/s41598-023-34382-7>

Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total Phenolic Content, Flavonoid Content and Antioxidant Potential of Wild Vegetables from Western Nepal. *Plants*, 8(4), 96. <https://doi.org/10.3390/plants8040096>

Aspé, E., & Fernández, K. (2011). The effect of different extraction techniques on extraction yield, total phenolic, and anti-radical capacity of extracts from *Pinus radiata* Bark. *Industrial Crops and Products*, 34(1), 838–844.

<https://doi.org/10.1016/j.indcrop.2011.02.002>

Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79.

<https://doi.org/10.1016/j.jpha.2015.11.005>

Bashir, M., Usman, R. A., & Iruo-Oghene, A. P. (2022). *Antibacterial activity of sesquiterpenoids and 8-O-methylated flavonoids from hexane fraction of clove(Syzgium aromaticum) / Dutse Journal of Pure and Applied Sciences*. Retrieved January 14, 2023, from

<https://www.ajol.info/index.php/dujopas/article/view/227241>

- Batiha, G., Alkazmi, L. M., Wasef, L. G., Beshbishi, A. M., Nadwa, E. H., & Rashwan, E. K. (2020). *Syzygium aromaticum* L. (Myrtaceae): Traditional Uses, Bioactive Chemical Constituents, Pharmacological and Toxicological Activities. *Biomolecules*, 10(2), 202. <https://doi.org/10.3390/biom10020202>
- Beneduce, L., Spano, G., & Massa, S. (2003). Escherichia coli O157:H7 general characteristics, isolation and identification techniques. *Annals of Microbiology*, 53, 511–527.
- Bintsis, T. (2017). Foodborne pathogens. *AIMS Microbiology*, 3(3), 529–563. <https://doi.org/10.3934/microbiol.2017.3.529>
- Bouchez, A., Vauchel, P., D'Alessandro, L. G., & Dimitrov, K. (2020). Multi-objective optimization tool for ultrasound-assisted extraction including environmental impacts. *Chemical Engineering Research and Design*, 164, 324–337. <https://doi.org/10.1016/j.cherd.2020.10.001>
- Burt, S. (2004). Essential oils: Their antibacterial properties and potential applications in foods—a review. *International Journal of Food Microbiology*, 94(3), 223–253. <https://doi.org/10.1016/j.ijfoodmicro.2004.03.022>
- Carreira-Casais, A., Otero, P., Garcia-Perez, P., Garcia-Oliveira, P., Pereira, A. G., Carpena, M., Soria-Lopez, A., Simal-Gandara, J., & Prieto, M. A. (2021). Benefits and Drawbacks of Ultrasound-Assisted Extraction for the Recovery of Bioactive Compounds from Marine Algae. *International Journal of Environmental Research and Public Health*, 18(17), 9153. <https://doi.org/10.3390/ijerph18179153>
- Cortés-Rojas, D. F., de Souza, C. R. F., & Oliveira, W. P. (2014). Clove (*Syzygium aromaticum*): A precious spice. *Asian Pacific Journal of Tropical Biomedicine*, 4(2), 90–96. [https://doi.org/10.1016/S2221-1691\(14\)60215-X](https://doi.org/10.1016/S2221-1691(14)60215-X)

- Ćućuz, V., Cvejić, J., Torović, L., Gojković-Bukarica, L., Acevska, J., Dimitrovska, A., Aldawoud, T. M. S., & Galanakis, C. M. (2022). Design of experiments (DoE) to model phenolic compounds recovery from grape pomace using ultrasounds. *Journal of Food Science and Technology*, 59(7), 2913–2924. <https://doi.org/10.1007/s13197-021-05317-9>
- Chaphalkar, R., Apte, K. G., Talekar, Y., Ojha, S. K., & Nandave, M. (2017). Antioxidants of *Phyllanthus emblica* L. Bark Extract Provide Hepatoprotection against Ethanol-Induced Hepatic Damage: A Comparison with Silymarin. *Oxidative Medicine and Cellular Longevity*, 2017, 3876040. <https://doi.org/10.1155/2017/3876040>
- Cui, Z.-H., He, H.-L., Wu, S.-B., Dong, C.-L., Lu, S.-Y., Shan, T.-J., Fang, L.-X., Liao, X.-P., Liu, Y.-H., & Sun, J. (2021). Rapid Screening of Essential Oils as Substances Which Enhance Antibiotic Activity Using a Modified Well Diffusion Method. *Antibiotics*, 10(4), Article 4. <https://doi.org/10.3390/antibiotics10040463>
- Dahiya, P., & Purkayastha, S. (2012). Phytochemical Screening and Antimicrobial Activity of Some Medicinal Plants Against Multi-drug Resistant Bacteria from Clinical Isolates. *Indian Journal of Pharmaceutical Sciences*, 74(5), 443–450. <https://doi.org/10.4103/0250-474X.108420>
- Davis, J. L. (2018). Chapter 2—Pharmacologic Principles. In S. M. Reed, W. M. Bayly, & D. C. Sellon (Eds.), *Equine Internal Medicine (Fourth Edition)* (pp. 79–137). W.B. Saunders. <https://doi.org/10.1016/B978-0-323-44329-6.00002-4>
- Elboughdiri, N. (2018). *Effect of Time, Solvent-Solid Ratio, Ethanol Concentration and Temperature on Extraction Yield of Phenolic Compounds From Olive Leaves*. <https://doi.org/10.13140/RG.2.2.26002.81601>

Elhag, H. E. A., Sulaiman, A. Z., & Ajit, A. (2020). Sequential ultrasound-microwave assisted extraction of water soluble proteins from *Eurycoma longifolia* roots. *IOP Conference Series: Materials Science and Engineering*, 736(2), 022115.

<https://doi.org/10.1088/1757-899X/736/2/022115>

Elshreef, H. S., Mirghani, M. E. S., Sulaiman, S., & Jami, M. S. (2021). A review of the effect of UAE optimization parameters on antioxidant activity. *IOP Conference Series: Earth and Environmental Science*, 765(1), 012109.

<https://doi.org/10.1088/1755-1315/765/1/012109>

Fang, X., Gu, S., Jin, Z., Hao, M., Yin, Z., & Wang, J. (2018). Optimization of Ultrasonic-Assisted Simultaneous Extraction of Three Active Compounds from the Fruits of *Forsythia suspensa* and Comparison with Conventional Extraction Methods.

Molecules : A Journal of Synthetic. Chemistry and Natural Product Chemistry, 23(9), 2115. <https://doi.org/10.3390/molecules23092115>

Frohlich, P. C., Santos, K. A., Hasan, S. D. M., & Silva, E. A. da. (2022). Evaluation of the ethanolic ultrasound-assisted extraction from clove (*Syzygium aromaticum*) leaves and chemical characterization of the extracts. *Food Chemistry*, 373, 131351.

<https://doi.org/10.1016/j.foodchem.2021.131351>

Farahani, Z. (2021). *The effect of extraction method (ultrasonic, maceration, and soxhlet) and solvent type on the extraction rate of phenolic compounds and extraction efficiency of *Arctium lappa L.* roots and *Polygonum aviculare L.* grass Article history*. 4, 28–34.

Galvan d'Alessandro, L., Kriaa, K., Nikov, I., & Dimitrov, K. (2012). Ultrasound assisted extraction of polyphenols from black chokeberry. *Separation and Purification Technology*, 93, 42–47. <https://doi.org/10.1016/j.seppur.2012.03.024>

Gangwar, M., Gautam, M. K., Sharma, A. K., Tripathi, Y. B., Goel, R. K., & Nath, G. (2014).

Antioxidant Capacity and Radical Scavenging Effect of Polyphenol Rich *Mallotus philippensis* Fruit

Extract on Human Erythrocytes: An *In Vitro* Study. *The Scientific World Journal*, 2014, e279451. <https://doi.org/10.1155/2014/279451>

Gao, J., Mamouni, K., Zhang, L., & Lokeshwar, B. L. (2021). 13 - Spice up your food for cancer prevention: Cancer chemo-prevention by natural compounds from common dietary spices. In A. K. Srivastava, V. K. Kannaujiya, R. K. Singh, & D. Singh (Eds.), *Evolutionary Diversity as a Source for Anticancer Molecules* (pp. 275–308). Academic Press.
<https://doi.org/10.1016/B978-0-12-821710-8.00013-8>

Gaspar, E. M. (2018). Volatile Composition and Antioxidant Properties of Clove Products. *Biomedical Journal of Scientific & Technical Research*, 9(4).
<https://doi.org/10.26717/BJSTR.2018.09.001831>

Gonelimali, F. D., Lin, J., Miao, W., Xuan, J., Charles, F., Chen, M., & Hatab, S. R. (2018). Antimicrobial Properties and Mechanism of Action of Some Plant Extracts Against Food Pathogens and Spoilage Microorganisms. *Frontiers in Microbiology*, 9.
<https://www.frontiersin.org/articles/10.3389/fmicb.2018.01639>

Gülçin, İ., Elmastaş, M., & Aboul-Enein, H. Y. (2012). Antioxidant activity of clove oil – A powerful antioxidant source. *Arabian Journal of Chemistry*, 5(4), 489–499.

<https://doi.org/10.1016/j.arabjc.2010.09.016>

Hassine, D., Kammoun El Euch, S., Rahmani, R., Ghazouani, N., Kane, R., Abderrabba, M., & Bouajila, J. (2021). Clove Buds Essential Oil: The Impact of Grinding on the Chemical Composition and Its Biological Activities Involved in Consumer's Health Security.

BioMed Research International, 2021, e9940591.

<https://doi.org/10.1155/2021/9940591>

Herrero, M., Plaza, M., Cifuentes, A., & Ibáñez, E. (2012). 4.08—Extraction Techniques for the Determination of Phenolic Compounds in Food. In J. Pawliszyn (Ed.), *Comprehensive Sampling and Sample Preparation* (pp. 159–180). Academic Press.

<https://doi.org/10.1016/B978-0-12-381373-2.00132-0>

Hu, Q., Zhou, M., & Wei, S. (2018). Progress on the Antimicrobial Activity Research of Clove Oil and Eugenol in the Food Antisepsis Field. *Journal of Food Science*, 83(6), 1476–1483. <https://doi.org/10.1111/1750-3841.14180>

Ihsanpuro, S. I., Gunawan, S., Ibrahim, R., & Aparamarta, H. W. (2022). Extract with high 1,1-diphenyl-2-picrylhydrazyl (DPPH) inhibitory capability from pericarp and seed of mangosteen (*Garcinia mangostana* L.) using microwave-assisted extraction (MAE) two-phase solvent technique. *Arabian Journal of Chemistry*, 15(12), 104310.

<https://doi.org/10.1016/j.arabjc.2022.104310>

Indradi, B., Fidrianny, I., & Wirasutisna, K. (2017). DPPH Scavenging Activities and Phytochemical Content of Four Asteraceae Plants. *International Journal of Pharmacognosy and Phytochemical Research*, 9.

<https://doi.org/10.25258/phyto.v9i6.8173>

Irfan, S., Ranjha, M. M. A. N., Nadeem, M., Safdar, M. N., Jabbar, S., Mahmood, S., Murtaza, M. A., Ameer, K., & Ibrahim, S. A. (2022). Antioxidant Activity and Phenolic Content of Sonication- and Maceration-Assisted Ethanol and Acetone Extracts of *Cymbopogon citratus* Leaves. *Separations*, 9(9), Article 9.

<https://doi.org/10.3390/separations9090244>

- Jadhav, J. J., Jadeja, G. C., & Desai, M. A. (2023). Ultrasound-assisted hydrodistillation for extraction of essential oil from clove buds – A step towards process improvement and sustainable outcome. *Chemical Engineering and Processing - Process Intensification*, 189, 109404. <https://doi.org/10.1016/j.cep.2023.109404>
- Jeyakumar, G. E., & Lawrence, R. (2021). Mechanisms of bactericidal action of Eugenol against Escherichia coli. *Journal of Herbal Medicine*, 26, 100406. <https://doi.org/10.1016/j.hermed.2020.100406>
- Kang, C.-G., Hah, D.-S., Kim, C.-H., Kim, Y.-H., Kim, E., & Kim, J.-S. (2011). Evaluation of Antimicrobial Activity of the Methanol Extracts from 8 Traditional Medicinal Plants. *Toxicological Research*, 27(1), 31–36. <https://doi.org/10.5487/TR.2011.27.1.031>
- Keshavarz, B., & Rezaei, K. (2020). Microwave- and ultrasound-assisted extraction of phenolic and flavonoid compounds from konar (*Ziziphus spina-christi*) fruits. *International Food Research Journal*, 27, 47–55.
- Keskin, D., & Toroglu, S. (2011). Studies on antimicrobial activities of solvent extracts of different spices. *Journal of Environmental Biology*, 32(2), 251–256.
- Kiki, M. J. (2023). In Vitro Antiviral Potential, Antioxidant, and Chemical Composition of Clove (*Syzygium aromaticum*) Essential Oil. *Molecules (Basel, Switzerland)*, 28(6), 2421. <https://doi.org/10.3390/molecules28062421>
- King, T., Dykes, G., & Kristianti, R. (2019). Comparative evaluation of methods commonly used to determine antimicrobial susceptibility to plant extracts and phenolic compounds. *Journal of AOAC International*, 91(6), 1423–1429.
- Kumar, K., Srivastav, S., & Sharanagat, V. S. (2020). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrasonics Sonochemistry*, 70, 105325.

<https://doi.org/10.1016/j.ultronch.2020.105325>

Lee, Hau Lee, C., Hun Lee, T., Ya'akob, H., Wong, S., & Ben Jannet, H. (2019). Optimization of Ultrasound-Assisted Extraction of Total Flavonoids Content from the White Flowering Variety of Melastoma Malabathricum. *Jurnal Kejuruteraan, si2(1)*, 91–102.

[https://doi.org/10.17576/jkukm-2019-si2\(1\)-12](https://doi.org/10.17576/jkukm-2019-si2(1)-12)

Lianfu, Z., & Zelong, L. (2008). Optimization and comparison of ultrasound/microwave assisted extraction (UMAE) and ultrasonic assisted extraction (UAE) of lycopene from tomatoes. *Ultrasonics Sonochemistry, 15(5)*, 731–737.

<https://doi.org/10.1016/j.ultronch.2007.12.001>

Liew, S. Q., Ngoh, G. C., Yusoff, R., & Teoh, W. H. (2016). Sequential ultrasound-microwave assisted acid extraction (UMAE) of pectin from pomelo peels. *International Journal of Biological Macromolecules, 93(Pt A)*, 426–435.

<https://doi.org/10.1016/j.ijbiomac.2016.08.065>

Lim, Y. P., Pang, S. F., Yusoff, M. M., Abdul Mudalip, S. K., & Gimbu, J. (2019). Correlation between the extraction yield of mangiferin to the antioxidant activity, total phenolic and total flavonoid content of Phaleria macrocarpa fruits. *Journal of Applied Research on Medicinal and Aromatic Plants, 14*, 100224.

<https://doi.org/10.1016/j.jarmap.2019.100224>

Liu, Q., Meng, X., Li, Y., Zhao, C.-N., Tang, G.-Y., & Li, H.-B. (2017). Antibacterial and Antifungal Activities of Spices. *International Journal of Molecular Sciences, 18(6)*, 1283.

<https://doi.org/10.3390/ijms18061283>

Lu, J., Huang, Z., Liu, Y., Wang, H., Qiu, M., Qu, Y., & Yuan, W. (2022). The Optimization of Extraction Process, Antioxidant, Whitening and Antibacterial Effects of Fengdan Peony Flavonoids. *Molecules, 27(2)*, Article 2.

<https://doi.org/10.3390/molecules27020506>

Mahulette, A. S., Alfian, A., Zainal, M., Nendissa, J. I., Wattimena, A. Y., Tanasale, V. L.,

Makaruku, M. H., & Laisina, J. K. J. (2020). Growth of forest clove seedlings at different concentrations of paclobutrazol. *IOP Conference Series: Earth and Environmental Science*, 575(1), 012081.

<https://doi.org/10.1088/1755-1315/575/1/012081>

Manivannan, A., Malaisamy, A., Eswaran, M., Meyyazhagan, A., Arumugam, V. A.,

Rengasamy, K. R. R., Balasubramanian, B., & Liu, W.-C. (2022). Evaluation of Clove Phytochemicals as Potential Antiviral Drug Candidates Targeting SARS-CoV-2 Main Protease: Computational Docking, Molecular Dynamics Simulation, and Pharmacokinetic Profiling. *Frontiers in Molecular Biosciences*, 9.

<https://www.frontiersin.org/articles/10.3389/fmolb.2022.918101>

Martínez, S., Fuentes, C., & Carballo, J. (2022). Antioxidant Activity, Total Phenolic Content and Total Flavonoid Content in Sweet Chestnut (*Castanea sativa* Mill.) Cultivars

Grown in Northwest Spain under Different Environmental Conditions. *Foods*, 11(21), Article 21. <https://doi.org/10.3390/foods11213519>

Masoud, M. S. (2017). *VULNERABILITY OF CLOVE FARMERS TO IMPACTS OF CLIMATE CHANGE AND VARIABILITY IN PEMBA ISLAND*.

<https://www.semanticscholar.org/paper/VULNERABILITY-OF-CLOVE-FARMERS-TO-IMPACTS-OF-CHANGE-Masoud/577d3a4666d22c946b179a8d02614f4e2948bab6>

Maury, G., Méndez Rodríguez, D., Hendrix, S., Escalona Arranz, J. C., Fung Boix, Y., Pacheco,

A. O., García Díaz, J., Morris-Quevedo, H. J., Ferrer Dubois, A., Aleman, E. I.,

Beenaerts, N., Méndez-Santos, I. E., Orberá Ratón, T., Cos, P., & Cuypers, A. (2020).

Antioxidants in Plants: A Valorization Potential Emphasizing the Need for the Conservation of Plant Biodiversity in Cuba. *Antioxidants*, 9(11), 1048.

<https://doi.org/10.3390/antiox9111048>

Medina-Torres, N., Ayora-Talavera, T., Espinosa-Andrews, H., Sánchez-Contreras, A., &

Pacheco, N. (2017). Ultrasound Assisted Extraction for the Recovery of Phenolic Compounds from Vegetable Sources. *Agronomy*, 7(3), Article 3.

<https://doi.org/10.3390/agronomy7030047>

Mehta, N., S, J., Kumar, P., Verma, A. K., Umaraw, P., Khatkar, S. K., Khatkar, A. B., Pathak, D.,

Kaka, U., & Sazili, A. Q. (2022). Ultrasound-Assisted Extraction and the Encapsulation of Bioactive Components for Food Applications. *Foods*, 11(19), Article 19.

<https://doi.org/10.3390/foods11192973>

Moradi, F., Hadi, N., & Bazargani, A. (2020). Evaluation of quorum-sensing inhibitory effects of extracts of three traditional medicine plants with known antibacterial properties.

New Microbes and New Infections, 38, 10076

<https://doi.org/10.1016/j.nmni.2020.100769>

Mostaqim, S., Saha, S. K., Hani, U., Paul, S. K., Sharmin, M., Basak, S., Begum, S. A., Salma, U.,

& Shahabuddin, M. S. (2019). Antibacterial Activities of Clove (*Syzygium aromaticum*)

Extracts Against Three Food Borne Pathogens: *Staphylococcus aureus*, *Escherichia coli* and *Pseudomonas aeruginosa*. *Mymensingh Medical Journal: MMJ*, 28(4),

779–791.

Mousavi, S. A., Nateghi, L., Javanmard Dakheli, M., Ramezan, Y., & Piravi-Vanak, Z. (2022).

Maceration and ultrasound-assisted methods used for extraction of phenolic

compounds and antioxidant activity from *Ferulago angulata*. *Journal of Food*

Processing and Preservation, 46(3), e16356. <https://doi.org/10.1111/jfpp.16356>

- Muñiz-Márquez, D. B., Martínez-Ávila, G. C., Wong-Paz, J. E., Belmares-Cerda, R., Rodríguez-Herrera, R., & Aguilar, C. N. (2013). Ultrasound-assisted extraction of phenolic compounds from *Laurus nobilis* L. and their antioxidant activity. *Ultrasonics Sonochemistry*, 20(5), 1149–1154. <https://doi.org/10.1016/j.ultsonch.2013.02.008>
- Murni, V. W., Saepudin, E., Cahyana, A. H., Rahayu, D. U. C., Hastuti, L. T., & Haib, J. (2017). *Effect of oven drying and storage on essential oil composition of clove (*Syzygium aromaticum*) from Toli-Toli.* 030084. <https://doi.org/10.1063/1.4991188>
- Mussatto, S. I. (2015). Chapter 11—Generating Biomedical Polyphenolic Compounds from Spent Coffee or Silverskin. In V. R. Preedy (Ed.), *Coffee in Health and Disease Prevention* (pp. 93–106). Academic Press.
- <https://doi.org/10.1016/B978-0-12-409517-5.00011-5>
- Mzid, M., Ben Khedir, S., Ben Salem, M., Regaieg, W., & Rebai, T. (2017). Antioxidant and antimicrobial activities of ethanol and aqueous extracts from *Urtica urens*. *Pharmaceutical Biology*, 55(1), 775–781.
- <https://doi.org/10.1080/13880209.2016.1275025>
- Nikousaleh, A., & Prakash, J. (2009). *Effect of Dry Heat Treatment of Six Spices on Antioxidant Activity of their Water Extracts.*
- <https://www.semanticscholar.org/paper/Effect-of-Dry-Heat-Treatment-of-Six-Spices-on-of-Nikousaleh-Prakash/7df0327779ce31af531b469460ffbd38058f96e8>
- Nour, A. H., Oluwaseun, A. R., Nour, A. H., Omer, M. S., Ahmed, N., Nour, A. H., Oluwaseun, A. R., Nour, A. H., Omer, M. S., & Ahmed, N. (2021). Microwave-Assisted Extraction of Bioactive Compounds (Review). In *Microwave Heating—Electromagnetic Fields Causing Thermal and Non-Thermal Effects*. IntechOpen.
- <https://doi.org/10.5772/intechopen.96092>

- Nur-Hadirah, K., Arifullah, M., Nazahatul, A. A., Klaiklay, S., Chumkaew, P., Norhazlini, M. Z., & Zulhazman, H. (2021). Total phenolic content and antioxidant activity of an edible Aroid, *Colocasia esculenta* (L.) Schott. *IOP Conference Series: Earth and Environmental Science*, 756(1), 012044.
<https://doi.org/10.1088/1755-1315/756/1/012044>
- OEC. (2020). *Cloves in Indonesia* / OEC. OEC - The Observatory of Economic Complexity.
<https://oec.world/en/profile/bilateral-product/cloves/reporter/idn>
- Olugbami, J., Gbadegesin, M., & Odunola, O. (2014). In vitro evaluation of the antioxidant potential, phenolic and flavonoid contents of the stem bark ethanol extract of *Anogeissus leiocarpus*. *African Journal of Medicine and Medical Sciences*, 43(Suppl 1), 101–109.
- Pan, Z., Qu, W., Ma, H., Atungulu, G. G., & McHugh, T. H. (2012). Continuous and pulsed ultrasound-assisted extractions of antioxidants from pomegranate peel. *Ultrasonics Sonochemistry*, 19(2), 365–372. <https://doi.org/10.1016/j.ultsonch.2011.05.015>
- Parikh, B., & Patel, V. H. (2018). Total phenolic content and total antioxidant capacity of common Indian pulses and split pulses. *Journal of Food Science and Technology*, 55(4), 1499–1507. <https://doi.org/10.1007/s13197-018-3066-5>
- Pérez-Jiménez, J., Neveu, V., Vos, F., & Scalbert, A. (2010). Identification of the 100 richest dietary sources of polyphenols: An application of the Phenol-Explorer database. *European Journal of Clinical Nutrition*, 64 Suppl 3, S112-120.
<https://doi.org/10.1038/ejcn.2010.221>
- Phuyal, N., Jha, P., Raturi, P., & Rajbhandary, S. (2020). Total Phenolic, Flavonoid Contents, and Antioxidant Activities of Fruit, Seed, and Bark Extracts of *Zanthoxylum armatum* DC. *The Scientific World Journal*, 2020. <https://doi.org/10.1155/2020/8780704>

- Pinchao-Pinchao, Y. A., Ordoñez-Santos, L. E., Osorio-Mora, O., Pinchao-Pinchao, Y. A., Ordoñez-Santos, L. E., & Osorio-Mora, O. (2019). Evaluation of the effect of different factors on the ultrasound assisted extraction of phenolic compounds of the pea pod. *DYNA*, 86(210), 211–215. <https://doi.org/10.15446/dyna.v86n210.72880>
- Prabhu, A. K., Devadas, S. M., Lobo, R., Udupa, P., Chawla, K., & Ballal, M. (2017). Antidiarrheal Activity and Phytochemical Analysis of *Carica papaya* Fruit Extract. *J. Pharm. Sci.*, 9.
- Prasetyaningrum, A., Jos, B., Haryani, K., & Prinanda, G. R. (2023). Comparison of sequential microwave/ultrasound and microwave extraction of total phenolic compounds from *Moringa oleifera* L. *AIP Conference Proceedings*, 2667(1), 020004. <https://doi.org/10.1063/5.0130082>
- Pratama, A. P., & Darwanto, D. H. (2019). The competitiveness of indonesian cloves commodity in international market. *IOP Conference Series: Earth and Environmental Science*, 346(1), 012067. <https://doi.org/10.1088/1755-1315/346/1/012067>
- Pratama, R. A. (2020, May 27). *Clove farmers in Indonesia's 'Spice Islands' face increasing uncertainty in a changing climate*. Earth Journalism Network. <https://earthjournalism.net/stories/clove-farmers-in-indonesias-spice-islands-face-increasing-uncertainty-in-a-changing-climate>
- PubChem. (2023). *PubChem*. <https://pubchem.ncbi.nlm.nih.gov/>
- Pundir, R. K., Jain, P., & Sharma, C. (2010). *Antimicrobial Activity of Ethanolic Extracts of Syzygium aromaticum and Allium sativum Against Food Associated Bacteria and Fungi*.
- Rahmawati, N., Nur Kristina, T., Lestari, E., & Hardian, H. (2021). IN VITRO TESTING OF CLOVE EXTRACTS IN INHIBITING AND KILLING STAPHYLOCOCCUS AUREUS AND ESCHERICHIA

- COLI. *DIPONEGORO MEDICAL JOURNAL (JURNAL KEDOKTERAN DIPONEGORO)*, 10, 16–19. <https://doi.org/10.14710/dmj.v10i1.29420>
- Riptanti, E. W., Qonita, A., & Uchyani, R. (2019). Revitalization of cloves cultivation in Central Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 314(1), 012085. <https://doi.org/10.1088/1755-1315/314/1/012085>
- Rosarior, V. L., Lim, P. S., Wong, W. K., Yue, C. S., Yam, H. C., & Tan, S.-A. (2021). Antioxidant-rich Clove Extract, A Strong Antimicrobial Agent against Urinary Tract Infections-causing Bacteria in vitro. *Tropical Life Sciences Research*, 32(2), 45–63. <https://doi.org/10.21315/tlsr2021.32.2.4>
- Rubi, R. V., Olay, J., Calugay, P., Diaz, M., Dimayuga, K. F., Gagui, F. M., & Tare, K. (2020). Ultrasound-microwave Assisted Extraction (UMAE) of Andrographolide from Sinta (*Andrographis paniculata*) with its Bioactivity Assessment. *Journal of Environmental Science and Management*, 1, Article 1. https://doi.org/10.47125/jesam/2020_sp1/01
- Saeed, N., Khan, M. R., & Shabbir, M. (2012). Antioxidant activity, total phenolic and total flavonoid contents of whole plant extracts *Torilis leptophylla* L. *BMC Complementary and Alternative Medicine*, 12(1), 221. <https://doi.org/10.1186/1472-6882-12-221>
- Saikumari, D., Rani, S. K. S., & Saxena, N. (2016). Antibacterial Activity of *Syzygium aromaticum* L. (Clove). *International Journal of Current Microbiology and Applied Sciences*, 5(11), 484–489. <https://doi.org/10.20546/ijcmas.2016.511.056>
- Sánchez Zárate, A., Velázquez-Martínez, J., & Chay-Canul, A. (2020). Antioxidant and antibacterial activity of aqueous, ethanolic and acetonic extracts of *Pimenta dioica* L. leaves. *International Food Research Journal*, 25, 825–834.
- Sant'ana, L. D., Buarque Ferreira, A. B., Lorenzon, M. C. A., Berbara, R. L. L., & Castro, R. N. (2014). Correlation of Total Phenolic and Flavonoid Contents of Brazilian Honeys with

Colour and Antioxidant Capacity. *International Journal of Food Properties*, 17(1),

65–76.

<https://doi.org/10.1080/10942912.2011.614368>

Scorzoni, L., T. B., Almeida, A., Silva, D. H., Bolzani, V., & Mendes Giannini, M. J. (2009).

Comparative study of disk diffusion and microdilution methods for evaluation of antifungal activity of natural compounds against medical yeasts *Candida* spp and *Cryptococcus* sp. *Revista de Ciências Farmacêuticas Básica e Aplicada*, 18.

Shehu, I., Sanusi, S. B., & Saka, H. K. (2023). Study on antibacterial activity of clove (*Syzygium aromaticum*). *Science World Journal*, 18(1), Article 1.

Shi, L., Zhao, W., Yang, Z., Subbiah, V., & Suleria, H. A. R. (2022). Extraction and characterization of phenolic compounds and their potential antioxidant activities.

Environmental Science and Pollution Research, 29(54), 81112–81129.

<https://doi.org/10.1007/s11356-022-23337-6>

Singh, T. P., Chauhan, G., Mendiratta, S. K., Agrawal, R. K., Arora, S., Verma, A. K., & Rajkumar, V. (2022). In vitro antioxidant and antimicrobial activities of clove extract and its effectiveness in bio-composite film on storage stability of goat meat balls. *Journal of Food Science*, 87(5), 2083–2095. <https://doi.org/10.1111/1750-3841.16135>

Sousa, A. D., Maia, A. I. V., Rodrigues, T. H. S., Canuto, K. M., Ribeiro, P. R. V., de Cassia Alves Pereira, R., Vieira, R. F., & de Brito, E. S. (2016). Ultrasound-assisted and pressurized liquid extraction of phenolic compounds from *Phyllanthus amarus* and its composition evaluation by UPLC-QTOF. *Industrial Crops and Products*, 79, 91–103

<https://doi.org/10.1016/j.indcrop.2015.10.045>

Sun, A., Chi, X., Yang, X., Feng, J., & Zhou, Y. L. and J. (2019). *Applications and Prospects of Ultrasound-Assisted Extraction in Chinese Herbal Medicine*. 1(1), 05–15.

Syahir, A., Sulaiman, S., Mel, M., Othman, M., & Zubaidah Sulaiman, S. (2020). An Overview: Analysis of ultrasonic-assisted extraction's parameters and its process. *Materials Science and Engineering Conference Series*, 778(1), 012165.

<https://doi.org/10.1088/1757-899X/778/1/012165>

Tekin, K., Akalın, M. K., & Şeker, M. G. (2015). Ultrasound bath-assisted extraction of essential oils from clove using central composite design. *Industrial Crops and Products*, 77, 954–960. <https://doi.org/10.1016/j.indcrop.2015.09.071>

Temesgen, S., Sasikumar, J. M., & Egigu, M. C. (2022). Effect of Extraction Solvents on Total Polyphenolic Content and Antioxidant Capacity of *Syzygium Aromaticum* L. Flower Bud from Ethiopia. *BioMed Research International*, 2022, 4568944.

<https://doi.org/10.1155/2022/4568944>

Toksikol, M., Knežević, S., & Abram, M. (2020). Challenges to Antimicrobial Susceptibility Testing of Plant-derived Polyphenolic Compounds. *Archives of Industrial Hygiene and Toxicology*, 71(4), 300–311. <https://doi.org/10.2478/aiht-2020-71-3396>

Tshabalala, R., Kabelinde, A., KAPTCHOUANG TCHATCHOUANG, C.-D., Ateba, C. N., & Manganyi, M. C. (2021). Effect of Clove (*Syzygium aromaticum*) spice as microbial inhibitor of resistant bacteria and Organoleptic Quality of meat. *Saudi Journal of Biological Sciences*, 28(7), 3855–3863. <https://doi.org/10.1016/j.sjbs.2021.03.052>

Vaou, N., Stavropoulou, E., Voidarou, C., Tsigalou, C., & Bezirtzoglou, E. (2021). Towards Advances in Medicinal Plant Antimicrobial Activity: A Review Study on Challenges and Future Perspectives. *Microorganisms*, 9(10), Article 10.

<https://doi.org/10.3390/microorganisms9102041>

Vázquez, M. F. B., Comini, L., Martini, R., Núñez Montoya, S., Bottini, S., & Cabrera, J. (2015).

Ultrasonic-assisted extraction of anthraquinones from *Heterophyllaea pustulata*

Hook f. (Rubiaceae) using ethanol–water mixtures. *Industrial Crops and Products*, 69.

<https://doi.org/10.1016/j.indcrop.2015.01.065>

Vicidomini, C., Roviello, V., & Roviello, G. N. (2021). Molecular Basis of the Therapeutic

Potential of Clove (*Syzygium aromaticum* L.) and Clues to Its Anti-COVID-19 Utility.

Molecules, 26(7), Article 7. <https://doi.org/10.3390/molecules26071880>

Vinatoru, M., Mason, T. J., & Calinescu, I. (2017). Ultrasonically assisted extraction (UAE) and microwave assisted extraction (MAE) of functional compounds from plant materials.

TrAC Trends in Analytical Chemistry, 97, 159–178.

<https://doi.org/10.1016/j.trac.2017.09.002>

Wael, S., Rini Nuringtyas, T., Wijayanti, N., & Astuti, P. (2018). Secondary Metabolites

Production in Clove (*Syzygium aromaticum*): Chemical Compounds. *Journal of*

Biological Sciences, 18(7), 399–406. <https://doi.org/10.3923/jbs.2018.399.406>

Walsh, S. E., Maillard, J.-Y., Russell, A. D., Catrenich, C. E., Charbonneau, D. L., & Bartolo, R. G.

(2003). Activity and mechanisms of action of selected biocidal agents on

Gram-positive and -negative bacteria. *Journal of Applied Microbiology*, 94(2),

240–247. <https://doi.org/10.1046/j.1365-2672.2003.01825.x>

Wang, J., Zhao, Y.-M., Tian, Y.-T., Yan, C.-L., & Guo, C.-Y. (2013). Ultrasound-Assisted Extraction

of Total Phenolic Compounds from *Inula helenium*. *The Scientific World Journal*,

2013,

e157527. <https://doi.org/10.1155/2013/157527>

Wani, S., Singh, A., & Kumar, P. (2022). *Spice Bioactive Compounds: Properties, Applications,*

and Health Benefits. <https://doi.org/10.1201/9781003215387>

- Weggler, B. A., Gruber, B., Teehan, P., Jaramillo, R., & Dorman, F. L. (2020). Chapter 5—Inlets and sampling. In N. H. Snow (Ed.), *Separation Science and Technology* (Vol. 12, pp. 141–203). Academic Press. <https://doi.org/10.1016/B978-0-12-813745-1.00005-2>
- Wong, B. Y., Tan, C., & Chun Wai, H. (2013). Effect of solid-to-solvent ratio on phenolic content and antioxidant capacities of Dukung Anak (*Phyllanthus niruri*). *International Food Research Journal*, 20, 325–330.
- Yassin, M., Abdulrahman Al-Askar, A., Abdel-Fattah Mostafa, A., & El-Sheikh, M. A. (2020). Bioactivity of *Syzygium aromaticum* (L.) Merr. & L.M.Perry extracts as potential antimicrobial and anticancer agents. *Journal of King Saud University - Science*, 32(8), 3273–3278. <https://doi.org/10.1016/j.jksus.2020.09.009>
- Zahari, N. A. A. R., Chong, G. H., Abdullah, L. C., & Chua, B. L. (2020). Ultrasonic-Assisted Extraction (UAE) Process on Thymol Concentration from *Plectranthus Amboinicus* Leaves: Kinetic Modeling and Optimization. *Processes*, 8(3), Article 3. <https://doi.org/10.3390/pr8030322>
- Zhang, H., Peng, X., Li, X., Wu, J., & Guo, X. (2017). The Application of Clove Extract Protects Chinese-style Sausages against Oxidation and Quality Deterioration. *Food Science of Animal Resources*, 37(1), 114–122. <https://doi.org/10.5851/kosfa.2017.37.1.114>
- Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine*, 13, 20. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhou, T., Xu, D.-P., Lin, S.-J., Li, Y., Zheng, J., Zhou, Y., Zhang, J.-J., & Li, H.-B. (2017). Ultrasound-Assisted Extraction and Identification of Natural Antioxidants from the Fruit of *Melastoma sanguineum* Sims. *Molecules (Basel, Switzerland)*, 22(2), 306. <https://doi.org/10.3390/molecules22020306>

- Zhu, Y. (2014). *Relationship of Total Phenolic Contents, DPPH Activities and Anti-Lipid-Oxidation Capabilities of Different Bioactive Beverages and Phenolic Antioxidants* [Master of Science, Louisiana State University and Agricultural and Mechanical College]. https://doi.org/10.31390/gradschool_theses.624
- Zimare, S. B., Mankar, G. D., & Barmukh, R. B. (2021). Optimization of ultrasound-assisted extraction of total phenolics and flavonoids from the leaves of *Lobelia nicotianifolia* and their radical scavenging potential. *Current Research in Green and Sustainable Chemistry*, 4, 100109. <https://doi.org/10.1016/j.crgsc.2021.100109>