

REFERENCES

- Al-Dabbas, M., & Al-Qudsi, J. (2012). Effect of partial replacement of sucrose with the artificial sweetener sucralose on the physico-chemical, sensory, microbial characteristics, and final cost saving of orange nectar.
- Aparnathi, K. D. (2017). Chemistry and use of artificial intense sweeteners. *International Journal of Current Microbiology and Applied Sciences*, 6(6), 1283–1296. <https://doi.org/10.20546/ijcmas.2017.606.151>
- Ashurst, P., Ashurst, P., Hargitt, R., & Palmer, F. (2017). Ingredients in Soft Drinks. In *Soft drink and fruit juice problems solved (second edition)* (pp. 29–66). essay, Woodhead Publishing.
- Benedek, C., Bodor, Z., Merrill, V. T., Kókai, Z., Gere, A., Kovacs, Z., Dalmadi, I., & Abrankó, L. (2020). Effect of sweeteners and storage on compositional and sensory properties of blackberry jams. *European Food Research and Technology*, 246(11), 2187–2204. <https://doi.org/10.1007/s00217-020-03564-2>
- Bhattacharya, S. (2022). Sugars, Sweeteners, Chocolates, and Sweet Snacks. In *Snack Foods: Processing and Technology* (pp. 211–249). essay, ELSEVIER ACADEMIC PRESS.
- Bingham, A. F., Birch, G. G., de Graaf, C., Behan, J. M., & Perring, K. D. (1990). Sensory studies with sucrose-maltol mixtures. *Chemical Senses*, 15(4), 447–456. <https://doi.org/10.1093/chemse/15.4.447>
- Birch, G. G. (1996). Towards an improved understanding of sweetener synergy. *Trends in Food Science & Technology*, 7(12), 403–407. [https://doi.org/10.1016/s0924-2244\(96\)10041-8](https://doi.org/10.1016/s0924-2244(96)10041-8)
- Bornstein, B., Wiet, G., & Pombo, M. (1993). *Journal of Food Science*, 58(5). <https://doi.org/10.1111/jfds.1993.58.issue-5>
- Caballero, B., Trugo, L. C., Finglas, P. M., Bassoli, A., & Merlini, L. (2003). Sweeteners. In *Encyclopedia of Food Sciences and nutrition* (pp. 5688–5695). essay, Academic.
- Castberg, H. B., Osmundsen, J. I., & Solberg, P. (1999). Packaging systems for fruit juices and non-carbonated beverages. *Production and Packaging of Non-Carbonated Fruit Juices and Fruit Beverages*, 290–309. https://doi.org/10.1007/978-1-4757-6296-9_11
- Chattopadhyay, S., Raychaudhuri, U., & Chakraborty, R. (2011). Artificial Sweeteners – a review. *Journal of Food Science and Technology*, 51(4), 611–621. <https://doi.org/10.1007/s13197-011-0571-1>
- Decourcelle, N., Lubbers, S., Vallet, N., Rondeau, P., & Guichard, E. (2004). Effect of thickeners and sweeteners on the release of blended aroma compounds in fat-free stirred yogurt during shear conditions. *International Dairy Journal*, 14(9), 783–789. <https://doi.org/10.1016/j.idairyj.2004.02.007>
- Deibler, K. D., & Acree, T. E. (2000). Effect of beverage base conditions on flavor release. *ACS Symposium Series*, 333–341. <https://doi.org/10.1021/bk-2000-0763.ch027>
- De Melo L. L., Bolini, H. M., & Efraim, P. (2009). Storage time study of sugar-free and reduced calorie milk chocolates. *Journal of Food Quality*, 32(5), 577–589. <https://doi.org/10.1111/j.1745-4557.2009.00273.x>

- Godshall MA. The Expanding World of Nutritive and Non-Nutritive Sweeteners. *Sugar J.* 2007;69:12–20.
- Goubet, I., Le Quere, J.-L., & Voilley, A. J. (1998). Retention of aroma compounds by carbohydrates: Influence of their physicochemical characteristics and of their physical state. A Review. *Journal of Agricultural and Food Chemistry*, 46(5), 1981–1990. <https://doi.org/10.1021/jf970709y>
- Gupta, A., Mishra, P., Pandey, C. M., Singh, U., Sahu, C., & Keshri, A. (2019). Descriptive statistics and normality tests for statistical data. *Annals of Cardiac Anaesthesia*, 22(1), 67. https://doi.org/10.4103/aca.aca_157_18
- Hansson, A., Andersson, J., & Leufvén, A. (2001). The effect of sugars and pectin on flavor release from a soft drink-related model system. *Food Chemistry*, 72(3), 363–368. [https://doi.org/10.1016/s0308-8146\(00\)00243-0](https://doi.org/10.1016/s0308-8146(00)00243-0)
- Herrera, O. A., Fernando, O., Carcamo, G., Arrue, R., & Carlos, J. (2020). Evaluation on the Color Development in Sugar Storage.
- Hess, J., Latulippe, M. E., Ayoob, K., & Slavin, J. (2012). The confusing world of dietary sugars: Definitions, intakes, food sources and international dietary recommendations. *Food & Function*, 3(5), 477. <https://doi.org/10.1039/c2fo10250a>
- Hwang, E.-S., & Tai, N. D. (2014). Quality characteristics and antioxidant activities of aronia jam replacing sucrose with different sugar substances. *The Korean Journal of Food And Nutrition*, 27(5), 888–896. <https://doi.org/10.9799/ksfan.2014.27.5.888>
- King, B. M., Arents, P., Bouter, N., Duineveld, C. A., Meyners, M., Schroff, S. I., & Soekhai, S. T. (2006). Sweetener/sweetness-induced changes in flavor perception and flavor release of *fruity* and *green* character in beverages. *Journal of Agricultural and Food Chemistry*, 54(7), 2671–2677. <https://doi.org/10.1021/jf060195f>
- Lanzafame, G., Sarakha, M., Fabbri, D., & Vione, D. (2017). Degradation of methyl 2-aminobenzoate (methyl anthranilate) by H₂O₂/UV: Effect of inorganic anions and derived radicals. *Molecules*, 22(4), 619. <https://doi.org/10.3390/molecules22040619>
- Lawless, H. T. (1998). Theoretical note: Tests of synergy in sweetener mixtures. *Chemical Senses*, 23(4), 447–451. <https://doi.org/10.1093/chemse/23.4.447>
- Long, M., Wei, Y., Tao, S., Wu, Y., Wang, J. Y., Zhou, D., Cai, H., & Zhan, G. (2023). Ice cream with sucralose, stevioside, and erythritol as sugar substitutes: Sensory profile and Customer Preference. *Food Science and Technology International*, 108201322211505. <https://doi.org/10.1177/10820132221150534>
- Mazi, T. A., & Stanhope, K. L. (2023). Erythritol: An in-depth discussion of its potential to be a beneficial dietary component. *Nutrients*, 15(1), 204. <https://doi.org/10.3390/nu15010204>
- Medeiros, A., Tavares, E., & Bolini, H. M. (2022). Descriptive sensory profile and consumer study impact of different nutritive and non-nutritive sweeteners on the descriptive, temporal profile, and consumer acceptance in a peach juice matrix. *Foods*, 11(2), 244. <https://doi.org/10.3390/foods11020244>
- Mirghani, H., Alali, N., Albalawi, H., & ALSelaimy, R. (2021). Diet sugar-free carbonated soda beverage, non-caloric flavors consumption, and diabetic retinopathy: Any linkage. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, Volume 14, 2309–2315. <https://doi.org/10.2147/dms0.s309029>

- Mishra, A., Ahmed, K., Froghi, S., & Dasgupta, P. (2015). Systematic review of the relationship between artificial sweetener consumption and cancer in humans: Analysis of 599,741 participants. *International Journal of Clinical Practice*, 69(12), 1418–1426. <https://doi.org/10.1111/ijcp.12703>
- Mudgil, D., Barak, S., & Chaudhary, V. (2018). Soft Carbonated Beverages. In *Beverages: Processing and technology* (pp. 90–111). essay, Scientific Publishers.
- Pan, X., Wu, J., Zhang, W., Liu, J., Yang, X., Liao, X., Hu, X., & Lao, F. (2021). Effects of sugar matrices on the release of key aroma compounds in fresh and high hydrostatic pressure processed Tainong mango juices. *Food Chemistry*, 338, 128117. <https://doi.org/10.1016/j.foodchem.2020.128117>
- Paravisini, L., & Guichard, E. (2016). Interactions between aroma compounds and food matrix. *Flavour*, 208–234. <https://doi.org/10.1002/9781118929384.ch9>
- Pearce, K., Culbert, J., Cass, D., Cozzolino, D., & Wilkinson, K. (2016). Influence of sample storage on the composition of carbonated beverages by Mir Spectroscopy. *Beverages*, 2(4), 26. <https://doi.org/10.3390/beverages2040026>
- Quinlan, M. E., & Jenner, M. F. (1990). Analysis and stability of the sweetener sucralose in beverages. *Journal of Food Science*, 55(1), 244–246. <https://doi.org/10.1111/j.1365-2621.1990.tb06061.x>
- Reddy, A., Norris, D. F., Momeni, S. S., Waldo, B., & Ruby, J. D. (2016). The ph of beverages in the United states. *The Journal of the American Dental Association*, 147(4), 255–263. <https://doi.org/10.1016/j.adaj.2015.10.019>
- Regnat, K., Mach, R. L., & Mach-Aigner, A. R. (2017). Erythritol as sweetener—wherefrom and where to? *Applied Microbiology and Biotechnology*, 102(2), 587–595. <https://doi.org/10.1007/s00253-017-8654-1>
- Reyes, M. M., Gravina, S. A., & Hayes, J. E. (2019). Evaluation of sweetener synergy in humans by Isobole analyses. *Chemical Senses*, 44(8), 571–582. <https://doi.org/10.1093/chemse/bjz056>
- Roberto, C. A., Lawman, H. G., LeVasseur, M. T., Mitra, N., Peterhans, A., Herring, B., & Bleich, S. N. (2019). Association of a beverage tax on sugar-sweetened and artificially sweetened beverages with changes in beverage prices and sales at chain retailers in a large urban setting. *JAMA*, 321(18), 1799. <https://doi.org/10.1001/jama.2019.4249>
- Salem, W. (2022). *Introduction to Optical Analysis of Dental Materials: A Review*.
- Sandi, D., Chaves, J. B., Sousa, A. C., Parreiras, J. F., Silva, M. T., & Constant, P. B. (2004). Hunter color dimensions, sugar content and volatile compounds in pasteurized yellow passion fruit juice (*passiflora edulis* var. *flavicarpa*) during storage. *Brazilian Archives of Biology and Technology*, 47(2), 233–245. <https://doi.org/10.1590/s1516-89132004000200011>
- Schiffman, S. S., & Rother, K. I. (2013). Sucralose, a synthetic organochlorine sweetener: Overview of biological issues. *Journal of Toxicology and Environmental Health, Part B*, 16(7), 399–451. <https://doi.org/10.1080/10937404.2013.842523>
- Simonot, L., Hébert, M., Mazauric, S., & Hersch, R. D. (2017). Assessing the proper color of translucent materials by an extended two-flux model from measurements based on an integrating sphere. *Electronic Imaging*, 29(8), 48–56. <https://doi.org/10.2352/issn.2470-1173.2017.8.maap-291>

- Sjahwil, L. N., Andarwulan, N., & Hariyadi, P. (2014). Study on flavours trend of food products launched in Indonesia, Malaysia, Philippines and Thailand in 2006–2010. *Jurnal Mutu Pangan*, 1(1), 9-18
- Susanti, A. D., Jalesaputri, D. D., Hasanah, F. R., Romadhoni, A. T., & Gultom, A. P. (2023). The study of selection bottle packaging for carbonated beverages. *Equilibrium Journal of Chemical Engineering*, 6(2), 127. <https://doi.org/10.20961/equilibrium.v6i2.62623>
- Takazoe, I. (1985). *New Trends on Sweeteners in Japan*.
- Tiefenbacher, K. F. (2017). Technology of main ingredients—sweeteners and lipids. *Wafer and Waffle*, 123–225. <https://doi.org/10.1016/b978-0-12-809438-9.00003-x>
- Tinjaca, D. A., Muñoz, M. M., Rahimpour, E., Jouyban, A., Martinez, F., & Acree Jr, W. E. (2018). Solubility and apparent specific volume of sucrose in some aqueous polyethylene glycol mixtures at 298.2 K. *Pharmaceutical Sciences*, 24(2), 163–167. <https://doi.org/10.15171/ps.2018.24>
- Vartanian, L. R., Schwartz, M. B., & Brownell, K. D. (2007). Effects of soft drink consumption on nutrition and health: A systematic review and meta-analysis. *American Journal of Public Health*, 97(4), 667–675. <https://doi.org/10.2105/ajph.2005.083782>
- Wiet, Stephan, & Beyts, Pamela (1992). Sensory characteristics of sucralose and other high intensity sweeteners. *Journal of Food Science*, 57(4), 1014–1019. <https://doi.org/10.1111/j.1365-2621.1992.tb14345.x>
- Zoecklein, B. W., Fugelsang, K. C., & Gump, B. H. (2010). Practical methods of measuring grape quality. *Managing Wine Quality*, 107–133. <https://doi.org/10.1533/9781845699284.2.107>
- Zero, D. T. (2008). Are sugar substitutes also anticariogenic? *The Journal of the American Dental Association*, 139. <https://doi.org/10.14219/jada.archive.2008.0349>