

References

- Abuduabiflu, A., & Tamer, C. E. (2019). Evaluation of physicochemical and bioaccessibility properties of goji berry kombucha. *Journal of Food Processing and Preservation*, 43(9), e14077. <https://doi.org/10.1111/JFPP.14077>
- Ağçam, E., Akyıldız, A., & Dündar, B. (2018). Thermal Pasteurization and Microbial Inactivation of Fruit Juices. *Fruit Juices: Extraction, Composition, Quality and Analysis*, 309–339. <https://doi.org/10.1016/B978-0-12-802230-6.00017-5>
- Ahmed, R. F., Hikal, M. S., & Abou-Taleb, K. A. (2020). Biological, chemical and antioxidant activities of different types Kombucha. *Annals of Agricultural Sciences*, 65(1), 35–41. <https://doi.org/10.1016/J.AOAS.2020.04.001>
- Amarasekara, A. S., Wang, D., & Grady, T. L. (2020). A comparison of kombucha SCOBY bacterial cellulose purification methods. *SN Applied Sciences*, 2(2), 240. <https://doi.org/10.1007/s42452-020-1982-2>
- Anantachoke, N., Duangrat, R., Sutthiphatkul, T., Ochaikul, D., & Mangmool, S. (2023). Kombucha Beverages Produced from Fruits, Vegetables, and Plants: A Review on Their Pharmacological Activities and Health Benefits. *Foods*, 12(9), 1818. <https://doi.org/10.3390/FOODS12091818/S1>
- Angela, C., Young, J., Kordayanti, S., Virginia Partha Devanthi, P., & . K. (2020). Isolation and Screening of Microbial Isolates from Kombucha Culture for Bacterial Cellulose Production in Sugarcane Molasses Medium. *KnE Life Sciences*. <https://doi.org/10.18502/KLS.V5I2.6444>
- Antolak, H., Piechota, D., & Kucharska, A. (2021). Kombucha Tea—A Double Power of Bioactive Compounds from Tea and Symbiotic Culture of Bacteria and Yeasts (SCOBY). *Antioxidants 2021, Vol. 10, Page 1541*, 10(10), 1541. <https://doi.org/10.3390/ANTIOX10101541>
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total Phenolic Content, Flavonoid Content and Antioxidant Potential of Wild Vegetables from Western Nepal. *Plants*, 8(4), 96. <https://doi.org/10.3390/plants8040096>

- Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022). Kombucha: Biochemical and microbiological impacts on the chemical and flavor profile. *Food Chemistry Advances*, 1, 100025. <https://doi.org/10.1016/j.focha.2022.100025>
- Broadbent, A. D. (2017). Colorimetry, Methods. *Encyclopedia of Spectroscopy and Spectrometry*, 321–327. <https://doi.org/10.1016/B978-0-12-803224-4.00014-5>
- Buck, R. P., Rondinini, S., Covington, A. K., Baucke, F. G. K., Brett, C. M. A., Camões, M. F., Milton, M. J. T., Mussini, T., Naumann, R., Pratt, K. W., Spitzer, P., & Wilson, G. S. (2002). Measurement of pH. Definition, standards, and procedures (IUPAC Recommendations 2002). *Pure and Applied Chemistry*, 74(11), 2169–2200. <https://doi.org/10.1351/PAC200274112169>
- Cardoso, R. R., Neto, R. O., dos Santos D'Almeida, C. T., do Nascimento, T. P., Pressete, C. G., Azevedo, L., Martino, H. S. D., Cameron, L. C., Ferreira, M. S. L., & Barros, F. A. R. de. (2020). Kombuchas from green and black teas have different phenolic profile, which impacts their antioxidant capacities, antibacterial and antiproliferative activities. *Food Research International*, 128, 108782. <https://doi.org/10.1016/J.FOODRES.2019.108782>
- Carmona-Hernandez, J. C., Taborda-Ocampo, G., & González-Correa, C. H. (2021). Folin-Ciocalteu Reaction Alternatives for Higher Polyphenol Quantitation in Colombian Passion Fruits. *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/8871301>
- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakraborty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal of Food Microbiology*, 220, 63–72. <https://doi.org/10.1016/j.ijfoodmicro.2015.12.015>
- Chen, C., & Liu, B. Y. (2000). Changes in major components of tea fungus metabolites during prolonged fermentation. *Journal of Applied Microbiology*, 89(5), 834–839. <https://doi.org/10.1046/J.1365-2672.2000.01188.X>
- Chen, H., Yu, F., Kang, J., Li, Q., Warusawitharana, H. K., & Li, B. (2023). Quality Chemistry, Physiological Functions, and Health Benefits of Organic Acids from Tea (*Camellia sinensis*). *Molecules*, 28(5). <https://doi.org/10.3390/MOLECULES28052339>

Chen, Y., Huang, J., Hu, J., Yan, R., & Ma, X. (2019). Comparative study on the phytochemical profiles and cellular antioxidant activity of phenolics extracted from barley malts processed under different roasting temperatures. *Food & Function*, 10(4), 2176–2185.
<https://doi.org/10.1039/C9FO00168A>

Choudhury, A. K. R. (2014). Colour measurement instruments. *Principles of Colour and Appearance Measurement*, 221–269. <https://doi.org/10.1533/9780857099242.221>

Chu, S.-C., & Chen, C. (2006). Effects of origins and fermentation time on the antioxidant activities of kombucha. <https://doi.org/10.1016/j.foodchem.2005.05.080>

Coelho, R. M. D., Almeida, A. L. de, Amaral, R. Q. G. do, Mota, R. N. da, & Sousa, P. H. M. de. (2020). Kombucha: Review. *International Journal of Gastronomy and Food Science*, 22, 100272.
<https://doi.org/10.1016/j.ijgfs.2020.100272>

de Miranda, J. F., Ruiz, L. F., Silva, C. B., Uekane, T. M., Silva, K. A., Gonzalez, A. G. M., Fernandes, F. F., & Lima, A. R. (2022). Kombucha: A review of substrates, regulations, composition, and biological properties. *Journal of Food Science*, 87(2), 503–527. <https://doi.org/10.1111/1750-3841.16029>

Essawet, N., Cvetkovic, D., Velicanski, A., Canadanovic-Brunet, J., Vulic, J., Maksimovic, V., & Markov, S. (2015). Polyphenols and antioxidant activities of Kombucha beverage enriched with Coffeeberry® extract. *Chemical Industry and Chemical Engineering Quarterly*, 21(3), 399–409.
<https://doi.org/10.2298/CICEQ140528042E>

Fruits, Vegetables & Grains Safety. (n.d.). Retrieved April 1, 2023, from <http://www.bccdc.ca/health-info/prevention-public-health/fruits-vegetables-grains-safety>

Fu, C., Yan, F., Cao, Z., Xie, F., & Lin, J. (2014). Antioxidant activities of kombucha prepared from three different substrates and changes in content of probiotics during storage. *Food Sci. Technol, Campinas*, 34(1), 123–126.

Gamboa-Gómez, C. I., González-Laredo, R. F., Gallegos-Infante, J. A., Larrosa Pérez, M. del M., Moreno-Jiménez, M. R., Flores-Rueda, A. G., & Rocha-Guzmán, N. E. (2016). Antioxidant and Angiotensin-Converting Enzyme Inhibitory Activity of Eucalyptus camaldulensis and Litsea glaucescens

Infusions Fermented with Kombucha Consortium. *Food Technology and Biotechnology*, 54(3).

<https://doi.org/10.17113/ftb.54.03.16.4622>

Guidance for Industry: Juice Hazard Analysis Critical Control Point Hazards and Controls Guidance, First Edition / FDA. (n.d.). Retrieved April 1, 2023, from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-industry-juice-hazard-analysis-critical-control-point-hazards-and-controls-guidance-first>

Hammel, R., Karakilic, V., & Shaw, F. (2016). *The affect of temperature and pH on the food safety of kombucha tea.*

Ibraheem, N. A., Hasan, M. M., Khan, R. Z., & Mishra, P. K. (2012). ARPN Journal of Science and Technology:: Understanding Color Models: A Review. *ARPN Journal of Science and Technology*, 2(3). <http://www.ejournalofscience.org>

Ivanišová, E., Meňhartová, K., Terentjeva, M., Harangozo, Ľ., Kántor, A., & Kačániová, M. (2020). The evaluation of chemical, antioxidant, antimicrobial and sensory properties of kombucha tea beverage. *Journal of Food Science and Technology*, 57(5), 1840. <https://doi.org/10.1007/S13197-019-04217-3>

Jakubczyk, K., Kałduńska, J., Kochman, J., & Janda, K. (2020). Chemical Profile and Antioxidant Activity of the Kombucha Beverage Derived from White, Green, Black and Red Tea. *Antioxidants*, 9(5). <https://doi.org/10.3390/ANTIOX9050447>

Jakubczyk, K., Kupnicka, P., Melkis, K., Mielczarek, O., Walczyńska, J., Chlubek, D., & Janda-Milczarek, K. (2022). Effects of Fermentation Time and Type of Tea on the Content of Micronutrients in Kombucha Fermented Tea. *Nutrients*, 14(22). <https://doi.org/10.3390/NU14224828>

Jayabalan, R., Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A Review on Kombucha Tea—Microbiology, Composition, Fermentation, Beneficial Effects, Toxicity, and Tea Fungus. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 538–550. <https://doi.org/10.1111/1541-4337.12073>

Jayabalan, R., Marimuthu, S., & Swaminathan, K. (2007). Changes in content of organic acids and tea polyphenols during kombucha tea fermentation. *Food Chemistry*, 102(1), 392–398. <https://doi.org/10.1016/J.FOODCHEM.2006.05.032>

Jayabalan, R., Subathradevi, P., Marimuthu, S., Sathishkumar, M., & Swaminathan, K. (2008). Changes in free-radical scavenging ability of kombucha tea during fermentation. *Food Chemistry*, 109(1), 227–234. <https://doi.org/10.1016/J.FOODCHEM.2007.12.037>

Jaywant, S. A., Singh, H., & Arif, K. M. (2022). Sensors and Instruments for Brix Measurement: A Review. *Sensors*, 22(6), 2290. <https://doi.org/10.3390/s22062290>

Jiménez-González, O., & Guerrero-Beltrán, J. Á. (2021). *Diospyros digyna* (black sapote), an Undervalued Fruit: A Review. *ACS Food Science & Technology*, 1(1), 3–11. <https://doi.org/10.1021/acsfoodscitech.0c00103>

Kaewkod, T., Bovonsombut, S., & Tragoonrung, Y. (2019). Efficacy of Kombucha Obtained from Green, Oolong, and Black Teas on Inhibition of Pathogenic Bacteria, Antioxidation, and Toxicity on Colorectal Cancer Cell Line. *Microorganisms* 2019, Vol. 7, Page 700, 7(12), 700. <https://doi.org/10.3390/MICROORGANISMS7120700>

Kallel, L., Desseaux, V., Hamdi, M., Stocker, P., & Hassan Ajandouz, E. (2012). Insights into the fermentation biochemistry of Kombucha teas and potential impacts of Kombucha drinking on starch digestion. *FRIN*, 49, 226–232. <https://doi.org/10.1016/j.foodres.2012.08.018>

Kalsum, U., Apriyadi, T. E., Estiasih, T., Srianta, I., Zubaidah, E., Blanc, P. J., & Widayastuti, E. (2018). In vivo evaluation of snake fruit Kombucha as hyperglycemia therapeutic agent. In *International Food Research Journal (Malaysia)*.

Kayisoglu, S., & Coskun, F. (2020). Determination of physical and chemical properties of kombucha teas prepared with different herbal teas. *Food Science and Technology*, 41, 393–397. <https://doi.org/10.1590/FST.12720>

Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412. <https://doi.org/10.1007/S13197-011-0251-1>

- Klawpiyapamornkun, T., Uttarotai, T., Wangkarn, S., Sirisa-ard, P., Kiatkarun, S., Tragoonrung, Y., & Bovonsombut, S. (2023). Enhancing the Chemical Composition of Kombucha Fermentation by Adding Indian Gooseberry as a Substrate. *Fermentation*, 9(3), 291. <https://doi.org/10.3390/FERMENTATION9030291/S1>
- Kurutas, E. B. (2016). The importance of antioxidants which play the role in cellular response against oxidative/nitrosative stress: current state. *Nutrition Journal* 2016 15:1, 15(1), 1–22. <https://doi.org/10.1186/S12937-016-0186-5>
- Lawag, I. L., Nolden, E. S., Schaper, A. A. M., Lim, L. Y., & Locher, C. (2023). A Modified Folin-Ciocalteu Assay for the Determination of Total Phenolics Content in Honey. *Applied Sciences* 2023, Vol. 13, Page 2135, 13(4), 2135. <https://doi.org/10.3390/APP13042135>
- Li, R., Xu, Y., Chen, J., Wang, F., Zou, C., & Yin, J. (2022). Enhancing the proportion of gluconic acid with a microbial community reconstruction method to improve the taste quality of Kombucha. *LWT*, 155, 112937. <https://doi.org/10.1016/J.LWT.2021.112937>
- Lim, T. K. (2012). *Diospyros digyna*. In *Edible Medicinal And Non-Medicinal Plants* (pp. 425–427). Springer Netherlands. https://doi.org/10.1007/978-94-007-1764-0_57
- Lobanova, A. V., Strelnikov, L. S., Dolya, V. G., & Strilets, O. P. (2016). *Studying the properties of the microbial consortium “Kombucha” and creation new products on their basis*.
- Ly, B. C. K., Dyer, E. B., Feig, J. L., Chien, A. L., & Del Bino, S. (2020). Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. *Journal of Investigative Dermatology*, 140(1), 3-12.e1. <https://doi.org/10.1016/J.JID.2019.11.003>
- Malbasa, R. V. (2004). *Investigation of antioxidant activity of tea fungus beverage*.
- Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Čanadanović-Brunet, J. M. (2011). Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chemistry*, 127(4), 1727–1731. <https://doi.org/10.1016/j.foodchem.2011.02.048>

- Mannino, G., Serio, G., Berteia, C. M., Chiarelli, R., Lauria, A., & Gentile, C. (2022). Phytochemical profile and antioxidant properties of the edible and non-edible portions of black sapote (*Diospyros digyna* Jacq.). *Food Chemistry*, 380, 132137. <https://doi.org/10.1016/j.foodchem.2022.132137>
- Merino-Sánchez, L., Romero-Luna, H. E., García-Barradas, O., Mendoza-López, M. R., Jiménez-Fernández, M., Merino-Sánchez, L., Romero-Luna, H. E., García-Barradas, O., Mendoza-López, M. R., & Jiménez-Fernández, M. (2022). Physicochemical and antioxidant changes of black sapote (*Diospyros digyna*, Ebenaceae) during on-tree fruit development. *Acta Botánica Mexicana*, 128(129). <https://doi.org/10.21829/ABM129.2022.2032>
- Molole, G. J., Gure, A., & Abdissa, N. (2022). Determination of total phenolic content and antioxidant activity of *Commiphora mollis* (Oliv.) Engl. resin. *BMC Chemistry*, 16(1), 48. <https://doi.org/10.1186/s13065-022-00841-x>
- Moo-Huchin, V. M., Estrada-Mota, I., Estrada-León, R., Cuevas-Glory, L., Ortiz-Vázquez, E., Vargas, M. de L. V. y, Betancur-Ancona, D., & Sauri-Duch, E. (2014). Determination of some physicochemical characteristics, bioactive compounds and antioxidant activity of tropical fruits from Yucatan, Mexico. *Food Chemistry*, 152, 508–515. <https://doi.org/10.1016/j.foodchem.2013.12.013>
- Munteanu, I. G., & Apetrei, C. (2021). Analytical Methods Used in Determining Antioxidant Activity: A Review. *International Journal of Molecular Sciences* 2021, Vol. 22, Page 3380, 22(7), 3380. <https://doi.org/10.3390/IJMS22073380>
- Nielsen, S. S. (Ed.). (2017). *Food Analysis*. <https://doi.org/10.1007/978-3-319-45776-5>
- Not-quite-chocolate-pudding fruit: why black sapote is “utterly unexpected and delightful” | Fruit | The Guardian.* (n.d.). Retrieved March 24, 2023, from <https://www.theguardian.com/food/2020/oct/10/not-quite-chocolate-pudding-fruit-why-black-sapote-is-utterly-unexpected-and-delightful>
- Nyhan, L. M., Lynch, K. M., Sahin, A. W., & Arendt, E. K. (2022). Advances in Kombucha Tea Fermentation: A Review. *Applied Microbiology* 2022, Vol. 2, Pages 73-103, 2(1), 73–103. <https://doi.org/10.3390/APPLMICROBIOL2010005>

- ÖZYURT, H. (2020). Changes in the content of total polyphenols and the antioxidant activity of different beverages obtained by Kombucha ‘tea fungus.’ *International Journal of Agriculture, Environment and Food Sciences*, 255–261. <https://doi.org/10.31015/jaefs.2020.3.3>
- Pathare, P. B., Opara, U. L., & Al-Said, F. A. J. (2012). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology* 2012 6:1, 6(1), 36–60. <https://doi.org/10.1007/S11947-012-0867-9>
- Renard, C. M. G. C., & Maingonnat, J. F. (n.d.). *6 Thermal Processing of Fruits and Fruit Juices*.
- Sadeer, N. B., Montesano, D., Albrizio, S., Zengin, G., & Mahomoodally, M. F. (2020). The versatility of antioxidant assays in food science and safety—chemistry, applications, strengths, and limitations. *Antioxidants*, 9(8), 1–39. <https://doi.org/10.3390/ANTIOX9080709>
- Samanta, S. (2022). Potential Bioactive Components and Health Promotional Benefits of Tea (Camellia sinensis). *Journal of the American Nutrition Association*, 41(1). <https://doi.org/10.1080/07315724.2020.1827082>
- Senthil Kumar, R. S., Murugesan, S., Kottur, G., & Gyamfi, D. (2013). Black Tea: The Plants, Processing/Manufacturing and Production. *Tea in Health and Disease Prevention*, 41–57. <https://doi.org/10.1016/B978-0-12-384937-3.00004-5>
- Sreeramulu, G., Zhu, Y., & Knol, W. (2000). Kombucha Fermentation and Its Antimicrobial Activity. *Journal of Agricultural and Food Chemistry*, 48(6), 2589–2594. <https://doi.org/10.1021/jf991333m>
- Srihari, T., & Satyanarayana, U. (2012). Changes in free radical scavenging activity of kombucha during fermentation. *Journal of Pharmaceutical Sciences and Research*, 4(11), 1978–1981.
- Tejedor-Calvo, E., & Morales, D. (2023). Chemical and Aromatic Changes during Fermentation of Kombucha Beverages Produced Using Strawberry Tree (*Arbutus unedo*) Fruits. *Fermentation* 2023, Vol. 9, Page 326, 9(4), 326. <https://doi.org/10.3390/FERMENTATION9040326>

Tomovska, J., Gjorgievski, N., & Makarijoski, B. (2016). Examination of pH, Titratable Acidity and Antioxidant Activity in Fermented Milk. *Journal of Materials Science and Engineering A*, 6, 326–333. <https://doi.org/10.17265/2161-6213/2016.11-12.006>

Tyl, C., & Sadler, G. D. (2017). pH and Titratable Acidity. 389–406. https://doi.org/10.1007/978-3-319-45776-5_22

Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J.-P., & Taillandier, P. (2018). Understanding Kombucha Tea Fermentation: A Review. *Journal of Food Science*, 83(3), 580–588. <https://doi.org/10.1111/1750-3841.14068>

Wang, X., Wang, D., Wang, H., Jiao, S., Wu, J., Hou, Y., Sun, J., & Yuan, J. (2022). Chemical Profile and Antioxidant Capacity of Kombucha Tea by the Pure Cultured Kombucha. *LWT*, 168, 113931. <https://doi.org/10.1016/J.LWT.2022.113931>

Webster, A., Scherer, S., Fabri, K., Doudican, H., & Felder, M. (2019). *Saccharomyces cerevisiae* ferments monosaccharides faster than disaccharides. In *JUBLI* (Vol. 2).

Webster, D. (2003). PH – PRINCIPLES AND MEASUREMENT. *Encyclopedia of Food Sciences and Nutrition*, 4501–4507. <https://doi.org/10.1016/B0-12-227055-X/00913-5>

Yahia, E. M., & Gutierrez-Orozco, F. (2011). Black sapote (*Diospyros digyna* Jacq.). In *Postharvest Biology and Technology of Tropical and Subtropical Fruits* (pp. 244–251e). Elsevier. <https://doi.org/10.1533/9780857092762.244>

Yavari, N., Assadi, M. M., Larijani, K., & Moghadam, M. B. (2010). Response Surface Methodology for Optimization of Glucuronic Acid Production Using Kombucha Layer on Sour Cherry Juice. *Australian Journal of Basic and Applied Sciences*, 4, 3250–3256.

Yavari, N., Assadi, M. M., Moghadam, M. B., & Larijani, K. (2011). *Optimizing Glucuronic Acid Production Using Tea Fungus on Grape Juice by Response Surface Methodology*.

Yavari, N., Mazaheri-Assadi, M., Mazhari, Z. H., Moghadam, M. B., & Larijani, K. (2017). Glucuronic Acid Rich Kombucha-fermented Pomegranate Juice. *Journal of Food Research*, 7(1), 61. <https://doi.org/10.5539/jfr.v7n1p61>

Yuliana, N., Sari, G. L., Widiastuti, E. L., Suharyono, S., & Setiawan, T. (2022). *The Sensory of Kombucha Cacao Pulp (*Theobroma cacao*) Fermented Using Symbiotic Culture of Bacteria and Yeast (Scoby) as a Starter.* <https://jurnal.untidar.ac.id/index.php/icanfs/article/view/6587>

Zubaidah, E., Dewantari, F. J., Novitasari, F. R., Srianta, I., & Blanc, P. J. (2018a). Potential of snake fruit (*Salacca zalacca* (Gaerth.) Voss) for the development of a beverage through fermentation with the Kombucha consortium. *Biocatalysis and Agricultural Biotechnology*, 13, 198–203. <https://doi.org/10.1016/j.bcab.2017.12.012>

Zubaidah, E., Dewantari, F. J., Novitasari, F. R., Srianta, I., & Blanc, P. J. (2018b). Potential of snake fruit (*Salacca zalacca* (Gaerth.) Voss) for the development of a beverage through fermentation with the Kombucha consortium. *Biocatalysis and Agricultural Biotechnology*, 13, 198–203. <https://doi.org/10.1016/j.bcab.2017.12.012>

Zubaidah, E., Ifadah, R. A., & Afgani, C. A. (2019). Changes in chemical characteristics of kombucha from various cultivars of snake fruit during fermentation. *IOP Conference Series: Earth and Environmental Science*, 230(1). <https://doi.org/10.1088/1755-1315/230/1/012098>