

## References

- Ahuja, V., Macho, M., Ewe, D., Singh, M., Saha, S., & Saurav, K. (2020). Biological and pharmacological potential of xylitol: a molecular insight of unique metabolism. *Foods*, 9(11), 1592.
- Alvarez, M., Canet, W., & López, M. (2002, July 1). Influence of deformation rate and degree of compression on textural parameters of potato and apple tissues in texture profile analysis. *European Food Research and Technology*, 215(1), 13–20. <https://doi.org/10.1007/s00217-002-0515-0>
- Akesowan, A. (2015). Optimization of textural properties of konjac gels formed with K-carrageenan or xanthan and xylitol as ingredients in jelly drink processing. *Journal of Food Processing and Preservation*, 39(6), 1735-1743.
- Amani, H., Baranyai, L., Badak-Kerti, K., & Mousavi Khaneghah, A. (2022, January 24). Influence of Baking Temperature and Formulation on Physical, Sensorial, and Morphological Properties of Pogácsa Cake: An Image Analysis Study. *Foods*, 11(3), 321. <https://doi.org/10.3390/foods11030321>
- Bhise, S., & Kaur, A. (2014, January 22). Baking quality, sensory properties and shelf life of bread with polyols. *Journal of Food Science and Technology*, 51(9), 2054–2061. <https://doi.org/10.1007/s13197-014-1256-3>
- Bourne, M. C. (2014, June 28). Food Texture and Viscosity: Concept and Measurement. Academic Press.
- BOWER, J. A., & WHITTEN, R. (2000). Sensory characteristics and consumer liking for cereal bar snack foods. *Journal of Sensory Studies*, 15(3), 327-345. <https://doi.org/10.1111/j.1745-459x.2000.tb00274.x>
- Butter, Margarine, Spreads, and Baking Fats. *Lipid Technologies and Applications*, 305–327. <https://doi.org/10.1201/9780203748848-11>
- Capuano, E., Ferrigno, A., Acampa, I., Ait-Ameur, L., & Fogliano, V. (2008, October 1). Characterization of the Maillard reaction in bread crisps. *European Food Research and Technology*, 228(2), 311–319. <https://doi.org/10.1007/s00217-008-0936-5>

Chattopadhyay, S., Raychaudhuri, U., & Chakraborty, R. (2011, October 21). Artificial sweeteners – a review. *Journal of Food Science and Technology*, 51(4), 611–621.  
<https://doi.org/10.1007/s13197-011-0571-1>

Chen, J., & Rosenthal, A. (2015). Food texture and structure. *Modifying Food Texture*, 3–24.  
<https://doi.org/10.1016/b978-1-78242-333-1.00001-2>

Chen, W. S., Liu, D. C., & Chen, M. T. (2002, April 1). Effects of High Level of Sucrose on the Moisture Content, Water Activity, Protein Denaturation and Sensory Properties in Chinese-Style Pork Jerky. *Asian-Australasian Journal of Animal Sciences*, 15(4), 585–590.  
<https://doi.org/10.5713/ajas.2002.585>

Christie, J., & Platt, I. G. (2014, February). Moisture content: What is it and how can it be measured? 2014 IEEE Sensors Applications Symposium (SAS). <https://doi.org/10.1109/sas.2014.6798938>

Constantine, O. E., & Istrati, D. (2019). Functional Properties of Snack Bars. In V. Lagouri (Ed.), Functional foods. <https://doi.org/10.5772/intechopen.81020>

Da Silva, E. P., Siqueira, H. H., Damiani, C., Boas, V., & de Barros, E. V. (2016). Physicochemical and sensory characteristics of snack bars added of jerivá flour (*Syagrus romanzoffiana*). *Food Science and Technology*, 36(3), 421-425. <https://doi.org/10.1590/1678-457x.08115>

Drake, M. A. (2022). Encyclopedia of Dairy Sciences (3rd ed.). P. L. McSweeney & J. P. McNamara  
EREM, F. (2023, February 10). PHYSICOCHEMICAL, SENSORY, AND BIOACTIVE PROPERTIES OF GLUTEN-FREE PUDDINGS PRODUCED WITH ARONIA DERIVATIVES. *GIDA / THE JOURNAL OF FOOD*, 243–255. <https://doi.org/10.15237/gida.gd22081>

Flack, E. (2018). (Eds.). Academic Press.

Gao, J., Brennan, M. A., Mason, S. L., & Brennan, C. S. (2017). Effects of Sugar Substitution with “Stevianna” on the Sensory Characteristics of Muffins. *Journal of Food Quality*, 2017, 1–11.  
<https://doi.org/10.1155/2017/8636043>

Gasmi Benahmed, A., Gasmi, A., Arshad, M., Shanaida, M., Lysiuk, R., Peana, M., ... & Bjørklund, G. (2020). Health benefits of xylitol. *Applied Microbiology and Biotechnology*, 104, 7225-7237.

Ghosh, S., & Sudha, M. L. (2012). A review on polyols: new frontiers for health-based bakery products. *International journal of food sciences and nutrition*, 63(3), 372-379.

Grembecka, M. (2015, February 28). Sugar alcohols—their role in the modern world of sweeteners: a review. European Food Research and Technology, 241(1), 1–14.  
<https://doi.org/10.1007/s00217-015-2437-7>

Gupta, M. (2018). Sugar substitutes: mechanism, availability, current use and safety concerns—an update. Open access Macedonian journal of medical sciences, 6(10), 1888.

Javanmardi, F., Mousavi, M. M., Ghazani, A. T., Mahmoudpour, M., Taram, F., & Pilevar, Z. (2020). Study on the effect of xylitol and maltitol as alternative sweeteners in sponge cakes. Current Nutrition & Food Science, 16(3), 403-409.

KILCAST, D., & LEWIS, D. F. (1990, May). Structure and texture — their importance in food quality. Nutrition Bulletin, 15(2), 103–113. <https://doi.org/10.1111/j.1467-3010.1990.tb00073.x>

KIM, E., CORRIGAN, V., HEDDERLEY, D., MOTOI, L., WILSON, A., & MORGENSTERN, M. (2009). Predicting the sensory texture of cereal snack bars using instrumental measurements. Journal of Texture Studies, 40(4), 457-481.

King, B. M., Arents, P., & Duineveld, C. (2003, January). A comparison of aspartame and sucrose with respect to carryover effects in yogurt. *Food Quality and Preference*, 14(1), 75–81.  
[https://doi.org/10.1016/s0950-3293\(02\)00054-x](https://doi.org/10.1016/s0950-3293(02)00054-x)

Kutyła-Kupidura, E. M., Sikora, M., Krystyjan, M., Dobosz, A., Kowalski, S., Pysz, M., & Tomaszik, P. (2015, April 8). Properties of Sugar-Free Cookies with Xylitol, Sucratose, Acesulfame K and Their Blends. Journal of Food Process Engineering, 39(4), 321–329.  
<https://doi.org/10.1111/jfpe.12222>

Leone, A., De Amicis, R., Lessa, C., Tagliabue, A., Trentani, C., Ferraris, C., Battezzati, A., Veggiotti, P., Foppiani, A., Ravella, S., & Bertoli, S. (2019, May 17). Food and Food Products on the Italian Market for Ketogenic Dietary Treatment of Neurological Diseases. *Nutrients*, 11(5), 1104.  
<https://doi.org/10.3390/nu11051104>

Liauw, S., & Saibil, F. (2019). Sorbitol: Often forgotten cause of osmotic diarrhea. Canadian Family Physician, 65(8), 557-558.

Liu, Y. X., Cao, M. J., & Liu, G. M. (2019). Texture analyzers for food quality evaluation. Evaluation Technologies for Food Quality, 441–463.  
<https://doi.org/10.1016/b978-0-12-814217-2.00017-2>

Mafsoonazad, N., Ramaswamy, H. S., & Marcotte, M. (2007). Moisture sorption behavior, and effect of moisture content and sorbitol on thermo-mechanical and barrier properties of pectin based edible films. *International Journal of Food Engineering*, 3(4).

Mäkinen, K. K. (2016). Gastrointestinal Disturbances Associated with the Consumption of Sugar Alcohols with Special Consideration of Xylitol: Scientific Review and Instructions for Dentists and Other Health-Care Professionals. *International Journal of Dentistry*, 2016, 1–16. <https://doi.org/10.1155/2016/5967907>

Martínez-Cervera, S., Salvador, A., & Sanz, T. (2014). Comparison of different polyols as total sucrose replacers in muffins: Thermal, rheological, texture and acceptability properties. *Food Hydrocolloids*, 35, 1-8.

Martins, V., Alves, M. R., & Pinheiro, R. (2021, February 19). Analysis of microstructure and texture of gluten- and lactose-free cereal bars, produced with different hydrocolloids and drying temperatures and no-added sugar. *Journal of Food Processing and Preservation*, 45(4). <https://doi.org/10.1111/jfpp.15238>

Mazi, T. A., & Stanhope, K. L. (2023, January 1). Erythritol: An In-Depth Discussion of Its Potential to Be a Beneficial Dietary Component. *Nutrients*, 15(1), 204. <https://doi.org/10.3390/nu15010204>

MELATI, J., LUCCHETTA, L., PRADO, N. V. D., OLIVEIRA, D. F. D., & TONIAL, I. B. (2021, June). Physical and sensory characteristics of salty cereal bar with different binding agents. *Food Science and Technology*, 41(suppl 1), 150–154. <https://doi.org/10.1590/fst.07820>

Mosafa, L., Nadian, N., & Hojatoleslami, M. (2017). Investigating the effect of whole oat flour, maltodextrin and isomalt on textural and sensory characteristics of biscuits using response surface methodology. *Journal of Food Measurement and Characterization*, 11, 1780-1786.

Nayak, P. A., Nayak, U. A., & Khandelwal, V. (2014, November). The effect of xylitol on dental caries and oral flora. *Clinical, Cosmetic and Investigational Dentistry*, 89. <https://doi.org/10.2147/ccide.s55761>

Nielsen, S. S. (Ed.). (2017, June 16). *Food Analysis*. Springer. <https://doi.org/10.1007/978-3-319-45776-5>

O'Brien-Nabors, L. (Ed.). (2011, September 6). *Alternative Sweeteners*.

O'Donnell, K., & Kearsley, M. (Eds.). (2012). Sweeteners and sugar alternatives in food technology. John Wiley & Sons.

Paakki, M., Sandell, M., & Hopia, A. (2019, September). Visual attractiveness depends on colorfulness and color contrasts in mixed salads. *Food Quality and Preference*, 76, 81–90. <https://doi.org/10.1016/j.foodqual.2019.04.004>

Petri, D. F. S. (2015, February 16). Xanthan gum: A versatile biopolymer for biomedical and technological applications. *Journal of Applied Polymer Science*, 132(23), n/a-n/a. <https://doi.org/10.1002/app.42035>

Pourfarzad, A., Khodaparast, M. H. H., Karimi, M., Mortazavi, S. A., Davoodi, M. G., Sourki, A. H., & RAZAVIZADEGAN JAHROMI, S. H. (2011). Effect of polyols on shelf-life and quality of flat bread fortified with soy flour. *Journal of Food Process Engineering*, 34(5), 1435-1448.

Prada, M., Saraiva, M., Viegas, C., Cavalheiro, B. P., & Garrido, M. V. (2022). Relationship between objective and perceived sugar content on consumers perceptions about breakfast cereals. *Food Quality and Preference*, 96, 104387.

Ramakrishna, C., & Reddy, Y. R. (2005, July 14). WO2005063047A1 - Cereal bar formulation and process therefore - Google patents. Google Patents.

Roze, M., Crucean, D., Diler, G., Rannou, C., Catanéo, C., Jonchère, C. & Le-Bail, P. (2021). Impact of maltitol and sorbitol on technological and sensory attributes of biscuits. *Foods*, 10(11), 2545.

Ruiz-Capillas, C., Herrero, A. M., Pintado, T., & Delgado-Pando, G. (2021). Sensory analysis and consumer research in new meat products development. *Foods*, 10(2), 429. <https://doi.org/10.3390/foods10020429>

Salli, K. M., Forssten, S. D., Lahtinen, S. J., & Ouwehand, A. C. (2016). Influence of sucrose and xylitol on an early *Streptococcus mutans* biofilm in a dental simulator. *Archives of oral biology*, 70, 39-46.

Samakradhamrongthai, R. S., Jannu, T., & Renaldi, G. (2021, August). Physicochemical properties and sensory evaluation of high energy cereal bar and its consumer acceptability. *Heliyon*, 7(8), e07776. <https://doi.org/10.1016/j.heliyon.2021.e07776>

Schanda, J. (Ed.). (2007, August 10). Colorimetry: Understanding the CIE System. Wiley-Interscience. <https://doi.org/10.1604/9780470049044>

Sharma, C., Kaur, A., Sachdev, P. A., & Singh, B. (2014). Cereal bars - A healthful choice a review. Carpathian Journal of Food Science and Technology, 6(2), 29-36.

Smith, J., & Hong-Shum, L. (2011, May 5). Food Additives Data Book. Wiley-Blackwell. <https://doi.org/10.1002/9781444397741>

SREBERNICH, S. M., GONÇALVES, G. M. S., ORMENESE, R. D. C. S. C., & RUFFI, C. R. G. (2016, August 25). Physico-chemical, sensory and nutritional characteristics of cereal bars with addition of acacia gum, inulin and sorbitol. *Food Science and Technology*, 36(3), 555–562. <https://doi.org/10.1590/1678-457x.05416>

Svetlana Aleksejeva, Inese Siksna, & Signe Rinkule. (2017, June 28). Composition of Cereal Bars. J. Of Health Science, 5(3). <https://doi.org/10.17265/2328-7136/2017.03.004>

Sworn, G. (2021). Xanthan gum. Handbook of Hydrocolloids, 833–853. <https://doi.org/10.1016/b978-0-12-820104-6.00004-8>

van der Sman, R. G. M., Jurgens, A., Smith, A., & Renzetti, S. (2022). Universal strategy for sugar replacement in foods?. *Food Hydrocolloids*, 133, 107966.

Vera Zambrano, M., Dutta, B., Mercer, D. G., MacLean, H. L., & Touchie, M. F. (2019, June). Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science & Technology*, 88, 484–496. <https://doi.org/10.1016/j.tifs.2019.04.006>

Vermunt, S. H. F., Pasman, W. J., Schaafsma, G., & Kardinaal, A. F. M. (2003, May). Effects of sugar intake on body weight: a review. *Obesity Reviews*, 4(2), 91–99. <https://doi.org/10.1046/j.1467-789x.2003.00102.x>

Yadav, L., & Bhatnagar, V. (2015). Optimization of ingredients in cereal bar. *FOOD SCIENCE RESEARCH JOURNAL*, 6(2), 273-278. <https://doi.org/10.15740/has/fsrj/6.2/273-278>

Yang, H., Fu, Y., Zhang, Y., Zhou, J., Wang, D., Gao, Z., ... & Wang, X. (2021). Evaluation of mannitol and xylitol on the quality of wheat flour and extruded flour products. *International Journal of Food Science & Technology*, 56(8), 4119-4128.

Zhang, X., & Wandell, B. A. (1997). A spatial extension of CIELAB for digital color-image reproduction. *Journal of the Society for Information Display*, 5(1), 61. <https://doi.org/10.1889/1.1985127>

Zhou, Y., Xie, F., Zhou, X., Wang, Y., Tang, W., & Xiao, Y. (2015, June 25). Effects of Maillard reaction on flavor and safety of Chinese traditional food: roast duck. *Journal of the Science of Food and Agriculture*, 96(6), 1915–1922. <https://doi.org/10.1002/jsfa.7297>

Zumbe, A., Lee, A., & Storey, D. (2001). Polyols in confectionery: the route to sugar-free, reduced sugar and reduced calorie confectionery. *British Journal of Nutrition*, 85(S1), S31-S45.