

References

- Abian, O., Alarcon, D. O., Alesanco, A. J., Laita, L. C., Vega, S., Reyburn, H. T., Rizzuti, B., & Campoy, A. V. (2020). Structural stability of SARS-CoV-2 3CLpro and identification of quercetin as an inhibitor by experimental screening. *International Journal of Biological Macromolecules*, 164, 1693–1703. <https://doi.org/10.1016/j.ijbiomac.2020.07.235>
- Adem, K., Ferreira, J. C., Fadl, S., & Rabeh, W. M. (2023, February). pH profiles of 3-chymotrypsin-like protease (3CLpro) from SARS-CoV-2 elucidate its catalytic mechanism and a histidine residue critical for activity. *Journal of Biological Chemistry*, 299(2), 102790. <https://doi.org/10.1016/j.jbc.2022.102790>
- Agilent. (2023). *Corning® 384-well low flange black flat bottom polystyrene TC-treated microplates, 10 per bag, with lid, sterile.* Corning. <https://ecatalog.corning.com/life-sciences/b2b/CA/en/Microplates/Assay-Microplates/384-Well-Microplates/Corning%C2%AE-384-well-Solid-Black-and-White-Polystyrene-Microplates/p/3571>
- Agnihotry, S., Singh, D. B., Tiwari, A., & Hussain, I. (2022). Protein structure prediction. In R. K. Pathak (Ed.), *Bioinformatics* (pp. 177–188). essay, Academic Press.
- Aisyah, D. N., Mayadewi, C. A., Diva, H., Kozlakidis, Z., Siswanto, & Adisasmito, W. (2020). A spatial-temporal description of the SARS-CoV-2 infections in Indonesia during the first six months of outbreak. *PLOS ONE*, 15(12). <https://doi.org/10.1371/journal.pone.0243703>
- Ali, M., Shaw, D. R., Zhang, L., Haroon, M. F., Narita, Y., Emwas, A.-H., Saikaly, P. E., & Okabe, S. (2018). Aggregation ability of three phylogenetically distant anammox bacterial species. *Water Research*, 143, 10–18. <https://doi.org/10.1016/j.watres.2018.06.007>
- Alzaabi, M. M., Hamdy, R., Ashmawy, N. S., Hamoda, A. M., Alkhayat, F., Khademi, N. N., Al Joud, S. M., El-Keblawy, A. A., & Soliman, S. S. (2021). Flavonoids are promising safe therapy against COVID-19. *Phytochemistry Reviews*, 21(1), 291–312. <https://doi.org/10.1007/s11101-021-09759-z>
- Amorim, V. M. de F., Souza, R. F. de, Guzzo, C. R., & Souza, A. S. de. (2023). Molecular dynamics simulations suggest SARS-CoV-2 3CLpro mutations in beta and omicron variants do not alter binding affinities for cleavage sites of non-structural proteins. *COVID*, 3(4), 622–636. <https://doi.org/10.3390/covid3040044>
- Antonelli, M., Penfold, R. S., Merino, J., Sudre, C. H., Molteni, E., Berry, S., Canas, L. S., Graham, M. S., Klaser, K., Modat, M., Murray, B., Kerfoot, E., Chen, L., Deng, J., Österdahl, M. F., Cheetham, N. J., Drew, D. A., Nguyen, L. H., Pujol, J. C., ... Steves, C. J. (2022). Risk factors and disease profile of post-vaccination SARS-CoV-2 infection in UK users of the COVID symptom study app: A prospective, community-based, nested, case-control study. *The Lancet Infectious Diseases*, 22(1), 43–55. [https://doi.org/10.1016/s1473-3099\(21\)00460-6](https://doi.org/10.1016/s1473-3099(21)00460-6)
- Antonopoulou, I., Sapountzaki, E., Rova, U., & Christakopoulos, P. (2022). Inhibition of the main protease of SARS-CoV-2 (mpro) by repurposing/designing drug-like substances and utilizing nature's toolbox of bioactive compounds. *Computational and Structural Biotechnology Journal*,

20, 1306–1344. <https://doi.org/10.1016/j.csbj.2022.03.009>

Arthur, D. E., & Uzairu, A. (2019). Molecular docking studies on the interaction of NCI anticancer analogues with human phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit. *Journal of King Saud University - Science*, 31(4), 1151–1166. <https://doi.org/10.1016/j.jksus.2019.01.011>

Ashida, H., Fukuda, I., Yamashita, T., & Kanazawa, K. (2000). Flavones and flavonols at dietary levels inhibit a transformation of aryl hydrocarbon receptor induced by dioxin. *FEBS Letters*, 476(3), 213–217. [https://doi.org/10.1016/s0014-5793\(00\)01730-0](https://doi.org/10.1016/s0014-5793(00)01730-0)

Ashraf, S. A., Nazir, S., Adnan, M., & Azad, Z. R. A. A. (2021). UPLC-MS: An emerging novel technology and its application in Food Safety. *Analytical Chemistry - Advancement, Perspectives and Applications*. <https://doi.org/10.5772/intechopen.92455>

Aziz, N., Khan, M. N., Ali, A., Khadim, A., Muhsinah, A. B., Uddin, J., & Musharraf, S. G. (2022, April). Rapid analysis of flavonoids based on spectral library development in positive ionization mode using LC-HR-ESI-MS/MS. *Arabian Journal of Chemistry*, 15(4), 103734. <https://doi.org/10.1016/j.arabjc.2022.103734>

Banerjee, P., Eckert, A. O., Schrey, A. K., & Preissner, R. (2018). Protox-II: A webserver for the prediction of toxicity of chemicals. *Nucleic Acids Research*, 46(W1). <https://doi.org/10.1093/nar/gky318>

Banerjee, P., Eckert, A. O., Schrey, A. K., & Preissner, R. (2018). Protox-II: A webserver for the prediction of toxicity of chemicals. *Nucleic Acids Research*, 46(W1). <https://doi.org/10.1093/nar/gky318>

Bareetseng, S. (2022). The Worldwide Herbal Market: Trends and Opportunities. *Journal Of Biomedical Research & Environmental Sciences*, 3(5), 575-584. doi: 10.37871/jbres1482

Berrouet, C., Dorilas, N., Rejniak, K. A., & Tuncer, N. (2020). Comparison of drug inhibitory effects (IC₅₀) in monolayer and spheroid cultures. *Bull Math Biol.*, 82(6), 68. <https://doi.org/10.1101/2020.05.05.079285>

Bhattacharyya, B., Kapoor, S., & Panda, D. (2010). Fluorescence Spectroscopic Methods to Analyze Drug-Tubulin Interactions. *Methods in Cell Biology*, 301–329. [https://doi.org/10.1016/s0091-679x\(10\)95017-6](https://doi.org/10.1016/s0091-679x(10)95017-6)

Boncler, M., Golanski, J., Lukasiak, M., Redzynia, M., Dastych, J., & Watala, C. (2017). A new approach for the assessment of the toxicity of polyphenol-rich compounds with the use of high content screening analysis. *PLOS ONE*, 12(6). <https://doi.org/10.1371/journal.pone.0180022>

Bose, A., Thomas, I., G, K., & Abraham, E. (2018). Fluorescence spectroscopy and its applications: A Review. *International Journal of Advances in Pharmaceutical Analysis*, 8(1), 1–8. <https://doi.org/https://doi.org/10.7439/ijapa>

Bulusu, G., & Desiraju, G. R. (2019). Strong and Weak Hydrogen Bonds in Protein–Ligand Recognition. *Journal of the Indian Institute of Science*, 100(1), 31–41. <https://doi.org/10.1007/s41745-019-00141-9>

Brylinski, M. (2018). Aromatic interactions at the ligand-protein interface: Implications for the development of docking scoring functions. *Chemical Biology & Drug Design*, 91(2), 380–390.

<https://doi.org/10.1111/cbdd.13084>

CABI. (2014). *Zingiber zerumbet (shampoo ginger)*. Zingiber Zerumbet (shampoo ginger). Retrieved November 15, 2022, from <https://www.cabi.org/isc/datasheet/57539>

Casella, M., Rajnik, M., Aleem, A., Dulebohn, S. C., & Napoli, R. D. (2022). *Features, Evaluation, and Treatment of Coronavirus (Covid-19)*. StatPearls.

Carvalho, C., Varela, S. A., Marques, T. A., Knight, A., & Vicente, L. (2020). Are in vitro and in silico approaches used appropriately for animal-based Major Depressive Disorder Research? *PLOS ONE*, 15(6). <https://doi.org/10.1371/journal.pone.0233954>

Cechinel-Zanchett, C. C., Bolda Mariano, L. N., Boeing, T., da Costa, J. D. C., Da Silva, L. M., Bastos, J. K., Cechinel-Filho, V., & de Souza, P. (2020, May 26). Diuretic and Renal Protective Effect of Kaempferol 3-O-Alpha-l-rhamnoside (Afzelin) in Normotensive and Hypertensive Rats. *Journal of Natural Products*, 83(6), 1980–1989. <https://doi.org/10.1021/acs.jnatprod.0c00274>

Chang, C. J., Tzeng, T. F., Liou, S. S., Chang, Y. S., & Liu, I. M. (2012). Acute and 28-Day Subchronic Oral Toxicity of an Ethanol Extract of Zingiber zerumbet(L.) Smith in Rodents. *Evidence-Based Complementary and Alternative Medicine*, 2012, 1–11. <https://doi.org/10.1155/2012/608284>

Chang, C. J., Tzeng, T.-F., Liou, S.-S., Chang, Y.-S., & Liu, I.-M. (2012). Regulation of lipid disorders by ethanol extracts from zingiber zerumbet in high-fat diet-induced rats. *Food Chemistry*, 132(1), 460–467. <https://doi.org/10.1016/j.foodchem.2011.11.022>

Chen, S., Hsieh, J.-H., Huang, R., Sakamuru, S., Hsin, L.-Y., Xia, M., Shockley, K. R., Auerbach, S., Kanaya, N., Lu, H., Svoboda, D., Witt, K. L., Merrick, B. A., Teng, C. T., & Tice, R. R. (2015). Cell-based high-throughput screening for aromatase inhibitors in the tox21 10K library. *Toxicological Sciences*, 147(2), 446–457. <https://doi.org/10.1093/toxsci/kfv141>

Chien, T. Y., Chen, L. G., Lee, C. J., Lee, F. Y., & Wang, C. C. (2008). Anti-inflammatory constituents of Zingiber Zerumbet. *Food Chemistry*, 110(3), 584–589. <https://doi.org/10.1016/j.foodchem.2008.02.038>

Chiou, W.-C., Hsu, M.-S., Chen, Y.-T., Yang, J.-M., Tsay, Y.-G., Huang, H.-C., & Huang, C. (2021). Repurposing existing drugs: Identification of SARS-CoV-2 3c-like protease inhibitors. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 36(1), 147–153. <https://doi.org/10.1080/14756366.2020.1850710>

Chowdhury, S. D., & Oommen, A. M. (2020). Epidemiology of COVID-19. *Journal of Digestive Endoscopy*, 11(1), 3–7. <https://doi.org/https://doi.org/10.1055%2Fs-0040-1712187>

Copeland, R. A. (2003). Mechanistic considerations in high-throughput screening. *Analytical Biochemistry*, 320(1), 1–12. [https://doi.org/10.1016/S0003-2697\(03\)00346-4](https://doi.org/10.1016/S0003-2697(03)00346-4)

Cosconati, S., Forli, S., Perryman, A. L., Harris, R., Goodsell, D. S., & Olson, A. J. (2010). Virtual screening with AutoDock: Theory and practice. *Expert Opinion on Drug Discovery*, 5(6), 597–607. <https://doi.org/10.1517/17460441.2010.484460>

Cuyckens, F., & Claeys, M. (2004). Mass spectrometry in the structural analysis of flavonoids. *Journal of Mass Spectrometry*, 39(1), 1–15. <https://doi.org/10.1002/jms.585>

Crescenzi, M. A., D'Urso, G., Piacente, S., & Montoro, P. (2021). LC-ESI/LTQOrbitrap/MS Metabolomic

Analysis of Fennel Waste (*Foeniculum vulgare* Mill.) as a Byproduct Rich in Bioactive Compounds. *Foods*, 10(8), 1893. <https://doi.org/10.3390/foods10081893>

Da Silva, F. M. A., da Silva, K. P. A., de Oliveira, L. P. M., Costa, E. V., Koolen, H. H., Pinheiro, M. L. B., de Souza, A. Q. L., & de Souza, A. D. L. (2020). Flavonoid glycosides and their putative human metabolites as potential inhibitors of the SARS-CoV-2 main protease (Mpro) and RNA-dependent RNA polymerase (RdRp). *Memórias Do Instituto Oswaldo Cruz*, 115. <https://doi.org/10.1590/0074-02760200207>

de Boer, V. C. J., Dihal, A. A., van der Woude, H., Arts, I. C. W., Wolffram, S., Alink, G. M., Rietjens, I. M. C. M., Keijer, J., & Hollman, P. C. H. (2005). Tissue distribution of quercetin in rats and pigs. *The Journal of Nutrition*, 135(7), 1718–1725. <https://doi.org/10.1093/jn/135.7.1718>

Diantini, A., Subarnas, A., Lestari, K., Halimah, E., Susilawati, Y., Supriyatna, Juliaeha, E., Achmad, T. H., Suradji, E. W., Yamazaki, C., Kobayashi, K., Koyama, H., & Abdulah, R. (2012). Kaempferol-3-o-rhamnoside isolated from the leaves of *Schima Wallichii* Korth. inhibits MCF-7 breast cancer cell proliferation through activation of the caspase Cascade Pathway. *Oncology Letters*, 3(5), 1069–1072. <https://doi.org/10.3892/ol.2012.596>

Docampo, M., Olubu, A., Wang, X., Pasinetti, G., & Dixon, R. A. (2017, August 21). Glucuronidated Flavonoids in Neurological Protection: Structural Analysis and Approaches for Chemical and Biological Synthesis. *Journal of Agricultural and Food Chemistry*, 65(35), 7607–7623. <https://doi.org/10.1021/acs.jafc.7b02633>

Ekins, S., Mestres, J., & Testa, B. (2007). in silico pharmacology for drug discovery: Applications to targets and beyond. *British Journal of Pharmacology*, 152(1), 21–37. <https://doi.org/10.1038/sj.bjp.0707306>

Fabre, N., Rustan, I., de Hoffmann, E., & Quetin-Leclercq, J. (2001, June 1). Determination of flavone, flavonol, and flavanone aglycones by negative ion liquid chromatography electrospray ion trap mass spectrometry. *Journal of the American Society for Mass Spectrometry*, 12(6), 707–715. [https://doi.org/10.1016/s1044-0305\(01\)00226-4](https://doi.org/10.1016/s1044-0305(01)00226-4)

Fadlan, A., & Nusantoro, Y. R. (2021). The effect of energy minimization on the molecular docking of acetone-based oxindole derivatives. *JKPK (Jurnal Kimia Dan Pendidikan Kimia)*, 6(1), 69. <https://doi.org/10.20961/jkpk.v6i1.45467>

Ferreira, J. C., Fadl, S., Ilter, M., Pekel, H., Rezgui, R., Sensoy, O., & Rabeh, W. M. (2021, July 29). Dimethyl sulfoxide reduces the stability but enhances catalytic activity of the main SARS-CoV-2 protease 3CLpro. *The FASEB Journal*, 35(8). <https://doi.org/10.1096/fj.202100994>

Freue, G. V. C., & Borchers, C. H. (2012). Multiple reaction monitoring (MRM). *Circulation: Cardiovascular Genetics*, 5(3), 378–378. <https://doi.org/10.1161/circgenetics.111.959528>

Gao, Y., & Zheng, W. (2017). Oral Formulations for Preclinical Studies: Principle, Design, and Development Considerations. In C. Gesenberg (Ed.), *Developing Solid Oral Dosage Forms* (2nd ed., pp. 455–495). essay, Academic Press.

Gates, P. J., & Lopes, N. P. (2012). Characterisation of Flavonoid Aglycones by Negative Ion Chip-Based Nanospray Tandem Mass Spectrometry. *International Journal of Analytical Chemistry*, 2012, 1–7. <https://doi.org/10.1155/2012/259217>

Ghasemzadeh, A. et al. (2016). Variation in Secondary Metabolite Production as Well as Antioxidant

and Antibacterial Activities of Zingiber Zerumbet (L.) at Different Stages of Growth. *BMC Complementary and Alternative Medicine*, 16(1). Available at: <https://doi.org/10.1186/s12906-016-1072-6>.

Ghazalee, N. S., Jantan, I., Arshad, L., & Haque, M. A. (2019). Immunosuppressive Effects of The Standardized Extract of *Zingiber zerumbet* on Innate Immune Responses in Wistar Rats. *Phytotherapy Research*, 33(4), 929–938. <https://doi.org/10.1002/ptr.6285>

Gómez-Jeria, J. S., Robles-Navarro, A., Kpotin, G. A., Garrido-Sáez, N., & Gatica-Díaz, N. (2020). Some remarks about the relationships between the common skeleton concept within the Klopman-Peradejordi-Gómez QSAR method and the weak molecule-site interactions. *Chemistry Research Journal*, 5(2), 32–52.

Gordon, D. E., Jang, G. M., Bouhaddou, M., Xu, J., Obernier, K., White, K. M., O'Meara, M. J., Rezelj, V. V., Guo, J. Z., Swaney, D. L., Tummino, T. A., Huttenhain, R., Kaake, R. M., Richards, A. L., Tutuncuoglu, B., Foussard, H., Batra, J., Haas, K., Modak, M., Fabius, J. M. (2020). A SARS-CoV-2 Protein Interaction Map Reveals Targets for Drug Repurposing. *Nature*, 583, 459–468.

Goya-Jorge, E., Jorge Rodríguez, M. E., Veitia, M. S.-I., & Giner, R. M. (2021). Plant occurring flavonoids as modulators of the aryl hydrocarbon receptor. *Molecules*, 26(8), 2315. <https://doi.org/10.3390/molecules26082315>

Graudejus, O., Ponce Wong, R., Varghese, N., Wagner, S., & Morrison, B. (2018). Bridging the gap between in vivo and in vitro research: Reproducing in vitro the mechanical and electrical environment of cells in vivo. *Frontiers in Cellular Neuroscience*, 12. <https://doi.org/10.3389/conf.fncel.2018.38.00069>

Guijarro-Real, C., Plazas, M., Rodríguez-Burrueto, A., Prohens, J., & Fita, A. (2021). Potential in vitro inhibition of selected plant extracts against SARS-CoV-2 chymotripsin-like protease (3CLPro) activity. *Foods*, 10(7), 1503. <https://doi.org/10.3390/foods10071503>

Guo, A. J., Choi, R. C., Zheng, K. Y., Chen, V. P., Dong, T. T., Wang, Z.-T., Vollmer, G., Lau, D. T., & Tsim, K. W. (2012). Kaempferol as a flavonoid induces osteoblastic differentiation via estrogen receptor signaling. *Chinese Medicine*, 7(1). <https://doi.org/10.1186/1749-8546-7-10>

Hamilton, D. F., Ghert, M., & Simpson, A. H. R. W. (2015, September). Interpreting regression models in clinical outcome studies. *Bone & Joint Research*, 4(9), 152–153. <https://doi.org/10.1302/2046-3758.49.2000571>

Haniyya, Ulfah, M., Riswoko, A., Mulyawati, L., Ernawati, T., & Helianti, I. (2022). Production of recombinant SARS-CoV-2 3CL-protease: The key for the development of protease inhibitors screening kit in search of potential herb cure for covid-19. *IOP Conference Series: Earth and Environmental Science*, 976(1), 012051. <https://doi.org/10.1088/1755-1315/976/1/012051>

Haque, S. K. M., Ashwaq, O., Sarief, A., & Azad John Mohamed, A. K. (2020). A Comprehensive Review About SARS-CoV-2. *Future Virology*, 15(9), 625–648. <https://doi.org/10.2217/fvl-2020-0124>

Hariono, M., Hariyono, P., Dwiaستuti, R., Setyani, W., Yusuf, M., Salin, N., & Wahab, H. (2021). Potential SARS-CoV-2 3clpro inhibitors from chromene, flavonoid and hydroxamic acid compound based on FRET assay, docking and Pharmacophore Studies. *Results in Chemistry*, 3, 100195. <https://doi.org/10.1016/j.rechem.2021.100195>

Harisna, A. H., Nurdiansyah, R., Syaifie, P. H., Nugroho, D. W., Saputro, K. E., Firdayani, Prakoso, C. D.,

Rochman, N. T., Maulana, N. N., Noviyanto, A., & Mardliyati, E. (2021). In silico investigation of potential inhibitors to main protease and spike protein of SARS-CoV-2 in propolis. *Biochemistry and Biophysics Reports*, 26, 100969. <https://doi.org/10.1016/j.bbrep.2021.100969>

He, J., Hu, L., Huang, X., Wang, C., Zhang, Z., Wang, Y., Zhang, D., & Ye, W. (2020). Potential of coronavirus 3c-like protease inhibitors for the development of new anti-SARS-cov-2 drugs: Insights from structures of protease and inhibitors. *International Journal of Antimicrobial Agents*, 56(2), 106055. <https://doi.org/10.1016/j.ijantimicag.2020.106055>

Hiremath, S., Kumar, H. D. V., Nandan, M., Mantesh, M., Shankarappa, S. K., Venkataravanappa, V., Basha, C. R. J., & Reddy, C. N. L. (2021). In silico docking analysis revealed the potential of phytochemicals present in Phyllanthus amarus and andrographis paniculata, used in ayurveda medicine in inhibiting SARS-CoV-2. *3 Biotech*, 11(2), 44. <https://doi.org/10.26434/chemrxiv.12751361>

Huang, R., Sakamuru, S., Martin, M. T., Reif, D. M., Judson, R. S., Houck, K. A., Casey, W., Hsieh, J.-H., Shockley, K. R., Ceger, P., Fostel, J., Witt, K. L., Tong, W., Rotroff, D. M., Zhao, T., Shinn, P., Simeonov, A., Dix, D. J., Austin, C. P., ... Xia, M. (2014). Profiling of the tox21 10K compound library for agonists and antagonists of the estrogen receptor alpha signaling pathway. *Scientific Reports*, 4(1). <https://doi.org/10.1038/srep05664>

Ho, C. S., Chan, M. H. M., Cheung , R. C. K., Law, L. K., Lit, L. C. W., Ng, K. F., Suen, M. W. M., & Tai, H. L. (2003). Electrospray Ionisation Mass Spectrometry: Principles and Clinical Applications. *The Clinical Biochemist Reviews*, 24(1), 3–12.

Ho, L., Ferruzzi, M. G., Janle, E. M., Wang, J., Gong, B., Chen, T., Lobo, J., Cooper, B., Wu, Q. L., Talcott, S. T., Percival, S. S., Simon, J. E., & Pasinetti, G. M. (2012). Identification of brain-targeted bioactive dietary quercetin-3-o-glucuronide as a novel intervention for alzheimer's disease. *The FASEB Journal*, 27(2), 769–781. <https://doi.org/10.1096/fj.12-212118>

Ho, Y. C., Lee, S. S., Yang, M. L., Huang-Liu, R., Lee, C. Y., Li, Y. C., & Kuan, Y. H. (2017). Zerumbone reduced the inflammatory response of acute lung injury in endotoxin-treated mice via Akt-NFkB pathway. *Chemico-Biological Interactions*, 271, 9–14. <https://doi.org/10.1016/j.cbi.2017.04.017>

Ho, L., Ferruzzi, M. G., Janle, E. M., Wang, J., Gong, B., Chen, T., Lobo, J., Cooper, B., Wu, Q. L., Talcott, S. T., Percival, S. S., Simon, J. E., & Pasinetti, G. M. (2012). Identification of brain-targeted bioactive dietary quercetin-3-o-glucuronide as a novel intervention for alzheimer's disease. *The FASEB Journal*, 27(2), 769–781. <https://doi.org/10.1096/fj.12-212118>

Hoare, S. R. J. (2022). Kinetics of drug-target binding: A guide for drug discovery. *Comprehensive Pharmacology*, 227–271. <https://doi.org/10.1016/b978-0-12-820472-6.00011-6>

Hollman, P., de Vries, J., van Leeuwen, S., Mengelers, M., & Katan, M. (1995, December). Absorption of dietary quercetin glycosides and quercetin in healthy ileostomy volunteers. *The American Journal of Clinical Nutrition*, 62(6), 1276–1282. <https://doi.org/10.1093/ajcn/62.6.1276>

Hopkins, B. J., & Prokesch, B. C. (2021). Anaphylaxis due to Remdesivir. *Antimicrobial Agents and Chemotherapy*, 65(5). <https://doi.org/10.1128/aac.00233-21>

Ishisaka, A., Ichikawa, S., Sakakibara, H., Piskula, M. K., Nakamura, T., Kato, Y., Ito, M., Miyamoto, K., Tsuji, A., Kawai, Y., & Terao, J. (2011). Accumulation of orally administered quercetin in brain

tissue and its antioxidative effects in rats. *Free Radical Biology and Medicine*, 51(7), 1329–1336. <https://doi.org/10.1016/j.freeradbiomed.2011.06.017>

Jabar, R. A., Ali, S., & Al-Fadal, M. (2020). In-silico study of the inhibitory effect of some flavonoids compounds and their derivatives on SARS-COV-2. *International Journal of Pharmaceutical Research*, 12(02). <https://doi.org/10.31838/ijpr/2020.12.02.360>

Jin, Z., Du, X., Xu, Y., Deng, Y., Liu, M., Zhao, Y., Zhang, B., Li, X., Zhang, L., Peng, C., Duan, Y., Yu, J., Wang, L., Yang, K., Liu, F., Jiang, R., Yang, X., You, T., Liu, X., ... Yang, H. (2020). Structure of mpro from SARS-COV-2 and discovery of its inhibitors. *Nature*, 582(7811), 289–293. <https://doi.org/10.1038/s41586-020-2223-y>

Jo, S., Kim, S., Shin, D. H., & Kim, M.-S. (2020). Inhibition of SARS-COV 3CL protease by flavonoids. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 35(1), 145–151. <https://doi.org/10.1080/14756366.2019.1690480>

Kaufmann, A., Widmer, M., & Maden, K. (2010). Post-interface signal suppression, a phenomenon observed in a single-stage orbitrap mass spectrometer coupled to an electrospray interfaced liquid chromatograph. *Rapid Communications in Mass Spectrometry*, 24(14), 2162–2170. <https://doi.org/10.1002/rcm.4615>

Khaerunnisa, S., Kurniawan, H., Awaluddin, R., Suhartati, S., & Soetjipto, S. (2020). *Potential Inhibitor of COVID-19 Main Protease (M^{pro}) From Several Medicinal Plant Compounds by Molecular Docking Study* [Preprint]. MEDICINE & PHARMACOLOGY. <https://doi.org/10.20944/preprints202003.0226.v1>

Khan, H., Ullah, H., Aschner, M., Cheang, W. S., & Akkol, E. K. (2019). Neuroprotective effects of quercetin in alzheimer's disease. *Biomolecules*, 10(1), 59. <https://doi.org/10.3390/biom10010059>

Khandelwal, A., Singh, G. P., & Jamil, S. (2021). Ivermectin as a multifaceted drug in COVID-19: Current insights. *Medical Journal Armed Forces India*, 77. <https://doi.org/10.1016/j.mjafi.2021.06.002>

Koga, A., Beltrame, F., & Pereira, A. (2016). Several aspects of Zingiber zerumbet: a review. *Revista Brasileira De Farmacognosia*, 26(3), 385-391. doi: 10.1016/j.bjfp.2016.01.006

Kumar, S., Paul, P., Yadav, P., Kaul, R., Maitra, S. S., Jha, S. K., & Chaari, A. (2022). A multi-targeted approach to identify potential flavonoids against three targets in the SARS-COV-2 life cycle. *Computers in Biology and Medicine*, 142, 105231. <https://doi.org/10.1016/j.combiomed.2022.105231>

Lam, C., & Patel. (2023, May 26). *Nirmatrelvir-Ritonavir*. StatPearls - NCBI Bookshelf. Retrieved June 14, 2023, from <https://www.ncbi.nlm.nih.gov/books/NBK585126/>

Laskowski, R. A. (2007). Problems of Protein Three-Dimensional Structures. In G. J. Swaminathan (Ed.), *Comprehensive Medicinal Chemistry II* (Vol. 3, pp. 531–550). essay, Elsevier.

Liigand, P., Kaupmees, K., Haav, K., Liigand, J., Leito, I., Girod, M., Antoine, R., & Kruve, A. (2017, May 18). Think Negative: Finding the Best Electrospray Ionization/MS Mode for Your Analyte. *Analytical Chemistry*, 89(11), 5665–5668. <https://doi.org/10.1021/acs.analchem.7b00096>

Lotfi, M., Hamblin, M. R., & Rezaei, N. (2020). Covid-19: Transmission, prevention, and potential

therapeutic opportunities. *Clinica Chimica Acta*, 508, 254–266.
<https://doi.org/10.1016/j.cca.2020.05.044>

Lyu, Y., Liu, S., Gao, S., & Zhou, J. (2020). Identification and characterization of three flavonoid 3-O-glycosyltransferases from epimedum koreanum nakai. *Biochemical Engineering Journal*, 163, 107759. <https://doi.org/10.1016/j.bej.2020.107759>

Ma, Y., Liu, Y., Sun, A., Du, Y., Ye, M., Pu, X., & Qi, X. (2017). Intestinal absorption and neuroprotective effects of kaempferol-3-O-rutinoside. *RSC Advances*, 7(50), 31408–31416. <https://doi.org/10.1039/c7ra05415g>

Mahasuari, N. P., Paramita, N. L., & Yadnya Putra, A. A. G. (2020). Effect of methanol concentration as a solvent on total phenolic and flavonoid content of Beluntas leaf extract (*Pulchea indica* L.). *Journal of Pharmaceutical Science and Application*, 2(2), 77. <https://doi.org/10.24843/jpsa.2020.v02.i02.p05>

Mandal, A., Jha, A. K., & Hazra, B. (2021). Plant products as inhibitors of coronavirus 3CL protease. *Frontiers in Pharmacology*, 12. <https://doi.org/10.3389/fphar.2021.583387>

Markossian, S. (2004). *Assay guidance manual*. Eli Lilly & Company and the National Center for Advancing Translational Sciences.

Marzi, M., Vakil, M. K., Bahmanyar, M., & Zarenezhad, E. (2022). Paxlovid: Mechanism of action, synthesis, and in silico study. *BioMed Research International*, 2022, 1–16. <https://doi.org/10.1155/2022/7341493>

Masyeni, S., Iqhrammullah, M., Frediansyah, A., Nainu, F., Tallei, T., Emran, T. B., Ophinni, Y., Dhama, K., & Harapan, H. (2022). Molnupiravir: A lethal mutagenic drug against rapidly mutating severe acute respiratory syndrome coronavirus 2—A narrative review. *Journal of Medical Virology*, 94(7), 3006–3016. <https://doi.org/10.1002/jmv.27730>

Mody, V., Ho, J., Wills, S., Mawri, A., Lawson, L., Ebert, M. C., Fortin, G. M., Rayalam, S., & Taval, S. (2021). Identification of 3-chymotrypsin like protease (3CLPro) inhibitors as potential anti-SARS-cov-2 agents. *Communications Biology*, 4(1). <https://doi.org/10.1038/s42003-020-01577-x>

Moldoveanu, S. (2022). Mobile Phases and Their Properties. In V. David (Ed.), *Essentials in Modern HPLC Separations* (2nd ed., pp. 207–269). essay, Elsevier.

Moradi, M., Golmohammadi, R., Najafi, A., Moosazadeh Moghaddam, M., Fasihi-Ramandi, M., & Mirnejad, R. (2022). A contemporary review on the important role of in silico approaches for managing different aspects of covid-19 crisis. *Informatics in Medicine Unlocked*, 28, 100862. <https://doi.org/10.1016/j.imu.2022.100862>

Mouffouk, C., Mouffouk, S., Mouffouk, S., Hambaba, L., & Haba, H. (2021). Flavonols as potential antiviral drugs targeting SARS-COV-2 proteases (3CLpro and PLpro), Spike protein, RNA-dependent RNA polymerase (rdrp) and angiotensin-converting enzyme II receptor (ACE2). *European Journal of Pharmacology*, 891, 173759. <https://doi.org/10.1016/j.ejphar.2020.173759>

Murthy, T. K., Joshi, T., Gunnan, S., Kulkarni, N., V, P., Kumar, S. B., & Gowrishankar, B. (2021). In silico analysis of *Phyllanthus amarus* phytochemicals as potent drugs against SARS-CoV-2 main protease. *Current Research in Green and Sustainable Chemistry*, 4, 100159.

<https://doi.org/10.1016/j.crgsc.2021.100159>

Musfiroh, I., Azura, A. R., & Rahayu, D. (2020, August 5). Prediction of Asiatic Acid Derivatives Affinity Against SARS-CoV-2 Main Protease Using Molecular Docking. *Pharmaceutical Sciences and Research*, 7(4), 57–64. <https://doi.org/10.7454/psr.v7i4.1086>

Nevozhay, D. (2014). Cheburator software for automatically calculating drug inhibitory concentrations from in vitro screening assays. *PLoS ONE*, 9(9). <https://doi.org/10.1371/journal.pone.0106186>

Nguyen, T. T. H., Woo, H. J., Kang, H. K., Nguyen, V. D., Kim, Y. M., Kim, D. W., Ahn, S. A., Xia, Y., & Kim, D. (2012, February 15). Flavonoid-mediated inhibition of SARS coronavirus 3C-like protease expressed in *Pichia pastoris*. *Biotechnology Letters*, 34(5), 831–838. <https://doi.org/10.1007/s10529-011-0845-8>

Nicola, M., Alsafi, Z., Sohrabi, C., Kehran, A., Al-Jabir, A., Iosifidis, C., Agha, M., & Agha, R. (2020). The socio-economic implications of the coronavirus pandemic (COVID-19): A Review. *International Journal of Surgery*, 78, 185–193. <https://doi.org/10.1016/j.ijsu.2020.04.018>

NIH. (2023). *Hospitalized adults: Therapeutic management*. National Institutes of Health. <https://www.covid19treatmentguidelines.nih.gov/tables/therapeutic-management-of-hospitalized-adults/>

NIH. (2023b). *Nonhospitalized adults: Therapeutic management*. National Institutes of Health. <https://www.covid19treatmentguidelines.nih.gov/tables/therapeutic-management-of-nonthospitalized-adults/>

Núñez, O. (2014). Applications and Uses of Formic Acid in Liquid Chromatography-Mass Spectrometry Analysis. In *Advances in Chemical Research* (Vol. 20, pp. 71–86). essay, Nova Science.

Omoboyowa, D. A. (2022). Exploring molecular docking with e-pharmacophore and QSAR models to predict potent inhibitors of 14- α -demethylase protease from moringa SPP. *Pharmacological Research - Modern Chinese Medicine*, 4, 100147. <https://doi.org/10.1016/j.prmcm.2022.100147>

Parejo, I., Jauregui, O., Sánchez-Rabaneda, F., Viladomat, F., Bastida, J., & Codina, C. (2004). Separation and Characterization of Phenolic Compounds in Fennel (*Foeniculum vulgare*) Using Liquid Chromatography-Negative Electrospray Ionization Tandem Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 52(12), 3679–3687. <https://doi.org/10.1021/jf030813h>

Park, Y. J., Choo, W. H., Kim, H. R., Chung, K. H., & Oh, S. M. (2015). Inhibitory aromatase effects of flavonoids from ginkgo biloba extracts on estrogen biosynthesis. *Asian Pacific Journal of Cancer Prevention*, 16(15), 6317–6325. <https://doi.org/10.7314/apjcp.2015.16.15.6317>

Patil, R., Das, S., Stanley, A., Yadav, L., Sudhakar, A., & Varma, A. K. (2010, August 16). Optimized Hydrophobic Interactions and Hydrogen Bonding at the Target-Ligand Interface Leads the Pathways of Drug-Designing. *PLoS ONE*, 5(8), e12029. <https://doi.org/10.1371/journal.pone.0012029>

Petrova, O. E., & Sauer, K. (2017). High-performance liquid chromatography (hplc)-based detection and quantitation of cellular C-di-GMP. *c-Di-GMP Signaling*, 33–43. https://doi.org/10.1007/978-1-4939-7240-1_4

Pollard, T. D., Johnson, G. T., Schwartz, J. L., & Earnshaw, W. C. (2017). Biophysical Principles. In *Cell*

Biology (3rd ed., pp. 53–62). essay, Elsevier.

Pratima, N. A. (2018). Liquid chromatography-mass spectrometry and its applications: A brief review. *Archives of Organic and Inorganic Chemical Sciences*, 1(1). <https://doi.org/10.32474/aoics.2018.01.000103>

ProTox-II. (2021). *Frequently asked questions*. ProTox-II - Prediction of TOXicity of chemicals. https://tox-new.charite.de/protox_II/index.php?site=faq

ProTox-II. (2021). *Protot-II - prediction of toxicity of chemicals*. ProTox-II - Prediction of TOXicity of chemicals. https://tox-new.charite.de/protox_II/index.php?site=home

R&D Systems. (2023). *SARS COV-2 3CL protease substrate, RH110-conjugated*. www.rndsystems.com. https://www.rndsystems.com/products/sars-cov-2-3cl-protease-substrate-rh110-conjugated_s-720

Rahimi, B., Vesal, A., & Edalatifard, M. (2020). Coronavirus and Its effect on the respiratory system: Is there any association between pneumonia and immune cells. *Journal Of Family Medicine And Primary Care*, 9(9), 4729–4735. doi: https://doi.org/10.4103%2Fjfmpc.jfmpc_763_20

Rahman, M. (2018). Application of computational methods in isolation of plant secondary metabolites. *Computational Phytochemistry*, 107–139. <https://doi.org/10.1016/b978-0-12-812364-5.00004-3>

Ramos, M. S. A., Huang, R., Michael, S., Witt, K. L., Richard, A., Tice, R. R., Simeonov, A., Austin, C. P., & Xia, M. (2015). Profiling of the tox21 chemical collection for mitochondrial function to identify compounds that acutely decrease mitochondrial membrane potential. *Environmental Health Perspectives*, 123(1), 49–56. <https://doi.org/10.1289/ehp.1408642>

Rao, S., Sayeeda, M., Prakash, T., Ap, P., Imran, S., & Ravi, L. (2020). Construction of computational 3D structures of protein drug targets of mycobacterium tuberculosis. *Asian Journal of Pharmaceutical and Clinical Research*, 82–85. <https://doi.org/10.22159/ajpcr.2020.v13i11.39242>

Raval, K., & Ganatra, T. (2022). Basics, types and applications of Molecular Docking: A Review. *IP International Journal of Comprehensive and Advanced Pharmacology*, 7(1), 12–16. <https://doi.org/10.18231/j.ijcap.2022.003>

Reinsch, H., Spadiut, O., Heidingsfelder, J., & Herwig, C. (2015). Examining the freezing process of an intermediate bulk containing an industrially relevant protein. *Enzyme and Microbial Technology*, 71, 13–19. <https://doi.org/10.1016/j.enzmictec.2015.01.003>

Ribay, K., Kim, M. T., Wang, W., Pinolini, D., & Zhu, H. (2016). Predictive modeling of estrogen receptor binding agents using advanced cheminformatics tools and massive public data. *Frontiers in Environmental Science*, 4. <https://doi.org/10.3389/fenvs.2016.00012>

Rizzuti, B., Grande, F., Conforti, F., Jimenez-Alesanco, A., Ceballos-Laita, L., Ortega-Alarcon, D., Vega, S., Reyburn, H. T., Abian, O., & Velazquez-Campoy, A. (2021). Rutin is a low micromolar inhibitor of SARS-COV-2 main protease 3CLpro: Implications for drug design of quercetin analogs. *Biomedicines*, 9(4), 375. <https://doi.org/10.3390/biomedicines9040375>

Rizzuti, B., & Grande, F. (2020). Virtual screening in drug discovery: A precious tool for a still-demanding challenge. *Protein Homeostasis Diseases*, 309–327.

<https://doi.org/10.1016/b978-0-12-819132-3.00014-2>

- Rommasi, F., Nasiri, M. J., & Mirsaeidi, M. (2021). Antiviral drugs proposed for COVID-19: action mechanism and pharmacological data. *European Review for Medical and Pharmacological Sciences*, 25, 4163–4173.
- Rommasi, F., Nasiri, M. J., & Mirsaeidi, M. (2022). Immunomodulatory agents for covid-19 treatment: Possible mechanism of action and immunopathology features. *Molecular and Cellular Biochemistry*, 477(3), 711–726. <https://doi.org/10.1007/s11010-021-04325-9>
- Ronde, W. de, & Jong, F. H. de. (2011). Aromatase inhibitors in men: Effects and therapeutic options. *Reproductive Biology and Endocrinology*, 9(1), 93. <https://doi.org/10.1186/1477-7827-9-93>
- Rout, K. K., & Acharya, R. (2011). Pharmacognostical and Phytochemical Studies of Zingiber zerumbet (L.) SM. Rhizome. *International Journal of Research in Ayurveda and Pharmacy*, 2(3), 698–703
- Sanchez, J. M. (2021, October 29). The inadequate use of the determination coefficient in analytical calibrations: How other parameters can assess the goodness-of-fit more adequately. *Journal of Separation Science*, 44(24), 4431–4441. <https://doi.org/10.1002/jssc.202100555>
- Sellami, A., Réau, M., Montes, M., & Lagarde, N. (2022). Review of in silico studies dedicated to the nuclear receptor family: Therapeutic prospects and toxicological concerns. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.986016>
- Sentkowska, A., Biesaga, M., & Pyrzynska, K. (2016). Retention study of flavonoids under different chromatographic modes. *Journal of Chromatographic Science*, 54(4), 516–522. <https://doi.org/10.1093/chromsci/bmv174>
- Septembre-Malaterre, A., Boumendjel, A., Seteyen, A.-L. S., Boina, C., Gasque, P., Guiraud, P., & Sélambarom, J. (2022). Focus on the high therapeutic potentials of quercetin and its derivatives. *Phytomedicine Plus*, 2(1), 100220. <https://doi.org/10.1016/j.phyplu.2022.100220>
- Shan, C., Guo, S., Yu, S., Shan, M., Li, S. F., Chai, C., Cui, X., Zhang, L., Ding, A., & Wu, Q. (2018). Simultaneous determination of quercitrin, Afzelin, amentoflavone, hinokiflavone in rat plasma by UFLC–MS–MS and its application to the pharmacokinetics of platycladus orientalis leaves extract. *Journal of Chromatographic Science*, 56(10), 895–902. <https://doi.org/10.1093/chromsci/bmy066>
- Sherwood, C. A., Eastham, A., Lee, L. W., Risler, J., Mirzaei, H., Falkner, J. A., & Martin, D. B. (2009). Rapid optimization of MRM-MS instrument parameters by subtle alteration of precursor and product m/z targets. *Journal of Proteome Research*, 8(7), 3746–3751. <https://doi.org/10.1021/pr801122b>
- Shi, J., Power, J., & Klymkowsky, M. (2011). Revealing student thinking about experimental design and the roles of Control Experiments. *International Journal for the Scholarship of Teaching and Learning*, 5(2). <https://doi.org/10.20429/ijstotl.2011.050208>
- Sreelakshmi, V., Raj, N., & Abraham, A. (2017, June). Evaluation of the Drug-like Properties of Kaempferol, Chrysophanol and Emodin and their Interactions with EGFR Tyrosine Kinase - An in silico Approach. *Natural Product Communications*, 12(6), 1934578X1701200. <https://doi.org/10.1177/1934578x1701200621>
- Silalahi, M. (2018). Botani dan Bioaktivitas Lempuyang (Zingiber zerumbet (L.) Smith.). *Jurnal*

Edumatsains, 2(2), 147-160. Retrieved from <https://core.ac.uk/download/pdf/236429466.pdf>

Simanjuntak, K., E. Simanjuntak, J., Rosmalena, R., & D. Prasasty, V. (2017, December 25). Structure-Based Drug Design of Quercetin and its Derivatives Against HMGB1. *Biomedical and Pharmacology Journal*, 10(4), 1973–1982. <https://doi.org/10.13005/bpj/1318>

Singh, E., Khan, R. J., Jha, R. K., Amera, G. M., Jain, M., Singh, R. P., Muthukumaran, J., & Singh, A. K. (2020). A comprehensive review on promising anti-viral therapeutic candidates identified against main protease from SARS-COV-2 through various computational methods. *Journal of Genetic Engineering and Biotechnology*, 18(1). <https://doi.org/10.1186/s43141-020-00085-z>

Singhal, T. (2020). A Review of Coronavirus Disease-2019 (COVID-19). *Nature Public Health Emergency Collection*, 87(4), 281–286. <https://doi.org/https://doi.org/10.1007%2Fs12098-020-03263-6>

Stefaniu, A., & Pirvu, L. C. (2022, February 19). In Silico Study Approach on a Series of 50 Polyphenolic Compounds in Plants; A Comparison on the Bioavailability and Bioactivity Data. *Molecules*, 27(4), 1413. <https://doi.org/10.3390/molecules27041413>

Stockinger, B. (2009). Beyond toxicity: Aryl hydrocarbon receptor-mediated functions in the immune system. *Journal of Biology*, 8(7), 61. <https://doi.org/10.1186/jbiol170>

Syahputri, A., Putra, H. S., Julyanthy, J., Sari, E. P., & Putri, D. E. (2022, February 28). Effect of Current Ratio and Debt to Asset Ratio on Return On Asset Moderated by Firm Size. *International Journal of Economics, Business and Accounting Research (IJEBAR)*, 6(1), 191. <https://doi.org/10.29040/ijebar.v6i1.4418>

Tan, J. W., Israf, D. A., & Tham, C. L. (2018). Major bioactive compounds in essential oils extracted from the rhizomes of Zingiber Zerumbet (L) smith: A mini-review on the anti-allergic and immunomodulatory properties. *Frontiers in Pharmacology*, 9. <https://doi.org/10.3389/fphar.2018.00652>

Taylor, P. C., Adams, A. C., Hufford, M. M., Torre, I. de la, Winthrop, K., & Gottlieb, R. L. (2021). Neutralizing monoclonal antibodies for treatment of COVID-19. *Nature Reviews Immunology*, 21, 382–393.

Tijjani, H., Olatunde, A., Adegunloye, A. P., & Ishola, A. A. (2022). In silico insight into the interaction of 4-aminoquinolines with selected SARS-COV-2 structural and nonstructural proteins. *Coronavirus Drug Discovery*, 313–333. <https://doi.org/10.1016/b978-0-323-95578-2.00001-7>

Tunçer, S., Gurbanov, R., Sheraj, I., Solel, E., Esenturk, O., & Banerjee, S. (2018, October 4). Low dose dimethyl sulfoxide driven gross molecular changes have the potential to interfere with various cellular processes. *Scientific Reports*, 8(1). <https://doi.org/10.1038/s41598-018-33234-z>

Uzunova, K., Filipova, E., Pavlova, V., & Vekov, T. (2020). Insights into antiviral mechanisms of remdesivir, lopinavir/ritonavir and chloroquine/hydroxychloroquine affecting the new SARS-COV-2. *Biomedicine & Pharmacotherapy*, 131, 110668. <https://doi.org/10.1016/j.biopha.2020.110668>

Verissimo, C. D. M., Lopez-Corrales, J., Dorey, A. L., Cwiklinski, K., Lalor, R., Calvani, N. E., Jewhurst, H. L., Doyle, S., & Dalton, J. P. (2022). Production of a functionally active recombinant SARS-COV-2 (COVID-19) 3c-like protease and a soluble inactive 3c-like protease-RBD chimeric in a prokaryotic expression system. *Cambridge University Press*.

<https://doi.org/10.1101/2022.03.25.485815>

V'kovski, P., Kratzel, A., Steiner, S., Stalder, H., & Thiel, V. (2020). Coronavirus Biology and replication: Implications for SARS-CoV-2. *Nature Reviews Microbiology*, 19(3), 155–170. <https://doi.org/10.1038/s41579-020-00468-6>

Walle, T., Otake, Y., Walle, U. K., & Wilson, F. A. (2000, November). Quercetin Glucosides Are Completely Hydrolyzed in Ileostomy Patients before Absorption. *The Journal of Nutrition*, 130(11), 2658–2661. <https://doi.org/10.1093/jn/130.11.2658>

Wang, M., Zhao, R., Gao, L., Gao, X., Wang, D., & Cao, J. (2020). SARS-CoV-2: Structure, biology, and structure-based therapeutics development. *Frontiers in Cellular and Infection Microbiology*, 10. doi:10.3389/fcimb.2020.587269

WHO. (2022). *Coronavirus Disease (covid-19) Pandemic*. World Health Organization. Retrieved November 14, 2022, from <https://www.who.int/europe/emergencies/situations/covid-19>

WHO. (2022). *Naming The CoronaVirus Disease (COVID-19) and The Virus That Causes It*. World Health Organization. Retrieved November 14, 2022, from [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-\(covid-2019\)-and-the-virus-that-causes-it](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-(covid-2019)-and-the-virus-that-causes-it)

WHO. (2023). *Who coronavirus (COVID-19) dashboard*. World Health Organization. Retrieved May 31, 2023, from <https://covid19.who.int/>

Wong, F., Krishnan, A., Zheng, E. J., Stärk, H., Manson, A. L., Earl, A. M., Jaakkola, T., & Collins, J. J. (2022). Benchmarking alphafold-enabled molecular docking predictions for antibiotic discovery. *Molecular Systems Biology*, 18(9). <https://doi.org/10.15252/msb.202211081>

Wong, R. S. Y. (2021). Inflammation in COVID-19: from pathogenesis to treatment. *International Journal of Clinical & Experimental Pathology*, 14(7), 409–412.

Yang, G., Ge, S., Singh, R., Basu, S., Shatzer, K., Zen, M., Liu, J., Tu, Y., Zhang, C., Wei, J., Shi, J., Zhu, L., Liu, Z., Wang, Y., Gao, S., & Hu, M. (2017, April 3). Glucuronidation: driving factors and their impact on glucuronide disposition. *Drug Metabolism Reviews*, 49(2), 105–138. <https://doi.org/10.1080/03602532.2017.1293682>

Yang, F., Jiang, X., Tariq, A., Sadia, S., Ahmed, Z., Sardans, J., Aleem, M., Ullah, R., & Bussmann, R. W. (2022). Potential medicinal plants involved in inhibiting 3CLpro activity: A practical alternate approach to combating covid-19. *Journal of Integrative Medicine*, 20(6), 488–496. <https://doi.org/10.1016/j.joim.2022.08.001>

Ye, L.-H., He, X.-X., Yan, M.-Z., & Chang, Q. (2014). Identification of in vivo components in rats after oral administration of Lotus leaf flavonoids using ultra fast liquid chromatography with Tandem Mass Spectrometry. *Anal. Methods*, 6(15), 6088–6094. <https://doi.org/10.1039/c4ay00652f>

Yob, N. J., Jofrry, S. M., Affandi, M. M., Teh, L. K., Salleh, M. Z., & Zakaria, Z. A. (2011). Zingiber zerumbet (L.) Smith: A Review of Its Ethnomedicinal, Chemical, and Pharmacological Uses. *Evidence-Based Complementary and Alternative Medicine*, 2011, 1–12. <https://doi.org/10.1155/2011/543216>

- Yu, J., & Veenstra, T. (2022). Multiple and single reaction monitoring mass spectrometry for absolute quantitation of proteins. *Protein Detection*. <https://doi.org/10.5772/intechopen.99371>
- Zadeh, N. M., Asl, N. S. M., Forouharnejad, K., Ghadimi, K., Parsa, S., Mohammadi, S., & Omidi, A. (2021). Mechanism and adverse effects of COVID-19 drugs: a basic review. *International Journal of Physiology, Pathophysiology, and Pharmacology*, 13(4), 102–109.
- Zhang, X., Shang, L., Fan, G., Gu, X., Xu, J., Wang, Y., Huang, L., & Cao, B. (2022). The efficacy and safety of janus kinase inhibitors for patients with COVID-19: A living systematic review and meta-analysis. *Frontiers in Medicine*, 8. <https://doi.org/10.3389/fmed.2021.800492>
- Zhang, Q., Wu, D., Wu, J., Ou, Y., Mu, C., Han, B., & Zhang, Q. (2015). Improved blood–brain barrier distribution: Effect of borneol on the brain pharmacokinetics of Kaempferol in rats by in vivo microdialysis sampling. *Journal of Ethnopharmacology*, 162, 270–277. <https://doi.org/10.1016/j.jep.2015.01.003>
- Zhao, J., Ma, Q., Zhang, B., Guo, P., Wang, Z., & Liu, Y. et al. (2021). Exploration of SARS-CoV-2 3CLpro Inhibitors by Virtual Screening Methods, FRET Detection, and CPE Assay. *Journal Of Chemical Information And Modeling*, 61(12), 5763-5773. doi: 10.1021/acs.jcim.1c01089
- Zheng, Z., Peng, F., Xu, B., Zhao, J., Liu, H., Peng, J., Li, Q., Jiang, C., Zhou, Y., Liu, S., Ye, C., Zhang, P., Xing, Y., Guo, H., & Tang, W. (2020). Risk factors of critical & mortal COVID-19 cases: A systematic literature review and meta-analysis. *Journal of Infection*, 81(2). <https://doi.org/10.1016/j.jinf.2020.04.021>
- Zhong, B., Peng, W., Du, S., Chen, B., Feng, Y., Hu, X., Lai, Q., Liu, S., Zhou, Z. W., Fang, P., Wu, Y., Gao, F., Zhou, H., & Sun, L. (2022, March 13). Oridonin Inhibits SARS-CoV-2 by Targeting Its 3C-Like Protease. *Small Science*, 2(6), 2100124. <https://doi.org/10.1002/smssc.202100124>
- Zhu, W., Xu, M., Chen, C. Z., Guo, H., Shen, M., Hu, X., Shinn, P., Klumpp-Thomas, C., Michael, S. G., & Zheng, W. (2020). Identification of SARS-CoV-2 3CL protease inhibitors by a quantitative high-throughput screening. *ACS Pharmacology & Translational Science*. <https://doi.org/10.1101/2020.07.17.207019>
- Zhu, J., Zhang, H., Lin, Q., Lyu, J., Lu, L., & Chen, H. et al. (2022). Progress on SARS-CoV-2 3CLpro Inhibitors: Inspiration from SARS-CoV 3CLpro Peptidomimetics and Small-Molecule Anti-Inflammatory Compounds. *Drug Design, Development, And Therapy*, 16, 1067–1082. doi: <https://doi.org/10.2147%2FDDDT.S359009>
- Zofou, D., Tematio, E. L., Ntie-Kang, F., Tene, M., Ngemenya, M. N., Tane, P., & Titanji, V. P. K. (2013, November 8). New Antimalarial Hits from Dacryodes edulis (Burseraceae) - Part I: Isolation, In Vitro Activity, In Silico “drug-likeness” and Pharmacokinetic Profiles. *PLoS ONE*, 8(11), e79544. <https://doi.org/10.1371/journal.pone.0079544>
- Zubair, M., Maulana, S., Widodo, A., Pitopang, R., Arba, M., & Hariono, M. (2021, August 28). GC-MS, LC-MS/MS, Docking and Molecular Dynamics Approaches to Identify Potential SARS-CoV-2 3-Chymotrypsin-Like Protease Inhibitors from Zingiber officinale Roscoe. *Molecules*, 26(17), 5230. <https://doi.org/10.3390/molecules26175230>