

References

- Adams, G. D., Cook, I., & Ward, K. R. (2014). The principles of freeze-drying. *Cryopreservation and Freeze-Drying Protocols*, 121–143. https://doi.org/10.1007/978-1-4939-2193-5_4
- Ahangar, P., Mills, S. J., & Cowin, A. J. (2020). Mesenchymal Stem Cell Secretome as an Emerging Cell-Free Alternative for Improving Wound Repair. *International journal of molecular sciences*, 21(19), 7038. <https://doi.org/10.3390/ijms21197038>
- Assegehegn, G., Brito-de la Fuente, E., Franco, J., & Gallegos, C. (2020). An Experimental-Based Approach to Construct the Process Design Space of a Freeze-Drying Process: An Effective Tool to Design an Optimum and Robust Freeze-Drying Process for Pharmaceuticals. *Journal Of Pharmaceutical Sciences*, 109(1), 785-796. doi: 10.1016/j.xphs.2019.07.001
- Bano, G., De-Luca, R., Tomba, E., Marcelli, A., Bezzo, F., & Barolo, M. (2020). Primary drying optimization in pharmaceutical freeze-drying: A multivial stochastic modeling framework. *Industrial & Engineering Chemistry Research*, 59(11), 5056–5071. <https://doi.org/10.1021/acs.iecr.9b06402>
- Bari, E., Perteghella, S., Di Silvestre, D., Sorlini, M., Catenacci, L., Sorrenti, M., Marrubini, G., Rossi, R., Tripodo, G., Mauri, P., Marazzi, M., & Torre, M. L. (2018). Pilot Production of Mesenchymal Stem/Stromal Freeze-Dried Secretome for Cell-Free Regenerative Nanomedicine: A Validated GMP-Compliant Process. *Cells*, 7(11), 190. <https://doi.org/10.3390/cells7110190>
- Becker, H. & Locascio, L. E. (2002). Polymer microfluidic devices. *Talanta*, 56(2), 267–287. doi:10.1016/s0039-9140(01)00594-x
- Bi, S., Li, M., Liang, Z., Li, G., Yu, G., Zhang, J., Chen, C., Yang, C., Xue, C., Zuo, Y. Y., & Sun, B. (2022). Self-assembled aluminum oxyhydroxide nanorices with superior suspension stability for vaccine adjuvant. *Journal of Colloid and Interface Science*, 627, 238–246. <https://doi.org/10.1016/j.jcis.2022.07.022>

- Bjelošević, M., Seljak, K. B., Trstenjak, U., Logar, M., Brus, B., & Ahlin Grabnar, P. (2018). Aggressive conditions during primary drying as a contemporary approach to optimise freeze-drying cycles of biopharmaceuticals. *European Journal of Pharmaceutical Sciences*, 122, 292–302. <https://doi.org/10.1016/j.ejps.2018.07.016>
- Butreddy, A., Janga, K. Y., Ajjarapu, S., Sarabu, S., & Dudhipala, N. (2021). Instability of therapeutic proteins - An overview of stresses, stabilization mechanisms and analytical techniques involved in lyophilized proteins. *International journal of biological macromolecules*, 167, 309–325. <https://doi.org/10.1016/j.ijbiomac.2020.11.188>
- Christensen, D., Foged, C., Rosenkrands, I., Nielsen, H. M., Andersen, P., & Agger, E. M. (2007). Trehalose preserves DDA/TDB liposomes and their adjuvant effect during freeze-drying. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1768(9), 2120–2129. doi:10.1016/j.bbamem.2007.05.009
- Damayanti, R. H., Rusdiana, T., & Wathoni, N. (2021). Mesenchymal Stem Cell Secretome for Dermatology Application: A Review. *Clinical, cosmetic and investigational dermatology*, 14, 1401–1412. <https://doi.org/10.2147/CCID.S331044>
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of Particle Size and Polydispersity Index on the Clinical Applications of Lipidic Nanocarrier Systems. *Pharmaceutics*, 10(2), 57. <https://doi.org/10.3390/pharmaceutics10020057>
- Depaz, R. A., Pansare, S., & Patel, S. M. (2016). Freeze-drying above the glass transition temperature in amorphous protein formulations while maintaining product quality and improving process efficiency. *Journal of Pharmaceutical Sciences*, 105(1), 40–49. <https://doi.org/10.1002/jps.24705>
- Driscoll, J., Yan, I. K., & Patel, T. (2022). Development of a Lyophilized Off-the-Shelf Mesenchymal Stem Cell-Derived Acellular Therapeutic. *Pharmaceutics*, 14, 849.

- Duralliu, A., Matejtschuk, P., & Williams, D. R. (2018). Humidity induced collapse in freeze dried cakes: A direct visualization study using DVS. *European Journal of Pharmaceutics and Biopharmaceutics*, 127, 29–36. <https://doi.org/10.1016/j.ejpb.2018.02.003>
- El Baradie, K. B. Y., Nouh, M., O'Brien III, F., Liu, Y., Fulzele, S., Eroglu, A., & Hamrick, M. W. (2020). Freeze-Dried Extracellular Vesicles From Adipose-Derived Stem Cells Prevent Hypoxia-Induced Muscle Cell Injury. *Frontiers in Cell and Developmental Biology*, 8. doi:10.3389/fcell.2020.00181
- Fernández-Francos, S., Eiro, N., Costa, L. A., Escudero-Cernuda, S., Fernández-Sánchez, M. L., & Vizoso, F. J. (2021). Mesenchymal stem cells as a cornerstone in a galaxy of intercellular signals: Basis for a new era of medicine. *International Journal of Molecular Sciences*, 22(7), 3576. <https://doi.org/10.3390/ijms22073576>
- Foo, J. B., Looi, Q. H., Chong, P. P., Hassan, N. H., Yeo, G. E. C., Ng, C. Y., Koh, B., How, C. W., Lee, S. H., & Law, J. X. (2021). Comparing the Therapeutic Potential of Stem Cells and their Secretory Products in Regenerative Medicine. *Stem cells international*, 2021, 2616807. <https://doi.org/10.1155/2021/2616807>
- Hsu, C. C., Ward, C. A., Pearlman, R., & Nguyen, H. (1992). Determining the residual moisture in lyophilized protein pharmaceuticals. *Developmental Biology Standard*, 77.
- Jimenez-Puerta, G. J., Marchal, J. A., López-Ruiz, E., & Gálvez-Martín, P. (2020). Role of Mesenchymal Stromal Cells as Therapeutic Agents: Potential Mechanisms of Action and Implications in Their Clinical Use. *Journal of clinical medicine*, 9(2), 445. <https://doi.org/10.3390/jcm9020445>
- Jo, H., Brito, S., Kwak, B. M., Park, S., Lee, M. G., & Bin, B. H. (2021). Applications of Mesenchymal Stem Cells in Skin Regeneration and Rejuvenation. *International journal of molecular sciences*, 22(5), 2410. <https://doi.org/10.3390/ijms22052410>
- Kim, K., Kim, Y., Lee, S., & An, S. (2019). The effect of three-dimensional cultured adipose tissue-derived mesenchymal stem cell-conditioned medium and the antiaging effect of

cosmetic products containing the medium. *Biomedical Dermatology*, 4(1). doi: 10.1186/s41702-019-0053-z

Kulkarni, S. S., Patel, S. M., & Bogner, R. H. (2020). Reconstitution Time for Highly Concentrated Lyophilized Proteins: Role of Formulation and Protein. *Journal of Pharmaceutical Sciences*. doi:10.1016/j.xphs.2020.05.029

Kurien, B. T., & Scofield, R. H. (2012). Common artifacts and mistakes made in electrophoresis. *Methods in molecular biology* (Clifton, N.J.), 869, 633–640.

https://doi.org/10.1007/978-1-61779-821-4_58

Konala, V. B., Mamidi, M. K., Bhonde, R., Das, A. K., Pochampally, R., & Pal, R. (2016). The current landscape of the mesenchymal stromal cell secretome: A new paradigm for cell-free regeneration. *Cytotherapy*, 18(1), 13–24. <https://doi.org/10.1016/j.jcyt.2015.10.008>

Konieczny, P., Tomaszewska-Gras, J., Andrzejewski, W., Mikołajczak, B., Urbańska, M., Mazurkiewicz, J., & Stangierski, J. (2016). DSC and electrophoretic studies on protein denaturation of Anodonta Woodiana (Lea, 1834). *Journal of Thermal Analysis and Calorimetry*, 126(1), 69–75.

<https://doi.org/10.1007/s10973-016-5707-0>

La Verde, V., Dominici, P., & Astegno, A. (2017). Determination of Hydrodynamic Radius of Proteins by Size Exclusion Chromatography. *Bio-protocol*, 7(8), e2230.

<https://doi.org/10.21769/BioProtoc.2230>

Liau, L. L., Al-Masawa, M. E., Koh, B., Looi, Q. H., Foo, J. B., Lee, S. H., Cheah, F. C., & Law, J. X. (2020). The potential of mesenchymal stromal cell as therapy in neonatal diseases. *Frontiers in Pediatrics*, 8. <https://doi.org/10.3389/fped.2020.591693>

Matejčíková, A., & Rajniak, P. (2020). Impact of packing density on primary drying rate. *Acta Chimica Slovaca*, 13(2), 30–37. <https://doi.org/10.2478/acs-2020-0021>

Meiowitz, R. (2019). Microencapsulation technology for coating and laminating. *Smart Textile Coatings and Laminates*, 117–154. <https://doi.org/10.1016/b978-0-08-102428-7.00005-5>

- Mensink, M. A., Frijlink, H. W., van der Voort Maarschalk, K., & Hinrichs, W. L. J. (2017). How sugars protect proteins in the solid state and during drying (review): Mechanisms of stabilization in relation to stress conditions. *European Journal of Pharmaceutics and Biopharmaceutics*, 114, 288–295. <https://doi.org/10.1016/j.ejpb.2017.01.024>
- Merivaara, A., Zini, J., Koivunotko, E., Valkonen, S., Korhonen, O., Fernandes, F. M., & Yliperttula, M. (2021). Preservation of biomaterials and cells by freeze-drying: Change of paradigm. *Journal of Controlled Release*, 336, 480–498. <https://doi.org/10.1016/j.jconrel.2021.06.042>
- Mocchi, M., Bari, E., Marrubini, G., Bonda, A. F., Perteghella, S., Tartara, F., Cofano, F., Perna, G. D., Giovannelli, L., Mandracchia, D., Sorlini, M., Garbossa, D., Torre, M. L., & Segale, L. (2021). Freeze-Dried Mesenchymal Stem Cell-Secretome Pharmaceuticalization: Optimization of Formulation and Manufacturing Process Robustness. *Pharmaceutics*, 13(8), 1129. <https://doi.org/10.3390/pharmaceutics13081129>
- Nail, S. L., Jiang, S., Chongprasert, S., & Knopp, S. A. (2002). Fundamentals of freeze-drying. *Pharmaceutical biotechnology*, 14, 281–360. https://doi.org/10.1007/978-1-4615-0549-5_6
- Nowak, D., & Jakubczyk, E. (2020). The Freeze-Drying of Foods-The Characteristic of the Process Course and the Effect of Its Parameters on the Physical Properties of Food Materials. *Foods* (Basel, Switzerland), 9(10), 1488. <https://doi.org/10.3390/foods9101488>
- ÓFágáin, C. (2004). Lyophilization of Proteins. *Protein Purification Protocols*, 244, 309–322. <https://doi.org/10.1385/1-59259-655-x:309>
- Ohori, R., & Yamashita, C. (2017). Effects of temperature ramp rate during the primary drying process on the properties of amorphous-based lyophilized cake, part 1: Cake characterization, collapse temperature and drying behavior. *Journal of Drug Delivery Science and Technology*, 39, 131–139. <https://doi.org/10.1016/j.jddst.2017.03.013>
- Patel, S. M., Nail, S. L., Pikal, M. J., Geidobler, R., Winter, G., Hawe, A., ... Rambhatla Gupta, S. (2017). Lyophilized Drug Product Cake Appearance: What Is Acceptable? *Journal of Pharmaceutical Sciences*, 106(7), 1706–1721. doi:10.1016/j.xphs.2017.03.014

- Pikal, M. J., & Shah, S. (1990). The collapse temperature in freeze drying: Dependence on measurement methodology and rate of water removal from the glassy phase. *International Journal of Pharmaceutics*, 62(2–3), 165–186. [https://doi.org/10.1016/0378-5173\(90\)90231-r](https://doi.org/10.1016/0378-5173(90)90231-r)
- Pinho, A. G., Cibrão, J. R., Silva, N. A., Monteiro, S., & Salgado, A. J. (2020). Cell Secretome: Basic Insights and Therapeutic Opportunities for CNS Disorders. *Pharmaceuticals* (Basel, Switzerland), 13(2), 31. <https://doi.org/10.3390/ph13020031>
- Pittenger, M. F., Discher, D. E., Péault, B. M., Phinney, D. G., Hare, J. M., & Caplan, A. I. (2019). Mesenchymal stem cell perspective: Cell Biology to Clinical Progress. *Npj Regenerative Medicine*, 4(1). <https://doi.org/10.1038/s41536-019-0083-6>
- Putri, W. E., Sigit, C. R., Rantam, F. A., & Endaryanto, A. (2021). Mesenchymal stem cells-conditioned medium (SECRETOME) in Skin aging: A systematic review. *International Journal of Pharmaceutical Research*, 13(02). <https://doi.org/10.31838/ijpr/2021.13.02.020>
- Roy, I., & Gupta, M. N. (2004). Freeze-drying of proteins: Some emerging concerns. *Biotechnology and Applied Biochemistry*, 39(2), 165. <https://doi.org/10.1042/ba20030133>
- Runyon, D. E., & Higgins, A. Z. (2015). The Effect of Human Serum Albumin and Hematocrit on the Cake Collapse Temperature of Lyophilized Red Blood Cells. *Biopreservation and Biobanking*, 13(5), 376–378. doi:10.1089/bio.2015.0013
- Saeedi, P., Halabian, R., & Imani Fooladi, A. A. (2019). A revealing review of mesenchymal stem cells therapy, clinical perspectives and Modification strategies. *Stem cell investigation*, 6, 34. <https://doi.org/10.21037/sci.2019.08.11>
- Schersch, K., Betz, O., Garidel, P., Muehlau, S., Bassarab, S., & Winter, G. (2013). Systematic investigation of the effect of lyophilizate collapse on pharmaceutically relevant proteins III: Collapse during storage at elevated temperatures. *European Journal of Pharmaceutics and Biopharmaceutics*, 85(2), 240–252. <https://doi.org/10.1016/j.ejpb.2013.05.009>
- Sudagar, M., Keivanloo, S., & Hajibeglu, A. (2017). Effect of different permeable and non-permeable cryoprotectants on the hatching rate of rainbow trout (*Oncorhynchus mykiss*)

embryos. *Aquaculture International*, 26(1), 75–84.

<https://doi.org/10.1007/s10499-017-0192-4>

Sudhakar, N., Shanmugam, H., Kumaran, S., Coelho, A., Nunes, R., & Carvalho, I. S. (2018). OMICS approaches in fungal biotechnology. *Omics Technologies and Bio-Engineering*, 53–70.

<https://doi.org/10.1016/b978-0-12-815870-8.00004-8>

Tan, K., Chang, T., & Lin, X. (2022). Secretomes as an emerging class of bioactive ingredients for enhanced cosmeceutical applications. *Experimental Dermatology*, 31(5), 674-688. doi: 10.1111/exd.14570

Tan, M. I., Alfarafisa, N. M., Septiani, P., Barlian, A., Firmansyah, M., Faizal, A., Melani, L., & Nugrahapraja, H. (2022). Potential cell-based and cell-free therapy for patients with COVID-19. *Cells*, 11(15), 2319. <https://doi.org/10.3390/cells11152319>

Tanabe S. (2014). Role of mesenchymal stem cells in cell life and their signaling. *World journal of stem cells*, 6(1), 24–32. <https://doi.org/10.4252/wjsc.v6.i1.24>

Trenkenschuh, E., Richter, M., Heinrich, E., Koch, M., Fuhrmann, G., & Friess, W. (2021). Enhancing the stabilization potential of lyophilization for extracellular vesicles. *Advanced Healthcare Materials*, 11(5), 2100538. <https://doi.org/10.1002/adhm.202100538>

US FDA. (2014, November 11). Lyophilization of Parenteral (7/93). U.S. Food and Drug Administration. [https://www.fda.gov/inspections-compliance-enforcement-and-criminal-investigations/inspection-guides/lyophilization-parenteral-793#:~:text=Meltback%20is%20a%20form%20of,vapor%20state\)%20in%20the%20vial.](https://www.fda.gov/inspections-compliance-enforcement-and-criminal-investigations/inspection-guides/lyophilization-parenteral-793#:~:text=Meltback%20is%20a%20form%20of,vapor%20state)%20in%20the%20vial.)

Vizoso, F. J., Eiro, N., Cid, S., Schneider, J., & Perez-Fernandez, R. (2017). Mesenchymal Stem Cell Secretome: Toward Cell-Free Therapeutic Strategies in Regenerative Medicine. *International journal of molecular sciences*, 18(9), 1852. <https://doi.org/10.3390/ijms18091852>

Wahl, V., Scheibelhofer, O., Roessl, U., Leitgeb, S., De Beer, T., & Khinast, J. (2015). The influence of residual water on the secondary structure and crystallinity of freeze-dried fibrinogen. *International Journal of Pharmaceutics*, 484(1-2), 95–102. doi:10.1016/j.ijpharm.2015.02.010

Wangler, S., Kamali, A., Wapp, C., Wuertz-Kozak, K., Häckel, S., Fortes, C., Benneker, L. M., Haglund, L., Richards, R. G., Alini, M., Peroglio, M., & Grad, S. (2021). Uncovering the secretome of mesenchymal stromal cells exposed to healthy, traumatic, and degenerative intervertebral discs: A Proteomic analysis. *Stem Cell Research & Therapy*, 12(1). <https://doi.org/10.1186/s13287-020-02062-2>

Weber, K., & Osborn, M. (1969). The reliability of molecular weight determinations by dodecyl sulfate-polyacrylamide gel electrophoresis. *Journal of Biological Chemistry*, 244(16), 4406–4412. [https://doi.org/10.1016/s0021-9258\(18\)94333-4](https://doi.org/10.1016/s0021-9258(18)94333-4)

Yu, L. X., Amidon, G., Khan, M. A., Hoag, S. W., Polli, J., Raju, G. K., & Woodcock, J. (2014). Understanding pharmaceutical quality by design. *The AAPS journal*, 16(4), 771–783. <https://doi.org/10.1208/s12248-014-9598-3>

Yu, Z., Reid, J. C., & Yang, Y.-P. (2013). Utilizing dynamic light scattering as a process analytical technology for protein folding and aggregation monitoring in vaccine manufacturing. *Journal of Pharmaceutical Sciences*, 102(12), 4284–4290. <https://doi.org/10.1002/jps.23746>