

## References

- Abubakar, A.R. & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *J Pharm Bioallied Sci.* 2020 Jan-Mar; 12(1): 1–10. doi: 10.4103/jpbs.JPBS\_175\_19
- Afonso, A., Hunt, P., Cheesman, S., Alves, A.C., Cunha, C.V., Rosário, V., Cravo, P. (2006). Malaria parasites can develop stable resistance to artemisinin but lack mutations in candidate genes *atp6* (encoding the sarcoplasmic and endoplasmic reticulum Ca<sup>2+</sup> ATPase), *tctp*, *mdr1*, and *cg10*. *Antimicrob. Agents Chemother.* 2006;50:480–489.
- Ahmad, I., Pacheco, M., & Santos, M. A. (2004). Enzymatic and nonenzymatic antioxidants as an adaptation to phagocyte-induced damage in *Anguilla anguilla* L. following in situ harbor water exposure. *Ecotoxicology and Environmental Safety*, 57, 290–302.
- Ashley, E.A., Phyo, A.P., Woodrow, C.J., 2018. Malaria. *Lancet* 391, 1608–1621. [https://doi.org/10.1016/S0140-6736\(18\)30324-6](https://doi.org/10.1016/S0140-6736(18)30324-6)
- Atamna H., Ginsburg H. (1993). Origin of reactive oxygen species in erythrocytes infected with *Plasmodium falciparum*. *Mol. Biochem. Parasitol.* 1993;61:231–234.
- Aydin, T., Cakir, A., Kazaz, C., Bayrak, N., Bayir, Y., Taskesenligil, Y. (2014). Insecticidal metabolites from the rhizomes of *Veratrum album* against adults of Colorado Potato Beetle. *Leptinotarsa decemlineata*, *Chem Biodivers.*, 11, 1192-1204. doi:doi.org/10.1002/cbdv.201300407
- Aykul, S., & Martinez-Hackert, E. (2016). Determination of half-maximal inhibitory concentration using biosensor-based protein interaction analysis. *Analytical Biochemistry*, 508, 97–103. doi:10.1016/j.ab.2016.06.025
- Babu, S. & Jayaraman, S. (2020). An update on  $\beta$ -sitosterol: A potential herbal nutraceutical for diabetic management. *Biomed Pharmacother.* 2020 Nov;131:110702. doi: 10.1016/j.biopha.2020.110702.
- Baer, K., Klotz, C., Kappe, S. H. I., Schnieder, T., & Frevert, U. (2007). *Release of Hepatic Plasmodium yoelii Merozoites into the Pulmonary Microvasculature.* *PLoS Pathogens*, 3(11), e171. doi:10.1371/journal.ppat.0030171
- Badan penelitian dan pengembangan kesehatan. Kemenkes RI. (2013). Riset Kesehatan Dasar. Kementerian Kesehatan Republik Indonesia, Jakarta, pp.: 2.
- Blessborn, D. (2009). Development of Analytical Methods for the Determination of Antimalarials in Biological Fluids. Department of Physical and Analytical Chemistry, Analytical Chemistry, Box 577, Uppsala University, SE-75123 Uppsala, Sweden.
- Bouic, P.J.D., Etsebeth, S., Liebenberg, R.W., Albrecht, C.F., Pegel, K., VanJaarsveld, P.P. (1996). Beta-sitosterol and beta-sitosterol glucoside stimulate human peripheral blood lymphocyte proliferation: Implications for their use as an immunomodulatory vitamin combination. *Int J Immunopharmacol.*, 18, 693-700. doi: doi.org/10.1016/S0192-0561(97)85551-8
- Bower JJ, Leonard SS, Shi X. Conference overview: molecular mechanisms of metal toxicity and carcinogenesis. *Mol Cell Biochem.* 2005; 279:3–15. 10.1007/s11010-005-8210-7
- Breman, J. G., & Brandling-Bennett, A. D. (2011). *The challenge of malaria eradication in the twenty-first century: Research linked to operations is the key.* *Vaccine*, 29, D97–D103. doi:10.1016/j.vaccine.2011.12.003
- Bridgford JL, Xie SC, Cobbold SA, et al. Artemisinin kills malaria parasites by damaging proteins and inhibiting the proteasome. *Nat Commun.* 2018;9(1):1–9. doi: 10.1038/s41467-018-06221-1
- Buszewski, B., & Noga, S. (2011). *Hydrophilic interaction liquid chromatography (HILIC)—a powerful separation technique.* *Analytical and Bioanalytical Chemistry*, 402(1), 231–247. doi:10.1007/s00216-011-5308-5
- Chaturvedula, V. S. P., & Prakash, I. (2012). Isolation of Stigmasterol and  $\beta$ -Sitosterol from the dichloromethane extract of *Rubus suavissimus*. *International Current Pharmaceutical Journal*, 1(9). doi:10.3329/icpj.v1i9.11613

- Chen, F.W. (1996). Quantitation of DNA fragmentation in apoptosis. *Nucleic Acids Res.* 1996;24:992–3. doi: 10.1093/nar/24.5.992.
- Chen, L., Wang, J.J., Song, H.T., Zhang, G.G., Qin, L.P. (2009). New cytotoxic cerebroside from *Gynura divaricata*. *Chinese Chemical Letters.* 2009;20(9):1091–1093.
- Chen L, Song Z. Y, Wang J. J, Song H. T, Wang J. H, Zhang G. G, Qin L. P. (2010). Studies on the chemical constituents from aerial parts of *Gynura divaricata*. *Chinese Traditional and Herbal Drugs.* 2010;41(3):373–375.
- Chen, J., Mangelinckx, S., Ma, L., Wang, Z., Li, W., De Kimpe, N. (2014). Caffeoylquinic acid derivatives isolated from the aerial parts of *Gynura divaricata* and their yeast  $\alpha$ -glucosidase and PTP1B inhibitory activity. *Fitoterapia.* 2014;99:1–6.
- Cowan M.M. (1999). Plant products as antimicrobial agents. *Clin. Microbiol. Rev.* 1999;12:564–582. doi: 10.1128/CMR.12.4.564.
- Deavall D.G., Martin E.A., Horner J.M., Roberts R. Drug-induced oxidative stress and toxicity. *J. Toxicol.* 2012;2012:645460. doi: 10.1155/2012/645460.
- Egwu, C.O., Augereau, J.M., Reybier, K., Benoit-Vical, F. (2021). Reactive Oxygen Species as the Brainbox in Malaria Treatment. *Antioxidants (Basel).* 2021 Dec; 10(12): 1872. doi: 10.3390/antiox10121872
- Elyazar, I. R. F., Hay, S. I., & Baird, J. K. (2011). *Malaria Distribution, Prevalence, Drug Resistance and Control in Indonesia. Advances in Parasitology, 41–175.* doi:10.1016/b978-0-12-385897-9.00002-1
- Ernst, K.C., Adoka, S.O., Kowuor, D.O., Wilson, M.L, John, C.C. (2006). Malaria hotspot areas in a highland Kenya site are consistent in epidemic and non-epidemic years and are associated with ecological factors. *Malar J*, 5: 78.
- Esterbauer, H., Eckl, P., Ortner, A. (1990). Possible mutagens derived from lipids and lipid precursors. *Mutation Research.* 1990;238(3):223–233.
- Farooq, S., Mir, S.A., Shah, M.A., Manickavasagan, A. (2022). Extraction Techniques. *Plant Extracts: Applications in the Food Industry.* 2022, 23-37. <https://doi.org/10.1016/B978-0-12-822475-5.00005-3>
- Fletcher, T.E. & Beeching, N.J. (2013). Malaria. *J R Army Med Corps.* 2013 Sep;159(3):158-66. DOI: 10.1136/jramc-2013-000112
- Ferlinahayati, Gultom, R.P.J., Eliza, H. (2017). Steroid Compounds from *Gynura pseudochina* (Lour) DC. *Molekul, Vol. 12. No. 1, Mei 2017 :8–13.* Doi: 10.20884/1.jm.2017.12.1.293
- Fernandez, J. L., Cartelle, M., Muriel, L., Santiso, R., Tamayo, M., Goyanes, V., Gosálvez, J., Bou, G. (2008). DNA Fragmentation in Microorganisms Assessed In Situ. *Applied and Environmental Microbiology*, 74(19), 5925–5933. doi:10.1128/aem.00318-08
- Garcia, L.S. (2010). Malaria. *Clin Lab Med.* 2010 Mar;30(1):93-129. DOI: 10.1016/j.cll.2009.10.001
- Global Malaria Programme, WHO. (2019). WHO Malaria Policy Advisory Committee (MPAC) meeting: Meeting Report. 2019;(October): 1–23. Retrieved from <https://www.who.int/malaria/mpac/mpacmembers/>
- Graves, P.M., Richards, F.O., Ngondi, J. Emerson, P.M., Shargie, E.B., Endeshaw, T., Ceccato, P., Ejigsemahu, Y., Mosher, A.W., Hailemariam, A., Zerihun, M., Teferi, T., Ayele, B., Mesele, A., Yohannes, G., Tilahun, A., Gebre, T. (2009). Individual, household and environmental risk factors for malaria infection in Amhara, Oromia and SNNP regions of Ethiopia. *Trans R Soc Trop Med Hyg*, 103(12): 1211–20.
- Grau GE, Mackenzie CD, Carr RA, et al. Platelet accumulation in brain microvessels in fatal pediatric cerebral malaria. *J Infect Dis.* 2003;187(3):461–466.
- Hu, Y., Li, W.L., Lin, H.W., Zhuo, M. (2006). Chemical Constituents of *Gynura divaricata*. *Chinese Journal of Natural Medicines* 4(2):156-158
- Ismail, H. M., Barton, V., Phanchana, M., Charoensutthivarakul, S., Wong, M. H. L., Hemingway, J., ... Ward, S. A. (2016). Artemisinin activity-based probes identify multiple molecular targets

- within the asexual stage of the malaria parasites *Plasmodium falciparum* 3D7. Proceedings of the National Academy of Sciences, 113(8), 2080–2085. doi:10.1073/pnas.1600459113
- Janero, D. (1990). Malondialdehyde and thiobarbituric acid reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. *Free Radic. Biol. Med.* 9, 515/540.
- Jones, P. J. H., & Rideout, T. C. (2011). Plant Sterols. *Comprehensive Biotechnology*, 535–542. doi:10.1016/b978-0-08-088504-9.00310-x
- Ju, Y.H., Clausen, L.M., Allred, K.F., Almada, A.L., Helferich, W.G. (2004). beta-Sitosterol, beta-sitosterol glucoside, and a mixture of beta-sitosterol and beta-sitosterol glucoside modulate the growth of estrogen-responsive breast cancer cells in vitro and in ovariectomized athymic mice. *J Nutr.*, 134, 1145–1151. doi: doi.org/10.1093/jn/134.5.1145
- Kerr, J.F., Wyllie, A.H., Currie, A.R. (1972). Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *Br J Cancer* 26(4):239–257.
- Keller C.C., Kreamsner P.G., Hittner J.B., Misukonis M.A., Weinberg J.B., Perkins D.J. Elevated nitric oxide production in children with malarial anemia: Hemozoin-induced nitric oxide synthase type 2 transcripts and nitric oxide in blood mononuclear cells. *Infect. Immun.* 2004;72:4868–4873.
- Khan M, Ding C, Rasul A, Yi F, Li T, Gao H, Gao R, Zhong L, Zhang K, Fang X, Ma T. Isoalantolactone induces reactive oxygen species mediated apoptosis in pancreatic carcinoma PANC-1 cells. *Int J Biol Sci.* 2012; 8:533–47. 10.7150/ijbs.3753
- Krishna, S., Pulcini, S., Moore, C.M., Staines, H.M., Staines, H.M. (2014). Pumped up: reflections on PfATP6 as the target for artemisinins. *Trends Pharmacol Sci.* 2014;35(1):4–11. doi: 10.1016/j.tips.2013.10.007
- Köhler, I., Jenett-Siems, K., Siems, K., Hernández, M. A., Ibarra, R. A., Berendsohn, W. G., ... Eich, E. (2002). In Vitro Antiplasmodial Investigation Of Medicinal Plants From El Salvador §. *Zeitschrift Für Naturforschung C*, 57(3-4), 277–281. doi:10.1515/znc-2002-3-413
- Koopman, G., Reutelingsperger, C., Kuijten, G., Keehnen, R., Pals, S., Van Oers, M. (1994). Annexin V for flow cytometric detection of phosphatidylserine expression on B cells undergoing apoptosis. *Blood.* 1994;84:1415–20.
- Kumar, S., Krishna Chaitanya, R., & Preedy, V. R. (2018). *Assessment of Antioxidant Potential of Dietary Components. HIV/AIDS*, 239–253. doi:10.1016/b978-0-12-809853-0.00020-1
- Laloo, D.G., Shingadia, D., Bell, D.J., Beeching, N.J., Whitty, C.J.M., Chiodini, P.L. (2016). PHE Advisory Committee on Malaria Prevention in UK Travellers. UK malaria treatment guidelines 2016. *J Infect.* 2016 Jun;72(6):635–649.
- Livingstone, D. R. (2001). Contaminant-stimulated reactive oxygen species production and oxidative damage in aquatic organisms. *Marine Pollution Bulletin*, 42, 656–666.
- Loannou, Y.A. & Chen, F.W. (1996). Quantitation of DNA fragmentation in apoptosis. *Nucleic Acids Research*, 1996, Vol. 24, No. 5
- López, G.R.D.P., Hernán, C.G., Moreno, L.C., Fernández, V.E., Muñoz M.F.M., Delgado, A.M., Polo, M.J.P., Andrés, I.G. (2014). Malaria in developing countries. *J Infect Dev Ctries.* 2014 Jan 15;8(1):1-4..
- Maier AG, Cooke BM, Cowman AF, Tilley L. Malaria parasite proteins that remodel the host erythrocyte. *Nat Rev Microbiol.* 2009;7(5):341–354.
- Mao, C., Lei, G., Horbath, A., Gan, B. (2022). Assessment of lipid peroxidation in irradiated cells. *Methods Cell Biol.* 2022;172:37-50. doi: 10.1016/bs.mcb.2022.05.003
- Martin, R.E., Marchetti, R.V., Cowan, A.I., Howitt, S.M., Broer, S., Kirk, K. (2009). Chloroquine transport via the malaria parasite's chloroquine resistance transporter. *Science.* 2009;325:1680–2. doi: 10.1126/science.1175667.
- Marsh K, Forster D, Waruiru C, et al. Indicators of life-threatening malaria in African children. *N Engl J Med.* 1995;332(21):1399–1404.

- Meng, X., Li, J., Li, M., Wang, H., Ren, B., Chen, J., & Li, W. (2021). Traditional uses, phytochemistry, pharmacology and toxicology of the genus *Gynura* (Compositae): A comprehensive review. *Journal of Ethnopharmacology*, 276, 114145. doi:10.1016/j.jep.2021.114145
- Meslin, B., Barnadas, C., Boni, V., Latour, C., Monbrison, F. D., Kaiser, K., & Picot, S. (2007). *Features of Apoptosis in Plasmodium falciparum Erythrocytic Stage through a Putative Role of PfmCA1 Metacaspase-Like Protein. The Journal of Infectious Diseases*, 195(12), 1852–1859. doi:10.1086/518253
- Milner, D.A. (2018). Malaria Pathogenesis. *Cold Spring Harb Perspect Med*. 2018 Jan 02;8(1). DOI: 10.1101/cshperspect.a025569
- Miller, L.H., Baruch, D.I., Marsh, K., Doumbo, O.K. (2002). The pathogenic basis of malaria. *Nature*. 2002;415:673–9
- Ministry of Health. Laporan situasi terkini perkembangan program pengendalian malaria di Indonesia tahun. Jakarta: Director General of Disease Control MoH; 2019. p. 1–44.
- Miyata, A. (1975). Cryo-preservation of the Parasitic Protozoa. *Jap. J. Trop. Med. Hyg.*, Vol. 3, No. 2, 1975, pp. 161-200.
- Newsholme P, Cruzat VF, Keane KN, Carlessi R, de Bittencourt PI Jr. Molecular mechanisms of ROS production and oxidative stress in diabetes. *Biochem J*. 2016; 473:4527–50. 10.1042/BCJ20160503C
- Nurhayati, S., Rahardjo, T., Darlina, Tetriana, D., Kisananto, T., Syaifudin, M., Ramadhani, D., (2017). In Vitro Infectivity Study of Cryopreserved Irradiated Intraerythrocytic Form of *Plasmodium falciparum*. N.K. Oekar et al. / *Atom Indonesia* Vol. 43 No. xx 2017. DOI: <https://doi.org/10.17146/aij.2017.760>
- Phillips, M. A., Burrows, J. N., Manyando, C., van Huijsduijnen, R. H., Van Voorhis, W. C., & Wells, T. N. C. (2017). Malaria. *Nature Reviews. Disease Primers*, 3, 17050. <https://doi.org/10.1038/nrdp.2017.50>
- Philip, K., Cheplogoi, P. K., Elizabeth, M. M., Hoseah, M. A. & Langat, M. K. (2019). Assessment of antiplasmodial activity and toxicity of crude extracts and isolated compounds from *Oncoba spinosa* (Flacourtiaceae). *J. Adv. Med. Pharm. Sci*. 21, 1–14. DOI: 10.9734/jamps/2019/v21i130124
- Picot S, Burnod J, Bracchi V, Chumpitazi BFF, Ambroise-Thomas P. Apoptosis related to chloroquine sensitivity of the human malaria parasite *Plasmodium falciparum*, *Trans R Soc Trop Med Hyg*, 1997, vol. 91 (pg. 590-1)
- Pink, R., Hudson, A., Mouries, M.A., Bendig, M. (2005). Opportunities and challenges in antiparasitic drug discovery. *Nat. Rev. Drug Discov*. 4, 727–740.
- Pisciotta, J.M., Coppens, I., Tripathi, A.K., Scholl, P.F., Shuman, J., Bajad, S., Shulaev, V., Sullivan, D.J. (2007). The role of neutral lipid nanospheres in *Plasmodium falciparum* haem crystallization. *Biochem J* 402, 197–204.
- Posner, G.W.; O' Neill, P.M. Knowledge of the proposed chemical mechanism of action and cytochrome p450 metabolism of antimalarial trioxanes like artemisinin allows rational design of new antimalarial peroxides. *Acc. Chem. Res*. 2004, 37, 397–404.
- Potter S.M., Mitchell A.J., Cowden W.B., Sanni L.A., Dinauer M., Haan J.B., Hunt N.H. Phagocyte-derived reactive oxygen species do not influence the progression of murine blood-stage malaria infections. *Infect. Immun*. 2005;73:4941–4947.
- Pratt-Riccio, L. R., Chehuan, Y. F., Siqueira, M., das Graças Alecrim, M., Bianco-Junior, C., Druilhe, P., ... Daniel-Ribeiro, C. T. (2013). *Use of a colorimetric (DELI) test for the evaluation of chemoresistance of Plasmodium falciparum and Plasmodium vivax to commonly used anti-plasmodial drugs in the Brazilian Amazon. Malaria Journal*, 12(1), 281. doi:10.1186/1475-2875-12-281
- Preston, M.D., Campino, S., Assefa, S.A., Echeverry, D.F., Ocholla, H., Amambua-Ngwa, A. (2014). A barcode of organellar genome polymorphisms identifies the geographic origin of *Plasmodium falciparum* strains. *Nat Commun*. 2014;5:4052.

- RahbarSaadat, Y., Saeidi, N., Zununi Vahed, S., Barzegari, A., & Barar, J. (2015). An update to DNA ladder assay for apoptosis detection. *BioImpacts*, 5(1), 25–28. doi:10.15171/bi.2015.01
- Renehan, A. G. (2001). *What is apoptosis, and why is it important?* *BMJ*, 322(7301), 1536–1538. doi:10.1136/bmj.322.7301.1536
- Roeder, E., Eckert, A., Wiedenfeld, H. (1996). Pyrrolizidine alkaloids from *Gynura divaricata*. *Planta Medica (Germany)* 1996;62:386.
- Rosoanaivo, P., Deharo, E., Ratsimamanga-Urverg, S. & Frappier, F. (2004). Guidelines for the nonclinical evaluation of the efficacy of traditional antimalarials. In: *Traditional Medicinal Plants and Malaria*. 2004: pp.256-268. CRC Press USA
- Sanchez, C.P., Rotmann, A., Stein, W.D., Lanzer, M. (2008). Polymorphisms within PfMDR1 alter the substrate specificity for anti-malarial drugs in *Plasmodium falciparum*. *Mol Microbiol.* 2008;70:786–98. doi: 10.1111/j.1365-2958.2008.06413.x.
- Santo A., Zhu H., Li Y.R. Free Radicals: From Health to Disease. *React. Oxyg. Species.* 2016;2:245–263. doi: 10.20455/ros.2016.847.
- Sampson C., Keens R.H., Kattnig D.R. On the magnetosensitivity of lipid peroxidation: Two- versus three-radical dynamics. *Phys. Chem. Chem. Phys.* 2019;21:13526–13538. doi: 10.1039/C9CP01746A.
- Shacter, E. (2000). Quantification and significance of protein oxidation in biological samples. *Drug Metabolism Reviews*, 32(3–4), 307–326.
- Singh, G., Urhekar, A.D., Raksha. (2015). In vitro Cultivation of *Plasmodium falciparum*. *International Journal of Medical and Applied Science.* 2015: 5(1).
- Smallwood, I. M. (1996). *Handbook of Organic Solvent Properties*; Arnold: London.
- Snow, R.W. (2015). Global malaria eradication and the importance of *Plasmodium falciparum* epidemiology in Africa. *BMC Med.* 2015 Feb 03;13:23. doi: 10.1186/s12916-014-0254-7.
- Sullivan, D. J., Gluzman, I. Y., Russell, D. G., & Goldberg, D. E. (1996). On the molecular mechanism of chloroquine's antimalarial action. *Proceedings of the National Academy of Sciences*, 93(21), 11865–11870. doi:10.1073/pnas.93.21.11865
- Suman S, Pandey A, Chandna S. An improved non-enzymatic “DNA ladder assay” for more sensitive and early detection of apoptosis. *Cytotechnology.* 2012;64:9–14.
- Sypniewska, P., Duda, J.F., Locatelli, I., Althaus, C.R., Althaus, F., Genton, B. (2017). Clinical and laboratory predictors of death in African children with features of severe malaria: a systematic review and meta-analysis. *BMC Med.* 2017 Aug 03;15(1):147. doi: 10.1186/s12916-017-0906-5.
- Talisuna A.O., Bloland P., D’Alessandro U. History, dynamics and public health importance of malaria parasite resistance. *Clin. Microbiol. Rev.* 2004;17:235–254.
- Truong, D.-H., Nguyen, D. H., Ta, N. T. A., Bui, A. V., Do, T. H., & Nguyen, H. C. (2019). *Evaluation of the Use of Different Solvents for Phytochemical Constituents, Antioxidants, and In Vitro Anti-Inflammatory Activities of Severinia buxifolia.* *Journal of Food Quality*, 2019, 1–9. doi:10.1155/2019/8178294
- Vanijajiva, O., & Kadereit, J. W. (2011). A revision of *Gynura* (Asteraceae: Senecioneae). *Journal of Systematics and Evolution*, 49(4), 285-314.
- Wan C, Yu Y, Zhou S, Tian S, Cao S. (2011). Isolation and identification of phenolic compounds from *Gynura divaricata* leaves. *Pharmacognosy Magazine.* 2011;7(26):101–108.
- Wassmer, S.C., Taylor, T.E., Rathod, P.K., Mishra, S.K., Mohanty, S., Arevalo-Herrera, M., Duraisingh, M.T., Smith, J.D. (2015). Investigating the Pathogenesis of Severe Malaria: A Multidisciplinary and Cross-Geographical Approach. *Am J Trop Med Hyg.* 2015 Sep;93(3 Suppl):42-56. doi: 10.4269/ajtmh.14-0841.
- Wei, D., Wang, L., Liu, C., & Wang, B. (2010).  $\beta$ -Sitosterol Solubility in Selected Organic Solvents. *Journal of Chemical & Engineering Data*, 55(8), 2917–2919. doi:10.1021/je9009909
- Willcox, M.L. & Bodeker, G. (2004). Traditional herbal medicines for malaria. *BMJ.* 2004 Nov 13; 329(7475): 1156–1159. doi: 10.1136/bmj.329.7475.1156

- WHO. (2001). Antimalarial drug combination therapy: report of a WHO Technical Consultation. Geneva. Retrieved from: [http://apps.who.int/iris/bitstream/10665/66952/1/WHO\\_CDS\\_RBM\\_2001.35.pdf](http://apps.who.int/iris/bitstream/10665/66952/1/WHO_CDS_RBM_2001.35.pdf)
- WHO. (2021). World malaria report 2021. Retrieved from: <https://www.who.int/teams/global-malaria-programme/reports/world-malaria-report-2021>
- WHO. (2021). WHO Guidelines for malaria. Retrieved from: <https://www.who.int/publications/i/item/guidelines-for-malaria>
- Xu, B.-Q., & Zhang, Y.-Q. (2017). *BIOACTIVE COMPONENTS OF GYNURA DIVARICATA AND ITS POTENTIAL USE IN HEALTH, FOOD AND MEDICINE: A MINI-REVIEW*. *African Journal of Traditional, Complementary and Alternative Medicines*, 14(3), 113–127. doi:10.21010/ajtcam.v14i3.12
- Yadav, K., Dhiman, S., Rabha, B., Saikia, P., Veer, V. (2014). Socio-economic determinants for malaria transmission risk in an endemic primary health centre in Assam, India. *Infect Dis Poverty*, 3: 19. doi: 10.1186/2049-9957-3-19.
- Yamamoto M. Masui T. Sugiyama K. Yokota M. Nakagomi K. Nakazawa H. (1991). Antiinflammatory active constituents of *Aloe arborescens* Miller. *Agr Biol Chem Tokyo*, 55, 1627-1629. doi.org/10.1271/bbb1961.55.1627
- Yin, H., Xu, L., Porter, N.A. (2011). Free radical lipid peroxidation: mechanisms and analysis. *Chemical Reviews*. 2011;111(10):5944–5972.
- Xie S.C., Dogovski C., Hanssen E., Chiu F., Yang T., Crespo M.P., Stafford C., Batinovic S., Teguh S., Charman S., et al. Haemoglobin degradation underpins the sensitivity of early ring stage *Plasmodium falciparum* to artemisinins. *J. Cell Sci.* 2016;129:406–416. doi: 10.1242/jcs.178830.
- Xu, B.-Q., & Zhang, Y.-Q. (2017). *BIOACTIVE COMPONENTS OF GYNURA DIVARICATA AND ITS POTENTIAL USE IN HEALTH, FOOD AND MEDICINE: A MINI-REVIEW*. *African Journal of Traditional, Complementary and Alternative Medicines*, 14(3), 113–127. doi:10.21010/ajtcam.v14i3.12