

References

- AS, L., Raj, S. R., ND, B., & K, M. (2015). PHYTOCHEMICAL ANALYSIS AND BACTERICIDAL POTENTIALITY OF POGONATUM MICROSTOMUM SCHW. Retrieved December 13, 2022, from <https://www.researchgate.net/profile/Arvind-Singh-21/post/What-do-you-know-about-antimicrobial-property-of-bryophytes/attachment/5bceb0d6cfe4a76455fcacf58/AS%3A684765988548608%401540272342314/download/9.pdf>
- Abdal Dayem, A., Hossain, M., Lee, S., Kim, K., Saha, S., Yang, G.-M., Choi, H., & Cho, S.-G. (2017). The role of reactive oxygen species (ROS) in the biological activities of metallic nanoparticles. International Journal of Molecular Sciences, 18(1), 120. <https://doi.org/10.3390/ijms18010120> Boufellous, M., Lrhorfi, L. A., Berrani, A., Haoud, H. E., Zaher, A., Bouhaddioui, B., & Bengueddour, R. (2017, March 3). Phytochemical screening of a medicinal plant: Lavandula stoechas (Lamiaceae). Journal of Pharmacognosy and Phytochemistry. <https://www.phytojournal.com/archives?year=2017&vol=6&issue=2&ArticleId=d=1133>
- Checa, J., & Aran, J. M. (2020). reactive oxygen species: Drivers of physiological and pathological processes. Journal of Inflammation Research, Volume 13, 1057–1073. <https://doi.org/10.2147/jir.s275595>
- Dhar, S. K., & St. Clair, D. K. (2012). Manganese superoxide dismutase regulation and cancer. Free Radical Biology and Medicine, 52(11–12), 2209–2222. <https://doi.org/10.1016/j.freeradbiomed.2012.03.009>
- Fan, X., Fan, Z., Yang, Z., Huang, T., Tong, Y., Yang, D., Mao, X., & Yang, M. (2022). Flavonoids—natural gifts to promote health and longevity. International Journal of Molecular Sciences, 23(4), 2176. <https://doi.org/10.3390/ijms23042176>

Fanucchi, M. V. (2014). Development of Antioxidant and Xenobiotic Metabolizing Enzyme Systems.

The Lung, 223–231. doi:10.1016/b978-0-12-799941-8.00011-0

Ford, L., Theodoridou, K., Sheldrake, G. N., & Walsh, P. J. (2019). A critical review of analytical methods used for the chemical characterisation and quantification of phlorotannin compounds in brown seaweeds. *Phytochemical Analysis*, 30(6), 587–599.
<https://doi.org/10.1002/pca.2851>

Gan, R.-Y., Chan, C.-L., Yang, Q.-Q., Li, H.-B., Zhang, D., Ge, Y.-Y., Gunaratne, A., Ge, J., & Corke, H. (2019). Bioactive compounds and beneficial functions of sprouted grains. *Sprouted Grains*, 191–246. <https://doi.org/10.1016/b978-0-12-811525-1.00009-9>

James, J.E., Veettil, A.K., Pratyush, K., Misra, C.S., Sahadevan, L.D., & Thankamani, V. (2012). In Vitro Antioxidant Activity of Flowers and Fruits of Alstonia scholaris. *International Journal of Phytomedicine*, 3, 475-479.

Hasanuzzaman, M., Bhuyan, M. H. M., Zulfiqar, F., Raza, A., Mohsin, S., Mahmud, J., Fujita, M., & Fotopoulos, V. (2020). Reactive oxygen species and antioxidant defense in plants under abiotic stress: Revisiting the crucial role of a Universal Defense Regulator. *Antioxidants*, 9(8), 681. <https://doi.org/10.3390/antiox9080681>

Henneberg, R., Otuki, M. F., Furman, A. E., Hermann, P., Nascimento, A. J., & Leonart, M. S. (2013). Protective effect of flavonoids against reactive oxygen species production in sickle cell anemia patients treated with hydroxyurea. *Revista Brasileira De Hematologia e Hemoterapia*, 35(1), 52–55. <https://doi.org/10.5581/1516-8484.20130015>

Herbig, A.-L., & Renard, C. M. G. C. (2017). Factors that impact the stability of vitamin C at intermediate temperatures in a food matrix. *Food Chemistry*, 220, 444–451.
<https://doi.org/10.1016/j.foodchem.2016.10.012>

Hricovíniová, Ž., Mascaretti, Š., Hricovíniová, J., Čížek, A., & Jampílek, J. (2021). New unnatural gallotannins: A way toward Green Antioxidants, antimicrobials and antibiofilm agents. *Antioxidants*, 10(8), 1288. <https://doi.org/10.3390/antiox10081288>

Karim, F. A., Suleiman, M., Rahmat, A., & Abu Bakar, M. F. (2014, November). PHYTOCHEMICALS, ANTIOXIDANT AND ANTIPIROLIFERATIVE PROPERTIES OF FIVE MOSS SPECIES FROM SABAH, MALAYSIA.

https://www.researchgate.net/publication/269040303_PHYTOCHEMICALS_ANTIOXIDANT_ANTIPIROLIFERATIVE_PROPERTIES_OF_FIVE_MOSS_SPECIES_FROM_SABAH_MALAYSIA

Lephart, E. (2018). Equol's anti-aging effects protect against environmental assaults by increasing skin antioxidant defense and ECM proteins while decreasing oxidative stress and inflammation. Cosmetics, 5(1), 16. <https://doi.org/10.3390/cosmetics5010016>

Liu, Z., Ren, Z., Zhang, J., Chuang, C.-C., Kandaswamy, E., Zhou, T., & Zuo, L. (2018). Role of ROS and nutritional antioxidants in human diseases. Frontiers in Physiology, 9. <https://doi.org/10.3389/fphys.2018.00477>

Macáková, K., Afonso, R., Sasó, L., & Mladěnka, P. (2019). The influence of alkaloids on oxidative stress and related signaling pathways. Free Radical Biology and Medicine, 134, 429–444. <https://doi.org/10.1016/j.freeradbiomed.2019.01.026>

Malta, L. G., & Liu, R. H. (2014). Analyses of total phenolics, total flavonoids, and total antioxidant activities in foods and dietary supplements. Encyclopedia of Agriculture and Food Systems, 305–314. <https://doi.org/10.1016/b978-0-444-52512-3.00058-9>

Manju, N. C., Rajesh, K. P., & Madhusoodanan, P. V. (2009, March). Contribution to the Bryophyte Flora of India: Agasthyamalai Biosphere Reserve in Western Ghats. https://www.researchgate.net/publication/290712783_Contribution_to_the_Bryophyte_Flora_of_India_Agasthyamalai_Biosphere_Reserve_in_Western_Ghats

Maurya, R., & Namdeo, M. (2021). Superoxide Dismutase: A Key Enzyme for the Survival of Intracellular Pathogens in Host. In (Ed.), Reactive Oxygen Species. IntechOpen. <https://doi.org/10.5772/intechopen.100322>

- Nadhifah, A., Khujjah, M., Vitara, P., & Noviady, I. (2018). Bryophytes in Cibodas Botanical Garden: Diversity and Potential Uses. *Biosaintifika: Journal Of Biology & Biology Education*, 10(2), 456-464. doi: 10.15294/biosaintifika.v10i2.14433
- Nowak, M., Tryniszewski, W., Sarniak, A., Włodarczyk, A., Nowak, P. J., & Nowak, D. (2022). Concentration dependence of anti- and pro-oxidant activity of polyphenols as evaluated with a light-emitting fe²⁺-egta-H₂O₂ system. *Molecules*, 27(11), 3453. <https://doi.org/10.3390/molecules27113453>
- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2014). Free radicals: Properties, sources, targets, and their implication in various diseases. *Indian Journal of Clinical Biochemistry*, 30(1), 11–26. <https://doi.org/10.1007/s12291-014-0446-0>
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., & Arcoraci, V. et al. (2017). Oxidative Stress: Harms and Benefits for Human Health. *Oxidative Medicine And Cellular Longevity*, 2017, 1-13. doi: 10.1155/2017/8416763
- Pokimica, B., & García-Conesa, M.-T. (2018). Critical evaluation of gene expression changes in human tissues in response to supplementation with dietary bioactive compounds: Moving towards better-quality studies. *Nutrients*, 10(7), 807. <https://doi.org/10.3390/nu10070807>
- Prasad D, N., Rao, B. G., Rao, E. S., Rao, T. M., & Praneeth D, V. (2012). Quantification of phytochemical constituents and in-vitro antioxidant activity of Mesua ferrea leaves. *Asian Pacific Journal of Tropical Biomedicine*, 2(2). [https://doi.org/10.1016/s2221-1691\(12\)60269-x](https://doi.org/10.1016/s2221-1691(12)60269-x)
- Prasad, N., Ramteke, P., Dholia, N., & Yadav, U. C. S. (2018). Therapeutic interventions to block oxidative stress-associated pathologies. *Immunity and Inflammation in Health and Disease*, 341–362. <https://doi.org/10.1016/b978-0-12-805417-8.00027-5>
- Rao, M. J., Wu, S., Duan, M., & Wang, L. (2021). Antioxidant metabolites in primitive, wild, and cultivated citrus and their role in stress tolerance. *Molecules*, 26(19), 5801. <https://doi.org/10.3390/molecules26195801>

- Ratnavathi, C. V. (2019). Grain structure, quality, and Nutrition. Breeding Sorghum for Diverse End Uses, 193–207. <https://doi.org/10.1016/b978-0-08-101879-8.00012-7>
- Rolt, A., & Cox, L. (2020). Structural basis of the anti-ageing effects of polyphenolics: mitigation of oxidative stress. *BMC Chemistry*, 14(1). doi: 10.1186/s13065-020-00696-0
- Salamah, N., & Ningsih, D. S. (2017). Total alkaloid content in various fractions of tabernaemontana sphaerocarpa BL. (jembirit) leaves. *IOP Conference Series: Materials Science and Engineering*, 259, 012017. <https://doi.org/10.1088/1757-899x/259/1/012017>
- Santos, A. L., Sinha, S., & Lindner, A. B. (2018). The good, the bad, and the ugly of ROS: New Insights on Aging and aging-related diseases from eukaryotic and prokaryotic model organisms. *Oxidative Medicine and Cellular Longevity*, 2018, 1–23. <https://doi.org/10.1155/2018/1941285>
- Sepahpour, S., Selamat, J., Abdul Manap, M., Khatib, A., & Abdull Razis, A. (2018). Comparative analysis of chemical composition, antioxidant activity and quantitative characterization of some phenolic compounds in selected herbs and spices in different solvent extraction systems. *Molecules*, 23(2), 402. <https://doi.org/10.3390/molecules23020402>
- Shields, H., Traa, A., & Van Raamsdonk, J. (2021). Beneficial and Detrimental Effects of Reactive Oxygen Species on Lifespan: A Comprehensive Review of Comparative and Experimental Studies. *Frontiers In Cell And Developmental Biology*, 9. doi: 10.3389/fcell.2021.628157
- Silva, J. P., Shabalina, I. G., Dufour, E., Petrovic, N., Backlund, E. C., Hultenby, K., Wibom, R., Nedergaard, J., Cannon, B., & Larsson, N.-G. (2005). SOD2 overexpression: Enhanced mitochondrial tolerance but absence of effect on UCP activity. *The EMBO Journal*, 24(23), 4061–4070. <https://doi.org/10.1038/sj.emboj.7600866>
- Sujarwo, W., & Keim, A. P. (2019). *Spondias pinnata* (L. F.) Kurz. (Anacardiaceae): Profiles and applications to diabetes. *Bioactive Food as Dietary Interventions for Diabetes*, 395–405. <https://doi.org/10.1016/b978-0-12-813822-9.00027-8>

- Sun, J., Ren, X., & Simpkins, J. W. (2015). Sequential upregulation of superoxide dismutase 2 and heme oxygenase 1 by tert-butylhydroquinone protects mitochondria during oxidative stress. *Molecular Pharmacology*, 88(3), 437–449. <https://doi.org/10.1124/mol.115.098269>
- Tan, S. M., Stefanovic, N., Tan, G., Wilkinson-Berka, J. L., & de Haan, J. B. (2013). Lack of the antioxidant glutathione peroxidase-1 (GPX1) exacerbates retinopathy of prematurity in mice. *Investigative Ophthalmology & Visual Science*, 54(1), 555. <https://doi.org/10.1167/iovs.12-10685>
- Ullah, A., Munir, S., Badshah, S. L., Khan, N., Ghani, L., Poulson, B. G., Emwas, A.-H., & Jaremko, M. (2020). Important flavonoids and their role as a therapeutic agent. *Molecules*, 25(22), 5243. <https://doi.org/10.3390/molecules25225243>
- Thorsen, M. (2020). Oxidative stress, metabolic and mitochondrial abnormalities associated with autism spectrum disorder. *Progress in Molecular Biology and Translational Science*, 331–354. <https://doi.org/10.1016/bs.pmbts.2020.04.018>
- Wang, X., Cao, J., Dai, X., Xiao, J., Wu, Y., & Wang, Q. (2017). Total flavonoid concentrations of bryophytes from Tianmu Mountain, Zhejiang Province (china): Phylogeny and ecological factors. *PLOS ONE*, 12(3). <https://doi.org/10.1371/journal.pone.0173003>
- Wang, W., Jin, Y., Zeng, N., Ruan, Q., & Qian, F. (2017). Sod2 facilitates the antiviral innate immune response by scavenging reactive oxygen species. *Viral Immunology*, 30(8), 582–589. <https://doi.org/10.1089/vim.2017.0043>
- Warsi, & Sholichah, A. R. (2017). Phytochemical screening and antioxidant activity of ethanolic extract and ethyl acetate fraction from basil leaf (*ocimum basilicum* L.) by DPPH radical scavenging method. *IOP Conference Series: Materials Science and Engineering*, 259, 012008. <https://doi.org/10.1088/1757-899x/259/1/012008>
- Zhang, J., Li, L., Kim, S.-H., Hagerman, A. E., & Lü, J. (2009). Anti-cancer, anti-diabetic and other pharmacologic and biological activities of penta-galloyl-glucose. *Pharmaceutical Research*, 26(9), 2066–2080. <https://doi.org/10.1007/s11095-009-9932-0>

Zhang, S. and Duan, E. (2018) 'Fighting against skin aging', *Cell Transplantation*, 27(5), pp. 729–738.

doi:10.1177/0963689717725755.

Zheng, W., & Wang, S. Y. (2001). Antioxidant activity and phenolic compounds in selected herbs.

Journal of Agricultural and Food Chemistry, 49(11), 5165–5170.

<https://doi.org/10.1021/jf010697n>