

References

- Ambarwati, N.S.S., Elya, B., Mahayasih, P.G.M.W., Awang, M.S.N., Omar, H. (2021). Antioxidant activity of *Litsea petiolata* Hk. f. *Journal of Physics*, 1869 (1). doi: 10.1088/1742-6596/1869/1/012055
- Bachelor, M. A. (2005). *Inhibition of p38 Mitogen-Activated Protein Kinase and Phosphatidylinositol 3-Kinase Decreases UVB-Induced Activator Protein-1 and Cyclooxygenase-2 in a SKH-1 Hairless Mouse Model*. *Molecular Cancer Research*, 3(2), 90–99. doi:10.1158/1541-7786.mcr-04-0065
- Bae, S., Lee, E. J., Lee, J. H., Park, I. C., Lee, S. J., Hahn, H. J., Ahn, K. J., An, S., An, I. S., & Cha, H. J. (2014). Oridonin protects HaCaT keratinocytes against hydrogen peroxide-induced oxidative stress by altering microRNA expression. *International journal of molecular medicine*, 33(1), 185–193. <https://doi.org/10.3892/ijmm.2013.1561>
- Brown, T. M., & Krishnamurthy, K. (2021). *Histology, Dermis*. Treasure Island (FL): StatPearlsPublishing
- Bovo, D., Rugge, M., & Shiao, Y. H. (1999). Origin of spurious multiple bands in the amplification of microsatellite sequences. *Molecular pathology*, 52(1), 50–51. <https://doi.org/10.1136/mp.52.1.50>
- Catani, M. V., Rossi, A., Costanzo, A., Sabatini, S., Levrero, M., Melino, G., & Avigliano, L. (2001). Induction of gene expression via activator protein-1 in the ascorbate protection against UV-induced damage. *The Biochemical journal*, 356 (1). doi: <https://doi.org/10.1042/0264-6021:3560077>
- Chaudhary, M., Khan, A., & Gupta, M. (2020). Skin Ageing: Pathophysiology and Current Market Treatment Approaches. *Current aging science*, 13(1), 22–30 <https://doi.org/10.2174/1567205016666190809161115>
- Chu, D. H. (2008). Overview of biology, development, and structure of skin. *Fitzpatrick's dermatology in general medicine*, 57–73. New York: McGraw-Hill.
- Chung, K. W., Bae, H. R., Choi, Y. W., Kim, N. D., & Chung, H. Y. (2013). Anti-wrinkle and anti-inflammatory effects of active garlic components and the inhibition of MMPs via NF-κB signaling. *PloS one*, 8(9). <https://doi.org/10.1371/journal.pone.0073877>
- Cotton, S. (2007). Hydrogen peroxide. [Online]. Retrieved 28th of May 2023 from: <https://edu.rsc.org/soundbite/hydrogen-peroxide/2021244.article>
- Cui, B., Wang, Y., Jin, J., Yang, Z., Guo, R., Li, X., Yang, L., & Li, Z. (2022). Resveratrol Treats UVB-Induced Photoaging by Anti-MMP Expression, through Anti-Inflammatory, Antioxidant, and Antiapoptotic Properties, and Treats Photoaging by Upregulating VEGF-B Expression. *Oxidative medicine and cellular longevity*, 2022, 6037303. <https://doi.org/10.1155/2022/6037303>
- Deyrieux, A. F., & Wilson, V. G. (2007). In vitro culture conditions to study keratinocyte differentiation using the HaCaT cell line. *Cytotechnology*, 54(2), 77–83. <https://doi.org/10.1007/s10616-007-9076-1>
- Domínguez-Perles, R., Guedes, A., Queiroz, M., Silva, A. M., & Barros, A. I. R. N. A. (2016). Oxidative stress prevention and anti-apoptosis activity of grape (*Vitis vinifera* L.) stems in human keratinocytes. *Food Research International*, 87, 92–102.
- Egbuna, C., Ifemeje, J.C., Maduako, M.C., Tijjani, H., Udedi, S.C., Nwaka, A.C., & Ifemeje, M.O. (2018). Phytochemical Test Methods: Qualitative, Quantitative and Proximate Analysis. *Phytochemistry*.
- Eisner, D. R., Hui, A., Eppler, K., Tegoulia, V., & Maa, Y. F. (2019). Stability Evaluation of Hydrogen Peroxide Uptake Samples from Monoclonal Antibody Drug Product Aseptically Filled in Vapor Phase Hydrogen Peroxide-Sanitized Barrier Systems: A Case Study. *PDA journal of pharmaceutical science and technology*, 73(3), 285–291.
- Farkas, D. H., & Holland, C. A. (2009). *Overview of Molecular Diagnostic Techniques and*

- Instrumentation. Cell and Tissue Based Molecular Pathology*, 19–32. doi:10.1016/b978-044306901-7.50008-0
- Ferreira, M. S., Magalhães, M. C., Oliveira, R., Sousa-Lobo, J. M., & Almeida, I. F. (2021). Trends in the Use of Botanicals in Anti-Aging Cosmetics. *Molecules (Basel, Switzerland)*, 26(12), 3584. <https://doi.org/10.3390/molecules26123584>
- Flockhart, R. J., Diffey, B. L., Farr, P. M., Lloyd, J., & Reynolds, N. J. (2008). NFAT regulates induction of COX-2 and apoptosis of keratinocytes in response to ultraviolet radiation exposure. *The FASEB Journal*, 22(12), 4218-4227.
- Fortune Business Insight. (2018). Anti-aging cosmetic market size, share, & industry analysis, by product type (skin care, hair care, make up, eye care, and others), product form (cream, lotion, serum, and others), end user (women and men), distribution channel (supermarkets/hypermarkets cosmetic stores, online stores, and others), and regional forecast, 2019-2026. [Online]. Retrieved 15th of September 2022 from <https://www.fortunebusinessinsights.com/anti-aging-cosmetics-market-102768>
- Fuller, B. (2019). Role of PGE-2 and Other Inflammatory Mediators in Skin Aging and Their Inhibition by Topical Natural Anti-Inflammatories. *Cosmetics*, 6(1), 6. doi:10.3390/cosmetics6010006
- Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. (2012). Skin anti-aging strategies. *Dermato-endocrinology*, 4(3), 308–319. <https://doi.org/10.4161/derm.22804>
- Gęgotek, A., & Skrzypkowska, E. Antioxidative and Anti-Inflammatory Activity of Ascorbic Acid. *Antioxidants*, 11(10):1993. doi: 10.3390/antiox11101993.
- González, R., Ballester, I., López-Posadas, R., Suárez, M. D., Zarzuelo, A., Martínez-Augustin, O., & Sánchez de Medina, F. (2011). Effects of flavonoids and other polyphenols on inflammation. *Critical reviews in food science and nutrition*, 51(4), 331–362. <https://doi.org/10.1080/10408390903584094>
- Gutiérrez A, D. M., Bah, M., Garduño R, M. L., Mendoza D, S. O., & Serrano C, V. (2014). Anti-inflammatory and antioxidant activities of methanol extracts and alkaloid fractions of four Mexican medicinal plants of Solanaceae. *African journal of traditional, complementary, and alternative medicines*, 11(3), 259–267. doi: <https://doi.org/10.4314/ajtcam.v11i3.36>
- Habib, M. A., Salem, S. A., Hakim, S. A., & Shalan, Y. A. (2014). Comparative immunohistochemical assessment of cutaneous cyclooxygenase-2 enzyme expression in chronological aging and photoaging. *Photodermatology, photoimmunology & photomedicine*, 30(1), 43–51. <https://doi.org/10.1111/phpp.12087>
- Harman, D. (1956). Aging: a theory based on free radical and radiation chemistry. *Journal of Gerontology*, 11(3), 298–300. <https://doi.org/10.1093/geronj/11.3.298>
- Hu, W., Zhang, J., Wang, H. et al. Protective effects of isorhamnetin against H₂O₂-induced oxidative damage in HaCaT cells and comprehensive analysis of key genes. *Sci Rep*, 13. doi: <https://doi.org/10.1038/s41598-023-27575-7>
- He, Y., Kim, B., Kim, H.-E., Sun, Q., Shi, S., Ma, G., Kim, Y., Kim, O., & Kim, O. (2019). The Protective Role of Feruloylserotonin in LPS-Induced HaCaT Cells. *Molecules*, 24(17), 3064. <https://doi.org/10.3390/molecules24173064>
- IDT (2014). Explaining multiple peaks in qPCR melt curve analysis. [Online]. Retrieved 28th May 2023 <https://www.idtdna.com/pages/education/decoded/article/interpreting-melt-curves-an-indicator-not-a-diagnosis>
- James, W. D., Berger, T. G., & Elston, D. M. (2006). *Andrews' diseases of the skin: Clinical dermatology* (10th ed.). Philadelphia: Elsevier Saunders.
- Jun, M., Fu, H.Y., Hong, J., Wan, X., Yang, C.S., & Ho, C.T. (2003). Comparison of Antioxidant Activities of Isoflavones from Kudzu Root (*Pueraria lobata* Ohwi). *Journal of Food Science*, 68(6), 2117–2122.
- Kancherla, N., Dhakshinamoothi, A., Chitra, K., & Komaram, R. B. (2019). Preliminary Analysis of Phytoconstituents and Evaluation of Anthelmintic Property of *Cayratia auriculata* (In Vitro).

- Maedica*, 14(4), 350–356.
- Kang, Y. J., Mbonye, U. R., DeLong, C. J., Wada, M., & Smith, W. L. (2007). Regulation of intracellular cyclooxygenase levels by gene transcription and protein degradation. *Progress in Lipid Research*, 46(2), 108–125. doi:10.1016/j.plipres.2007.01.001
- Kamle, M., Mahato, D. K., Lee, K. E., Bajpai, V. K., Gajurel, P. R., Gu, K. S., & Kumar, P. (2019). Ethnopharmacological Properties and Medicinal Uses of *Litsea cubeba*. *Plants (Basel, Switzerland)*, 8(6), 150. https://doi.org/10.3390/plants8060150
- Kanitakis, J. (2002). Anatomy, histology and immunohistochemistry of normal human skin. *European Journal of Dermatology*, 12(4), 390-401.
- Kim, C., Ryu, H. C., & Kim, J. H. (2010). Low-dose UVB irradiation stimulates matrix metalloproteinase-1 expression via a BLT2-linked pathway in HaCaT cells. *Experimental & molecular medicine*, 42(12), 833–841. https://doi.org/10.3858/EMM.2010.42.12.086
- Kim, K. C., Kang, S. S., Lee, J., Park, D., Hyun, J. W. (2012). Baicalein Attenuates Oxidative Stress-Induced Expression of Matrix Metalloproteinase-1 by Regulating the ERK/JNK/AP-1 Pathway in Human Keratinocytes. *Biomol Ther*, 20(1), 57-61. doi: 10.4062/biomolther.2012.20.1.057.
- Kim, K. C., Kang, S. S., Lee, J., Park, D., & Hyun, J. W. (2012). Baicalein Attenuates Oxidative Stress-Induced Expression of Matrix Metalloproteinase-1 by Regulating the ERK/JNK/AP-1 Pathway in Human Keratinocytes. *Biomolecules & therapeutics*, 20(1), 57–61. https://doi.org/10.4062/biomolther.2012.20.1.057
- Kim, S. R., Jung, Y. R., An, H. J., Kim, D. H., Jang, E. J., Choi, Y. J., Moon, K. M., Park, M. H., Park, C. H., Kong, D. G., Zhao, Y., Li, G. H., Chen, B. J., Wang, X. N., Zhou, H. L., ... Shen, T. (2015). The genus *Litsea* in traditional Chinese medicine: an ethnomedical, phytochemical, and pharmacological review. *Journal of Ethnopharmacology*, 164, 256-264. doi:10.1016/j.jep.2015.02.020
- Kolarsick, P. A. J., Kolarsick, M. A., & Goodwin, C. (2011). *Anatomy and Physiology of the Skin*. *Journal of the Dermatology Nurses' Association*, 3(4), 203–213. doi:10.1097/jdn.0b013e3182274a98
- Koo, H. J., Yoon, W.-J., Sohn, E.-H., Ham, Y.-M., Jang, S.-A., Kwon, J.-E., ... Kang, S. C. (2014). The analgesic and anti-inflammatory effects of *Litsea japonica* fruit are mediated via suppression of NF-KB and JNK/p38 MAPK activation. *International Immunopharmacology*, 22(1), 84–97. doi:10.1016/j.intimp.2014.06.007
- Kuete, V., Karaosmanoğlu, O., & Sivas, H. (2017). Anticancer Activities of African Medicinal Spices and Vegetables. *Medicinal Spices and Vegetables from Africa*, 271–297. doi:10.1016/b978-0-12-809286-6.00010-8
- Kumar, V., & Roy, B. K. (2018). Population authentication of the traditional medicinal plant *Cassia tora* L. based on ISSR markers and FTIR analysis. *Scientific reports*, 8(1), 1-11.
- Lee, S.Y.; Kim, C.H.; Hwang, B.S.; Choi, K.-M.; Yang, I.-J.; Kim, G.-Y.; Choi, Y.H.; Park, C.; Jeong, J.-W. Protective Effects of *Oenothera biennis* against Hydrogen Peroxide-Induced Oxidative Stress and Cell Death in Skin Keratinocytes. *Life*, 10.
- Li, H., Tsao, R., & Deng, Z. (2012). Factors affecting the antioxidant potential and health benefits of plant foods. *Canadian Journal of Plant Science*, 92, 1101 - 1111.
- Lima, R.M., Polonini, H.C., Brandão, M.A., Raposo, F.J., Dutra, R.C., & Raposo, N.R. (2019). In vitro Assessment of Anti-aging Properties of *Syzygium cumini* (L.) Leaves Extract. *Biomedical Journal of Scientific & Technical Research*.
- Liu, L., Xie, H., Chen, X., Shi, W., Xiao, X., Lei, D., & Li, J. (2012). Differential response of normal human epidermal keratinocytes and HaCaT cells to hydrogen peroxide-induced oxidative stress. *Clinical and experimental dermatology*, 37(7), 772–780. https://doi.org/10.1111/j.1365-2230.2011.04315.x
- Lopez-Ojeda, W., Pandey, A., & Alhajj, M., (2021). *Anatomy, Skin (Integument)*. Treasure Island (FL): StatPearls Publishing

- LÜ, J. M., Lin, P. H., Yao, Q., & Chen, C. (2010). Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *Journal of cellular and molecular medicine*, 14(4), 840–860. <https://doi.org/10.1111/j.1582-4934.2009.00897.x>
- Masaki, H. (2010). *Role of antioxidants in the skin: Anti-aging effects*. *Journal of Dermatological Science*, 58(2), 85–90. doi:10.1016/j.jdermsci.2010.03.003
- Murphrey, M. B., Miao, J. H., & Zito, P. M. (2021). *Histology, Stratum Corneum*. Treasure Island (FL): StatPearls Publishing
- Nariya, P. B., Bhalodia, N. R., Shukla, V. J., Acharya, R., & Nariya, M. B. (2013). In vitro evaluation of antioxidant activity of Cordia dichotoma (Forst f.) bark. *Ayu*, 34(1), 124–128. <https://doi.org/10.4103/0974-8520.115451>
- Naylor, E. C., Watson, R. E., & Sherratt, M. J. (2011). Molecular aspects of skin ageing. *Maturitas*, 69(3), 249–256.
- Neri, L., Faieta, M., Di Mattia, C., Sacchetti, G., Mastroloca, D., Pittia, P. (2020). Antioxidant Activity in Frozen Plant Foods: Effect of Cryoprotectants, Freezing Process and Frozen Storage. *Foods*, 9(12). doi: 10.3390/foods9121886.
- Nirmal, N. P., Rajput, M. S., Prasad, R. G. S. V., & Ahmad, M. (2015). Brazilin from Caesalpinia sappan heartwood and its pharmacological activities: A review. *Asian Pacific Journal of Tropical Medicine*, 8(6), 421–430.
- Mitchell, K., & Iadarola, M. J. (2010). RT-PCR analysis of pain genes: use of gel-based RT-PCR for studying induced and tissue-enriched gene expression. *Methods in molecular biology (Clifton, N.J.)*, 617, 279–295. https://doi.org/10.1007/978-1-60327-323-7_21
- Montera, L., Do, M., Said Sadique Adi, & Emilia, M. (2010). A Customized Simulated Annealing Suitable for Primer Design in Polymerase Chain Reaction Processes. *Intechopen*. <https://doi.org/10.5772/intechopen.83945>
- Mukherjee, S., Pawar, N., Kulkarni, O. et al. (2011). Evaluation of free-radical quenching properties of standard Ayurvedic formulation *Vayasthapana Rasayana*. *BMC Complement Altern Med*, 11 (38). doi: <https://doi.org/10.1186/1472-6882-11-38>
- Oresajo, C., Pillai, S., Manco, M., Yatskayer, M., & McDaniel, D. (2012). Antioxidants and the skin: understanding formulation and efficacy. *Dermatologic therapy*, 25(3), 252–259. <https://doi.org/10.1111/j.1529-8019.2012.01505.x>
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: an overview. *Journal of nutritional science*, 5. doi: <https://doi.org/10.1017/jns.2016.41>
- Patel, R., Rinker, L., Peng, J., & Chilian, W. M. (2018). *Reactive Oxygen Species: The Good and the Bad. Reactive Oxygen Species (ROS) in Living Cells*. doi:10.5772/intechopen.71547
- Park, Y. K., Yadav, A. K., Roshanzadeh, A., Ryoo, Y. W., Kim, B. H., Cha, J. Y., ... & Jang, B. C. (2020). 7-MEGA™ 500 regulates the expression of COX-2, MMP-3 and type 1 procollagen in UVB-irradiated human keratinocytes and dermal fibroblasts. *Molecular Medicine Reports*, 21(3), 1346-1355.
- Park, S. H., Yi, Y.-S., Kim, M.-Y., & Cho, J. Y. (2019). Antioxidative and antimelanogenesis effect of *Momordica charantia* methanol extract. *Evidence-Based Complementary and Alternative Medicine*, 2019, 1–11. doi:10.1155/2019/5091534
- Pittayapruet, P., Meephansan, J., Prapapan, O., Komine, M., & Ohtsuki, M. (2016). Role of Matrix Metalloproteinases in Photoaging and Photocarcinogenesis. *International journal of molecular sciences*, 17(6), 868. <https://doi.org/10.3390/ijms17060868>
- Poljšak, B., & Dahmane, R. (2012). Free radicals and extrinsic skin aging. *Dermatology research and practice*, 2012, 135206. <https://doi.org/10.1155/2012/135206>
- Polyak, K., & Meyerson, M. (2003). *Holland-Frei Cancer Medicine* (6th ed.). Hamilton (ON): BC Decker
- Preedy, V. R. (2012). *Handbook of diet, nutrition and the skin* (Vol. 2). Springer.
- Ramanauskienė, K., Stelmakiene, A., & Majienė, D. (2015). Assessment of Lemon Balm (*Melissa officinalis* L.) Hydrogels: Quality and Bioactivity in Skin Cells. *Evidence-based complementary and alternative medicine*. doi: <https://doi.org/10.1155/2015/635975>

- Ransy, C., Vaz, C., Lombès, A., & Bouillaud, F. (2020). Use of H₂O₂ to Cause Oxidative Stress, the Catalase Issue. *International journal of molecular sciences*, 21(23), 9149. <https://doi.org/10.3390/ijms21239149>
- Rao, X., Huang, X., Zhou, Z., & Lin, X. (2013). An improvement of the 2^(delta delta CT) method for quantitative real-time polymerase chain reaction data analysis. *Biostatistics, bioinformatics and biomathematics*, 3(3), 71–85.
- Ruiz-Villalba, A., van Pelt-Verkuil, E., Gunst, Q. D., Ruijter, J. M., & van den Hoff, M. J. (2017). Amplification of nonspecific products in quantitative polymerase chain reactions (qPCR). *Biomolecular Detection and Quantification*, 14, 7–18. <https://doi.org/10.1016/j.bdq.2017.10.001>
- Sulaiman, C. T., & Balachandran, I. Total phenolics and total flavonoids in selected Indian medicinal plants. *Indian J Pharm Sci*, 74(3). doi: 10.4103/0250-474X.106069.
- Tandara, A. A., & Mustoe, T. A. (2011). MMP- and TIMP-secretion by human cutaneous keratinocytes and fibroblasts--impact of coculture and hydration. *Journal of plastic, reconstructive & aesthetic surgery : JPRAS*, 64(1), 108–116. <https://doi.org/10.1016/j.bjps.2010.03.051>
- Tsuchida, K., Kobayashi, M. (2020). Oxidative stress in human facial skin observed by ultraweak photon emission imaging and its correlation with biophysical properties of skin. *Sci Rep* 10, 9626. <https://doi.org/10.1038/s41598-020-66723-1>
- Wang, G. (2016). *Reactive Oxygen Species. Encyclopedia of Cancer*, 3930–3935. doi:10.1007/978-3-662-46875-3_4966
- Wang, Y., Wang, L., Wen, X., Hao, D., Zhang, N., He, G., & Jiang, X. (2019). *NF-KB signaling in skin aging. Mechanisms of Ageing and Development*, 111160. doi:10.1016/j.mad.2019.111160
- Wojas-Pelc, A., & Marcinkiewicz, J. (2007). What is a role of haeme oxygenase-1 in psoriasis? Current concepts of pathogenesis. *International Journal of Experimental Pathology*, 88(2), 95-102.
- Wong, M. H., Lim, L. F., Ahmad, F. B., & Assim, Z. B. (2014). Antioxidant and antimicrobial properties of *Litsea elliptica* Blume and *Litsea resinosa* Blume (Lauraceae). *Asian Pacific journal of tropical biomedicine*, 4(5), 386–392. <https://doi.org/10.12980/APJT.B.4.2014C1129>
- Xiao, Z., Yang, S., Chen, J., Li, C., Zhou, C., Hong, P., ... Qian, Z.-J. (2020). Trehalose against UVB-induced skin photoaging by suppressing MMP expression and enhancing procollagen I synthesis in HaCaT cells. *Journal of Functional Foods*, 74, 104198. doi:10.1016/j.jff.2020.104198
- Xie, Z. W., & Yu, Y. (1996). *The Guide of National Chinese Herbal Medicine (I)*. People's Medical Publishing House: Beijing, China.
- Xu, H., Zheng, Y.-W., Liu, Q., Liu, L.-P., Luo, F.-L., Zhou, H.-C., ... Li, Y.-M. (2018). Reactive Oxygen Species in Skin Repair, Regeneration, Aging, and Inflammation. In *Reactive Oxygen Species (ROS) in Living Cells*. InTech. <https://doi.org/10.5772/intechopen.72747>
- Zakhrifah, Y. M. (2019). Uji aktivitas antioksidan dan penetapan kadar fenol total pada ekstrak daun dan kulit batang *Litsea oppositifolia* Gibbs [Bachelor's thesis, University of Indonesia]. University of Indonesia
- Zimmerman, A., Bai, L., & Ginty, D. D. (2014). The gentle touch receptors of mammalian skin. *Science (New York, N.Y.)*, 346(6212), 950–954. <https://doi.org/10.1126/science.1254229>
- Zhang, S., & Duan, E. (2018). Fighting against Skin Aging: The Way from Bench to Bedside. *Cell transplantation*, 27(5), 729–738. <https://doi.org/10.1177/0963689717725755>
- Zhang, J., Wang, W., & Mao, X. (2020). Chitopentaose protects HaCaT cells against H₂O₂-induced oxidative damage through modulating MAPKs and Nrf2/ARE signaling pathways. *Journal of Functional Foods*, 72, 104086. doi:10.1016/j.jff.2020.104086