

References

- Alimah, D. (2016). Medicinal plants of the *Litsea* genus from Indonesia. In M. Hatta, Y. Morikawa, W. Syafii, Y.S. Hadi, E.T. Arung, S. Sunarta, S. Astana, H.B. Santoso (Ed.). Proceedings the 1st international conference on innovation and commercialization of forest product (pp.508-516). Banjarmasin: Lambung Mangkurat University Press.
- Almeida, A., Sarmiento, B., & Rodrigues, F. (2017). Insights on *in vitro* models for safety and toxicity assessment of cosmetic ingredients. *International journal of pharmaceutics*, 519(1-2), 178-185.
- Apak, R. a.; Özyürek, M.; Güçlü, K.; Çapanoğlu, E. Antioxidant Activity/Capacity Measurement. 3. Reactive Oxygen and Nitrogen Species (ROS/RNS) Scavenging Assays, Oxidative Stress Biomarkers, and Chromatographic/Chemometric Assays. *J Agric Food Chem*, 64(5), 1046-1070.
- Blair, M. J., Jones, J. D., Woessner, A. E., & Quinn, K. P. (2020). Skin structure–function relationships and the wound healing response to intrinsic aging. *Advances in wound care*, 9(3), 127-143.
- Brancolini, C., & Iuliano, L. (2020). Proteotoxic stress and cell death in cancer cells. *Cancers*, 12(9), 2385.
- Budin, S. B. Siti Nor Ain, SM, Omar, B., Taib, IS, Hidayatulfathi, O. (2012). Acute and subacute oral toxicity of *Litsea elliptica* Blume essential oil in rats. *Journal of Zhejiang University-Science B (Biomed & Biotechnol)*, 13, 783-790.
- Buendia, I., Michalska, P., Navarro, E., Gameiro, I., Egea, J., & Leon, R. (2016). Nrf2–ARE pathway: an emerging target against oxidative stress and neuroinflammation in neurodegenerative diseases. *Pharmacology & therapeutics*, 157, 84-104.
- Canene-Adams, K. (2013). Explanatory chapter: troubleshooting PCR. In *Methods in Enzymology* (Vol. 529, pp. 271-278). Academic Press.
- Chu, Y., Lan, R. S., Huang, R., Feng, H., Kumar, R., Dayal, S., ... & Dai, D. F. (2020). Glutathione peroxidase-1 overexpression reduces oxidative stress, and improves pathology and proteome remodeling in the kidneys of old mice. *Aging Cell*, 19(6), e13154.
- Crozier, A., Jaganath, I. B., & Clifford, M. N. (2006). Phenols, polyphenols and tannins: an overview. *Plant secondary metabolites: Occurrence, structure and role in the human diet*, 1, 1-25.
- Dai, J., & Mumper, R. J. (2010). Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. *Molecules (Basel, Switzerland)*, 15(10), 7313–7352.
- Darwish, W. S., Chiba, H., Elhelaly, A. E., & Hui, S. P. (2019). Estimation of cadmium content in Egyptian foodstuffs: health risk assessment, biological responses of human HepG2 cells to food-relevant concentrations of cadmium, and protection trials using rosmarinic and ascorbic acids. *Environmental Science and Pollution Research*, 26, 15443-15457.

- Dasgupta, A., & Klein, K. (2014). *Antioxidants in food, vitamins and supplements: prevention and treatment of disease*. Academic Press.
- de Freitas Silva, M., Pruccoli, L., Morroni, F., Sita, G., Seghetti, F., Viegas Jr, C., & Tarozzi, A. (2018). The Keap1/Nrf2-ARE pathway as a pharmacological target for chalcones. *Molecules*, 23(7), 1803.
- Doughari, J. H. (2012). *Phytochemicals: extraction methods, basic structures and mode of action as potential chemotherapeutic agents* (pp. 1-33). Rijeka, Croatia: INTECH Open Access Publisher.
- Działa, M., Mierziak, J., Korzun, U., Preisner, M., Szopa, J., & Kulma, A. (2016). The Potential of Plant Phenolics in Prevention and Therapy of Skin Disorders. *International journal of molecular sciences*, 17(2), 160.
- Ernawati., I'tishom. R., & Sudjarwo, S. A. (2020). Role of MDA, SOD and GPx Expression on Protective Mechanism of Xanthone Against 2-Methoxyethanol-Decreased Number of Sertoli Cell in Mice. *Interciencia Journal*, 45(1).
- Farage, M. A., Miller, K. W., Elsner, P., & Maibach, H. I. (2008). Intrinsic and extrinsic factors in skin ageing: a review. *International Journal of Cosmetic Science*, 30(2), 87–95.
- Flieger, J., Flieger, W., Baj, J., & Maciejewski, R. (2021). Antioxidants: Classification, natural sources, activity/capacity measurements, and usefulness for the synthesis of nanoparticles. *Materials*, 14(15), 4135.
- Furger, C. (2021). Live cell assays for the assessment of antioxidant activities of plant extracts. *Antioxidants*, 10(6), 944.
- Garcia, E. J., Oldoni, T. L. C., Alencar, S. M. D., Reis, A., Loguercio, A. D., & Grande, R. H. M. (2012). Antioxidant activity by DPPH assay of potential solutions to be applied on bleached teeth. *Brazilian dental journal*, 23, 22-27.
- Gaucher, C., Boudier, A., Bonetti, J., Clarot, I., Leroy, P., & Parent, M. (2018). Glutathione: antioxidant properties dedicated to nanotechnologies. *Antioxidants*, 7(5), 62.
- Gladyshev, V. N. (2014). The free radical theory of aging is dead. Long live the damage theory!. *Antioxidants & redox signaling*, 20(4), 727-731.
- Global Biodiversity Information Facility. (2017). *Litsea oppositifolia* Gibbs in GBIF Secretariat. January 8, 2019. <https://www.gbif.org/species/4181852>
- Guo, S., & Zhang, Q. (2021). Paeonol protects melanocytes against hydrogen peroxide-induced oxidative stress through activation of Nrf2 signaling pathway. *Drug Development Research*, 82(6), 861-869.
- Gupta, D. (2015). Methods for determination of antioxidant capacity: A review. *International Journal of Pharmaceutical Sciences and Research*, 6(2), 546.

- Gupta, A. D., Dhundasi, S. A., Ambekar, J. G., & Das, K. K. (2007). Effect of 1-ascorbic acid on antioxidant defense system in testes of albino rats exposed to nickel sulfate. *Journal of basic and clinical physiology and pharmacology*, 18(4), 255-266.
- Harman, D. (1965). The free radical theory of aging: effect of age on serum copper levels. *Journal of gerontology*, 20(2), 151-153.
- He, M. T., Lee, A. Y., Park, C. H., & Cho, E. J. (2019). Protective effect of Cordyceps militaris against hydrogen peroxide-induced oxidative stress *in vitro*. *Nutrition Research and Practice*, 13(4), 279-285
- Heinrich, M., Mah, J., & Amirkia, V. (2021). Alkaloids Used as Medicines: Structural Phytochemistry Meets Biodiversity—An Update and Forward Look. *Molecules*, 26(7), 1836.
- Hekimi, S., Lapointe, J., & Wen, Y. (2011). Taking a “good” look at free radicals in the aging process. *Trends in cell biology*, 21(10), 569-576.
- Hosseinzadeh, M., Mohamad, J., Khalilzadeh, M.A., Zardoost, M.R., Haak, J., & Rajabi, M., (2013). Isolation and characterization of bioactive compounds from the bark of *Litsea costalis*. *Journal of Photochemistry and Photobiology*, 128, 85–91.
- Hu, W., Zhang, J., Wang, H., Guan, M., Dai, L., Li, J., & Kang, X. (2023). Protective effects of isorhamnetin against H₂O₂-induced oxidative damage in HaCaT cells and comprehensive analysis of key genes. *Scientific Reports*, 13(1), 2498.
- Intarasit, S., & Saengnil, K. (2021). Transient production of H₂O₂ and NO induced by ascorbic acid coincides with promotion of antioxidant enzyme activity and reduction of pericarp browning of harvested longan fruit. *Scientia Horticulturae*, 277, 109784.
- ISO 10993-5. (2009). Biological Evaluation of Medical Devices. Part 5: Tests for *in Vitro* Cytotoxicity.
- Jayapriya, G., & Shoba, F. G. (2014). Screening for phytochemical activity of *Urechites lutea* plant. *Asian Journal of Plant Science and Research*, 4(6), 20-24.
- Jeong, D., Lee, J., Park, S. H., Kim, Y. A., Park, B. J., Oh, J., ... & Cho, J. Y. (2019). Antiphotaging and antimelanogenic effects of penthorum chinense pursh ethanol extract due to antioxidant-and autophagy-inducing properties. *Oxidative Medicine and Cellular Longevity*, 2019.
- Ju, H. Q., Lin, J. F., Tian, T., Xie, D., & Xu, R. H. (2020). NADPH homeostasis in cancer: functions, mechanisms and therapeutic implications. *Signal transduction and targeted therapy*, 5(1), 1-12.
- Jun, M., Fu, H. Y., Hong, J., Wan, X., Yang, C. S., & Ho, C. T. (2003). Comparison of antioxidant activities of isoflavones from kudzu root (*Pueraria lobata* Ohwi). *Journal of food science*, 68(6), 2117-2122.
- Kamle, M., Mahato, D. K., Lee, K. E., Bajpai, V. K., Gajurel, P. R., Gu, K. S., & Kumar, P. (2019). Ethnopharmacological properties and medicinal uses of *Litsea cubeba*. *Plants*, 8(6), 150.

- Kancherla, N., Dhakshinamoothi, A., Chitra, K., & Komaram, R. B. (2019). Preliminary Analysis of Phytoconstituents and Evaluation of Anthelmintic Property of *Cayratia auriculata* (*In Vitro*). *Maedica*, 14(4), 350.
- Kawashima, S., Funakoshi, T., Sato, Y., Saito, N., Ohsawa, H., Kurita, K., ... & Ishigami, A. (2018). Protective effect of pre-and post-vitamin C treatments on UVB-irradiation-induced skin damage. *Scientific reports*, 8(1), 16199.
- Kaźmierczak-Barańska, J., Boguszewska, K., & Karwowski, B. T. (2020). Nutrition can help DNA repair in the case of aging. *Nutrients*, 12(11), 3364.
- Kim, E. Y., Choi, Y. H., Choi, C. G., & Nam, T. J. (2017). Effects of the cyclophilin-type peptidylprolyl cis-trans isomerase from *Pyropia yezoensis* against hydrogen peroxide-induced oxidative stress in HepG2 cells. *Molecular medicine reports*, 15(6), 4132-4138.
- Kolarsick, P. A., Kolarsick, M. A., & Goodwin, C. (2011). Anatomy and physiology of the skin. *Journal of the Dermatology Nurses' Association*, 3(4), 203-213.
- Konyalioglu, S., Armagan, G., Yalcin, A., Atalayin, C., & Dagci, T. (2013). Effects of resveratrol on hydrogen peroxide-induced oxidative stress in embryonic neural stem cells. *Neural regeneration research*, 8(6), 485-495.
- Letsiou, S., Kalliampakou, K., Gardikis, K., Mantecon, L., Infante, C., Chatzikonstantinou, M., ... & Fletmetakis, E. (2017). Skin protective effects of *Nannochloropsis gaditana* extract on H₂O₂-stressed human dermal fibroblasts. *Frontiers in Marine Science*, 4, 221.
- Li, Y., Darwish, W. S., Chen, Z., Hui, T., Wu, Y., Hirotaka, S., ... & Hui, S. P. (2019). Identification of lead-produced lipid hydroperoxides in human HepG2 cells and protection using rosmarinic and ascorbic acids with a reference to their regulatory roles on Nrf2-Keap1 antioxidant pathway. *Chemico-Biological Interactions*, 314, 108847.
- Liang, N., & Kitts, D. D. (2014). Antioxidant property of coffee components: assessment of methods that define mechanisms of action. *Molecules*, 19(11), 19180-19208.
- Liu, X., Shi, S., Ye, J., Liu, L., Sun, M., & Wang, C. (2009). Effect of polypeptide from *Chlamys farreri* on UVB-induced ROS/NF-κB/COX-2 activation and apoptosis in HaCaT cells. *Journal of Photochemistry and Photobiology B: Biology*, 96(2), 109-116.
- Liu, L., Xie, H., Chen, X., Shi, W., Xiao, X., Lei, D., & Li, J. (2012). Differential response of normal human epidermal keratinocytes and HaCaT cells to hydrogen peroxide-induced oxidative stress. *Clinical and Experimental Dermatology: Experimental dermatology*, 37(7), 772-780.
- Lobo, V., Patil, A., Phatak, A., & Chandra, N. (2010). Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacognosy reviews*, 4(8), 118.
- López-Otín, C., Blasco, M. A., Partridge, L., Serrano, M., & Kroemer, G. (2013). The hallmarks of aging. *Cell*, 153(6), 1194-1217.

- Lord, C. J., & Ashworth, A. (2012). The DNA damage response and cancer therapy. *Nature*, 481(7381), 287-294.
- Lorenz, T. C. (2012). Polymerase chain reaction: basic protocol plus troubleshooting and optimization strategies. *JoVE (Journal of Visualized Experiments)*, (63), e3998.
- Lovina, P. (2022). Phytochemical Characterization of *Marchantia paleacea*, *Pogonatum neesii*, and *Litsea Oppositifolia* Extract. Unpublished manuscript. Department of Pharmacy, i3L.
- Lü, J. M., Lin, P. H., Yao, Q., & Chen, C. (2010). Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *Journal of cellular and molecular medicine*, 14(4), 840-860.
- Ma, Q. (2013). Role of Nrf2 in Oxidative Stress and Toxicity. *Annu Rev Pharmacol Toxicol*, 53, 401–426.
- Macáková, K., Afonso, R., Saso, L., & Mladěnka, P. (2019). The influence of alkaloids on oxidative stress and related signaling pathways. *Free Radical Biology and Medicine*, 134, 429-444.
- Mathesius, U. (2018). Flavonoid functions in plants and their interactions with other organisms. *Plants*, 7(2), 30.
- Mehta, S. K., & Gowder, S. J. T. (2015). *Basic Principles and Clinical Significance of Oxidative Stress*. IntechOpen Limited, 5.
- Miramón, P., Dunker, C., Kasper, L., Jacobsen, I. D., Barz, D., Kurzai, O., & Hube, B. (2014). A family of glutathione peroxidases contributes to oxidative stress resistance in *Candida albicans*. *Medical Mycology*, 52(3), 223-239.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. sci. technol*, 26(2), 211-219.
- Mugford, S. T., & Osbourn, A. (2012). Saponin synthesis and function. In *Isoprenoid synthesis in plants and microorganisms* (pp. 405-424). Springer, New York, NY.
- Mujeeb, F., Bajpai, P., & Pathak, N. (2014). Phytochemical evaluation, antimicrobial activity, and determination of bioactive components from leaves of *Aegle marmelos*. *BioMed research international*, 2014.
- Myhara, R. M., Karkalas, J., & Taylor, M. S. (1999). The composition of maturing Omani dates. *Journal of the Science of Food and Agriculture*, 79(11), 1345-1350.
- Mythill, K., Reddy, C. U., Chamundeeswari, D., & Manna, PK. (2014). Determination of Total Phenol, Alkaloid, Flvonoid, and Tannin in Different Extracts of *Calanthe Triplicata*. *RESEARCH AND REVIEWS: JOURNAL OF PHARMACOGNOSY AND PHYTOCHEMISTRY*, 2(2).
- Nakai, K., & Tsuruta, D. (2021). What are reactive oxygen species, free radicals, and oxidative stress in skin diseases?. *International Journal of Molecular Sciences*, 22(19), 10799.
- Pant, D. R., Pant, N. D., Yadav, U. N., & Khanal, D. P. (2017). Phytochemical screening and study of antioxidant, antimicrobial, antidiabetic, anti-inflammatory and analgesic activities of extracts

- from stem wood of *Pterocarpus marsupium* Roxburgh. *Journal of Intercultural Ethnopharmacology*, 6(2), 170.
- Patlolla, A. K., Barnes, C., Yedjou, C., Velma, V. R., & Tchounwou, P. B. (2009). Oxidative stress, DNA damage, and antioxidant enzyme activity induced by hexavalent chromium in Sprague-Dawley rats. *Environmental toxicology*, 24(1), 66–73.
- Pękal, A., & Pyrzynska, K. (2014). Evaluation of aluminium complexation reaction for flavonoid content assay. *Food Analytical Methods*, 7, 1776-1782.
- Pham-Huy, L.A., He, H., & Pham-Huy, C. (200). Free radicals, antioxidants in disease and health. *Int J Biomed Sci*, 4(2):89-96.
- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2015). Free radicals: properties, sources, targets, and their implication in various diseases. *Indian journal of clinical biochemistry : IJCB*, 30(1), 11–26.
- Pi, J., Qu, W., Reece, J. M., Kumagai, Y., & Waalkes, M. P. (2003). Transcription factor Nrf2 activation by inorganic arsenic in cultured keratinocytes: involvement of hydrogen peroxide. *Experimental cell research*, 290(2), 234-245.
- Pisoschi, M.A., & Negulescu, G.P. (2011). Methods for total antioxidant activity determination: a review. *Biochemistry and Analytical Biochemistry*, 1, 106.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., & Arcoraci, V. (2017). & Bitto, A. 2017. Oxidative stress: harms and benefits for human health. *Oxidative Medicine and Cellular Longevity*, 1-13.
- Parbuntari, H., Prestica, Y., Gunawan, R., Nurman, M. N., & Adella, F. (2018). Preliminary phytochemical screening (qualitative analysis) of cacao leaves (*Theobroma cacao* L.). *EKSAKTA: Berkala Ilmiah Bidang MIPA*, 19(2), 40-45.
- Rao, P. S., Kalva, S., Yerramilli, A., & Mamidi, S. (2011). Free radicals and tissue damage: Role of antioxidants. *Free radicals and antioxidants*, 1(4), 2-7.
- Riss, T. L., Moravec, R. A., Niles, A. L., ... & Minor, L. (2016). *Cell Viability Assays*. Eli Lilly & Company and the National Center for Advancing Translational Sciences
- Sadi, G., & Güray, T. (2009). Gene expressions of Mn-SOD and GPx-1 in streptozotocin-induced diabetes: effect of antioxidants. *Molecular and cellular biochemistry*, 327, 127-134.
- Schaich, K. M., Tian, X., & Xie, J. (2015). Hurdles and pitfalls in measuring antioxidant efficacy: A critical evaluation of ABTS, DPPH, and ORAC assays. *Journal of functional foods*, 14, 111-125.
- Seo, M. D., Kang, T. J., Lee, C. H., Lee, A. Y., & Noh, M. (2012). HaCaT keratinocytes and primary epidermal keratinocytes have different transcriptional profiles of cornified envelope-associated genes to T helper cell cytokines. *Biomolecules & therapeutics*, 20(2), 171.
- Setditjen Farmalkes. (2017). *Farmakope Herbal Indonesia Edisi II Tahun 2017*. Jakarta: Kementerian Kesehatan RI.

- Shah, M. D., & Hossain, M. A. (2014). Total flavonoids content and biochemical screening of the leaves of tropical endemic medicinal plant *Merremia borneensis*. *Arabian Journal of Chemistry*, 7(6), 1034-1038.
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of functional foods*, 18, 757-781.
- Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *LWT*, 150, 111932.
- Singha, I., & Das, S. K. (2015). Free Radical Scavenging Properties of Skin and Pulp Extracts of Different Grape Cultivars In Vitro and Attenuation of H₂O₂-Induced Oxidative Stress in Liver Tissue Ex Vivo. *Indian journal of clinical biochemistry : IJCB*, 30(3), 305–312
- Speisky Cosoy, H. E., Shahidi, F., Costa de Camargo, A., & Fuentes García, J. N. (2022). Revisiting the oxidation of flavonoids: loss, conservation or enhancement of their antioxidant properties.
- Teoh, E. S. (2016). Secondary metabolites of plants. In *Medicinal orchids of Asia* (pp. 59-73). Springer, Cham.
- Tong, Z., He, W., Fan, X., & Guo, A. (2022). Biological function of plant tannin and its application in animal health. *Frontiers in Veterinary Science*, 8, 1597.
- Traber, M. G., & Stevens, J. F. (2011). Vitamins C and E: beneficial effects from a mechanistic perspective. *Free radical biology and medicine*, 51(5), 1000-1013.
- Tronci, L., Serreli, G., Piras, C., Frau, D. V., Dettori, T., Deiana, M., ... & Caria, P. (2021). Vitamin C cytotoxicity and its effects in redox homeostasis and energetic metabolism in papillary thyroid carcinoma cell lines. *Antioxidants*, 10(5), 809.
- Vajrabhaya, L. O., & Korsuwannawong, S. (2018). Cytotoxicity evaluation of a Thai herb using tetrazolium (MTT) and sulforhodamine B (SRB) assays. *Journal of Analytical Science and Technology*, 9(1), 1-6.
- Velarde, M. C., Demaria, M., Melov, S., & Campisi, J. (2015). Pleiotropic age-dependent effects of mitochondrial dysfunction on epidermal stem cells. *Proceedings of the National Academy of Sciences*, 112(33), 10407-10412.
- Velarde, M. C., Flynn, J. M., Day, N. U., Melov, S., & Campisi, J. (2012). Mitochondrial oxidative stress caused by Sod2 deficiency promotes cellular senescence and aging phenotypes in the skin. *Aging (Albany NY)*, 4(1), 3.
- Vinardell Martínez-Hidalgo, M., & Mitjans Arnal, M. (2017). Alternative Methods to Animal Testing for the Safety Evaluation of Cosmetic Ingredients: An Overview. *Cosmetics*, 2017, vol. 4, num. 30
- Waisundara, V., & Hoon, L. Y. (2013). A comparative study on the antioxidant activity of commonly used South Asian herbs. *Journal of traditional and complementary medicine*, 3(4), 263-267.

- Wang, Y., Nguyen, D. T., Yang, G., Anesi, J., Kelly, J., Chai, Z., ... & Golledge, J. (2021). A Modified MTS Proliferation Assay for Suspended Cells to Avoid the Interference by Hydralazine and β -Mercaptoethanol. *ASSAY and Drug Development Technologies*, 19(3), 184-190.
- Wang, Y.-S., Wen, Z.-Q., Li, B.-T., Zhang, H.-B., & Yang, J.-H. (2016). Ethnobotany, phytochemistry, and pharmacology of the genus *Litsea*: An update. *Journal of Ethnopharmacology*, 181, 66–107.
- Wang, X., Cui, Y. J., Qi, J., Zhu, M. M., Zhang, T. L., Cheng, M., ... & Wang, G. C. (2018). Fucoxanthin exerts cytoprotective effects against hydrogen peroxide-induced oxidative damage in L02 cells. *BioMed research international*, 2018.
- Wickens, A. P. (2001). Ageing and the free radical theory. *Respiration physiology*, 128(3), 379-391.
- Winikoff, S. E., Zeh, H. J., DeMarco, R., & Lotze, M. T. (2011). *Cytolytic assays. Measuring Immunity: Basic Science and Clinical Practice*; Elsevier Academic Press: Cambridge, MA, USA, 343.
- Wójciak, M., Zagórska-Dziok, M., Nizioł-Łukaszewska, Z., Ziemińska, A., Furman-Toczek, D., Szczepanek, D., & Sowa, I. (2022). In Vitro Evaluation of Anti-Inflammatory and Protective Potential of an Extract from *Cornus mas* L. Fruit against H₂O₂-Induced Oxidative Stress in Human Skin Keratinocytes and Fibroblasts. *International Journal of Molecular Sciences*, 23(22), 13755.
- Wong, M. H., Lim, L. F., Ahmad, F. B., & Assim, Z. B. (2014). Antioxidant and antimicrobial properties of *Litsea elliptica* Blume and *Litsea resinosa* Blume (Lauraceae). *Asian Pacific journal of tropical biomedicine*, 4(5), 386–392.
- Wu, J., Jin, Z., Zheng, H., & Yan, L. J. (2016). Sources and implications of NADH/NAD⁺ redox imbalance in diabetes and its complications. *Diabetes, metabolic syndrome and obesity: targets and therapy*, 145-153.
- Zakhrifah, Y. M. (2019). Uji Aktivitas Antioksidan dan Penetapan Kadar Fenol Total pada Ekstrak Daun dan Kulit Batang *Litsea oppositifolia* Gibbs. Unpublished Manuscript. Department of Pharmacy, University of Indonesia.
- Zhao, Y., Wang, H., Zhou, J., & Shao, Q. (2022). Glutathione Peroxidase GPX1 and Its Dichotomous Roles in Cancer. *Cancers*, 14(10), 2560.
- Zhong, R. Z., Zhou, D. W., Tan, C. Y., Tan, Z. L., Han, X. F., Zhou, C. S., & Tang, S. X. (2011). Effect of tea catechins on regulation of antioxidant enzyme expression in H₂O₂-induced skeletal muscle cells of goat in vitro. *Journal of agricultural and food chemistry*, 59(20), 11338-11343.