

References

- Abdelmohsen, U. R., Sayed, A. M. & Elmaidomy, A. H. (2022). Natural products' extraction and isolation between conventional and modern techniques. *Frontiers in Natural Products*, 1. DOI=10.3389/fntpr.2022.873808
- Aoyama, S. (1952). Studies on the thiamin-decomposing bacterium. I. Bacteriological researches of a new thiamin decomposing bacillus *Bacillus aneurinolyticus* Kimura et Aoyama. *Acta Scholae Medicinalis Universitatis in Kioyo*, 30(2), p. 127-132.
- BacDive ID 11380. (2022). BacDive. <https://bacdive.dsmz.de/strain/11380>
- Balan, S. S., Kumar, C. G. & Jayalakshimi, S. (2016). Aneurinifactin, a new lipopeptide biosurfactant produced by a marine *Aneurinibacillus aneurinilyticus* SBP-11 isolated from Gulf of Mannar: Purification, characterization and its biological evaluation. *Microbiological Research*, 194, p. 1-9. <https://doi.org/10.1016/j.micres.2016.10.005>
- Bhattacharjee, M. K. (2015). Better visualization and photodocumentation of zone of inhibition by staining cells and background agar differently. *The Journal of Antibiotics*, 68, p. 657-659. <https://doi.org/10.1038/ja.2015.49>
- Bonnet, M., Lagier, J. C., Raoult, D. & Khelaifia, S. (2020). Bacterial culture through selective and non-selective conditions: the evolution of culture media in clinical microbiology. *New Microbes and New Infections*, 34. doi: 10.1016/j.nmni.2019.100622
- Bull, M. J. & Plummer, N. T. (2014). Part 1: The human gut microbiome in health and disease. *Integrative Medicine*, 13(6), p. 17-22.
- Chauhan, A., Balgir, P. P. & Shirkot, C. K. (2014). Characterization of *Aneurinibacillus aneurinilyticus* strain CKMV1 as a plant growth promoting Rhizobacteria. *International Journal of Agriculture, Environment and Biotechnology*, 7(1), p. 37-45. International Journal of Agriculture, Environment and Biotechnology

- Chen, Y., Mehok, A. R., Mant, C. T., & Hodges, R. S. (2004). Optimum concentration of trifluoroacetic acid for reversed-phase liquid chromatography of peptides revisited. *Journal of Chromatography A*, 1043(1), p. 9–18. doi:10.1016/j.chroma.2004.03.070
- Chow, J., Lee, S. M., Shen, Y., Khosravi, A. & Mazmanian, S. K. (2010). Host-bacterial symbiosis in health and disease. *Advances in Immunology*, 107, p. 243-274. DOI: 10.1016/B978-0-12-381300-8.00008-3
- Christi, Y. & Moo-Young, M. (2003). Bioreactors. In. R. A. Meyers (Ed.). *Encyclopedia of Physical Science and Technology*, 3rd Edition (p. 247-271). Academic Press. <https://doi.org/10.1016/B0-12-227410-5/00067-3>
- Chung, S. (n.d.). *Dean's Message*. Sungkyunkwan University. https://skb.skku.edu/eng_pharm/intro/greetings.do
- Clark, J. (2023). *The Beer-Lambert law*. Chemistry LibreTexts. [https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_\(Physical_and_Theoretical_Chemistry\)/Spectroscopy/Electronic_Spectroscopy/Electronic_Spectroscopy_Basics/The_Beer-Lambert_Law](https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_(Physical_and_Theoretical_Chemistry)/Spectroscopy/Electronic_Spectroscopy/Electronic_Spectroscopy_Basics/The_Beer-Lambert_Law)
- Clemente, J. C., Ursell, L. K., Parfrey, L. W. & Knight, R. (2016). The impact of the gut microbiota on human health: An integrative view. *Cell*, 148(6), p. 1258-1270. doi: 10.1016/j.cell.2012.01.035
- Cook-Botelho, J. C., Bachmann, L. M. & French, D. (2017). Chapter 10 - Steroid hormones. In. H. Nair & W. Clarke (Eds.). *Mass Spectrometry for the Clinical Laboratory* (p. 205-230). Academic Press. <https://doi.org/10.1016/B978-0-12-800871-3.00010-9>
- Dey, U., Chatterjee, S. & Mondal, N. K. (2016). Isolation and characterization of arsenic-resistant bacteria and possible application in bioremediation. *Biotechnology Reports*, 10, p. 1-7. <https://doi.org/10.1016/j.btre.2016.02.002>
- Eliopoulos, G. M. & Moellering Jr., R. C. (2015). Chapter 17 - Principles of anti-infective therapy. In. J. E. Bennett, R. Dolin, M. J. Blaser (Eds.). *Mandell, Douglas, and Bennett's Principles and Practice of*

Infectious Diseases, 8th Edition, p. 224-234. W.B. Saunders.
<https://doi.org/10.1016/B978-1-4557-4801-3.00017-5>

Fabel, S. (2023). *HPLC purification: When to use analytical, semi-preparative & preparative methods*. ThermoFischer Scientific.
<https://www.thermofisher.com/blog/analyteguru/hplc-purification-when-to-use-the-3-types-of-preparatory-methods/>

Fundamental guide to liquid chromatography mass spectrometry (LCMS). (2019). Shimadzu.
https://www.shimadzu.ru/sites/shimadzu.seg/files/SEG/C10G-E065A_Shimadzu_Fundamental_Guide_to_LCMS.pdf

Good habits for successful gradient separations. (2014). Agilent Technologies.
<https://www.agilent.com/Library/slidepresentation/Public/Successful%20Gradient%20Separations.pdf>

Guarner, F. & Malagedala, J. R. (2003). Gut flora in health and disease. *Lancet*, 361(9356): 512-9. DOI: 10.1016/S0140-6736(03)12489-0

Gundogan, N. (2014). Klebsiella. In: C. A. Batt & M. L. Tortorello (Eds.). *Encyclopedia of Food Microbiology 2nd Ed.* (p. 383-388). Academic Press.
<https://doi.org/10.1016/B978-0-12-384730-0.00172-5>

Harrata, K. (2023). *Mass spectrometry tutorial*. Iowa State University of Science and Technology.
<https://www.cif.iastate.edu/mass-spec/ms-tutorial>

Hashmi, I., Bindschedler, S. & Junier, P. (2020). Chapter 18 - Firmicutes. In: N.N. Amaesan, M. Senthil Kumar, K. Annapurna, Krishna Kumar, A. Sankaranarayanan (Eds.). *Beneficial Microbes in Agro-Ecology* (p. 369-396). Academic Press.
<https://doi.org/10.1016/B978-0-12-823414-3.00018-6>

Haver, T. O. (2023). *Integration and peak area measurement*. A Pragmatic Introduction to Signal Processing. <https://terpconnect.umd.edu/~toh/spectrum/Integration.html>

- HPLC Basics. (2023). ThermoFischer Scientific.
<https://www.thermofisher.com/id/en/home/industrial/chromatography/chromatography-learnin-g-center/liquid-chromatography-information/hplc-basics.html>
- Johnson, C. L. & Versalovic, J. (2012). The human microbiome and its potential importance to pediatrics. *Pediatrics*, 129(5): 950-60. DOI: 10.1542/peds.2011-2736
- Kamli, M. R., Alzahrani, N. A., Hajrah, N. H., Sabir, J. S. M. & Malik, A. (2021). Genome-driven discovery of enzymes with industrial implications from the genus *Aneurinibacillus*. *Microorganisms*, 9(3): 499. doi: 10.3390/microorganisms9030499
- KCTC 1027. (2019). Korean Collection for Type Cultures.
<https://kctc.kribb.re.kr/collection/view?sn=1027>
- KCTC 3883. (2019). Korean Collection for Type Cultures.
<https://kctc.kribb.re.kr/collection/view?sn=3883>
- Kondejewski, L. H., Farmer, S. W., Wishart, D. S., Kay, C. M., Hancock, R. E. W. & Hodges, R. S. (1996). Modulation of structure and antibacterial and hemolytic activity by ring size in cyclic gramicidin S analogs. *Protein Chemistry and Structure*, 271(41), p. 25261-25268.
<https://doi.org/10.1074/jbc.271.41.25261>
- Kuchař, L., Asfaw, B., Rybová, J. & Ledvinová, J. (2016). Chapter five - Tandem mass spectrometry of sphingolipids: Applications for diagnosis of sphingolipidoses. In. G. S. Makowski (Ed). *Advances in Clinical Chemistry*, 77 p. 177-219). Elsevier. <https://doi.org/10.1016/bs.acc.2016.06.004>
- Lampis, G., Deidda, D., Maullu, C., Madeddu, M. A., Pompei, R., Monachie, F. D. & Satta, G. (1995). Sattabacins and sattazolins: new biologically active compounds with antiviral properties extracted from a *Bacillus* sp. *The Journal of Antibiotics*, 48(9), p. 967-972. doi: 10.7164/antibiotics.48.967.
- Latif, Z. & Sarker, S. D. (2012). Isolation of natural products by preparative high performance liquid chromatography (Prep-HPLC). *Natural Products Isolation*, 864, p. 255-274.
 doi:10.1007/978-1-61779-624-1_10

- Lvova, K., Martínez-Arcos, A., López-Prieto, A., Vecino, X., Pérez-Cid, B., Cruz, J. M. & Moldes, A. B. (2023). Corn steep liquor as a secondary raw material for direct sourcing of gramicidin. *Science Talks*, 6. <https://doi.org/10.1016/j.sctalk.2023.100193>
- MacWilliams, M. P. & Liao, M. K. (2006). Luria broth (LB) and Luria agar (LA) media and their uses protocol. *American Society for Microbiology*. <https://asm.org/getattachment/5d82aa34-b514-4d85-8af3-aeabe6402874/LB-Luria-Agar-protocol-3031.pdf>
- Majors, R. E. & Wilmington, D. E. (2013). *Sample Preparation Fundamentals for Chromatography*. Agilent Technologies. https://www.agilent.com/cs/library/primers/Public/5991-3326EN_SPHB.pdf
- Marina, M. L. & García, M. A. (2000). Chromatography: Liquid | Micellar liquid chromatography. In I. D. Wilson (Ed.). *Encyclopedia of Separation Science* (p. 726-737). Academic Press. <https://doi.org/10.1016/B0-12-226770-2/01811-1>
- Melli, L. C. F. L., do Carmo-Rodrigues, M. S., Araújo-Filho, H. B., Solé, D. & de Moraes, M. B. (2016). *Allergologia et Immunopathologia*, 44(2), p. 177-188. <https://doi.org/10.1016/j.aller.2015.01.013>
- Merlic, C. A. (1997). *Notes on NMR solvents*. The University of California, Los Angeles. The University of California, Los Angeles
- Moldoveanu, S. C. & David, V. (2013). Chapter 9 - HPLC analysis. In S. C. Moldoveanu & V. David (Eds.). *Essentials in Modern HPLC Separations* (p. 465-519). Elsevier. <https://doi.org/10.1016/B978-0-12-385013-3.00009-4>
- Núñez, O. & Lucci, P. (2014). Applications and uses of formic acid in liquid chromatography-mass spectrometry analysis. In J. C. Taylor (Ed.). *Advances in Chemical Research*, 20, p. 71-86. Nova Science.
- Nutrient Broth*. (2023). Merck. <https://www.sigmaaldrich.com/ID/en/product/sial/70122>
- Ogunrinola, G. A., Oyewale, J. O., Oshamika, O. O., & Olasehinde, G. I. (2020). The human microbiome and its impacts on health. *International Journal of Microbiology*, 12. DOI: 10.1155/2020/8045646

- Pavia, D. L., Lampman, G.M., Kriz, G.S., & Vyvyan, J.R. (2013). *Introduction to Spectroscopy, 5th Edition*. Brooks/Cole Cengage Learning
- PubChem Compound Summary for CID 6422, Trifluoroacetic Acid. (2023). National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/compound/Trifluoroacetic-Acid>
- Rieck, F. (2016). *Time-, peak-, and mass-based fraction collection with the Agilent 1290 Infinity II preparative open-bed fraction collector*. Agilent Technologies. <https://www.agilent.com/Library/technicaloverviews/Public/5991-7654EN.pdf>
- Shida, O., Takagi, H., Kadowaki, K., Yano, H., Abe, M., Udaka, S. & Komagata, K. (1994). *Bacillus aneurinolyticus* sp. nov., nom. rev. *International Journal of Systematic and Evolutionary Microbiology*, 44(1). DOI: 10.1099/00207713-44-1-143
- Smith, A., Märker, K., Hediger, S. & de Paëpe, G. (2019). Natural isotopic abundance ^{13}C and ^{15}N multidimensional solid-state NMR enabled by dynamic nuclear polarization. *Journal of Physical Chemistry Letters*, 10(16), p. 4652-4662. DOI: 10.1021/acs.jpcclett.8b03874
- Species Aneurinibacillus aneurinilyticus*. (n.d.). The List of Prokaryotic Names with Standing in Nomenclature (LPSN). <https://lpsn.dsmz.de/species/aneurinibacillus-aneurinilyticus>
- Swierstra, J., Kapoerchan, V., Knigenburg, A., Belkum, van Belkum, A. & Overhand, M. (2016). Structure, toxicity and antibiotic activity of gramicidin S and derivatives. *European Journal of Clinical Microbiology & Infectious Diseases*, 35, p. 763-769. doi: 10.1007/s10096-016-2595-y
- The cradle of Korean higher education, Sungkyunkwan University*. (n.d.). Sungkyunkwan University. https://www.skku.edu/eng/About/s620/sub02_01.do
- The importance of understanding secondary interactions when analysing peptides*. (2018). Chromatography Today. <https://www.chromatographytoday.com/article/help-desk/63/chromatography-today-help-desk/the-importance-of-understanding-secondary-interactions-when-analysing-peptides/2483>
- The lock*. (2022). Washington State University Center for NMR Spectroscopy. https://nmr.chem.ualberta.ca/nmr_news/figures/Lock.pdf

- Thomas, S. N. (2019). Chapter 10 - Mass spectrometry. In. W. Clarke, M. A. Marzinke (Eds.). *Contemporary Practice in Clinical Chemistry, 4th Edition* (p. 171-185). Academic Press. <https://doi.org/10.1016/B978-0-12-815499-1.00010-7>
- QS world university rankings 2024: Top global universities. (2023). QS Top Universities. <https://www.topuniversities.com/university-rankings/world-university-rankings/2024?&tab=indicators®ion=Asia&countries=kr>
- Yusnawan, E. (2013). The effectiveness of polar and non-polar fractions of *Ageratum conyzoides* L. to control peanut rust disease and phytochemical screenings of secondary metabolites. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 13(2), p. 159-166. <https://doi.org/10.23960/j.hptt.213159-166>
- Zhang, W. & Zhao, P. X. (2014). Quality evaluation of extracted ion chromatograms and chromatographic peaks in liquid chromatography/mass spectrometry-based metabolomics data. *BMC Bioinformatics*, 15(11). <https://doi.org/10.1186/1471-2105-15-S11-S5>