

## REFERENCES

- Ahmad, T. B. S. (2015). Methods for quantification and extraction of fucoidan and quantification of the release of total carbohydrate and fucoidan from the brown algae *Laminaria hyperborea*. Norway University of Science and Technology, Tesis(June)
- Aiyelabola, T. O., Isabirye, D. A., Akinkunmi, E. O., Ogunkunle, O. A., & Ojo, I. A. O. (2016). Synthesis , Characterization , and Antimicrobial Activities of Coordination Compounds of Aspartic Acid, 2016
- Ale, M. T., Mikkelsen, J. D., & Meyer, A. S. (2012). Designed optimization of a single-step extraction of fucose-containing sulfated polysaccharides from *Sargassum* sp. *Journal of Applied Phycology*, 24(4), 715–723. <http://doi.org/10.1007/s10811-011-9690-3>
- Al-Saif, S. S. A. Ilah, Abdel-Raouf, N., El-Wazanani, H. A., & Aref, I. A. (2013). Antibacterial substances from marine algae isolated from Jeddah coast of Red sea, Saudi Arabia. *Saudi Journal of Biological Sciences*, 21(1), 57–64. <http://doi.org/10.1016/j.sjbs.2013.06.001>
- Arêde, P., Milheirço, C., de Lencastre, H., & Oliveira, D. C. (2012). The anti-repressor MecR2 promotes the proteolysis of the mecA repressor and enables optimal expression of β-lactam resistance in MRSA. *PLoS Pathogens*, 8(7), 13. <http://doi.org/10.1371/journal.ppat.1002816>
- Asaeda, T., Sultana, M., Manatunge, J. and Fujino, T. (2004). The effect of epiphytic algae on the growth and production of *Potamogeton perfoliatus* L. in two light conditions. *Environmental and Experimental Botany*, 52(3), pp.225-238
- Bast, F. (2014). An Illustrated Review on Cultivation and Life History of Agronomically Important Seaplants. Seaweed: Mineral Composition, Nutritional and Antioxidant Benefits and Agricultural Uses
- Barley, J. (2018). Freeze Drying / Lyophilization Information: Basic Principles. [online] Spscientific.com. Available at: <https://www.spscientific.com/freeze-drying-lyophilization-basics/> [Accessed 10 Jun. 2018]

- Biemer, J. J. (1973). Antimicrobial Susceptibility Testing by the Kirby-Bauer Disc Diffusion Method. *Ann. Clin. Lab. Sci.*, 3(2), 135–140. Retrieved from <http://www.annclinlabsci.org/content/3/2/135.short>
- Bleakley, S., & Hayes, M. (2017). Algal Proteins: Extraction, Application, and Challenges Concerning Production. *Foods*, 6(5), 33. <http://doi.org/10.3390/foods6050033>
- Branch, M. (2000). Brown Algae 3G
- Corey, G. R. (2009). *Staphylococcus aureus* Bloodstream Infections: Definitions and Treatment. *Clinical Infectious Diseases*, 48(s4), S254–S259. <http://doi.org/10.1086/598186>
- Černá, M. (2011). Seaweed Proteins and Amino Acids as Nutraceuticals. Marine Medicinal Foods - Implications and Applications, Macro and Microalgae, pp.297-312
- Chee, S. Y., Wong, P. K., & Wong, C. L. (2011). Extraction and characterisation of alginic acid from brown seaweeds (Fucales, Phaeophyceae) collected from Port Dickson, Peninsular Malaysia. *Journal of Applied Phycology*, 23(2), 191–196. <http://doi.org/10.1007/s10811-010-9533-7>
- Chen, C. J., & Huang, Y. C. (2014). New epidemiology of *Staphylococcus aureus* infection in Asia. *Clinical Microbiology and Infection*, 20(7), 605–623. <http://doi.org/10.1111/1469-0691.12705>
- Cock, J. M., Peters, A. F., & Coelho, S. M. (2011). Brown algae. *Current Biology*, 21(15), R573–R575. <http://doi.org/10.1016/j.cub.2011.05.006>
- Corey, G. R. (2009). *Staphylococcus aureus* Bloodstream Infections: Definitions and Treatment. *Clinical Infectious Diseases*, 48(s4), S254–S259. <http://doi.org/10.1086/598186>
- Davison, D. . (2009). Sargassum muticum in Scotland, 2008: A review of information, issues and implications. Scottish Natural Heritage Commissioned Report No. 324 (ROAME No. R07AC707), 199. Retrieved from [http://www.snh.org.uk/pdfs/publications/commissioned\\_reports/324.pdf](http://www.snh.org.uk/pdfs/publications/commissioned_reports/324.pdf)
- Díaz-Villa, T., Sansón, M., & Afonso-Carrillo, J. (2005). Seasonal variations in growth and reproduction of *Sargassum orotavicum* (Fucales, Phaeophyceae) from the Canary Islands. *Botanica Marina*, 48(1), 18–29. <http://doi.org/10.1515/BOT.2005.003>
- Dembitsky, V., Rozentsvet, O. and Pechenkina, E. (1990). Glycolipids, phospholipids and fatty acids of

- brown algae species. *Phytochemistry*, 29(11), pp.3417-3421
- Dmitri Kopeliovich. (2010). Classification of Solvents. *Solvents and Solvent Effects in Organic Chemistry*, 3, 65–106. <http://doi.org/10.1002/9783527632220.ch3>
- Doshi, G. M., Aggarwal, G. V, Martis, E. A., & Shanbhag, P. P. (2011). Novel antibiotics from marine sources. *Int. J. Pharm. Sci. Nanotechnol.*, 4(3), 1446-1461, 17 . Retrieved from [http://www.ijpsnonline.com/Issues/1446\\_full.pdf](http://www.ijpsnonline.com/Issues/1446_full.pdf)
- Dulger, G., & Dulger, B. (2014). Antibacterial Activity of Two Brown Algae (*Cystoseira compressa* and *Padina pavonica*) Against Methicillin-Resistant *Staphylococcus aureus*. *British Microbiology Research Journal*, 4(8), 918–923
- El Shoubaky, G. A., & Salem, E. A. (2014). Terpenes and sterols composition of marine brown algae *Padina pavonica* (Dictyotales) and *Hormophysa triquetra* (Fucales). *International Journal of Pharmacognosy and Phytochemical Research*, 6(4), 894–900
- Eom, S., Park, J., Yu, D., Choi, J., Choi, J., Lee, M., & Kim, Y. (2011). Antimicrobial Activity of Brown Alga *Eisenia bicyclis* against Methicillin-resistant *Staphylococcus aureus*, 14(September), 251–256
- Erikawati, D., Santosaningsih, D., & Santoso, S. (2016). Tingginya Prevalensi MRSA pada Isolat Klinik Periode 2010- 2014 di RSUD Dr . Saiful Anwar Malang , Indonesia The High Prevalence of MRSA in Clinical Isolates in the period of 2010-2014 in Dr . Saiful Anwar General Hospital Malang , Indonesia. *Jurnal Kedokteran Brawijaya*, 29(2), 149–156
- Fayad, S., Nehmé, R., Tannoury, M., Lesellier, E., Pichon, C., & Morin, P. (2017). Macroalga *Padina pavonica* water extracts obtained by pressurized liquid extraction and microwave-assisted extraction inhibit hyaluronidase activity as shown by capillary electrophoresis. *Journal of Chromatography A*, 1497(March 2017), 19–27. <http://doi.org/10.1016/j.chroma.2017.03.033>
- Gallucci, N., Oliva, M., Carezzano, E., Zygadlo, J., & Demo, M. (2010). Terpenes antimicrobial activity against slime producing and non-producing staphylococci. *Molecular Medicinal ...*, 21(April), 132–136. Retrieved from

<http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Terpenes+antimicrobial+activity+against+slime+producing+and+non+?+producing+staphylococci#0>

Gaysinski, M., Ortalo-Magné, A., Thomas, O. and Culioli, G. (2015). Extraction, Purification, and NMR

Analysis of Terpenes from Brown Algae. *Methods in Molecular Biology*, pp.207-223

Godlewska, K., Michalak, I., Tuhy, L., & Chojnacka, K. (2016). Plant Growth Biostimulants Based on

Different Methods of Seaweed Extraction with Water. *BioMed Research International*, 2016.

<http://doi.org/10.1155/2016/5973760>

Graiff, A., Ruth, W., Kragl, U., & Karsten, U. (2016). Chemical characterization and quantification of

the brown algal storage compound laminarin — A new methodological approach. *Journal of*

*Applied Phycology*, 28(1), 533–543. <http://doi.org/10.1007/s10811-015-0563-z>

Guiry, M. D. (2012). How many species of algae are there? *Journal of Phycology*, 48(5), 1057–1063.

<http://doi.org/10.1111/j.1529-8817.2012.01222.x>

Habib, F., Rind, R., Durani, N., Bhutto, A. L., Buriro, R. S., Tunio, A., ... Shoaib, M. (2015).

Morphological and Cultural Characterization of *Staphylococcus aureus* Isolated from Different Animal Species. *Journal of Applied Environmental and Biological Sciences*, 5(2), 15–26.

Retrieved from [https://www.researchgate.net/publication/273778041\\_Morphological\\_and\\_Cultural\\_Characterization\\_of\\_Staphylococcus\\_Aureus\\_Isolated\\_from\\_Different\\_Animal\\_Species](https://www.researchgate.net/publication/273778041_Morphological_and_Cultural_Characterization_of_Staphylococcus_Aureus_Isolated_from_Different_Animal_Species)

Harris, L. G., Foster, S. J., & Richards, R. G. (2002). AN INTRODUCTION TO STAPHYLOCOCCUS AUREUS

, AND TECHNIQUES FOR IDENTIFYING AND QUANTIFYING S . AUREUS ADHESINS IN RELATION

TO ADHESION TO BIOMATERIALS : REVIEW, 4, 39–60. <http://doi.org/10.22203/eCM.v004a04>

He, F., Yang, Y., Yang, G., & Yu, L. (2010). Studies on antibacterial activity and antibacterial

mechanism of a novel polysaccharide from Streptomyces virginia H03. *Food Control*, 21(9),

1257–1262. <http://doi.org/10.1016/j.foodcont.2010.02.013>

Hutomousworo, M., & Moosa, M. K. (2005). Indonesian marine and coastal biodiversity: Present

status

- Ibtissam, C., Hassane, R., Jose', M.L., Jose` Francisco, D.S., Jose`Antonio, G.V., Hassan, B., Mohamed, K., 2009. Screening of antibacterial activity in marine green and brown macroalgae from the coast of Morocco. *Afr. J. Biotechnol.* 8, 1258–1262
- Ismail, A., Ktari, L., Ahmed, M., Bolhuis, H., Boudabbous, A., Stal, L. J., ... El Bour, M. (2016). Antimicrobial activities of bacteria associated with the brown alga *padina pavonica*. *Frontiers in Microbiology*, 7(JUL), 1–13. <http://doi.org/10.3389/fmicb.2016.01072>
- Jiang, Z., Kempinski, C., & Chappell, J. (2017). HHS Public Access, 345–358. <http://doi.org/10.1002/cppb.20024.Extraction>
- Kadi, A. (2005). Beberapa Catatan Kehadiran Marga *Sargassum*. *Oseana*, XXX(4), 19–29. <http://doi.org/0216-1877>
- Karnchanatat, A. (2012). Antimicrobial Activity of Lectins from Plants. *Antimicrobial Agents*, 145–178. <http://doi.org/10.5772/33456>
- Khotimchenko, S. (1998). Fatty acids of brown algae from the Russian far east. *Phytochemistry*, 49(8), pp.2363-2369.
- Kim, S. (2015). *Seafood science*. Boca Raton, Fla.: CRC Press
- Koivikko, R. (2008). *Brown algal phlorotannins. Improving and applying Chemical Methods*
- Kolanjinathan, K., & Stella, D. (2009). ANTIBACTERIAL ACTIVITY OF MARINE MACRO ALGAE AGAINST HUMAN PATHOGENS. *Recent Research in Science and Technology*, 1(1), 20–22
- Leclercq, R., Cantón, R., Brown, D. F. J., Giske, C. G., Heisig, P., Macgowan, A. P., ... Kahlmeter, G. (2013). EUCAST expert rules in antimicrobial susceptibility testing. *Clinical Microbiology and Infection*, 19(2), 141–160. <http://doi.org/10.1111/j.1469-0691.2011.03703.x>
- Li, Y., Fu, X., Duan, D., Liu, X., Xu, J., & Gao, X. (2017). Extraction and Identification of Phlorotannins from the Brown Alga, *Sargassum fusiforme* (Harvey) Setchell. *Marine Drugs*, 15(2). <http://doi.org/10.3390/md15020049>

- Lister, J. L., & Horswill, A. R. (2014). Staphylococcus aureus biofilms: recent developments in biofilm dispersal. *Frontiers in Cellular and Infection Microbiology*, 4(December), 1–9. <http://doi.org/10.3389/fcimb.2014.00178>
- Mohsin, S., Mahadevan, R., Sumayya, A. S., & Kurup, G. M. (2016). Tetrastromatica Against Human Pathogenic Microbes and Free Radicals, 2(2), 1–10. <http://doi.org/10.19071/jmhe.2016.v2.2995>
- Noiraksar, T. N., Manthachitra, V. M., Branapratheprat, A., & Komatsu, T. (2017). Growth and reproductive seasonal pattern of *Sargassum polycystum* C . Agardh ( *Sargassaceae* , *Phaeophyceae* ) population in Samaesarn Island , Chon Buri Province , Thailand, 66(0)
- Norra, I., Aminah, A., & Suri, R. (2016). Effects of drying methods, solvent extraction and particle size of Malaysian brown seaweed, *Sargassum* sp. on the total phenolic and free radical scavenging activity. *International Food Research Journal*, 23(4), 1558–1563
- Pandithurai, M., Murugesan, S., & Sivamurugan, V. (2015). Antibacterial activity of various solvent extracts of marine brown alga *Spatoglossum asperum*, (October). <http://doi.org/10.7439/ijpr>
- Pakidi, C. S., Pada, D., Manajemen, J., Perairan, S., Pertanian, F., & Musamus, U. (2016). Potensi Dan Pemanfaatan Bahan Aktif Alga Cokelat. *Octopus*, 5(2), 551–562
- Pereira, L. (2018). Therapeutic and nutritional uses of algae. Boca Raton, FL: CRC Press.
- Pérez, M. J., Falqué, E., & Domínguez, H. (2016). Antimicrobial action of compounds from marine seaweed. *Marine Drugs*, 14(3), 1–38. <http://doi.org/10.3390/md14030052>
- Phull, A., Ali, A., Ahmed, M., Zia, M., Haq, I., & Kim, S. J. (2017). In vitro and anticancer activity of fucoidan from *Undaria pinnatifida*, 6655, 219–227
- Rajasulochana, P., Dhamotharan, R., Krishnamoorthy, P., & Murugesan, S. (2009). Antibacterial Activity of the Extracts of Marine Red and Brown Algae, 5(3), 20–25.Rioux, L. E., Turgeon, S. L., & Beaulieu, M. (2007). Characterization of polysaccharides extracted from brown seaweeds. *Carbohydrate Polymers*, 69(3), 530–537. <http://doi.org/10.1016/j.carbpol.2007.01.009>
- Shannon, E., & Abu-Ghannam, N. (2016). Antibacterial derivatives of marine algae: An overview of

pharmacological mechanisms and applications. *Marine Drugs*, 14(4).

<http://doi.org/10.3390/md14040081>

Sireesha, P. and Setty, C. (2012). Detection of various types of resistance patterns and their correlation with minimal inhibitory concentrations against clindamycin among methicillin-resistant *Staphylococcus aureus* isolates. *Indian Journal of Medical Microbiology*, 30(2), p.165

Skripsova, A. V. (2015). Fucoidans of brown algae: Biosynthesis, localization, and physiological role in thallus. *Russian Journal of Marine Biology*, 41(3), 145–156.

<http://doi.org/10.1134/S1063074015030098>

Srinikethan, G. (2015). Extraction and Characterisation of Cellulose, (July), 19–24

Stengel, D. B., & Connan, S. (2015). *Natural Products From Marine Algae. Methods in molecular biology (Clifton, N.J.)* (Vol. 1308). <http://doi.org/10.1007/978-1-4939-2684-8>

Stiger-Pouvreau, V., Bourgougnon, N. and Deslandes, E. (2016). Carbohydrates From Seaweeds. Seaweed in Health and Disease Prevention, pp.223-274

Ventola, C. L. (2015). The antibiotic resistance crisis: part 1: causes and threats. *P & T: A Peer-Reviewed Journal for Formulary Management* (2015), 40(4), 277–83. <http://doi.org/Article>

Wernberg-Møller, T., Thomsen, M.S. & Stæhr, P.A. (1998). Phenology of *Sargassum muticum* (Phaeophyta, Fucales) in Limfjorden.<http://users.cybercity.dk/~dko10792/poster1.htm>

WHO. (2015). Global Antimicrobial Resistance Surveillance System

Widyartini, D. S., Pudji, W., & A.B., S. (2017). Thallus variation of *Sargassum polycystum* from Central Java, Indonesia. *Biodiversitas, Journal of Biological Diversity*, 18(3), 1004–1011.

<http://doi.org/10.13057/biodiv/d180319>

Widowati, I., Susanto, A. B., Puspita, M., Stiger-pouvreau, V., & Bourgougnon, N. (2014). Potentiality of using spreading *Sargassum* species from Indonesia as an interesting source of antibacterial and radical scavenging compounds: a preliminary study. *Int J Mar Aquat Res Conserv Co-Exist*, 1(1), 63–67

World Weather and Climate Information, 2016. [online] Available at: <https://weather-and-climate.com/average-monthly-Rainfall-Temperature-Sunshine,Jakarta,Indonesia> [Accessed 20 Jun. 2018]

Yende, S. R., Harle, U. N., & Chaugule, B. B. (2014). Therapeutic potential and health benefits of *Sargassum* species. *Pharmacognosy Reviews*, 8(15), 1–7. <http://doi.org/10.4103/0973-7847.125514>

York.ac.uk. (2018). Rotary Evaporators - Chemistry intranet, The University of York. [online] Available at: <https://www.york.ac.uk/chemistry/chemistry-intranet/ug-intranet/teaching-labs/teaching/techniques/reactions/rotary-evaporators/> [Accessed 5 Jul. 2018]

Yoshida, G., & Shimabukuro, H. (2017). Seasonal population dynamics of *Sargassum fusiforme* (Fucales, Phaeophyta), Suo-Oshima Is., Seto Inland Sea, Japan—development processes of a stand characterized by high density and productivity. *Journal of Applied Phycology*, 29(1), 639–648. <http://doi.org/10.1007/s10811-016-0951-z>